

Meryl Brod

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2712453/publications.pdf>

Version: 2024-02-01

68
papers

3,593
citations

257450

24
h-index

138484

58
g-index

69
all docs

69
docs citations

69
times ranked

4745
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation of a general measure of treatment satisfaction, the Treatment Satisfaction Questionnaire for Medication (TSQM), using a national panel study of chronic disease. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 12.	2.4	722
2	Qualitative research and content validity: developing best practices based on science and experience. <i>Quality of Life Research</i> , 2009, 18, 1263-1278.	3.1	617
3	The Impact of Non-Severe Hypoglycemic Events on Work Productivity and Diabetes Management. <i>Value in Health</i> , 2011, 14, 665-671.	0.3	240
4	Psychological insulin resistance: patient beliefs and implications for diabetes management. <i>Quality of Life Research</i> , 2009, 18, 23-32.	3.1	174
5	Validation of the Adult Attention-Deficit/Hyperactivity Disorder Quality-of-Life Scale (AAQoL): A Disease-Specific Quality-of-Life Measure. <i>Quality of Life Research</i> , 2006, 15, 117-129.	3.1	148
6	Content validity of patient-reported outcome measures: perspectives from a PROMIS meeting. <i>Quality of Life Research</i> , 2012, 21, 739-746.	3.1	143
7	ADHD burden of illness in older adults: a life course perspective. <i>Quality of Life Research</i> , 2012, 21, 795-799.	3.1	104
8	Development and validation of the insulin treatment satisfaction questionnaire. <i>Clinical Therapeutics</i> , 2004, 26, 565-578.	2.5	103
9	Impact of nocturnal hypoglycemic events on diabetes management, sleep quality, and next-day function: results from a four-country survey. <i>Journal of Medical Economics</i> , 2012, 15, 77-86.	2.1	75
10	Measuring the Impact of Diabetes Through Patient Report of Treatment Satisfaction, Productivity and Symptom Experience. <i>Quality of Life Research</i> , 2006, 15, 481-491.	3.1	74
11	Comparison of the burden of illness for adults with ADHD across seven countries: a qualitative study. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 47.	2.4	71
12	Understanding and assessing the impact of treatment in diabetes: the Treatment-Related Impact Measures for Diabetes and Devices (TRIM-Diabetes and TRIM-Diabetes Device). <i>Health and Quality of Life Outcomes</i> , 2009, 7, 83.	2.4	62
13	Adherence patterns in patients with type 2 diabetes on basal insulin analogues: missed, mistimed and reduced doses. <i>Current Medical Research and Opinion</i> , 2012, 28, 1933-1946.	1.9	60
14	Barriers to Initiating Insulin in Type 2 Diabetes Patients: Development of a New Patient Education Tool to Address Myths, Misconceptions and Clinical Realities. <i>Patient</i> , 2014, 7, 437-450.	2.7	60
15	Non-severe nocturnal hypoglycemic events: experience and impacts on patient functioning and well-being. <i>Quality of Life Research</i> , 2013, 22, 997-1004.	3.1	59
16	Responsiveness of the Adult Attention-Deficit/Hyperactivity Disorder Quality of Life Scale (AAQoL). <i>Quality of Life Research</i> , 2007, 16, 1511-1520.	3.1	56
17	Impact of self-treated hypoglycaemia in type 2 diabetes: a multinational survey in patients and physicians. <i>Current Medical Research and Opinion</i> , 2012, 28, 1947-1958.	1.9	53
18	Examining correlates of treatment satisfaction for injectable insulin in type 2 diabetes: lessons learned from a clinical trial comparing biphasic and basal analogues. <i>Health and Quality of Life Outcomes</i> , 2007, 5, 8.	2.4	49

#	ARTICLE	IF	CITATIONS
19	Understanding the Economic Burden of Nonsevere Nocturnal Hypoglycemic Events: Impact on Work Productivity, Disease Management, and Resource Utilization. <i>Value in Health</i> , 2013, 16, 1140-1149.	0.3	47
20	The psychosocial and financial impact of non-severe hypoglycemic events on people with diabetes: two international surveys. <i>Journal of Medical Economics</i> , 2014, 17, 751-761.	2.1	47
21	Understanding burden of illness for child growth hormone deficiency. <i>Quality of Life Research</i> , 2017, 26, 1673-1686.	3.1	37
22	Understanding Treatment Burden for Children Treated for Growth Hormone Deficiency. <i>Patient</i> , 2017, 10, 653-666.	2.7	34
23	Burden of Illness of Diabetic Peripheral Neuropathic Pain: A Qualitative Study. <i>Patient</i> , 2015, 8, 339-348.	2.7	30
24	The impact of non-severe hypoglycemic events on daytime function and diabetes management among adults with type 1 and type 2 diabetes. <i>Journal of Medical Economics</i> , 2012, 15, 869-877.	2.1	25
25	Understanding the burden of illness of excessive daytime sleepiness associated with obstructive sleep apnea: a qualitative study. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 128.	2.4	25
26	Maximizing the value of validation findings to better understand treatment satisfaction issues for diabetes. <i>Quality of Life Research</i> , 2007, 16, 1053-1063.	3.1	24
27	Validation of the adult attention-deficit/hyperactivity disorder quality-of-life scale in European patients: comparison with patients from the USA. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2015, 7, 141-150.	1.7	23
28	The Economic Burden of Post-prandial Hyperglycemia (PPH) Among People with Type 1 and Type 2 Diabetes in Three Countries. <i>Diabetes Therapy</i> , 2016, 7, 75-90.	2.5	23
29	PaTH Forward: A Randomized, Double-Blind, Placebo-Controlled Phase 2 Trial of TransCon PTH in Adult Hypoparathyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e372-e385.	3.6	23
30	Examining the ability to detect change using the TRIM-Diabetes and TRIM-Diabetes Device measures. <i>Quality of Life Research</i> , 2011, 20, 1513-8.	3.1	20
31	Impact of adult growth hormone deficiency on daily functioning and well-being. <i>BMC Research Notes</i> , 2014, 7, 813.	1.4	20
32	Understanding Post-Prandial Hyperglycemia in Patients with Type 1 and Type 2 Diabetes: A Web-based Survey in Germany, the UK, and USA. <i>Diabetes Therapy</i> , 2016, 7, 335-348.	2.5	20
33	Understanding bolus insulin dose timing: the characteristics and experiences of people with diabetes who take bolus insulin. <i>Current Medical Research and Opinion</i> , 2017, 33, 639-645.	1.9	20
34	Effective GH Replacement With Once-weekly Somapacitan vs Daily GH in Children with GHD: 3-year Results From REAL 3. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 1357-1367.	3.6	20
35	Understanding the economic, daily functioning, and diabetes management burden of non-severe nocturnal hypoglycemic events in Canada: differences between type 1 and type 2. <i>Journal of Medical Economics</i> , 2014, 17, 11-20.	2.1	19
36	Assessing physical symptoms, daily functioning, and well-being in children with achondroplasia. <i>American Journal of Medical Genetics, Part A</i> , 2021, 185, 33-45.	1.2	19

#	ARTICLE	IF	CITATIONS
37	Assessing the Patient Experience of Hypoparathyroidism Symptoms: Development of the Hypoparathyroidism Patient Experience Scale-Symptom (HPES-Symptom). <i>Patient</i> , 2020, 13, 151-162.	2.7	15
38	Functioning and well-being in older children and adolescents with achondroplasia: A qualitative study. <i>American Journal of Medical Genetics, Part A</i> , 2022, 188, 454-462.	1.2	15
39	Diabetes management and daily functioning burden of non-severe hypoglycemia in Japanese people treated with insulin. <i>Journal of Diabetes Investigation</i> , 2017, 8, 776-782.	2.4	14
40	Patient treatment satisfaction after switching to NovoMix® 30 (BIAsp 30) in the IMPROVE-1 study: an analysis of the influence of prior and current treatment factors. <i>Quality of Life Research</i> , 2010, 19, 1285-1293.	3.1	13
41	Insulin Administration and the Impacts of Forgetting a Dose. <i>Patient</i> , 2014, 7, 63-71.	2.7	13
42	Examining and interpreting responsiveness of the Diabetes Medication Satisfaction measure. <i>Journal of Medical Economics</i> , 2009, 12, 309-316.	2.1	12
43	Development and validation of the Treatment Related Impact Measure of Weight (TRIM-Weight). <i>Health and Quality of Life Outcomes</i> , 2010, 8, 19.	2.4	12
44	Development and validation of the Diabetic Peripheral Neuropathic Pain Impact (DPNPI) measure, a patient-reported outcome measure. <i>Quality of Life Research</i> , 2015, 24, 3001-3014.	3.1	12
45	Cross-sectional 7-year follow-up of anxiety in primary care patients. <i>Depression and Anxiety</i> , 2004, 19, 105-111.	4.1	11
46	Validation of the controlled ovarian stimulation impact measure (COSI): assessing the patient perspective. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 130.	2.4	11
47	Perceptions of diabetes control among physicians and people with type 2 diabetes uncontrolled on basal insulin in Sweden, Switzerland, and the United Kingdom. <i>Current Medical Research and Opinion</i> , 2016, 32, 981-989.	1.9	10
48	Postprandial glucose and healthcare resource use: a cross-sectional survey of adults with diabetes treated with basal-bolus insulin. <i>Journal of Medical Economics</i> , 2018, 21, 66-73.	2.1	10
49	Assessing the impact of non-severe hypoglycemic events and treatment in adults: development of the "Treatment-Related Impact Measure" Non-severe Hypoglycemic Events (TRIM-HYPO). <i>Quality of Life Research</i> , 2015, 24, 2971-2984.	3.1	9
50	Assessing the Impact of Growth Hormone Deficiency and Treatment in Adults: Development of a New Disease-Specific Measure. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1204-1212.	3.6	8
51	A cross-sectional survey among patients and prescribers on insulin dosing irregularities and impact of mild (self-treated) hypoglycemia episodes in Spanish patients with type 2 diabetes as compared to other European patients. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2014, 61, 426-433.	0.8	8
52	Assessing the impacts of having a child with achondroplasia on parent well-being. <i>Quality of Life Research</i> , 2021, 30, 203-215.	3.1	8
53	Living with hypoparathyroidism: development of the Hypoparathyroidism Patient Experience Scale-Impact (HPES-Impact). <i>Quality of Life Research</i> , 2021, 30, 277-291.	3.1	8
54	Validação semântica da versão em língua portuguesa do Questionário de Qualidade de Vida em Adultos (AAQoL) que apresentam transtorno de déficit de atenção/hiperatividade (TDAH). <i>Revista De Psiquiatria Clinica</i> , 2011, 38, 87-90.	0.6	7

#	ARTICLE	IF	CITATIONS
55	Self-Treated Hypoglycemia in Type 2 Diabetes Mellitus: Results from the Second Wave of an International Cross-Sectional Survey. <i>Diabetes Therapy</i> , 2016, 7, 279-293.	2.5	6
56	Psychometric Validation of the Growth Hormone Deficiency-Child Impact Measure (GHD-CIM). <i>Pharmacoeconomics - Open</i> , 2021, 5, 505-518.	1.8	6
57	Assessing the Impact of Growth Hormone Deficiency (GHD) in Adults: Interpreting Change of the Treatment-Related Impact Measure—Adult Growth Hormone Deficiency (TRIM-AGHD). <i>Pharmacoeconomics - Open</i> , 2019, 3, 71-80.	1.8	5
58	What Is a Clinically Relevant Improvement in Quality of Life in Adults With ADHD?. <i>Journal of Attention Disorders</i> , 2019, 23, 65-75.	2.6	5
59	Psychometric validation of the Hypoparathyroidism Patient Experience Scales (HPES). <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 70.	1.9	5
60	A qualitative study of the impacts of having an infant or young child with achondroplasia on parent well-being. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 351.	2.7	4
61	A cross-sectional survey among patients and prescribers on insulin dosing irregularities and impact of mild (self-treated) hypoglycemia episodes in Spanish patients with type 2 diabetes as compared to other European patients. <i>Endocrinología Y Nutrición (English Edition)</i> , 2014, 61, 426-433.	0.5	3
62	Perceptions of diabetes control among people with type 2 diabetes treated with basal insulin in Sweden, Switzerland, and the United Kingdom. <i>Current Medical Research and Opinion</i> , 2016, 32, 1653-1661.	1.9	3
63	Development of the Weight-Related Sign and Symptom Measure. <i>Journal of Patient-Reported Outcomes</i> , 2018, 2, 17.	1.9	3
64	<p>Divergence in perceptions of diabetes control among patients with type 2 diabetes mellitus treated with basal insulin and health care professionals: results from the US Perceptions of Control (POC-US) study</p>. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 761-773.	1.8	3
65	Post-Basal Insulin Intensification and Healthcare Resource Use in Type 2 Diabetes: A Web-Based Physician Survey in the United States and United Kingdom. <i>Diabetes Therapy</i> , 2019, 10, 1323-1336.	2.5	3
66	Patient-reported outcomes from a randomized, crossover trial comparing a pen injector with insulin degludec versus a pen injector with insulin glargine U100 in patients with type 2 diabetes. <i>Current Medical Research and Opinion</i> , 2019, 35, 1623-1629.	1.9	3
67	Insulin-taking behavior and memory problems among people with diabetes in five countries: findings from a web survey. <i>Patient Intelligence</i> , 0, , 43.	0.2	2
68	Development and Validation of the Diabetes Pen Experience Measure (DPEM): A New Patient-Reported Outcome Measure. <i>Journal of Diabetes Science and Technology</i> , 2022, , 193229682210793.	2.2	0