

Binbin He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2714892/publications.pdf>

Version: 2024-02-01

79
papers

2,081
citations

236925

25
h-index

243625

44
g-index

79
all docs

79
docs citations

79
times ranked

2154
citing authors

#	ARTICLE	IF	CITATIONS
1	Solar-induced chlorophyll fluorescence is strongly correlated with terrestrial photosynthesis for a wide variety of biomes: First global analysis based on OCO ₂ and flux tower observations. <i>Global Change Biology</i> , 2018, 24, 3990-4008.	9.5	264
2	Fmask 4.0: Improved cloud and cloud shadow detection in Landsats 4-8 and Sentinel-2 imagery. <i>Remote Sensing of Environment</i> , 2019, 231, 111205.	11.0	248
3	Chlorophyll fluorescence observed by OCO-2 is strongly related to gross primary productivity estimated from flux towers in temperate forests. <i>Remote Sensing of Environment</i> , 2018, 204, 659-671.	11.0	124
4	Improving Fmask cloud and cloud shadow detection in mountainous area for Landsats 4-8 images. <i>Remote Sensing of Environment</i> , 2017, 199, 107-119.	11.0	98
5	Explorations of the implementation of a parallel IDW interpolation algorithm in a Linux cluster-based parallel GIS. <i>Computers and Geosciences</i> , 2011, 37, 426-434.	4.2	84
6	First Assessment of Sentinel-1A Data for Surface Soil Moisture Estimations Using a Coupled Water Cloud Model and Advanced Integral Equation Model over the Tibetan Plateau. <i>Remote Sensing</i> , 2017, 9, 714.	4.0	77
7	A Synergistic Methodology for Soil Moisture Estimation in an Alpine Prairie Using Radar and Optical Satellite Data. <i>Remote Sensing</i> , 2014, 6, 10966-10985.	4.0	72
8	A radiative transfer model-based method for the estimation of grassland aboveground biomass. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2017, 54, 159-168.	2.8	68
9	A Bayesian Network-Based Method to Alleviate the Ill-Posed Inverse Problem: A Case Study on Leaf Area Index and Canopy Water Content Retrieval. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 6507-6517.	6.3	62
10	Retrieval of forest fuel moisture content using a coupled radiative transfer model. <i>Environmental Modelling and Software</i> , 2017, 95, 290-302.	4.5	59
11	Effects of Live Fuel Moisture Content on Wildfire Occurrence in Fire-Prone Regions over Southwest China. <i>Forests</i> , 2019, 10, 887.	2.1	43
12	Higher absorbed solar radiation partly offset the negative effects of water stress on the photosynthesis of Amazon forests during the 2015 drought. <i>Environmental Research Letters</i> , 2018, 13, 044005.	5.2	42
13	Globe-LFMC, a global plant water status database for vegetation ecophysiology and wildfire applications. <i>Scientific Data</i> , 2019, 6, 155.	5.3	41
14	Using Machine Learning for Estimating Rice Chlorophyll Content from In Situ Hyperspectral Data. <i>Remote Sensing</i> , 2020, 12, 3104.	4.0	41
15	Assessment of the Dual Polarimetric Sentinel-1A Data for Forest Fuel Moisture Content Estimation. <i>Remote Sensing</i> , 2019, 11, 1568.	4.0	40
16	Near Real-Time Extracting Wildfire Spread Rate from Himawari-8 Satellite Data. <i>Remote Sensing</i> , 2018, 10, 1654.	4.0	39
17	Estimating the Aboveground Dry Biomass of Grass by Assimilation of Retrieved LAI Into a Crop Growth Model. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 550-561.	4.9	36
18	A method for mineral prospectivity mapping integrating C4.5 decision tree, weights-of-evidence and m-branch smoothing techniques: a case study in the eastern Kunlun Mountains, China. <i>Earth Science Informatics</i> , 2014, 7, 13-24.	3.2	35

#	ARTICLE	IF	CITATIONS
19	Estimating Soil Moisture Over Winter Wheat Fields During Growing Season Using Machine-Learning Methods. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2021, 14, 3706-3718.	4.9	32
20	Solar-induced chlorophyll fluorescence exhibits a universal relationship with gross primary productivity across a wide variety of biomes. Global Change Biology, 2019, 25, e4.	9.5	31
21	Retrieval of leaf area index in alpine wetlands using a two-layer canopy reflectance model. International Journal of Applied Earth Observation and Geoinformation, 2013, 21, 78-91.	2.8	29
22	Biomass estimation in dense tropical forest using multiple information from single-baseline P-band PolInSAR data. Remote Sensing of Environment, 2019, 221, 489-507.	11.0	29
23	Potential of Dubois model for soil moisture retrieval in prairie areas using SAR and optical data. International Journal of Remote Sensing, 2015, 36, 5737-5753.	2.9	27
24	Retrieving Surface Soil Moisture over Wheat and Soybean Fields during Growing Season Using Modified Water Cloud Model from Radarsat-2 SAR Data. Remote Sensing, 2019, 11, 1956.	4.0	27
25	Global fuel moisture content mapping from MODIS. International Journal of Applied Earth Observation and Geoinformation, 2021, 101, 102354.	2.8	27
26	Locality preserving projections algorithm for hyperspectral image dimensionality reduction. , 2011, , .		25
27	The impacts of spatial baseline on forest canopy height model and digital terrain model retrieval using P-band PolInSAR data. Remote Sensing of Environment, 2018, 210, 403-421.	11.0	25
28	Estimation of Grassland Live Fuel Moisture Content From Ratio of Canopy Water Content and Foliage Dry Biomass. IEEE Geoscience and Remote Sensing Letters, 2015, 12, 1903-1907.	3.1	23
29	Retrieval of Grassland Live Fuel Moisture Content by Parameterizing Radiative Transfer Model With Interval Estimated LAI. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2016, 9, 910-920.	4.9	23
30	Application of Landsat ETM+ and OLI Data for Foliage Fuel Load Monitoring Using Radiative Transfer Model and Machine Learning Method. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2021, 14, 5100-5110.	4.9	23
31	Modified enhanced vegetation index for reducing topographic effects. Journal of Applied Remote Sensing, 2015, 9, 096068.	1.3	22
32	Improving Land Cover Change Detection and Classification With BRDF Correction and Spatial Feature Extraction Using Landsat Time Series: A Case of Urbanization in Tianjin, China. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2020, 13, 4166-4177.	4.9	22
33	Chlorophyll content estimation in arid grasslands from Landsat-8 OLI data. International Journal of Remote Sensing, 2016, 37, 615-632.	2.9	19
34	Improving Forest Height Retrieval by Reducing the Ambiguity of Volume-Only Coherence Using Multi-Baseline PolInSAR Data. IEEE Transactions on Geoscience and Remote Sensing, 2019, 57, 8853-8866.	6.3	19
35	Method for soil moisture retrieval in arid prairie using TerraSAR-X data. Journal of Applied Remote Sensing, 2015, 9, 096062.	1.3	18
36	Cloud and Cloud Shadow Detection for Landsat Images: The Fundamental Basis for Analyzing Landsat Time Series. , 2018, , 3-23.		15

#	ARTICLE	IF	CITATIONS
37	An Extended Fourier Approach to Improve the Retrieved Leaf Area Index (LAI) in a Time Series from an Alpine Wetland. <i>Remote Sensing</i> , 2014, 6, 1171-1190.	4.0	14
38	Assessment of Different Vegetation Parameters for Parameterizing the Coupled Water Cloud Model and Advanced Integral Equation Model for Soil Moisture Retrieval Using Time Series Sentinel-1A Data. <i>Photogrammetric Engineering and Remote Sensing</i> , 2019, 85, 43-54.	0.6	14
39	A Physics-Guided Deep Learning Model for 10-h Dead Fuel Moisture Content Estimation. <i>Forests</i> , 2021, 12, 933.	2.1	13
40	Point-Based Weakly Supervised Learning for Object Detection in High Spatial Resolution Remote Sensing Images. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 5361-5371.	4.9	12
41	Gold resources potential assessment in eastern Kunlun Mountains of China combining weights-of-evidence model with GIS spatial analysis technique. <i>Chinese Geographical Science</i> , 2010, 20, 461-470.	3.0	11
42	Potential of texture from SAR tomographic images for forest aboveground biomass estimation. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2020, 88, 102049.	2.8	11
43	Integrating remotely sensed fuel variables into wildfire danger assessment for China. <i>International Journal of Wildland Fire</i> , 2021, 30, 807-821.	2.4	11
44	Mineral prospectivity mapping integrating multi-source geology spatial data sets and logistic regression modelling. , 2011, , .		10
45	An Extended Approach for Biomass Estimation in a Mixed Vegetation Area Using ASAR and TM Data. <i>Photogrammetric Engineering and Remote Sensing</i> , 2014, 80, 429-438.	0.6	9
46	Mineral Potential Mapping for Cu-Pb-Zn Deposits in the East Kunlun Region, Qinghai Province, China, Integrating Multi-source Geology Spatial Data Sets and Extended Weights-of-Evidence Modeling. <i>GIScience and Remote Sensing</i> , 2010, 47, 514-540.	5.9	8
47	Forest Fuel Loads Estimation from Landsat ETM+ and ALOS PALSAR Data. <i>Remote Sensing</i> , 2021, 13, 1189.	4.0	7
48	Remote Sensing of Burn Severity Using Coupled Radiative Transfer Model: A Case Study on Chinese Qinyuan Pine Fires. <i>Remote Sensing</i> , 2020, 12, 3590.	4.0	6
49	CSVM Architectures for Pixel-Wise Object Detection in High-Resolution Remote Sensing Images. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2020, 58, 6059-6070.	6.3	6
50	A spatial data mining method for mineral resources potential assessment. , 2011, , .		5
51	A method for landslide susceptibility assessment integrating rough set and decision tree: A case study in Beichuan, China. , 2016, , .		5
52	Retrieving Soil Moisture Over Soybean Fields During Growing Season Through Polarimetric Decomposition. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 1132-1145.	4.9	5
53	A novel method for mineral prospectivity mapping integrating spatial-scene similarity and weights-of-evidence. <i>Earth Science Informatics</i> , 2015, 8, 393-409.	3.2	4
54	Mining metallogenic association rules combining cloud model with Apriori algorithm. , 2010, , .		3

#	ARTICLE	IF	CITATIONS
55	An improved dual-baseline PolInSAR method for forest height inversion. International Journal of Applied Earth Observation and Geoinformation, 2021, 103, 102483.	2.8	3
56	Estimating Soil Moisture over Winter Wheat Fields during Growing Season Using RADARSAT-2 Data. Remote Sensing, 2022, 14, 2232.	4.0	3
57	A mineral resources quantitative assessment and 3D visualization system. , 2015, , .		2
58	Potential use of radarsat-2 polarimetric parameters for estimating soil moisture in prairie areas. , 2016, , .		2
59	Assessment of heavy metals contamination in soils of Dexing region, Jiangxi Province, China. Diqu Huaxue, 2006, 25, 27-28.	0.5	1
60	Assessing spatial-temporal variation of heavy metals contamination of sediments using GIS 3D spatial analysis methods in Dexing mines, Jiangxi province, China. , 2007, , .		1
61	Hydrothermal alteration mapping using aster data in East Kunlun Mountains, China. , 2010, , .		1
62	Estimation above-ground biomass of wetland bulrush in Qaidam Basin, China, combining regression model with vegetation index. , 2011, , .		1
63	Uncertainty mapping method for mineral resources prospectivity integrating multi-source geology spatial data sets and evidence reasoning model. , 2011, , .		1
64	Retrieval of Fuel Moisture Content from Himawari-8 Product: Towards Real-Time Wildfire Risk Assessment. , 2018, , .		1
65	Estimation of Wildfire Spread Rate from Geostationary Satellite Data. , 2018, , .		1
66	A Remote Sensing and Meteorological Data-Based Methodology for Wildfire Danger Assessment for China. , 2020, , .		1
67	Spatial and temporal variation of heavy metal contamination in sediments of Dexing region, Jiangxi Province, China. Diqu Huaxue, 2006, 25, 251-251.	0.5	0
68	Study on Theoretical Reserves of Water Energy and its Distribution Based on HYDRO30 Digital Drainage Network. , 2018, , .		0
69	Correlation Between Grace Terrestrial Water Storage Anomaly and TRMM Precipitation. , 2018, , .		0
70	Analysis of Impervious Surface Change and Economy in Tianjin, China Using Landsat Time Series Data. , 2019, , .		0
71	Estimation of Fuel Moisture Content Based on Quad Polarimetric Decomposition Parameters of Radarsat-2 Data. , 2019, , .		0
72	First Assessment of Dual Polarization Sentinel-1A Data for Fuel Moisture Content Retrieval. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
73	Wildfire Danger Assessment Over Southwest China Based on Short-Term Features of Weather and Fuel Variables. , 2021, , .		0
74	Three Problems in Forest Height Inversion Using P-Band Repeat-Pass Polinsar Data. , 2021, , .		0
75	Temporal Mapping of Grassland Aboveground Biomass in Qinghai Province from Landsat 8 and Sentinel-2. , 2021, , .		0
76	Improved Forest Biomass Estimation by Adding Time-Series Characteristics of Landsat Reflectance. , 2021, , .		0
77	An Improved Dual-Baseline PolInSAR Method for Forest Height Estimation Based on RMoG Model. , 2021, , .		0
78	Assessment of the Effect of PROSAILH for Open and Closed Shrublands Live Fuel Moisture Content Retrieval. , 2020, , .		0
79	Continuous woody vegetation biomass estimation based on temporal modeling of Landsat data. International Journal of Applied Earth Observation and Geoinformation, 2022, 110, 102811.	1.9	0