

Doris M Howell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2722222/publications.pdf>

Version: 2024-02-01

269
papers

6,970
citations

66343

42
h-index

79698

73
g-index

277
all docs

277
docs citations

277
times ranked

8560
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient-reported outcomes in routine cancer clinical practice: a scoping review of use, impact on health outcomes, and implementation factors. <i>Annals of Oncology</i> , 2015, 26, 1846-1858.	1.2	361
2	Trajectory of Performance Status and Symptom Scores for Patients With Cancer During the Last Six Months of Life. <i>Journal of Clinical Oncology</i> , 2011, 29, 1151-1158.	1.6	352
3	Cancer-related fatigue and associated disability in post-treatment cancer survivors. <i>Journal of Cancer Survivorship</i> , 2016, 10, 51-61.	2.9	227
4	A systematic review of factors influencing older adults's decision to accept or decline cancer treatment. <i>Cancer Treatment Reviews</i> , 2015, 41, 197-215.	7.7	198
5	Self-management education interventions for patients with cancer: a systematic review. <i>Supportive Care in Cancer</i> , 2017, 25, 1323-1355.	2.2	182
6	Symptom burden and performance status in a population-based cohort of ambulatory cancer patients. <i>Cancer</i> , 2010, 116, 5767-5776.	4.1	181
7	Sleep disturbance in adults with cancer: a systematic review of evidence for best practices in assessment and management for clinical practice. <i>Annals of Oncology</i> , 2014, 25, 791-800.	1.2	173
8	Preferences for place of care and place of death among informal caregivers of the terminally ill. <i>Palliative Medicine</i> , 2005, 19, 492-499.	3.1	168
9	Factors influencing adherence to cancer treatment in older adults with cancer: a systematic review. <i>Annals of Oncology</i> , 2014, 25, 564-577.	1.2	160
10	Illness perceptions and coping in physical health conditions: A meta-analysis. <i>Journal of Psychosomatic Research</i> , 2015, 79, 506-513.	2.6	153
11	The changed meaning of food: Physical, social and emotional loss for patients having received radiation treatment for head and neck cancer. <i>European Journal of Oncology Nursing</i> , 2011, 15, 145-151.	2.1	148
12	Manual lymphatic drainage for lymphedema following breast cancer treatment. <i>The Cochrane Library</i> , 2015, 2015, CD003475.	2.8	144
13	Models of care for post-treatment follow-up of adult cancer survivors: a systematic review and quality appraisal of the evidence. <i>Journal of Cancer Survivorship</i> , 2012, 6, 359-371.	2.9	134
14	Clinician-patient communication: a systematic review. <i>Supportive Care in Cancer</i> , 2009, 17, 627-644.	2.2	121
15	Cancer Care Ontario's experience with implementation of routine physical and psychological symptom distress screening. <i>Psycho-Oncology</i> , 2012, 21, 357-364.	2.3	120
16	A Pan-Canadian Practice Guideline and Algorithm: Screening, Assessment, and Supportive Care of Adults with Cancer-Related Fatigue. <i>Current Oncology</i> , 2013, 20, 233-246.	2.2	112
17	Management of Cancer and Health After the Clinic Visit: A Call to Action for Self-Management in Cancer Care. <i>Journal of the National Cancer Institute</i> , 2021, 113, 523-531.	6.3	110
18	Do Patient-Reported Symptoms Predict Emergency Department Visits in Cancer Patients? A Population-Based Analysis. <i>Annals of Emergency Medicine</i> , 2013, 61, 427-437.e5.	0.6	102

#	ARTICLE	IF	CITATIONS
19	Influencing Nursesâ€™ Knowledge, Attitudes, and Practice in Cancer Pain Management. <i>Cancer Nursing</i> , 2000, 23, 55-63.	1.5	96
20	Quality Improvement in Cancer Symptom Assessment and Control: The Provincial Palliative Care Integration Project (PPCIP). <i>Journal of Pain and Symptom Management</i> , 2012, 43, 663-678.	1.2	79
21	Patient-Reported Outcome Performance Measures in Oncology. <i>Journal of Oncology Practice</i> , 2014, 10, 209-211.	2.5	79
22	Does routine symptom screening with ESAS decrease ED visits in breast cancer patients undergoing adjuvant chemotherapy?. <i>Supportive Care in Cancer</i> , 2015, 23, 3025-3032.	2.2	75
23	Health literacy and cancer self-management behaviors: A scoping review. <i>Cancer</i> , 2018, 124, 4202-4210.	4.1	75
24	Using More End-of-Life Homecare Services is Associated With Using Fewer Acute Care Services. <i>Medical Care</i> , 2010, 48, 118-124.	2.4	74
25	Improved models of care for cancer survivors. <i>Lancet, The</i> , 2022, 399, 1551-1560.	13.7	73
26	A Pan-Canadian practice guideline: prevention, screening, assessment, and treatment of sleep disturbances in adults with cancer. <i>Supportive Care in Cancer</i> , 2013, 21, 2695-2706.	2.2	72
27	Distressâ€”The 6th Vital Sign. <i>Current Oncology</i> , 2011, 18, 208-210.	2.2	66
28	Psychosocial health care needs assessment of adult cancer patients: a consensus-based guideline. <i>Supportive Care in Cancer</i> , 2012, 20, 3343-3354.	2.2	66
29	Validation of the Patient-Reported Outcomes Measurement Information System (PROMIS)-57 and -29 item short forms among kidney transplant recipients. <i>Quality of Life Research</i> , 2019, 28, 815-827.	3.1	66
30	Identifying changes in scores on the EORTC-QLQ-C30 representing a change in patientsâ€™ supportive care needs. <i>Quality of Life Research</i> , 2015, 24, 1207-1216.	3.1	65
31	Survivorship Services for Adult Cancer Populations: A Pan-Canadian Guideline. <i>Current Oncology</i> , 2011, 18, 265-281.	2.2	64
32	Impact of Ovarian Cancer Perceived by Women. <i>Cancer Nursing</i> , 2003, 26, 1-9.	1.5	63
33	Population-Based Standardized Symptom Screening: Cancer Care Ontario's Edmonton Symptom Assessment System and Performance Status Initiatives. <i>Journal of Oncology Practice</i> , 2014, 10, 212-214.	2.5	59
34	Patterns, perceptions, and perceived barriers to physical activity in adult cancer survivors. <i>Supportive Care in Cancer</i> , 2018, 26, 3755-3763.	2.2	57
35	Opioid Prescription After Pain Assessment: A Population-Based Cohort of Elderly Patients With Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 1095-1099.	1.6	56
36	Core Domains for a Person-Focused Outcome Measurement System in Cancer (PROMS-Cancer Core) for Routine Care: A Scoping Review and Canadian Delphi Consensus. <i>Value in Health</i> , 2013, 16, 76-87.	0.3	56

#	ARTICLE	IF	CITATIONS
37	Women's Experiences With Recurrent Ovarian Cancer. <i>Cancer Nursing</i> , 2003, 26, 10-17.	1.5	52
38	The impact of routine Edmonton Symptom Assessment System (ESAS) use on overall survival in cancer patients: Results of a population-based retrospective matched cohort analysis. <i>Cancer Medicine</i> , 2020, 9, 7107-7115.	2.8	52
39	The Prevalence and Nature of Supportive Care Needs in Lung Cancer Patients. <i>Current Oncology</i> , 2016, 23, 258-265.	2.2	50
40	Experiences of mothers in five countries whose child died of cancer. <i>Cancer Nursing</i> , 1998, 21, 301-311.	1.5	47
41	Effectiveness of Internet-based interventions in managing chemotherapy-related symptoms in patients with cancer: a systematic literature review. <i>Supportive Care in Cancer</i> , 2018, 26, 361-374.	2.2	46
42	Usability Evaluation of a Mobile Phone-Based System for Remote Monitoring and Management of Chemotherapy-Related Side Effects in Cancer Patients: Mixed-Methods Study. <i>JMIR Cancer</i> , 2018, 4, e10932.	2.4	46
43	Care burden and its predictive factors in parents of newly diagnosed children with acute lymphoblastic leukemia in academic hospitals in China. <i>Supportive Care in Cancer</i> , 2017, 25, 3703-3713.	2.2	45
44	Multiphasic Prehabilitation Across the Cancer Continuum: A Narrative Review and Conceptual Framework. <i>Frontiers in Oncology</i> , 2020, 10, 598425.	2.8	45
45	Resource Use and costs of End-Of-Life/Palliative Care: Ontario Adult Cancer Patients Dying during 2002 and 2003. <i>Journal of Palliative Care</i> , 2011, 27, 79-88.	1.0	44
46	A Pilot Randomized Controlled Trial of an Oral Care Intervention to Reduce Mucositis Severity in Stem Cell Transplant Patients. <i>Journal of Pain and Symptom Management</i> , 2012, 44, 64-73.	1.2	42
47	Quality of Life in Chinese Persons Living With an Ostomy. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2017, 44, 249-256.	1.0	42
48	Impact of Standardized Edmonton Symptom Assessment System Use on Emergency Department Visits and Hospitalization: Results of a Population-Based Retrospective Matched Cohort Analysis. <i>JCO Oncology Practice</i> , 2020, 16, e958-e965.	2.9	40
49	Enhancing family physician capacity to deliver quality palliative home care: an end-of-life, shared-care model. <i>Canadian Family Physician</i> , 2008, 54, 1703-1703.e7.	0.4	40
50	mHealth Supportive Care Intervention for Parents of Children With Acute Lymphoblastic Leukemia: Quasi-Experimental Pre- and Postdesign Study. <i>JMIR MHealth and UHealth</i> , 2018, 6, e195.	3.7	39
51	Self-management, self-management support needs and interventions in advanced cancer: a scoping review. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, 12-25.	1.6	37
52	Validation of a one-page patient-reported Charlson comorbidity index questionnaire for upper aerodigestive tract cancer patients. <i>Oral Oncology</i> , 2013, 49, 407-412.	1.5	36
53	Clinician-Patient Communication: Evidence-Based Recommendations to Guide Practice in Cancer. <i>Current Oncology</i> , 2009, 16, 42-49.	2.2	35
54	Experiences of care delivery: Endometrial cancer survivors at end of treatment. <i>Gynecologic Oncology</i> , 2012, 124, 458-464.	1.4	35

#	ARTICLE	IF	CITATIONS
55	Barriers and facilitators to care for the terminally ill: A cross-country case comparison study of Canada, England, Germany, and the United States. <i>Palliative Medicine</i> , 2014, 28, 111-120.	3.1	35
56	Perceptions of Continued Smoking and Smoking Cessation Among Patients With Cancer. <i>Journal of Oncology Practice</i> , 2018, 14, e269-e279.	2.5	35
57	A mixed-method evaluation of nurse-led community-based supportive cancer care. <i>Supportive Care in Cancer</i> , 2008, 16, 1343-1352.	2.2	34
58	Socioeconomic Status and Lifestyle Behaviours in Cancer Survivors: Smoking and Physical Activity. <i>Current Oncology</i> , 2016, 23, 546-555.	2.2	34
59	How haematological cancer nurses experience the threat of patients' mortality. <i>Journal of Advanced Nursing</i> , 2012, 68, 2175-2184.	3.3	33
60	Multistate Analysis of Interval-Censored Longitudinal Data: Application to a Cohort Study on Performance Status Among Patients Diagnosed With Cancer. <i>American Journal of Epidemiology</i> , 2011, 173, 468-475.	3.4	32
61	Selecting, implementing and evaluating patient-reported outcome measures for routine clinical use in cancer: the Cancer Care Ontario approach. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 101.	1.9	32
62	Feasibility and diagnostic accuracy of the Patient-Reported Outcomes Measurement Information System (PROMIS) item banks for routine surveillance of sleep and fatigue problems in ambulatory cancer care. <i>Cancer</i> , 2016, 122, 2906-2917.	4.1	31
63	Factors Associated with End-of-Life Health Service Use in Patients Dying of Cancer. <i>Healthcare Policy</i> , 2010, 5, e125-43.	0.6	31
64	Resource utilization and cost analyses of home-based palliative care service provision: The Niagara West End-of-Life Shared-Care Project. <i>Palliative Medicine</i> , 2013, 27, 115-122.	3.1	29
65	Relationship between neurocognitive functioning and medication management ability over the first 6 months following allogeneic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2016, 51, 841-847.	2.4	29
66	Implementation of self-management support in cancer care and normalization into routine practice: a systematic scoping literature review protocol. <i>Systematic Reviews</i> , 2019, 8, 37.	5.3	29
67	A Shared Care Model Pilot for Palliative Home Care in A Rural Area: Impact on Symptoms, Distress, and Place of Death. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 60-75.	1.2	28
68	Supported self-management for cancer survivors to address long-term biopsychosocial consequences of cancer and treatment to optimize living well. <i>Current Opinion in Supportive and Palliative Care</i> , 2018, 12, 92-99.	1.3	28
69	Integration of patient-reported outcomes (PROs) for personalized symptom management in "real-world" oncology practices: a population-based cohort comparison study of impact on healthcare utilization. <i>Supportive Care in Cancer</i> , 2020, 28, 4933-4942.	2.2	28
70	Complementary and alternative medicine and other health behaviors. <i>Journal of Clinical Oncology</i> , 2013, 31, 23-23.	1.6	28
71	Lifestyle Behaviors in Elderly Cancer Survivors: A Comparison With Middle-Age Cancer Survivors. <i>Journal of Oncology Practice</i> , 2015, 11, e450-e459.	2.5	27
72	Personalized symptom management: a quality improvement collaborative for implementation of patient reported outcomes (PROs) in "real-world" oncology multisite practices. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 47.	1.9	27

#	ARTICLE	IF	CITATIONS
73	The Association of the Palliative Performance Scale and Hazard of Death in an Ambulatory Cancer Population. <i>Journal of Palliative Medicine</i> , 2013, 16, 156-162.	1.1	26
74	Reaching Common Ground: A Patient-Family-Based Conceptual Framework of Quality EOL Care. <i>Journal of Palliative Care</i> , 2005, 21, 19-26.	1.0	25
75	Health system characteristics of quality care delivery: A comparative case study examination of palliative care for cancer patients in four regions in Ontario, Canada. <i>Palliative Medicine</i> , 2012, 26, 322-335.	3.1	25
76	Advanced lung cancer patients' experience with continuity of care and supportive care needs. <i>Supportive Care in Cancer</i> , 2013, 21, 1351-1358.	2.2	25
77	Modeling the Longitudinal Transitions of Performance Status in Cancer Outpatients: Time to Discuss Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 726-734.	1.2	25
78	Managing symptoms during cancer treatments: evaluating the implementation of evidence-informed remote support protocols. <i>Implementation Science</i> , 2012, 7, 110.	6.9	24
79	Real-World EQ5D Health Utility Scores for Patients With Metastatic Lung Cancer by Molecular Alteration and Response to Therapy. <i>Clinical Lung Cancer</i> , 2017, 18, 388-395.e4.	2.6	23
80	Opioid Prescribing Among Cancer and Non-cancer Patients: Time Trend Analysis in the Elderly Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 484-492.e1.	1.2	23
81	EQ-5D Health Utility Scores: Data from a Comprehensive Canadian Cancer Centre. <i>Patient</i> , 2017, 10, 105-115.	2.7	23
82	Screening for distress: Responding is a critical function for oncology nurses. <i>Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique</i> , 2011, 22, 12-20.	0.5	23
83	Patient-Centered Care or Cultural Competence. <i>American Journal of Hospice and Palliative Medicine</i> , 2015, 32, 372-379.	1.4	22
84	Prevention and management of chemotherapy-induced nausea and vomiting. <i>International Journal of Palliative Nursing</i> , 2015, 21, 216-224.	0.5	22
85	Effects of the Community-Based Wellspring Cancer Exercise Program on Functional and Psychosocial Outcomes in Cancer Survivors. <i>Current Oncology</i> , 2017, 24, 284-294.	2.2	22
86	Resource utilisation and costs of palliative cancer care in an interdisciplinary health care model. <i>Palliative Medicine</i> , 2009, 23, 448-459.	3.1	21
87	Cancer distress screening data: Translating knowledge into clinical action for a quality response. <i>Palliative and Supportive Care</i> , 2014, 12, 39-51.	1.0	21
88	The role of second-hand smoke exposure on smoking cessation in non-tobacco-related cancers. <i>Cancer</i> , 2015, 121, 2655-2663.	4.1	21
89	Perceived factors influencing nurses' use of evidence-informed protocols for remote cancer treatment-related symptom management: A mixed methods study. <i>European Journal of Oncology Nursing</i> , 2015, 19, 268-277.	2.1	21
90	Cancer patients' function, symptoms and supportive care needs: a latent class analysis across cultures. <i>Quality of Life Research</i> , 2015, 24, 135-146.	3.1	21

#	ARTICLE	IF	CITATIONS
91	Nursing patients with chronic critical illness and their families: a qualitative study. <i>Nursing in Critical Care</i> , 2017, 22, 229-237.	2.3	21
92	Patient and family experiences with accessing telephone cancer treatment symptom support: a descriptive study. <i>Supportive Care in Cancer</i> , 2016, 24, 893-901.	2.2	20
93	Evaluation of a specialized oncology nursing supportive care intervention in newly diagnosed breast and colorectal cancer patients following surgery: a cluster randomized trial. <i>Supportive Care in Cancer</i> , 2018, 26, 1533-1541.	2.2	20
94	Symptom clusters in a population-based ambulatory cancer cohort validated using bootstrap methods. <i>European Journal of Cancer</i> , 2012, 48, 3073-3081.	2.8	19
95	Implementation of Symptom Protocols for Nurses Providing Telephone-Based Cancer Symptom Management: A Comparative Case Study. <i>Worldviews on Evidence-Based Nursing</i> , 2016, 13, 420-431.	2.9	19
96	The Impact of Specialized Oncology Nursing on Patient Supportive Care Outcomes. <i>Journal of Psychosocial Oncology</i> , 2011, 29, 286-307.	1.2	18
97	Factors Associated With Opioid Use in Long-term Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 100-107.e2.	1.2	18
98	Advances and future directions in the use of mobile health in supportive cancer care: proceedings of the 2019 MASCC Annual Meeting symposium. <i>Supportive Care in Cancer</i> , 2020, 28, 4059-4067.	2.2	17
99	Systematic review of self-management interventions for older adults with cancer. <i>Psycho-Oncology</i> , 2021, 30, 989-1008.	2.3	17
100	Piloting prostate cancer patient-reported outcomes in clinical practice. <i>Supportive Care in Cancer</i> , 2016, 24, 1983-1990.	2.2	16
101	Linkage of Clinical Trial and Administrative Data: A Survey of Cancer Patient Preferences. <i>Current Oncology</i> , 2017, 24, 161-167.	2.2	16
102	Remote, proactive, telephone based management of toxicity in outpatients during adjuvant or neoadjuvant chemotherapy for early stage breast cancer: pragmatic, cluster randomised trial. <i>BMJ</i> , 2021, 375, e066588.	6.0	16
103	Toward the development of a comprehensive cancer experience measurement framework. <i>Supportive Care in Cancer</i> , 2019, 27, 2579-2589.	2.2	15
104	Can Routine Collection of Patient Reported Outcome Data Actually Improve Person-Centered Health?. <i>HealthcarePapers</i> , 2012, 11, 42-47.	0.3	15
105	Meaning in Bone Marrow Transplant Nurses' Work. <i>Cancer Nursing</i> , 2012, 35, 374-381.	1.5	14
106	Text exercise select effectiveness: an examination of physical activity and nutrition outcomes. <i>Translational Behavioral Medicine</i> , 2015, 5, 433-442.	2.4	14
107	Acceptability of Routine Evaluations Using Patient-Reported Outcomes of Common Terminology Criteria for Adverse Events and Other Patient-Reported Symptom Outcome Tools in Cancer Outpatients: Princess Margaret Cancer Centre Experience. <i>Oncologist</i> , 2019, 24, e1219-e1227.	3.7	14
108	Improving the quality of self-management support in ambulatory cancer care: a mixed-method study of organisational and clinician readiness, barriers and enablers for tailoring of implementation strategies to multisites. <i>BMJ Quality and Safety</i> , 2022, 31, 12-22.	3.7	14

#	ARTICLE	IF	CITATIONS
109	A Narrative Review on the Collection and Use of Electronic Patient-Reported Outcomes in Cancer Survivorship Care with Emphasis on Symptom Monitoring. <i>Current Oncology</i> , 2022, 29, 4370-4385.	2.2	14
110	The experience of patients with early-stage testicular cancer during the transition from active treatment to follow-up surveillance. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 168.e11-168.e20.	1.6	13
111	The Impact of Interlink Community Cancer Nurses on the Experience of Living With Cancer. <i>Oncology Nursing Forum</i> , 2002, 29, 715-723.	1.2	12
112	Patterns, perceptions and their association with changes in alcohol consumption in cancer survivors. <i>European Journal of Cancer Care</i> , 2019, 28, e12933.	1.5	12
113	A pilot evaluation of the expanded prostate cancer index composite for clinical practice (EPIC-CP) tool in Ontario. <i>Quality of Life Research</i> , 2019, 28, 771-782.	3.1	12
114	Maintaining distance from a necessary intrusion: A postcolonial perspective on dying at home for Chinese immigrants in Toronto, Canada. <i>European Journal of Oncology Nursing</i> , 2013, 17, 649-656.	2.1	11
115	The Conversion of a Practice-Based Lifestyle Enhancement Program into a Formalized, Testable Program: From Texercise Classic to Texercise Select. <i>Frontiers in Public Health</i> , 2014, 2, 291.	2.7	11
116	The "Conflicted Dying": <i>Qualitative Health Research</i> , 2016, 26, 555-567.	2.1	11
117	Enhancing clinical practice in the management of distress: The Therapeutic Practices for Distress Management (TPDM) project. <i>Psycho-Oncology</i> , 2018, 27, 2289-2295.	2.3	11
118	Awareness of the Harms of Continued Smoking Among Cancer Survivors. <i>Supportive Care in Cancer</i> , 2020, 28, 3409-3419.	2.2	11
119	Comparative study on prevalence of metabolic syndrome based on three criteria among adults in Zhejiang province, China: an observational study. <i>BMJ Open</i> , 2020, 10, e035216.	1.9	11
120	Factors Associated with End-of-Life Health Service Use in Patients Dying of Cancer. <i>Healthcare Policy</i> , 2010, 5, e125-e143.	0.6	11
121	Is Performance Status Associated with Symptom Scores?. <i>Journal of Palliative Care</i> , 2014, 30, 99-107.	1.0	10
122	Routine Surveillance of Chemotherapy Toxicities in Cancer Patients Using the Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE). <i>Oncology and Therapy</i> , 2018, 6, 189-201.	2.6	10
123	The impact of routine ESAS use on overall survival: Results of a population-based retrospective matched cohort analysis.. <i>Journal of Clinical Oncology</i> , 2019, 37, 6509-6509.	1.6	10
124	Managing skin toxicities related to panitumumab. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 754-759.	1.2	9
125	Comparison of Opioid Prescribing Among Cancer and Noncancer Patients Aged 18-64: Analysis Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 72-79.	1.2	9
126	The impact of routine Edmonton symptom assessment system use on receiving palliative care services: results of a population-based retrospective-matched cohort analysis. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e144-e149.	1.6	9

#	ARTICLE	IF	CITATIONS
127	THE 1997 HELENE HUDSON MEMORIAL: Reaching to the depths of the soul: Understanding and exploring meaning in illness. Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique, 1998, 8, 12-16.	0.5	9
128	Making cancer bearable: The Interlink Community Cancer Nurses model of supportive care. Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique, 1998, 8, 222-228.	0.5	9
129	How End-Of-Life Home Care Services Are Used from Admission to Death: A Population-Based Cohort Study. Journal of Palliative Care, 2010, 26, 270-278.	1.0	8
130	Ambulatory Toxicity Management (AToM) in patients receiving adjuvant or neo-adjuvant chemotherapy for early stage breast cancer - a pragmatic cluster randomized trial protocol. BMC Cancer, 2019, 19, 884.	2.6	8
131	Impact of immigration status on health behaviors and perceptions in cancer survivors. Cancer Medicine, 2019, 8, 2623-2635.	2.8	8
132	The Impact of Brain Metastases and Associated Neurocognitive Aspects on Health Utility Scores in EGFR Mutated and ALK Rearranged NSCLC: A Real World Evidence Analysis. Oncologist, 2019, 24, e501-e509.	3.7	8
133	Translation, Validity, and Reliability of the Chinese Version of the Breast Cancer Survivor Self-efficacy Scale in China. Cancer Nursing, 2019, 42, E31-E40.	1.5	8
134	Building Capacity in Cancer Nurses to Deliver Self-management Support: A Call for Action Paper. Cancer Nursing, 2020, 43, 341-342.	1.5	8
135	Patient and clinician perspectives of desired features for a web-based self-management program (icanmanage.ca): exposing patients to the hard work of managing acute cancer. Supportive Care in Cancer, 2021, 29, 1989-1998.	2.2	8
136	Predictors of Home Care Expenditures and Death at Home for Cancer Patients in an Integrated Comprehensive Palliative Home Care Pilot Program. Healthcare Policy, 2011, 6, 73-92.	0.6	8
137	Risk factors for psychological morbidity and the protective role of coping self-efficacy in young women with breast cancer early in diagnosis: a national multicentre cohort study. Breast Cancer Research and Treatment, 2022, 194, 91-102.	2.5	8
138	Enhancing the Role of Case Managers With Specialty Populations. Lippincott's Case Management: Managing the Process of Patient Care, 2004, 9, 166-174.	0.2	7
139	Evaluation of a pilot nurse-led, community-based treatment programme for lymphoedema. International Journal of Palliative Nursing, 2005, 11, 62-70.	0.5	7
140	Trajectory Patterns and Factors Influencing Self-management Behaviors in Chinese Patients With Breast Cancer. Cancer Nursing, 2020, 43, E105-E112.	1.5	7
141	Predictors of the trajectory of cognitive functioning in the first 6 months after allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2020, 55, 918-928.	2.4	7
142	The association of self-efficacy and health literacy to chemotherapy self-management behaviors and health service utilization. Supportive Care in Cancer, 2022, 30, 603-613.	2.2	7
143	Differences in perceptions of smoking and second-hand smoke (SHS) in palliative and nonpalliative patients with cancer.. Journal of Clinical Oncology, 2016, 34, 251-251.	1.6	7
144	Acceptability and accuracy of patient-reported outcome measures (PROMs) for surveillance of breathlessness in routine lung cancer care: A mixed-method study. Lung Cancer, 2020, 147, 1-11.	2.0	6

#	ARTICLE	IF	CITATIONS
145	Feasibility of implementing a cervix cancer-specific patient-reported outcome measure in routine ambulatory clinics. <i>Supportive Care in Cancer</i> , 2021, 29, 499-507.	2.2	6
146	Longitudinal Symptom Burden Trajectories in a Population-Based Cohort of Women with Metastatic Breast Cancer: A Group-Based Trajectory Modeling Analysis. <i>Current Oncology</i> , 2021, 28, 879-897.	2.2	6
147	What Matters in Cancer Survivorship Research? A Suite of Stakeholder-Relevant Outcomes. <i>Current Oncology</i> , 2021, 28, 3188-3200.	2.2	6
148	Rethinking Case Study Methodology in Poststructural Research. <i>Canadian Journal of Nursing Research</i> , 2015, 47, 97-114.	1.5	6
149	Risk Stratification and Cancer Follow-Up: Towards More Personalized Post-Treatment Care in Canada. <i>Current Oncology</i> , 2022, 29, 3215-3223.	2.2	6
150	Increasing the Availability of Physical Activity Programs for Older Adults: Lessons Learned From Textercise Stakeholders. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 39-44.	1.0	5
151	Symptom burden in adults with thyroid cancer. <i>Psycho-Oncology</i> , 2018, 27, 2517-2519.	2.3	5
152	Ambulatory Toxicity Management (AToM) Pilot: results of a pilot study of a pro-active, telephone-based intervention to improve toxicity management during chemotherapy for breast cancer. <i>Pilot and Feasibility Studies</i> , 2019, 5, 39.	1.2	5
153	The medicalisation of the dying self: The search for life extension in advanced cancer. <i>Nursing Inquiry</i> , 2020, 27, e12316.	2.1	5
154	Theory-guided interventions for Chinese patients to adapt to heart failure: A quasi-experimental study. <i>International Journal of Nursing Sciences</i> , 2020, 7, 391-400.	1.3	5
155	Nutritional outcomes in head and neck cancer patients: is intensive nutritional care worth it?. <i>Cancer Treatment and Research Communications</i> , 2020, 25, 100233.	1.7	5
156	Operationalizing Outpatient Palliative Care Referral Criteria in Lung Cancer Patients: A Population-Based Cohort Study Using Health Administrative Data. <i>Journal of Palliative Medicine</i> , 2020, 23, 670-677.	1.1	5
157	Clinically significant changes in health-related quality of life in head and neck cancer patients following intensive nutritional care during radiotherapy. <i>European Journal of Oncology Nursing</i> , 2022, 56, 102065.	2.1	5
158	Evaluating the implementation and impact of navigator-supported remote symptom monitoring and management: a protocol for a hybrid type 2 clinical trial. <i>BMC Health Services Research</i> , 2022, 22, 538.	2.2	5
159	Predictors of cancer survivors' response to a community-based exercise program. <i>Psychology of Sport and Exercise</i> , 2020, 47, 101529.	2.1	4
160	Do Longitudinally Collected Symptom Scores Predict Time to Death in Advanced Breast Cancer: A Joint Modeling Analysis. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1009-1018.	1.2	4
161	Psychometric Testing of the Chinese Version of the Coping and Adaptation Processing Scale-Short Form in Adults With Chronic Illness. <i>Frontiers in Psychology</i> , 2020, 11, 1642.	2.1	4
162	Feasibility randomised controlled trial of remote symptom chemotherapy toxicity monitoring using the Canadian adapted Advanced Symptom Management System (ASyMS-Can): a study protocol. <i>BMJ Open</i> , 2020, 10, e035648.	1.9	4

#	ARTICLE	IF	CITATIONS
163	Validation of the PROMIS sleep disturbance item bank computer adaptive test (CAT) in patients on renal replacement therapy. <i>Sleep Medicine</i> , 2022, 90, 36-43.	1.6	4
164	Reaching common ground: a patient-family-based conceptual framework of quality EOL care. <i>Journal of Palliative Care</i> , 2005, 21, 19-26.	1.0	4
165	Initiation of Chemotherapy in Cancer Patients with Poor Performance Status: A Population-Based Analysis. <i>Journal of Palliative Care</i> , 2014, 30, 166-172.	1.0	3
166	The effectiveness of health care provider physical activity recommendations in cancer survivors: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2017, 6, 66.	5.3	3
167	Has Province-Wide Symptom Screening Changed Opioid Prescribing Rates in Older Patients With Cancer?. <i>Journal of Oncology Practice</i> , 2017, 13, e927-e934.	2.5	3
168	Cancer survivorship: a local and global issue in cancer control. <i>The Lancet Global Health</i> , 2018, 6, S19.	6.3	3
169	Development and prospective evaluation of CAPLET, a cancer ambulatory patient physical function longitudinal evaluation tool for routine clinical practice. <i>Supportive Care in Cancer</i> , 2019, 27, 521-530.	2.2	3
170	Late cognitive outcomes among allogeneic stem cell transplant survivors: follow-up data from a 6-year longitudinal study. <i>Supportive Care in Cancer</i> , 2021, 29, 2621-2630.	2.2	3
171	Prevalence of cancer-related fatigue in a population-based sample of colorectal, breast, and prostate cancer survivors.. <i>Journal of Clinical Oncology</i> , 2012, 30, 9131-9131.	1.6	3
172	Stage specific health utility index scores of Canadian cancer patients.. <i>Journal of Clinical Oncology</i> , 2015, 33, 6614-6614.	1.6	3
173	The impact of routine ESAS use on receiving palliative care services: Results of a population-based retrospective matched cohort analysis.. <i>Journal of Clinical Oncology</i> , 2018, 36, 191-191.	1.6	3
174	Mentoring advanced practice nurses in research: Recommendations from a pilot program. <i>Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique</i> , 2011, 22, 31-35.	0.5	3
175	Identifying tools for capturing the overall experience of dyspnea in a lung cancer population: The patient's perspective.. <i>Journal of Clinical Oncology</i> , 2016, 34, 73-73.	1.6	3
176	Is performance status associated with symptom scores? A population-based longitudinal study among cancer outpatients. <i>Journal of Palliative Care</i> , 2014, 30, 99-107.	1.0	3
177	Reflective practice: advancing quality in palliative nursing care. <i>International Journal of Palliative Nursing</i> , 1999, 5, 212-214.	0.5	2
178	Nursing interventions and research contribute to transforming health outcomes and improving the patient's experience of living with cancer. <i>Evidence-based Nursing</i> , 2019, 22, 53-53.	0.2	2
179	Protocol for a systematic review of self-management interventions for older adults living with cancer. <i>Systematic Reviews</i> , 2020, 9, 80.	5.3	2
180	Screening for symptoms of anxiety and depression in patients treated with renal replacement therapy: utility of the Edmonton Symptom Assessment System-Revised. <i>Quality of Life Research</i> , 2022, 31, 597-605.	3.1	2

#	ARTICLE	IF	CITATIONS
181	Enabling patients in effective self-management of breathlessness in lung cancer: the neglected pillar of personalized medicine. <i>Lung Cancer Management</i> , 2021, 10, LMT52.	1.5	2
182	How often are opioids prescribed for cancer patients reporting pain? Results of a population-based analysis.. <i>Journal of Clinical Oncology</i> , 2011, 29, 6084-6084.	1.6	2
183	Results of a cluster randomized trial to evaluate a nursing lead supportive care intervention in newly diagnosed breast and colorectal cancer patients.. <i>Journal of Clinical Oncology</i> , 2012, 30, 6035-6035.	1.6	2
184	Awareness among patients with cancer of the harms of continued smoking.. <i>Journal of Clinical Oncology</i> , 2017, 35, 179-179.	1.6	2
185	Comprehensive Palliative home care: a need for integrated models of primary and specialist care. <i>International Journal of Palliative Nursing</i> , 2007, 13, 54-55.	0.5	2
186	A Systematic Review of Factors Influencing Older Adults' Hypothetical Treatment Decisions. <i>Oncology & Hematology Review</i> , 2015, 11, 19.	0.2	2
187	Defining a patient-reported outcome measure (PROM) selection process: What criteria should be considered when choosing a PROM for routine symptom assessment in clinical practice?. <i>Journal of Clinical Oncology</i> , 2018, 36, 187-187.	1.6	2
188	We need a new symptom measurement and intervention paradigm. <i>International Journal of Palliative Nursing</i> , 2006, 12, 4-4.	0.5	1
189	Palliative care research: urgent need for investment. <i>International Journal of Palliative Nursing</i> , 2011, 17, 471-471.	0.5	1
190	Shifting dying trajectories: integrating self-management and palliative care. <i>International Journal of Palliative Nursing</i> , 2012, 18, 471-471.	0.5	1
191	Self management interventions for breathlessness in adult cancer patients. <i>The Cochrane Library</i> , 0, , .	2.8	1
192	Awareness of the cancer and non-cancer related harms of continued smoking in cancer survivors. <i>Annals of Oncology</i> , 2018, 29, viii605.	1.2	1
193	Development and evaluation of screening dysphagia tools for observational studies and routine care in cancer patients. <i>Health Science Reports</i> , 2018, 1, e48.	1.5	1
194	Adherence to intensive nutrition care in head and neck cancer patients undergoing radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3507-3514.	1.6	1
195	Supplement to the published paper "Theory-guided interventions for Chinese patients to adapt to heart failure: A quasi-experimental study". <i>International Journal of Nursing Sciences</i> , 2021, 8, 246-247.	1.3	1
196	Predictors of the Trajectory of Neurocognitive Functioning in the First Six Months after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2015, 126, 3289-3289.	1.4	1
197	Improving quality of care by obtaining patient-reported outcomes (PRO)-CTCAE chemotoxicities using tablet technology in daycare (DC) waiting rooms.. <i>Journal of Clinical Oncology</i> , 2014, 32, 165-165.	1.6	1
198	Are palliative patients less accepting to self-report symptom measures for clinical management than curative patients?. <i>Journal of Clinical Oncology</i> , 2015, 33, 79-79.	1.6	1

#	ARTICLE	IF	CITATIONS
199	Patient preferences for research access to administrative data in Ontario.. Journal of Clinical Oncology, 2016, 34, 144-144.	1.6	1
200	Elimination of second-hand smoke (SHS) exposure after a lung or head and neck (HN) cancer diagnosis and subsequent patient smoking cessation.. Journal of Clinical Oncology, 2016, 34, 183-183.	1.6	1
201	A person-centered e-proms multi-faceted intervention to improve patient experience and health outcomes: A multi-site implementation study in diverse ambulatory oncology practices.. Journal of Clinical Oncology, 2017, 35, 182-182.	1.6	1
202	Health utility scores (HUS) and health-related quality of life (HRQoL) in stage 4 lung cancer (S4LC) patients with brain metastases (BM).. Journal of Clinical Oncology, 2017, 35, 24-24.	1.6	1
203	Cancer patient attitudes and preferences towards smoking status assessment.. Journal of Clinical Oncology, 2018, 36, 110-110.	1.6	1
204	Impact of immigration status on health behaviors and perceptions in cancer survivors.. Journal of Clinical Oncology, 2018, 36, 27-27.	1.6	1
205	Tailoring implementation for a cancer self-management support intervention for patients starting chemotherapy.. Journal of Clinical Oncology, 2019, 37, 287-287.	1.6	1
206	Socioeconomic status and lifestyle behaviors in cancer survivors.. Journal of Clinical Oncology, 2014, 32, 6568-6568.	1.6	1
207	Patient-reported symptoms and Canadian Health Utility scores in esophageal cancer patients.. Journal of Clinical Oncology, 2015, 33, 6607-6607.	1.6	1
208	Routine physical function assessment through a Branching Logic Electronic Symptom Survey (BLESS) vs. the 32-combined item HAQ-DI + WHODAS (HW) survey: A quality improvement controlled trial.. Journal of Clinical Oncology, 2017, 35, 136-136.	1.6	1
209	Cancer patient interest and perceptions of health behavior change programs.. Journal of Clinical Oncology, 2018, 36, 98-98.	1.6	1
210	Cancer patient (pt) attitudes and preferences towards smoking status assessment.. Journal of Clinical Oncology, 2018, 36, 177-177.	1.6	1
211	Routine collection of EQ-5D-5L derived utility scores in a brain metastases clinic: Correlation with health-related quality of life (FACT-Br).. Journal of Clinical Oncology, 2018, 36, 200-200.	1.6	1
212	Barriers and facilitators to the implementation of routine ototoxicity screening for head and neck cancer patients.. Journal of Clinical Oncology, 2019, 37, 127-127.	1.6	1
213	Impact of depression and anxiety on cancer patients' perceptions of lifestyle behaviors.. Journal of Clinical Oncology, 2019, 37, 141-141.	1.6	1
214	Validation of the Malignant Wound Assessment Tool - Research (MWAT-R) using cognitive interviewing. Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique, 2019, 29, 97-102.	0.5	1
215	Preparing to survive: Improving outcomes for young women with breast cancer. European Journal of Surgical Oncology, 2022, 48, e193-e194.	1.0	1
216	Integrated care: hospice and palliative care services lead the way. International Journal of Palliative Nursing, 2004, 10, 160-160.	0.5	0

#	ARTICLE	IF	CITATIONS
217	Harnessing nurses' passion. International Journal of Palliative Nursing, 2009, 15, 211-211.	0.5	0
218	154 HEALTH SYSTEM CHARACTERISTICS ASSOCIATED WITH PATTERNS OF PALLIATIVE CARE USE IN ONTARIO. Radiotherapy and Oncology, 2009, 92, S49.	0.6	0
219	PHP198 From Science to Service: The Ontario Patient Reported Outcomes of Symptoms and Toxicity (On-PROST) Research Unit. Value in Health, 2012, 15, A324.	0.3	0
220	Identification of Unmet Survivorship Needs in Primary Lung Cancer Patients: A High Burden for Younger Patients. International Journal of Radiation Oncology Biology Physics, 2014, 90, S715.	0.8	0
221	The Willingness Of Cancer Outpatients To Complete Patient-Reported Outcome Measures Outside Of The Clinic. Value in Health, 2015, 18, A470-A471.	0.3	0
222	35: A Multicentre Mixed-Methods Evaluation of the Expanded Prostate Cancer Index Composite for Clinical Practice (EPIC-CP) as a Patient-Reported Assessment Tool in Men with Early-Stage Prostate Cancer. Radiotherapy and Oncology, 2016, 120, S13-S14.	0.6	0
223	EP-1387: Time Trends In Opioid Use In Cancer Patients with Pain: Observations from Administrative Data. Radiotherapy and Oncology, 2017, 123, S742-S743.	0.6	0
224	MA18.07 Awareness of the Harms of Continued Smoking Among Lung Cancer (LC) Survivors. Journal of Thoracic Oncology, 2018, 13, S420.	1.1	0
225	MA17.09 Remote Symptom Reporting for Tele-Nursing Team in Thoracic Oncology Clinics: Environmental Scan and Stakeholder Engagement. Journal of Thoracic Oncology, 2018, 13, S417.	1.1	0
226	Sleep Difficulties. , 2019, , 393-421.		0
227	216 The Impact of Routine ESAS Use on Emergency Department Visits and Hospitalizations: A Population-Based Retrospective Matched Cohort Study. Radiotherapy and Oncology, 2019, 139, S90-S91.	0.6	0
228	Improving the quality of care and decreasing the morbidity of patients with lung cancer through routine symptom screening. Journal of Clinical Oncology, 2008, 26, 9621-9621.	1.6	0
229	Mentorer les infirmières en pratique avancée dans le domaine de la recherche: recommandations issues d'un programme pilote. Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique, 2011, 22, 36-41.	0.5	0
230	Do patient-reported symptoms predict for emergency department visits? A population-based analysis.. Journal of Clinical Oncology, 2012, 30, 6039-6039.	1.6	0
231	Creation of On-PROST: The Ontario patient-reported outcomes of symptoms and toxicity applied clinical research unit.. Journal of Clinical Oncology, 2012, 30, 47-47.	1.6	0
232	Perceptions of benefits and harms of alcohol consumption as predictors of alcohol cessation in adult cancer survivors.. Journal of Clinical Oncology, 2013, 31, 9595-9595.	1.6	0
233	The role of social exposure to smoking on smoking cessation in adult cancer survivors.. Journal of Clinical Oncology, 2013, 31, 9536-9536.	1.6	0
234	Comparing elderly and non-elderly adult cancer survivors: Differences in modifiable behaviours of smoking and alcohol cessation and physical activity.. Journal of Clinical Oncology, 2013, 31, 9551-9551.	1.6	0

#	ARTICLE	IF	CITATIONS
235	Social and perceptual influences on alcohol consumption in cancer survivors.. Journal of Clinical Oncology, 2014, 32, 9575-9575.	1.6	0
236	Does routine symptom screening with the Edmonton Symptom Assessment System (ESAS) decrease emergency department visits in breast cancer patients undergoing adjuvant chemotherapy?. Journal of Clinical Oncology, 2014, 32, 6514-6514.	1.6	0
237	Assessment of single screening questions for dysphagia for routine clinical use in a tertiary care practice.. Journal of Clinical Oncology, 2014, 32, 102-102.	1.6	0
238	The relationship between health utility, quality of life, and symptom scores in Canadian patients with esophageal cancer.. Journal of Clinical Oncology, 2015, 33, 149-149.	1.6	0
239	Change in second-hand smoke exposure after a lung and head and neck cancer diagnosis and subsequent patient smoking cessation.. Journal of Clinical Oncology, 2015, 33, 9556-9556.	1.6	0
240	Comparison of prevalence of pain symptoms and completion rates using a patient-reported outcomes (PRO) tool of pain in palliative and curative patients.. Journal of Clinical Oncology, 2015, 33, 78-78.	1.6	0
241	Time trends in opioid use in cancer and noncancer patients: Observations from administrative data.. Journal of Clinical Oncology, 2016, 34, 298-298.	1.6	0
242	Does physical function impact the acceptability of routine patient-reported outcome surveys in cancer patients?. Journal of Clinical Oncology, 2016, 34, 67-67.	1.6	0
243	Feasibility, acceptability, and efficacy of a proactive telephone intervention to improve toxicity management during chemotherapy.. Journal of Clinical Oncology, 2016, 34, 105-105.	1.6	0
244	Cancer patient awareness of the harms of continued smoking.. Journal of Clinical Oncology, 2016, 34, 10086-10086.	1.6	0
245	Multi-site implementation of patient-reported outcome measures for personalized care and patient activation in symptom management.. Journal of Clinical Oncology, 2016, 34, e21665-e21665.	1.6	0
246	Cancer patients' interest and preferences for an inpatient smoking cessation program (SCP).. Journal of Clinical Oncology, 2016, 34, 10090-10090.	1.6	0
247	Evaluation of the Expanded Prostate Cancer Index Composite for Clinical Practice (EPIC-CP) tool: Acceptability, feasibility and potential role in enhancing clinical care of men with early-stage prostate cancer.. Journal of Clinical Oncology, 2016, 34, e21631-e21631.	1.6	0
248	Real-world EQ5D health utility values for metastatic lung cancer patients by molecular alteration and response to therapy.. Journal of Clinical Oncology, 2016, 34, 6567-6567.	1.6	0
249	Feasibility and acceptability of implementing an electronic patient reported outcome (e-PRO) dysphagia screening tool for routine multidisciplinary care.. Journal of Clinical Oncology, 2017, 35, 155-155.	1.6	0
250	Reducing the burden of patient reporting of physical function in the chronic care of cancer survivors through a branching logic electronic symptom survey (BLESS).. Journal of Clinical Oncology, 2017, 35, 5-5.	1.6	0
251	The impact of neurocognitive function on health utility scores (HUS) in Stage 4 (S4) lung cancer patients (pts) with and without brain metastases (BrM).. Journal of Clinical Oncology, 2017, 35, 225-225.	1.6	0
252	The role of annual personal health visits (APHV) on patients' with cancer knowledge and perceptions of the harms of continued smoking.. Journal of Clinical Oncology, 2017, 35, 152-152.	1.6	0

#	ARTICLE	IF	CITATIONS
253	Feasibility of collecting routine information for clinical and research purposes via electronic format questionnaire.. Journal of Clinical Oncology, 2017, 35, 167-167.	1.6	0
254	Neurocognitive function testing and health related quality of life in stage IV lung cancer patients with and without brain metastases.. Journal of Clinical Oncology, 2017, 35, 2073-2073.	1.6	0
255	Perceptions on the effect of physical activity on quality of life, overall survival, and fatigue in palliative cancer patients.. Journal of Clinical Oncology, 2017, 35, 198-198.	1.6	0
256	Palliative versus nonpalliative patientsâ€™ perceptions of the effect of alcohol consumption on clinical outcomes.. Journal of Clinical Oncology, 2017, 35, 199-199.	1.6	0
257	Sleep Difficulties. , 2018, , 1-29.		0
258	Sleep Difficulties. , 2018, , 1-29.		0
259	Screening for cancer-associated dysphagia: The development of two rapid tools for use in observational studies and routine care.. Journal of Clinical Oncology, 2018, 36, 164-164.	1.6	0
260	Implementation of an electronic referral smoking cessation tool into clinical practice across cancer clinics of different disease sites and institutions.. Journal of Clinical Oncology, 2018, 36, 112-112.	1.6	0
261	Body mass index (BMI), health behaviors, and perceptions in cancer survivors.. Journal of Clinical Oncology, 2018, 36, 97-97.	1.6	0
262	Barriers of EQ5D-5L implementation into routine clinical practice: A multisite evaluation.. Journal of Clinical Oncology, 2018, 36, 11-11.	1.6	0
263	Opioid use in long term cancer survivors.. Journal of Clinical Oncology, 2018, 36, 6520-6520.	1.6	0
264	Assessment of language needs and resource use among Canadian immigrant patients with cancer.. Journal of Clinical Oncology, 2018, 36, 77-77.	1.6	0
265	Survivorship care plans have minimal impact on health actions. Evidence-based Nursing, 2021, 24, 60-60.	0.2	0
266	Validation par entretien cognitif de l'outil d'Ã©valuation des plaies malignes MWAT-R. Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique, 2019, 29, 103-109.	0.5	0
267	Stakeholder-Identified Interventions to Address Cancer Survivorsâ€™ Psychosocial Needs after Completing Treatment. Current Oncology, 2021, 28, 4961-4971.	2.2	0
268	The promise of quality care at the end of life takes a leap forward. Canadian Journal of Nursing Research, 2005, 37, 95-100.	1.5	0
269	Improving psychosocial and supportive care. International Journal of Palliative Nursing, 2010, 16, 159.	0.5	0