

David Peter Siderovski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2724591/publications.pdf>

Version: 2024-02-01

169
papers

20,055
citations

16451

64
h-index

10445

139
g-index

179
all docs

179
docs citations

179
times ranked

19856
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Molecular characterization of mitochondrial apoptosis-inducing factor. <i>Nature</i> , 1999, 397, 441-446. | 27.8 | 3,697 |
| 2 | Negative Regulation of PKB/Akt-Dependent Cell Survival by the Tumor Suppressor PTEN. <i>Cell</i> , 1998, 95, 29-39. | 28.9 | 2,269 |
| 3 | Profound block in thymocyte development in mice lacking p56lck. <i>Nature</i> , 1992, 357, 161-164. | 27.8 | 959 |
| 4 | 5â€²-Capping enzymes are targeted to pre-mRNA by binding to the phosphorylated carboxy-terminal domain of RNA polymeraseâ€œII. <i>Genes and Development</i> , 1997, 11, 3306-3318. | 5.9 | 474 |
| 5 | G-protein signaling: back to the future. <i>Cellular and Molecular Life Sciences</i> , 2005, 62, 551-577. | 5.4 | 416 |
| 6 | The GAPs, GEFs, and GDIs of heterotrimeric G-protein alpha subunits. <i>International Journal of Biological Sciences</i> , 2005, 1, 51-66. | 6.4 | 369 |
| 7 | Regulator of G-protein signaling-2 mediates vascular smooth muscle relaxation and blood pressure. <i>Nature Medicine</i> , 2003, 9, 1506-1512. | 30.7 | 360 |
| 8 | Regulators of G-Protein signalling as new central nervous system drug targets. <i>Nature Reviews Drug Discovery</i> , 2002, 1, 187-197. | 46.4 | 351 |
| 9 | A Seven-Transmembrane RGS Protein That Modulates Plant Cell Proliferation. <i>Science</i> , 2003, 301, 1728-1731. | 12.6 | 300 |
| 10 | Tiam1 mediates Ras activation of Rac by a PI(3)K-independent mechanism. <i>Nature Cell Biology</i> , 2002, 4, 621-625. | 10.3 | 288 |
| 11 | Dynamic Regulation of RGS2 Suggests a Novel Mechanism in G-Protein Signaling and Neuronal Plasticity. <i>Journal of Neuroscience</i> , 1998, 18, 7178-7188. | 3.6 | 284 |
| 12 | Translation of Polarity Cues into Asymmetric Spindle Positioning in <i>Caenorhabditis elegans</i> Embryos. <i>Science</i> , 2003, 300, 1957-1961. | 12.6 | 277 |
| 13 | A G protein $\hat{\alpha}$ subunit-like domain shared between RGS11 and other RGS proteins specifies binding to G $\hat{\alpha}$ 5 subunits. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 13307-13312. | 7.1 | 265 |
| 14 | Regulation of T cell activation, anxiety, and male aggression by RGS2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 12272-12277. | 7.1 | 264 |
| 15 | Structural determinants for GoLoco-induced inhibition of nucleotide release by G $\hat{\beta}$ subunits. <i>Nature</i> , 2002, 416, 878-881. | 27.8 | 252 |
| 16 | The Mitochondrial Proteins NLRX1 and TUFM Form a Complex that Regulates Type I Interferon and Autophagy. <i>Immunity</i> , 2012, 36, 933-946. | 14.3 | 241 |
| 17 | The telomerase reverse transcriptase is limiting and necessary for telomerase function in vivo. <i>Current Biology</i> , 2000, 10, 1459-1462. | 3.9 | 232 |
| 18 | Structural and Evolutionary Division of Phosphotyrosine Binding (PTB) Domains. <i>Journal of Molecular Biology</i> , 2005, 345, 1-20. | 4.2 | 225 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Molecular cloning of SIRF, a lymphoid-specific member of the interferon regulatory factor family that binds the interferon-stimulated response element (ISRE). <i>Nucleic Acids Research</i> , 1995, 23, 2127-2136. | 14.5 | 219 |
| 20 | A new family of regulators of G-protein-coupled receptors?. <i>Current Biology</i> , 1996, 6, 211-212. | 3.9 | 211 |
| 21 | RGS12 and RGS14 GoLoco Motifs Are G_{12} Interaction Sites with Guanine Nucleotide Dissociation Inhibitor Activity. <i>Journal of Biological Chemistry</i> , 2001, 276, 29275-29281. | 3.4 | 207 |
| 22 | Regulators of G-Protein Signaling and Their G_{12} Substrates: Promises and Challenges in Their Use as Drug Discovery Targets. <i>Pharmacological Reviews</i> , 2011, 63, 728-749. | 16.0 | 205 |
| 23 | A crystallographic view of interactions between Dbs and Cdc42: PH domain-assisted guanine nucleotide exchange. <i>EMBO Journal</i> , 2002, 21, 1315-1326. | 7.8 | 198 |
| 24 | Return of the GDI: The GoLoco Motif in Cell Division. <i>Annual Review of Biochemistry</i> , 2004, 73, 925-951. | 11.1 | 197 |
| 25 | GTPase acceleration as the rate-limiting step in <i>Arabidopsis</i> G protein-coupled sugar signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 17317-17322. | 7.1 | 195 |
| 26 | GTPase Activating Specificity of RGS12 and Binding Specificity of an Alternatively Spliced PDZ (PSD-95/Dlg/ZO-1) Domain. <i>Journal of Biological Chemistry</i> , 1998, 273, 17749-17755. | 3.4 | 194 |
| 27 | Structural basis for the selective activation of Rho GTPases by Dbl exchange factors. <i>Nature Structural Biology</i> , 2002, 9, 468-475. | 9.7 | 190 |
| 28 | RIC-8 Is Required for GPR-1/2-Dependent G_{12} Function during Asymmetric Division of <i>C. elegans</i> Embryos. <i>Cell</i> , 2004, 119, 219-230. | 28.9 | 186 |
| 29 | Structural diversity in the RGS domain and its interaction with heterotrimeric G protein β -subunits. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 6457-6462. | 7.1 | 174 |
| 30 | The GoLoco motif: a G_{12} binding motif and potential guanine-nucleotide exchange factor. <i>Trends in Biochemical Sciences</i> , 1999, 24, 340-341. | 7.5 | 171 |
| 31 | Regulator of G protein signaling 2 mediates cardiac compensation to pressure overload and antihypertrophic effects of PDE5 inhibition in mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 408-20. | 8.2 | 171 |
| 32 | Leukemia-Associated Rho Guanine Nucleotide Exchange Factor Promotes G_{12} -Coupled Activation of RhoA. <i>Molecular and Cellular Biology</i> , 2002, 22, 4053-4061. | 2.3 | 165 |
| 33 | LGN regulates mitotic spindle orientation during epithelial morphogenesis. <i>Journal of Cell Biology</i> , 2010, 189, 275-288. | 5.2 | 165 |
| 34 | Activator of G protein signaling 3 is a guanine dissociation inhibitor for G_{12} subunits. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 14364-14369. | 7.1 | 161 |
| 35 | HIV-1 Tat Directly Interacts with the Interferon-Induced, Double-Stranded RNA-Dependent Kinase, PKR. <i>Virology</i> , 1995, 213, 413-424. | 2.4 | 156 |
| 36 | Rgs1 regulates multiple G_{12} subunits in <i>Magnaporthe</i> pathogenesis, asexual growth and thigmotropism. <i>EMBO Journal</i> , 2007, 26, 690-700. | 7.8 | 151 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Tyrosine-kinase-dependent recruitment of RGS12 to the N-type calcium channel. <i>Nature</i> , 2000, 408, 723-727. | 27.8 | 142 |
| 38 | A Human Gene Encoding a Putative Basic Helix-Loop-Helix Phosphoprotein Whose mRNA Increases Rapidly in Cycloheximide-Treated Blood Mononuclear Cells. <i>DNA and Cell Biology</i> , 1994, 13, 125-147. | 1.9 | 125 |
| 39 | Mammalian Inscuteable Regulates Spindle Orientation and Cell Fate in the Developing Retina. <i>Neuron</i> , 2005, 48, 539-545. | 8.1 | 123 |
| 40 | Receptor-Mediated Activation of Heterotrimeric G-Proteins: Current Structural Insights. <i>Molecular Pharmacology</i> , 2007, 72, 219-230. | 2.3 | 123 |
| 41 | Fidelity of G protein α -subunit association by the G protein α -subunit-like domains of RGS6, RGS7, and RGS11. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 6489-6494. | 7.1 | 117 |
| 42 | GI β -like (ggl) domains: new frontiers in g-protein signaling and β -propeller scaffolding22Abbreviations: DEP, dishevelled/EGL-10/pleckstrin-related domain; DH, dbl-homology domain; GAP, guanine triphosphatase-activating protein; GEF, guanine nucleotide exchange factor; GGL, G-gamma-like; GIRK, G-protein-gated inwardly rectifying potassium channel; GPCR, G-protein-coupled receptor; G protein, guanine nucleotide binding protein; GTPase, guanosine triphosphatase; mAChR, muscarinic acetylcholine receptor; MAPK, Biochemical Pharmacology, 2001, 61, 1329-1337. | 4.4 | 117 |
| 43 | Receptor-selective Effects of Endogenous RGS3 and RGS5 to Regulate Mitogen-activated Protein Kinase Activation in Rat Vascular Smooth Muscle Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 24949-24958. | 3.4 | 115 |
| 44 | Ric-8 controls <i>Drosophila</i> neural progenitor asymmetric division by regulating heterotrimeric G proteins. <i>Nature Cell Biology</i> , 2005, 7, 1091-1098. | 10.3 | 113 |
| 45 | PB1 Domain Interaction of p62/Sequestosome 1 and MEK3 Regulates NF- κ B Activation. <i>Journal of Biological Chemistry</i> , 2010, 285, 2077-2089. | 3.4 | 107 |
| 46 | Molecular Cloning and Expression Analysis of RatRgs12andRgs14. <i>Biochemical and Biophysical Research Communications</i> , 1997, 233, 770-777. | 2.1 | 106 |
| 47 | Whither Goest the RGS Proteins?. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 1999, 34, 215-251. | 5.2 | 102 |
| 48 | Crystal structure of the multifunctional Gi β -RGS9 complex. <i>Nature Structural and Molecular Biology</i> , 2008, 15, 155-162. | 8.2 | 97 |
| 49 | Chronic Olanzapine Treatment Causes Differential Expression of Genes in Frontal Cortex of Rats as Revealed by DNA Microarray Technique. <i>Neuropsychopharmacology</i> , 2006, 31, 1888-1899. | 5.4 | 96 |
| 50 | Clathrin Adaptor AP2 Regulates Thrombin Receptor Constitutive Internalization and Endothelial Cell Resensitization. <i>Molecular and Cellular Biology</i> , 2006, 26, 3231-3242. | 2.3 | 93 |
| 51 | Activation of Phospholipase C- β by Heterotrimeric G Protein $\beta\gamma$ -Subunits. <i>Journal of Biological Chemistry</i> , 2001, 276, 48257-48261. | 3.4 | 90 |
| 52 | Structure-based Protocol for Identifying Mutations that Enhance Protein-Protein Binding Affinities. <i>Journal of Molecular Biology</i> , 2007, 371, 1392-1404. | 4.2 | 90 |
| 53 | Regulators of G-protein Signaling accelerate GPCR signaling kinetics and govern sensitivity solely by accelerating GTPase activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 7066-7071. | 7.1 | 89 |
| 54 | Comment on "A G Protein-Coupled Receptor Is a Plasma Membrane Receptor for the Plant Hormone Abscisic Acid". <i>Science</i> , 2007, 318, 914-914. | 12.6 | 85 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A Set of Human Putative Lymphocyte G ₀ /G ₁ Switch Genes Includes Genes Homologous to Rodent Cytokine and Zinc Finger Protein-Encoding Genes. <i>DNA and Cell Biology</i> , 1990, 9, 579-587. | 1.9 | 83 |
| 56 | Quantitative Analysis of the Effect of Phosphoinositide Interactions on the Function of Dbl Family Proteins. <i>Journal of Biological Chemistry</i> , 2001, 276, 45868-45875. | 3.4 | 83 |
| 57 | Exome Sequencing in 53 Sporadic Cases of Schizophrenia Identifies 18 Putative Candidate Genes. <i>PLoS ONE</i> , 2014, 9, e112745. | 2.5 | 79 |
| 58 | Cortical localization of the G ₁ protein GPA-16 requires RIC-8 function during <i>C. elegans</i> asymmetric cell division. <i>Development (Cambridge)</i> , 2005, 132, 4449-4459. | 2.5 | 78 |
| 59 | Selective role for RGS12 as a Ras/Raf/MEK scaffold in nerve growth factor-mediated differentiation. <i>EMBO Journal</i> , 2007, 26, 2029-2040. | 7.8 | 78 |
| 60 | β ₂ -Adrenoceptor agonist-induced RGS2 expression is a genomic mechanism of bronchoprotection that is enhanced by glucocorticoids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 19713-19718. | 7.1 | 76 |
| 61 | Structure of G _{i1} Bound to a GDP-Selective Peptide Provides Insight into Guanine Nucleotide Exchange. <i>Structure</i> , 2005, 13, 1069-1080. | 3.3 | 74 |
| 62 | G _{12/13} Isoforms Selectively Rescue Plasma Membrane Localization and Palmitoylation of Mutant G _{1s} and G _{1q} . <i>Journal of Biological Chemistry</i> , 2001, 276, 23945-23953. | 3.4 | 73 |
| 63 | Cloning of Human Lymphocyte-Specific Interferon Regulatory Factor (hLSIRF/hIRF4) and Mapping of the Gene to 6p23-p25. <i>Genomics</i> , 1996, 37, 229-233. | 2.9 | 71 |
| 64 | Telomerase-Associated Protein TEP1 Is Not Essential for Telomerase Activity or Telomere Length Maintenance In Vivo. <i>Molecular and Cellular Biology</i> , 2000, 20, 8178-8184. | 2.3 | 69 |
| 65 | Selective Regulation of N-Type Ca Channels by Different Combinations of G-Protein β ₂ /β ₃ Subunits and RGS Proteins. <i>Journal of Neuroscience</i> , 2000, 20, 7143-7148. | 3.6 | 62 |
| 66 | Structural Determinants of G-protein β Subunit Selectivity by Regulator of G-protein Signaling 2 (RGS2). <i>Journal of Biological Chemistry</i> , 2009, 284, 19402-19411. | 3.4 | 62 |
| 67 | Guanine nucleotide dissociation inhibitor activity of the triple GoLoco motif protein G18: alanine-to-aspartate mutation restores function to an inactive second GoLoco motif. <i>Biochemical Journal</i> , 2004, 378, 801-808. | 3.7 | 61 |
| 68 | D2 dopamine receptor activation of potassium channels is selectively decoupled by G _i -specific GoLoco motif peptides. <i>Journal of Neurochemistry</i> , 2005, 92, 1408-1418. | 3.9 | 61 |
| 69 | Genome-Scale Analysis Reveals Sst2 as the Principal Regulator of Mating Pheromone Signaling in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2006, 5, 330-346. | 3.4 | 60 |
| 70 | RGS14 Is a Mitotic Spindle Protein Essential from the First Division of the Mammalian Zygote. <i>Developmental Cell</i> , 2004, 7, 763-769. | 7.0 | 59 |
| 71 | G _{12/13} - and Rho-Dependent Activation of Phospholipase C-β by Lysophosphatidic Acid and Thrombin Receptors. <i>Molecular Pharmacology</i> , 2006, 69, 2068-2075. | 2.3 | 52 |
| 72 | G protein signaling in the parasite <i>Entamoeba histolytica</i> . <i>Experimental and Molecular Medicine</i> , 2013, 45, e15-e15. | 7.7 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | High-Affinity Immobilization of Proteins Using Biotin- and GST-Based Coupling Strategies. <i>Methods in Molecular Biology</i> , 2010, 627, 75-90. | 0.9 | 50 |
| 74 | Functional relevance of the disulfide-linked complex of the N-terminal PDZ domain of InaD with NorpA. <i>EMBO Journal</i> , 2001, 20, 4414-4422. | 7.8 | 49 |
| 75 | The RGS protein inhibitor CCG-4986 is a covalent modifier of the RGS4 G β -interaction face. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2007, 1774, 1213-1220. | 2.3 | 48 |
| 76 | Cloning of a retinally abundant regulator of G-protein signaling (RGS-r/RGS16): genomic structure and chromosomal localization of the human gene. <i>Gene</i> , 1998, 206, 247-253. | 2.2 | 47 |
| 77 | A direct fluorescence-based assay for RGS domain GTPase accelerating activity. <i>Analytical Biochemistry</i> , 2005, 340, 341-351. | 2.4 | 47 |
| 78 | Dynamic Regulation of Mammalian Numb by G Protein-coupled Receptors and Protein Kinase C Activation: Structural Determinants of Numb Association with the Cortical Membrane. <i>Molecular Biology of the Cell</i> , 2006, 17, 4142-4155. | 2.1 | 47 |
| 79 | The G β DIMER as a NOVEL SOURCE of SELECTIVITY in G-Protein Signaling: GGL-ing AT CONVENTION. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2004, 4, 200-214. | 3.4 | 46 |
| 80 | Computational Design of the Sequence and Structure of a Protein-Binding Peptide. <i>Journal of the American Chemical Society</i> , 2011, 133, 4190-4192. | 13.7 | 44 |
| 81 | Minimal Determinants for Binding Activated G β from the Structure of a G β 1 α Peptide Dimer. <i>Biochemistry</i> , 2006, 45, 11390-11400. | 2.5 | 42 |
| 82 | A Capture Coupling Method for the Covalent Immobilization of Hexahistidine Tagged Proteins for Surface Plasmon Resonance. <i>Methods in Molecular Biology</i> , 2010, 627, 91-100. | 0.9 | 42 |
| 83 | G β selectivity and inhibitor function of the multiple GoLoco motif protein GPSM2/LGN. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005, 1745, 254-264. | 4.1 | 41 |
| 84 | RGS12 Interacts with the SNARE-binding Region of the Cav2.2 Calcium Channel. <i>Journal of Biological Chemistry</i> , 2005, 280, 1521-1528. | 3.4 | 41 |
| 85 | Structural basis for nucleotide exchange on G α subunits and receptor coupling specificity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2001-2006. | 7.1 | 41 |
| 86 | A Point Mutation to G β 1 Selectively Blocks GoLoco Motif Binding. <i>Journal of Biological Chemistry</i> , 2008, 283, 36698-36710. | 3.4 | 41 |
| 87 | Integrating energy calculations with functional assays to decipher the specificity of G protein-RGS protein interactions. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 846-853. | 8.2 | 41 |
| 88 | Induction of Regulator of G-Protein Signaling 2 Expression by Long-Acting β -Adrenoceptor Agonists and Glucocorticoids in Human Airway Epithelial Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 348, 12-24. | 2.5 | 40 |
| 89 | Regulator of G-Protein Signaling 14 (RGS14) Is a Selective H-Ras Effector. <i>PLoS ONE</i> , 2009, 4, e4884. | 2.5 | 40 |
| 90 | The effect of RGS12 on PDGF β receptor signalling to p42/p44 mitogen activated protein kinase in mammalian cells. <i>Cellular Signalling</i> , 2006, 18, 971-981. | 3.6 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | G β Association and Effector Interaction Selectivities of the Divergent G β Subunit G β 13. <i>Journal of Biological Chemistry</i> , 2001, 276, 49267-49274. | 3.4 | 36 |
| 92 | Established and Emerging Fluorescence-Based Assays for G-Protein Function: Ras-Superfamily GTPases. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2003, 6, 409-418. | 1.1 | 36 |
| 93 | Preclinical Testing of Nalfurafine as an Opioid-sparing Adjuvant that Potentiates Analgesia by the Mu Opioid Receptor-targeting Agonist Morphine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 371, 487-499. | 2.5 | 35 |
| 94 | Cooperative interaction between the DNA-binding domains of PU.1 and IRF4. <i>Journal of Molecular Biology</i> , 1998, 279, 1075-1083. | 4.2 | 34 |
| 95 | The GoLoco Motif: Heralding a New Tango Between G Protein Signaling and Cell Division. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2002, 2, 88-100. | 3.4 | 34 |
| 96 | Purification and In Vitro Functional Analysis of the Arabidopsis thaliana Regulator of G-Protein Signaling-1. <i>Methods in Enzymology</i> , 2004, 389, 320-338. | 1.0 | 33 |
| 97 | RGS14 is a Microtubule-Associated Protein. <i>Cell Cycle</i> , 2005, 4, 953-960. | 2.6 | 33 |
| 98 | A P-loop Mutation in G β Subunits Prevents Transition to the Active State: Implications for G-protein Signaling in Fungal Pathogenesis. <i>PLoS Pathogens</i> , 2012, 8, e1002553. | 4.7 | 32 |
| 99 | Inhibition of Dopamine Transporter Activity by G Protein β Subunits. <i>PLoS ONE</i> , 2013, 8, e59788. | 2.5 | 31 |
| 100 | Covalent immobilization of histidine-tagged proteins for surface plasmon resonance. <i>Analytical Biochemistry</i> , 2006, 353, 147-149. | 2.4 | 30 |
| 101 | Two G β Rate-Modifying Mutations Act in Concert to Allow Receptor-Independent, Steady-State Measurements of RGS Protein Activity. <i>Journal of Biomolecular Screening</i> , 2009, 14, 1195-1206. | 2.6 | 30 |
| 102 | A Non-Canonical Function of G β as a Subunit of E3 Ligase in Targeting GRK2 Ubiquitylation. <i>Molecular Cell</i> , 2015, 58, 794-803. | 9.7 | 30 |
| 103 | G Protein Signaling Modulator-3 Inhibits the Inflammasome Activity of NLRP3. <i>Journal of Biological Chemistry</i> , 2014, 289, 33245-33257. | 3.4 | 29 |
| 104 | Established and Emerging Fluorescence-Based Assays for G-Protein Function: Heterotrimeric G-Protein Alpha Subunits and Regulator of G-Protein Signaling (RGS) Proteins. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2003, 6, 399-407. | 1.1 | 29 |
| 105 | A High Throughput Fluorescence Polarization Assay for Inhibitors of the GoLoco Motif/G-alpha Interaction. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2008, 11, 396-409. | 1.1 | 28 |
| 106 | Regulator of G-protein Signaling-21 (RGS21) Is an Inhibitor of Bitter Gustatory Signaling Found in Lingual and Airway Epithelia. <i>Journal of Biological Chemistry</i> , 2012, 287, 41706-41719. | 3.4 | 28 |
| 107 | Molecular Cloning of Regulators of G-Protein Signaling Family Members and Characterization of Binding Specificity of RGS 12 PDZ Domain. <i>Methods in Enzymology</i> , 2002, 344, 740-761. | 1.0 | 26 |
| 108 | Application of RGS Box Proteins to Evaluate G-Protein Selectivity in Receptor-Promoted Signaling. <i>Methods in Enzymology</i> , 2004, 389, 71-88. | 1.0 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Novel behavioral assays of spontaneous and precipitated THC withdrawal in mice. <i>Drug and Alcohol Dependence</i> , 2018, 191, 14-24. | 3.2 | 26 |
| 110 | Heterotrimeric G-protein Signaling Is Critical to Pathogenic Processes in <i>Entamoeba histolytica</i> . <i>PLoS Pathogens</i> , 2012, 8, e1003040. | 4.7 | 25 |
| 111 | Single Nucleotide Polymorphisms in Chemosensory Pathway Genes GNB3, TAS2R19, and TAS2R38 Are Associated with Chronic Rhinosinusitis. <i>International Archives of Allergy and Immunology</i> , 2019, 180, 72-78. | 2.1 | 25 |
| 112 | G-protein signaling modulator-3, a gene linked to autoimmune diseases, regulates monocyte function and its deficiency protects from inflammatory arthritis. <i>Molecular Immunology</i> , 2013, 54, 193-198. | 2.2 | 24 |
| 113 | G protein-coupled receptor kinase-3-deficient mice exhibit WHIM syndrome features and attenuated inflammatory responses. <i>Journal of Leukocyte Biology</i> , 2013, 94, 1243-1251. | 3.3 | 24 |
| 114 | Protective Roles for RGS2 in a Mouse Model of House Dust Mite-Induced Airway Inflammation. <i>PLoS ONE</i> , 2017, 12, e0170269. | 2.5 | 24 |
| 115 | Modulating platelet reactivity through control of RGS18 availability. <i>Blood</i> , 2015, 126, 2611-2620. | 1.4 | 23 |
| 116 | G-protein alpha subunit interaction and guanine nucleotide dissociation inhibitor activity of the dual GoLoco motif protein PCP-2 (Purkinje cell protein-2). <i>Cellular Signalling</i> , 2006, 18, 1226-1234. | 3.6 | 22 |
| 117 | A sweet cycle for <i>Arabidopsis</i> G-proteins. <i>Plant Signaling and Behavior</i> , 2008, 3, 1067-1076. | 2.4 | 22 |
| 118 | Helix Dipole Movement and Conformational Variability Contribute to Allosteric GDP Release in G α i Subunits. <i>Biochemistry</i> , 2009, 48, 2630-2642. | 2.5 | 21 |
| 119 | Fluorescence-Based Assays for RGS Box Function. <i>Methods in Enzymology</i> , 2004, 389, 56-71. | 1.0 | 19 |
| 120 | A bifunctional G α i/G α s modulatory peptide that attenuates adenylyl cyclase activity. <i>FEBS Letters</i> , 2005, 579, 5746-5750. | 2.8 | 19 |
| 121 | Differential G-alpha interaction capacities of the GoLoco motifs in Rap GTPase activating proteins. <i>Cellular Signalling</i> , 2007, 19, 428-438. | 3.6 | 19 |
| 122 | Role of the pleckstrin homology domain in intersectin-L Dbl homology domain activation of Cdc42 and signaling. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2003, 1640, 61-68. | 4.1 | 18 |
| 123 | Structural Determinants of Affinity Enhancement between GoLoco Motifs and G-Protein α Subunit Mutants. <i>Journal of Biological Chemistry</i> , 2011, 286, 3351-3358. | 3.4 | 17 |
| 124 | Chemerin-activated functions of CMKLR1 are regulated by G protein-coupled receptor kinase 6 (GRK6) and β 2-arrestin 2 in inflammatory macrophages. <i>Molecular Immunology</i> , 2019, 106, 12-21. | 2.2 | 17 |
| 125 | The R6A-1 peptide binds to switch II of G α i1 but is not a GDP-dissociation inhibitor. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 1107-1112. | 2.1 | 16 |
| 126 | Unique Structural and Nucleotide Exchange Features of the Rho1 GTPase of <i>Entamoeba histolytica</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 39236-39246. | 3.4 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | <i>Entamoeba histolytica</i> Rho1 Regulates Actin Polymerization through a Divergent, Diaphanous-Related Formin. <i>Biochemistry</i> , 2012, 51, 8791-8801. | 2.5 | 16 |
| 128 | Random mutagenesis of the human immunodeficiency virus type-1 trans-activator of transcription (HIV-1 Tat). <i>Nucleic Acids Research</i> , 1992, 20, 5311-5320. | 14.5 | 15 |
| 129 | Structural Determinants Underlying the Temperature-sensitive Nature of a G_{12} Mutant in Asymmetric Cell Division of <i>Caenorhabditis elegans</i> . <i>Journal of Biological Chemistry</i> , 2008, 283, 21550-21558. | 3.4 | 15 |
| 130 | G-protein Signaling Modulator-3 Regulates Heterotrimeric G-protein Dynamics through Dual Association with G_{12} and G_{13} Protein Subunits. <i>Journal of Biological Chemistry</i> , 2012, 287, 4863-4874. | 3.4 | 15 |
| 131 | Regulator of G protein signaling-12 modulates the dopamine transporter in ventral striatum and locomotor responses to psychostimulants. <i>Journal of Psychopharmacology</i> , 2018, 32, 191-203. | 4.0 | 15 |
| 132 | Role of RGS12 in the differential regulation of kappa opioid receptor-dependent signaling and behavior. <i>Neuropsychopharmacology</i> , 2019, 44, 1728-1741. | 5.4 | 15 |
| 133 | Potential for Kappa-Opioid Receptor Agonists to Engineer Nonaddictive Analgesics: A Narrative Review. <i>Anesthesia and Analgesia</i> , 2021, 132, 406-419. | 2.2 | 15 |
| 134 | Differential expression of regulator of G-protein signaling R12 subfamily members during mouse development. <i>Developmental Dynamics</i> , 2005, 234, 438-444. | 1.8 | 14 |
| 135 | RNA interference screen for RGS protein specificity at muscarinic and protease-activated receptors reveals bidirectional modulation of signaling. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 299, C654-C664. | 4.6 | 14 |
| 136 | Structural Determinants of Ubiquitin Conjugation in <i>Entamoeba histolytica</i> . <i>Journal of Biological Chemistry</i> , 2013, 288, 2290-2302. | 3.4 | 14 |
| 137 | Regulation of Protease-activated Receptor 1 Signaling by the Adaptor Protein Complex 2 and R4 Subfamily of Regulator of G Protein Signaling Proteins. <i>Journal of Biological Chemistry</i> , 2014, 289, 1580-1591. | 3.4 | 13 |
| 138 | G protein signaling modulator-3: a leukocyte regulator of inflammation in health and disease. <i>American Journal of Clinical and Experimental Immunology</i> , 2014, 3, 97-106. | 0.2 | 13 |
| 139 | State-Selective Binding Peptides for Heterotrimeric G-Protein Subunits: Novel Tools for Investigating G-Protein Signaling Dynamics. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2008, 11, 370-381. | 1.1 | 12 |
| 140 | RAMHA: A PC-based Monte-Carlo simulation of random saturation mutagenesis. <i>Computers in Biology and Medicine</i> , 1993, 23, 463-474. | 7.0 | 10 |
| 141 | Purification and In Vitro Functional Analyses of RGS12 and RGS14 GoLoco Motif Peptides. <i>Methods in Enzymology</i> , 2004, 390, 419-436. | 1.0 | 10 |
| 142 | A role for Regulator of G protein Signaling-12 (RGS12) in the balance between myoblast proliferation and differentiation. <i>PLoS ONE</i> , 2019, 14, e0216167. | 2.5 | 10 |
| 143 | Regulation of the Subcellular Localization of the G-protein Subunit Regulator GPSM3 through Direct Association with 14-3-3 Protein. <i>Journal of Biological Chemistry</i> , 2012, 287, 31270-31279. | 3.4 | 8 |
| 144 | Evaluating Modulators of Regulator of G-protein Signaling (RGS) Proteins. <i>Current Protocols in Pharmacology</i> , 2012, 56, 2.8.1-2.8.15. | 4.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | <i>Entamoeba histolytica</i> RacC Selectively Engages p21-Activated Kinase Effectors. <i>Biochemistry</i> , 2015, 54, 404-412. | 2.5 | 8 |
| 146 | Assays of Complex Formation between RGS Protein G β 3 Subunit-like Domains and G β 2 Subunits. <i>Methods in Enzymology</i> , 2002, 344, 702-723. | 1.0 | 7 |
| 147 | Structural Determinants of RGS-RhoGEF Signaling Critical to <i>Entamoeba histolytica</i> Pathogenesis. <i>Structure</i> , 2013, 21, 65-75. | 3.3 | 7 |
| 148 | RGS21, a regulator of taste and mucociliary clearance?. <i>Laryngoscope</i> , 2014, 124, E56-63. | 2.0 | 7 |
| 149 | Genetic variations in GPSM3 associated with protection from rheumatoid arthritis affect its transcript abundance. <i>Genes and Immunity</i> , 2016, 17, 139-147. | 4.1 | 7 |
| 150 | Development of Full Sweet, Umami, and Bitter Taste Responsiveness Requires Regulator of G protein Signaling-21 (RGS21). <i>Chemical Senses</i> , 2018, 43, 367-378. | 2.0 | 7 |
| 151 | Reduction of GPSM3 expression akin to the arthritis-protective SNP rs204989 differentially affects migration in a neutrophil model. <i>Genes and Immunity</i> , 2016, 17, 321-327. | 4.1 | 5 |
| 152 | Analysis of Interactions between Regulator of G-Protein Signaling-14 and Microtubules. <i>Methods in Enzymology</i> , 2004, 390, 240-258. | 1.0 | 4 |
| 153 | Four single nucleotide polymorphisms in genes involved in neuronal signaling are associated with opioid use disorder in West Virginia. <i>Journal of Opioid Management</i> , 2019, 15, 103-109. | 0.5 | 4 |
| 154 | Telomerase-Associated Protein TEP1 Is Not Essential for Telomerase Activity or Telomere Length Maintenance In Vivo. <i>Molecular and Cellular Biology</i> , 2000, 20, 8178-8184. | 2.3 | 4 |
| 155 | The RGS Protein Superfamily. , 2003, , 631-638. | | 3 |
| 156 | Genetic deletion of <i>Rgs12</i> in mice affects serotonin transporter expression and function <i>in vivo</i> and <i>ex vivo</i> . <i>Journal of Psychopharmacology</i> , 2020, 34, 1393-1407. | 4.0 | 2 |
| 157 | The stability of tastant detection by mouse lingual chemosensory tissue requires Regulator of G protein Signaling-21 (RGS21). <i>Chemical Senses</i> , 2021, 46, . | 2.0 | 2 |
| 158 | A Homogeneous Method to Measure Nucleotide Exchange by β -Subunits of Heterotrimeric G-Proteins Using Fluorescence Polarization. <i>Assay and Drug Development Technologies</i> , 2010, 8, 621-624. | 1.2 | 1 |
| 159 | Self-activating G protein β subunits engage seven-transmembrane regulator of G protein signaling (RGS) proteins and a Rho guanine nucleotide exchange factor effector in the amoeba <i>Naegleria fowleri</i> . <i>Journal of Biological Chemistry</i> , 2022, 298, 102167. | 3.4 | 1 |
| 160 | Meet The Guest Editors. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2008, 11, 468-468. | 1.1 | 0 |
| 161 | Editorial [Hot Topic: GPCR High Throughput Screening (Part 1) (Guest Editors: David P. Siderovski and) Tj ETQq1 1 0.784314 ggBT /Over | 1.1 | 0 |
| 162 | The Superfamily of α -Regulator of G-Protein Signaling (RGS) Proteins. , 2010, , 1683-1703. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Rgs2. The AFCS-nature Molecule Pages, 0, , . | 0.2 | 0 |
| 164 | Rgs11. The AFCS-nature Molecule Pages, 0, , . | 0.2 | 0 |
| 165 | Rgs6. The AFCS-nature Molecule Pages, 0, , . | 0.2 | 0 |
| 166 | Structural studies of RGS9/GÎ²5. FASEB Journal, 2008, 22, 539.2. | 0.5 | 0 |
| 167 | GPSM3 as a Therapeutic Target for Rheumatoid Arthritis. FASEB Journal, 2015, 29, . | 0.5 | 0 |
| 168 | RGS Protein Family. , 2018, , 4657-4663. | | 0 |
| 169 | The Biased Kappa Opioid Receptor Agonist Nalfurafine Reduces the Reinforcing Properties of Oxycodone and Enhances Oxycodoneâ€Induced Spinal Antiâ€Nociception. FASEB Journal, 2020, 34, 1-1. | 0.5 | 0 |