## Karen Ritchie

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2724630/publications.pdf

Version: 2024-02-01

311 papers 42,387 citations

70 h-index 193 g-index

318 all docs

318 docs citations

318 times ranked

43151 citing authors

#	Article	IF	CITATIONS
1	Late-life cynical hostility is associated with white matter alterations and the risk of Alzheimer's disease. Psychological Medicine, 2022, 52, 3636-3645.	4.5	2
2	CAIDE dementia risk score relates to severity and progression of cerebral small vessel disease in healthy midlife adults: the PREVENT-Dementia study. Journal of Neurology, Neurosurgery and Psychiatry, 2022, 93, 481-490.	1.9	13
3	Macrostructural brain alterations at midlife are connected to cardiovascular and not inherited risk of future dementia: the PREVENT-Dementia study. Journal of Neurology, 2022, 269, 4299-4309.	3.6	15
4	The association between adverse childhood events and later-life cognitive function and dementia risk. Journal of Affective Disorders, 2022, 304, 128-132.	4.1	5
5	Inherited risk of dementia and the progression of cerebral small vessel disease and inflammatory markers in cognitively healthy midlife adults: the PREVENT-Dementia study. Neurobiology of Aging, 2021, 98, 124-133.	3.1	13
6	Trauma and depressive symptomatology in middle-aged persons at high risk of dementia: the PREVENT Dementia Study. Journal of Neurology, Neurosurgery and Psychiatry, 2021, 92, 16-21.	1.9	6
7	Higher midlife CAIDE score is associated with increased brain atrophy in a cohort of cognitively healthy middle-aged individuals. Journal of Neurology, 2021, 268, 1962-1971.	3.6	7
8	The emergence of cognitive <scp>COVID</scp> . World Psychiatry, 2021, 20, 52-53.	10.4	39
9	$11\hat{l}^2$ -Hydroxylase ( <i>CYP11B1</i> ) gene variants and new-onset depression in later life. Journal of Psychiatry and Neuroscience, 2021, 46, E147-E153.	2.4	6
10	Application of the ATN classification scheme in a population without dementia: Findings from the EPAD cohort. Alzheimer's and Dementia, $2021$ , $17$ , $1189$ - $1204$ .	0.8	44
11	Proximity to dementia onset and multi-modal neuroimaging changes: The prevent-dementia study. Neurolmage, 2021, 229, 117749.	4.2	10
12	Steroid 21-hydroxylase gene variants and late-life depression. BMC Research Notes, 2021, 14, 203.	1.4	0
13	Evidence of cerebral hemodynamic dysregulation in middle-aged APOE ε4 carriers: The PREVENT-Dementia study. Journal of Cerebral Blood Flow and Metabolism, 2021, 41, 2844-2855.	4.3	21
14	Structural brain alterations in older adults exposed to early-life adversity. Psychoneuroendocrinology, 2021, 129, 105272.	2.7	14
15	A Prospective Study of Diurnal Cortisol and Incident Dementia in Community-Dwelling Older Adults. Journal of Alzheimer's Disease, 2021, 82, 899-904.	2.6	1
16	Memory assessment and dementia risk in the PREVENT Study. Alzheimer's and Dementia, 2021, 17, .	0.8	0
17	Aromatase ( <i>CYP19A1</i> ) gene variants, sex steroid levels, and lateâ€life depression. Depression and Anxiety, 2020, 37, 146-155.	4.1	10
18	The extent to which childhood adversity and recent stress influence all-cause mortality risk in older adults. Psychoneuroendocrinology, 2020, 111, 104492.	2.7	29

#	Article	IF	CITATIONS
19	Retinal vascular fractal dimension and cerebral blood flow, a pilot study. Acta Ophthalmologica, 2020, 98, e63-e71.	1.1	19
20	Association between midlife dementia risk factors and longitudinal brain atrophy: the PREVENT-Dementia study. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 158-161.	1.9	26
21	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. Archives of Gerontology and Geriatrics, 2020, 91, 104112.	3.0	6
22	Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. Lancet, The, 2020, 396, 413-446.	13.7	4,658
23	Does parity matter in women's risk of dementia? A COSMIC collaboration cohort study. BMC Medicine, 2020, 18, 210.	5.5	21
24	The long-term consequences of trauma and posttraumatic stress disorder symptoms on later life cognitive function and dementia risk. Psychiatry Research, 2020, 294, 113506.	3.3	15
25	A crossâ€national study of depression in preclinical dementia: A COSMIC collaboration study. Alzheimer's and Dementia, 2020, 16, 1544-1552.	0.8	8
26	Cognitive Dispersion Is Not Associated with Cerebrospinal Fluid Biomarkers of Alzheimer's Disease: Results from the European Prevention of Alzheimer's Dementia (EPAD) v500.0 Cohort. Journal of Alzheimer's Disease, 2020, 78, 185-194.	2.6	5
27	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. Alzheimer's Research and Therapy, 2020, 12, 167.	6.2	64
28	Progression of cerebral small vessel disease in healthy middleâ€aged adults associated with inherited risk of Alzheimer's disease: The PREVENTâ€Dementia study. Alzheimer's and Dementia, 2020, 16, e041508.	0.8	0
29	Multiâ€faceted brain changes associated with proximity to dementia onset: The PREVENTâ€Dementia study. Alzheimer's and Dementia, 2020, 16, e041865.	0.8	O
30	Effectiveness of lifestyle and psychosocial interventions in reducing cognitive decline in older people: Systematic review. Alzheimer's and Dementia, 2020, 16, e042843.	0.8	1
31	Is Peripheral BDNF Promoter Methylation a Preclinical Biomarker of Dementia?. Journal of Alzheimer's Disease, 2020, 73, 645-655.	2.6	9
32	Hippocampal Subfield Volumes in Middle-Aged Adults at Risk of Dementia. Journal of Alzheimer's Disease, 2020, 75, 1211-1218.	2.6	10
33	Cognitive Functions as Predictors of Alzheimer's Disease Biomarker Status in the European Prevention of Alzheimer's Dementia Cohort. Journal of Alzheimer's Disease, 2020, 74, 1203-1210.	2.6	7
34	The cognitive consequences of the COVID-19 epidemic: collateral damage?. Brain Communications, 2020, 2, fcaa069.	3.3	151
35	APOE ε4 and the Influence of Sex, Age, Vascular Risk Factors, and Ethnicity on Cognitive Decline. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1863-1873.	3.6	23
36	Midlife alcohol consumption and longitudinal brain atrophy: the PREVENT-Dementia study. Journal of Neurology, 2020, 267, 3282-3286.	3.6	2

#	Article	IF	Citations
37	Refined carbohydrateâ€rich diet is associated with longâ€term risk of dementia and Alzheimer's disease in apolipoprotein E ε4 allele carriers. Alzheimer's and Dementia, 2020, 16, 1043-1053.	0.8	28
38	Efficacy of lifestyle and psychosocial interventions in reducing cognitive decline in older people: Systematic review. Ageing Research Reviews, 2020, 62, 101113.	10.9	42
39	Structural brain changes with lifetime trauma and re-experiencing symptoms is <i>5-HTTLPR</i> genotype-dependent. Högre Utbildning, 2020, 11, 1733247.	3.0	4
40	Volumetric alterations in the hippocampal subfields of subjects at increased risk of dementia. Neurobiology of Aging, 2020, 91, 36-44.	3.1	34
41	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. PLoS Medicine, 2019, 16, e1002853.	8.4	86
42	Sex-specific depressive symptoms as markers of pre-Alzheimer dementia: findings from the Three-City cohort study. Translational Psychiatry, 2019, 9, 291.	4.8	11
43	Increased Serum C-reactive Protein and Corpus Callosum Alterations in Older Adults. , 2019, 10, 463.		6
44	Commentary on "Smaller Hippocampal Volume in Current But Not in Past Depression in Comparison to Healthy Controls: Minor Evidence From an Older Adults Sampleâ€. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 282-284.	2.3	1
45	Lifetime major depression and grey-matter volume. Journal of Psychiatry and Neuroscience, 2019, 44, 45-53.	2.4	69
46	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates Aβ, tau, immunity and lipid processing. Nature Genetics, 2019, 51, 414-430.	21.4	1,962
47	Association between DNA methylation of the <i>KITLG</i> gene and cortisol levels under stress: a replication study. Stress, 2019, 22, 162-168.	1.8	11
48	Smaller hippocampal volume in current but not in past depression in comparison to healthy controls: Minor evidence from an older adults sample. Journal of Psychiatric Research, 2018, 102, 159-167.	3.1	4
49	Frequent attendance and the concordance between PHQ screening and GP assessment in the detection of common mental disorders. Journal of Psychosomatic Research, 2018, 110, 1-10.	2.6	0
50	Evolution and future directions for the concept of <i>mild cognitive impairment</i> . International Psychogeriatrics, 2018, 30, 1431-1434.	1.0	11
51	European Prevention of Alzheimer's Dementia Registry: Recruitment and prescreening approach for a longitudinal cohort and prevention trials. Alzheimer's and Dementia, 2018, 14, 837-842.	0.8	20
52	Repatriation is associated with isthmus cingulate cortex reduction in community-dwelling elderly. World Journal of Biological Psychiatry, 2018, 19, 421-430.	2.6	12
53	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. Molecular Psychiatry, 2018, 23, 133-142.	7.9	247
54	Further education improves cognitive reserve and triggers improvement in selective cognitive functions in older adults: The Tasmanian Healthy Brain Project. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 22-30.	2.4	57

#	Article	IF	CITATIONS
55	Cerebral small vessel disease in middle age and genetic predisposition to lateâ€onset Alzheimer's disease. Alzheimer's and Dementia, 2018, 14, 253-258.	0.8	14
56	DNA methylation and genetic variation of the angiotensin converting enzyme (ACE) in depression. Psychoneuroendocrinology, 2018, 88, 1-8.	2.7	13
57	Genotype-dependent associations between serotonin transporter gene (SLC6A4) DNA methylation and late-life depression. BMC Psychiatry, 2018, 18, 282.	2.6	56
58	Developing a framework to evaluate knowledge into action interventions. BMC Health Services Research, 2018, 18, 133.	2.2	8
59	Allocentric and Egocentric Spatial Processing in Middle-Aged Adults at High Risk of Late-Onset Alzheimer's Disease: The PREVENT Dementia Study. Journal of Alzheimer's Disease, 2018, 65, 885-896.	2.6	37
60	Chronic and remitting trajectories of depressive symptoms in the elderly. Characterisation and risk factors. Epidemiology and Psychiatric Sciences, 2017, 26, 146-156.	3.9	21
61	Revised Framingham Stroke Risk Profile to Reflect Temporal Trends. Circulation, 2017, 135, 1145-1159.	1.6	142
62	Association Between Lifetime Headache and History of Suicide Attempts in the Elderly. European Psychiatry, 2017, 41, 132-139.	0.2	11
63	Visual Loss and Subsequent Activity Limitations in the Elderly: The French Three-City Cohort. American Journal of Public Health, 2017, 107, 564-569.	2.7	41
64	The effect of an adverse psychological environment on salivary cortisol levels in the elderly differs by 5-HTTLPR genotype. Neurobiology of Stress, 2017, 7, 38-46.	4.0	11
65	Preliminary evidence for a role of the adrenergic nervous system in generalized anxiety disorder. Scientific Reports, 2017, 7, 42676.	3.3	13
66	Antidepressant use and cognitive decline in community-dwelling elderly people – The Three-City Cohort. BMC Medicine, 2017, 15, 81.	5.5	14
67	Modifiable Risk Factors for Prevention ofÂDementia in Midlife, Late Life and the Oldest-Old: Validation of the LIBRA Index. Journal of Alzheimer's Disease, 2017, 58, 537-547.	2.6	95
68	The midlife cognitive profiles of adults at high risk of lateâ€onset Alzheimer's disease: The PREVENT study. Alzheimer's and Dementia, 2017, 13, 1089-1097.	0.8	57
69	Health Service Utilisation, Detection Rates by Family Practitioners, and Management of Patients with Common Mental Disorders in French Family Practice. Canadian Journal of Psychiatry, 2017, 62, 521-530.	1.9	1
70	Functional neuroimaging findings in healthy middle-aged adults at risk of Alzheimer's disease. Ageing Research Reviews, 2017, 36, 88-104.	10.9	38
71	Heterogeneity in HPA axis dysregulation and serotonergic vulnerability to depression. Psychoneuroendocrinology, 2017, 77, 90-94.	2.7	69
72	Dementia prevention, intervention, and care. Lancet, The, 2017, 390, 2673-2734.	13.7	4,228

#	Article	IF	Citations
73	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. Nature Genetics, 2017, 49, 1373-1384.	21.4	783
74	Suicidal Ideation and Suicide Attempts in the Elderly Associated with Opioid Use and Pain Sensitivity. Psychotherapy and Psychosomatics, 2017, 86, 373-375.	8.8	11
75	Structural neuroimaging in preclinical dementia: From microstructural deficits and grey matter atrophy to macroscale connectomic changes. Ageing Research Reviews, 2017, 35, 250-264.	10.9	48
76	Detecting cognitive changes in preclinical Alzheimer's disease: A review of its feasibility. Alzheimer's and Dementia, 2017, 13, 468-492.	0.8	131
77	Recommended cognitive outcomes in preclinical Alzheimer's disease: Consensus statement from the European Prevention of Alzheimer's Dementia project. Alzheimer's and Dementia, 2017, 13, 186-195.	0.8	85
78	[FTS5–01–01]: PREVENTION: THE FIRST LINE OF CARE. Alzheimer's and Dementia, 2017, 13, P1448.	0.8	1
79	[FTS5–01–05]: PANEL DISCUSSION AND Q AND A. Alzheimer's and Dementia, 2017, 13, P1450.	0.8	0
80	Investigating the epigenetic profile of the inflammatory gene IL-6 in late-life depression. BMC Psychiatry, 2017, 17, 354.	2.6	31
81	Age-related cognitive decline and associations with sex, education and apolipoprotein E genotype across ethnocultural groups and geographic regions: a collaborative cohort study. PLoS Medicine, 2017, 14, e1002261.	8.4	120
82	Prevention of Alzheimer's Disease and Alzheimer's Dementia. Mental Health and Illness Worldwide, 2017, , 549-574.	0.1	0
83	Palmomental Reflex a Relevant Sign in Early Alzheimer's Disease Diagnosis?. Journal of Alzheimer's Disease, 2016, 49, 1135-1141.	2.6	7
84	Excessive daytime sleepiness and antipathogen drug consumption in the elderly: a test of the immune theory of sleep. Scientific Reports, 2016, 6, 23574.	3.3	2
85	Biological and psychological predictors of posttraumatic stress disorder onset and chronicity. A one-year prospective study. Neurobiology of Stress, 2016, 3, 61-67.	4.0	29
86	Mean arterial pressure change associated with cerebral blood flow in healthy older adults. Neurobiology of Aging, 2016, 46, 49-57.	3.1	18
87	Shared genetic contribution to ischemic stroke and Alzheimer's disease. Annals of Neurology, 2016, 79, 739-747.	5.3	56
88	Are migraine and nonâ€migrainous headache risk factors for stroke in the elderly? Findings from a 12â€year cohort followâ€up. European Journal of Neurology, 2016, 23, 1463-1470.	3.3	16
89	Working memory performance is related to intrinsic resting state functional connectivity changes in community-dwelling elderly cohort. Neurobiology of Learning and Memory, 2016, 132, 57-66.	1.9	9
90	Impact of sleep disturbances on kidney function decline in the elderly. European Respiratory Journal, 2016, 47, 860-868.	6.7	18

#	Article	IF	Citations
91	GWAS-identified risk variants for major depressive disorder: Preliminary support for an association with late-life depressive symptoms and brain structural alterations. European Neuropsychopharmacology, 2016, 26, 113-125.	0.7	41
92	Iowa Gambling Task Performance in Elderly Persons with a Lifetime History of Suicidal Acts. American Journal of Geriatric Psychiatry, 2016, 24, 399-406.	1.2	24
93	Benzodiazepine, psychotropic medication, and dementia: AÂpopulationâ€based cohort study. Alzheimer's and Dementia, 2016, 12, 604-613.	0.8	69
94	Short STAI-Y anxiety scales: validation and normative data for elderly subjects. Aging and Mental Health, 2016, 20, 987-995.	2.8	30
95	Prevention of Alzheimer's Disease and Alzheimer's Dementia. Mental Health and Illness Worldwide, 2016, , 1-26.	0.1	1
96	Sending your grandparents to university increases cognitive reserve: The Tasmanian Healthy Brain Project Neuropsychology, 2016, 30, 525-531.	1.3	36
97	The Clinical Picture of Alzheimer's Disease in the Decade Before Diagnosis. Journal of Clinical Psychiatry, 2016, 77, e305-e311.	2.2	50
98	Is lateâ€onset Alzheimer's disease really a disease of midlife?. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2015, 1, 122-130.	3.7	82
99	Involvement of <scp>GPR</scp> 50 polymorphisms in depression: independent replication in a prospective elderly cohort. Brain and Behavior, 2015, 5, e00313.	2.2	14
100	5â€HTTLPR genotype, asthma, diabetes and lateâ€life depression in an older French population. International Journal of Geriatric Psychiatry, 2015, 30, 1017-1022.	2.7	3
101	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. PLoS ONE, 2015, 10, e0142388.	2.5	225
102	Operational definition of Active and Healthy Ageing (AHA): A conceptual framework. Journal of Nutrition, Health and Aging, 2015, 19, 955-960.	3.3	85
103	Developmental determinants in non-communicable chronic diseases and ageing. Thorax, 2015, 70, 595-597.	5.6	45
104	Carotid plaque as a predictor of dementia in older adults: The Three ity Study. Alzheimer's and Dementia, 2015, 11, 239-248.	0.8	20
105	Elderly Benzodiazepine Users at Increased Risk of Activity Limitations: Influence of Chronicity, Indications, and Duration of Action—The Three-City Cohort. American Journal of Geriatric Psychiatry, 2015, 23, 840-851.	1.2	19
106	Sleep Complaints and Metabolic Syndrome in an Elderly Population: The Three-City Study. American Journal of Geriatric Psychiatry, 2015, 23, 818-828.	1.2	31
107	Longitudinal Association of Carotid Plaque Presence and Intima-Media Thickness With Depressive Symptoms in the Elderly. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 1279-1283.	2.4	16
108	BDNF promoter methylation and genetic variation in late-life depression. Translational Psychiatry, 2015, 5, e619-e619.	4.8	111

#	Article	IF	Citations
109	Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 20–21, 2014, Lisbon July 2, 2015. Journal of the American Medical Directors Association, 2015, 16, 1020-1026.	2.5	33
110	The BDNF Val66Met polymorphism moderates the relationship between cognitive reserve and executive function. Translational Psychiatry, 2015, 5, e590-e590.	4.8	26
111	Working memory activation of neural networks in the elderly as a function of information processing phase and task complexity. Neurobiology of Learning and Memory, 2015, 125, 211-223.	1.9	11
112	Risk factors for late-onset generalized anxiety disorder: results from a 12-year prospective cohort (The ESPRIT study). Translational Psychiatry, 2015, 5, e536-e536.	4.8	49
113	Target risk factors for dementia prevention: a systematic review and Delphi consensus study on the evidence from observational studies. International Journal of Geriatric Psychiatry, 2015, 30, 234-246.	2.7	363
114	Convergent genetic and expression data implicate immunity in Alzheimer's disease. Alzheimer's and Dementia, 2015, 11, 658-671.	0.8	173
115	Generalized anxiety in community-dwelling elderly: Prevalence and clinical characteristics. Journal of Affective Disorders, 2015, 172, 24-29.	4.1	59
116	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. PLoS ONE, 2015, 10, e0142388.	2.5	5
117	Anesthetics and its Impact on the Brain and Alzheimer's Disease. Journal of Alzheimer's Disease, 2014, 39, 223-225.	2.6	4
118	Metabolic Syndrome and Disability: Findings From the Prospective Three-City Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 79-86.	3.6	47
119	Impact of a premature menopause on cognitive function in later life. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 1729-1739.	2.3	140
120	Education Modulates the Impact of White Matter Lesions on the Risk of Mild Cognitive Impairment and Dementia. American Journal of Geriatric Psychiatry, 2014, 22, 1336-1345.	1.2	55
121	Gender-specific associations between lipids and cognitive decline in the elderly. European Neuropsychopharmacology, 2014, 24, 1056-1066.	0.7	46
122	Corpus callosum size may predict late-life depression in women: A 10-year follow-up study. Journal of Affective Disorders, 2014, 165, 16-23.	4.1	15
123	<i>APOE</i> $\hat{l}\mu$ 4 and risk for Alzheimer's disease: Do regionally distributed white matter hyperintensities play a role?. Alzheimer's and Dementia, 2014, 10, 619-629.	0.8	59
124	The association between caffeine and cognitive decline: examining alternative causal hypotheses. International Psychogeriatrics, 2014, 26, 581-590.	1.0	15
125	Malnutrition and Retinal Vascular Caliber in the Elderly: The POLA Study., 2014, 55, 4042.		2
126	White Matter Hyperintensities as Early and Independent Predictors of Alzheimer's Disease Risk. Journal of Alzheimer's Disease, 2014, 42, S393-S400.	2.6	51

#	Article	IF	CITATIONS
127	Estrogen receptor polymorphisms and incident dementia: The prospective 3C study. Alzheimer's and Dementia, 2014, 10, 27-35.	0.8	32
128	Brain volumes in late life: gender, hormone treatment, and estrogen receptor variants. Neurobiology of Aging, 2014, 35, 645-654.	3.1	18
129	Blood pressure variability and risk of dementia in an elderly cohort, the Threeâ€City Study. Alzheimer's and Dementia, 2014, 10, S330-7.	0.8	105
130	Gene-Wide Analysis Detects Two New Susceptibility Genes for Alzheimer's Disease. PLoS ONE, 2014, 9, e94661.	2.5	155
131	Subjective memory impairment, objective cognitive functioning and social activity in French older people: Findings from the Three Cities study. Geriatrics and Gerontology International, 2013, 13, 139-145.	1.5	35
132	PL-03-01: Public health and epidemiology. , 2013, 9, P516-P516.		0
133	Extended duration of hospitalization in first episode psychosis: An evaluation of its clinical justification. Psychiatry Research, 2013, 209, 160-166.	3.3	5
134	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. Nature Genetics, 2013, 45, 1452-1458.	21.4	3,741
135	Hypnotics and mortality in an elderly general population: a 12-year prospective study. BMC Medicine, 2013, 11, 212.	5.5	64
136	COSMIC (Cohort Studies of Memory in an International Consortium): An international consortium to identify risk and protective factors and biomarkers of cognitive ageing and dementia in diverse ethnic and sociocultural groups. BMC Neurology, 2013, 13, 165.	1.8	58
137	A multi-dimensional approach to insight and its evolution in first-episode psychosis: A 1-year outcome naturalistic study. Psychiatry Research, 2013, 210, 835-841.	3.3	9
138	Prospective analysis of the association between estrogen receptor gene variants and the risk of cognitive decline in elderly women. European Neuropsychopharmacology, 2013, 23, 1763-1768.	0.7	19
139	A prospective study of the bi-directional association between vision loss and depression in the elderly. Journal of Affective Disorders, 2013, 151, 164-170.	4.1	79
140	ANXIETY AND 10-YEAR RISK OF INCIDENT AND RECURRENT DEPRESSIVE SYMPTOMATOLOGY IN OLDER ADULTS. Depression and Anxiety, 2013, 30, 554-563.	4.1	23
141	Late-Onset Agoraphobia: General Population Incidence and Evidence for a Clinical Subtype. American Journal of Psychiatry, 2013, 170, 790-798.	7.2	20
142	The PREVENT research programme – A novel research programme to identify and manage midlife risk for dementia: the conceptual framework. International Review of Psychiatry, 2013, 25, 748-754.	2.8	26
143	Glycemia, Insulin Resistance, Insulin Secretion, and Risk of Depressive Symptoms in Middle Age. Diabetes Care, 2013, 36, 928-934.	8.6	25
144	History of Suicidal Behaviour and Analgesic Use in Community-Dwelling Elderly. Psychotherapy and Psychosomatics, 2013, 82, 341-343.	8.8	28

#	Article	IF	Citations
145	Angiotensin-converting enzyme gene variants are associated with both cortisol secretion and late-life depression. Translational Psychiatry, 2013, 3, e322-e322.	4.8	57
146	Cerebral white matter hyperintensities in the prediction of cognitive decline and incident dementia. International Review of Psychiatry, 2013, 25, 686-698.	2.8	50
147	Caffeine and Cognitive Decline in Elderly Women at High Vascular Risk. Journal of Alzheimer's Disease, 2013, 35, 413-421.	2.6	51
148	The Tasmanian Healthy Brain Project (THBP): a prospective longitudinal examination of the effect of university-level education in older adults in preventing age-related cognitive decline and reducing the risk of dementia. International Psychogeriatrics, 2013, 25, 1145-1155.	1.0	29
149	Establishing the motivations of patients with dementia and cognitive impairment and their carers in joining a dementia research register (DemReg). International Psychogeriatrics, 2013, 25, 963-971.	1.0	14
150	Anxiety and mortality risk in community-dwelling elderly people. British Journal of Psychiatry, 2013, 203, 303-309.	2.8	39
151	Sex Differences in the Associations Between Lipid Levels and Incident Dementia. Journal of Alzheimer's Disease, 2013, 34, 519-528.	2.6	69
152	Spatial Distribution of Cerebral White Matter Lesions Predicts Progression to Mild Cognitive Impairment and Dementia. PLoS ONE, 2013, 8, e56972.	2.5	35
153	Retinal Vascular Caliber Is Associated with Cardiovascular Biomarkers of Oxidative Stress and Inflammation: The POLA Study. PLoS ONE, 2013, 8, e71089.	2.5	53
154	Insomnia, Daytime Sleepiness and Cardio-Cerebrovascular Diseases in the Elderly: A 6-Year Prospective Study. PLoS ONE, 2013, 8, e56048.	2.5	49
155	The PREVENT study: a prospective cohort study to identify mid-life biomarkers of late-onset Alzheimer's disease. BMJ Open, 2012, 2, e001893.	1.9	93
156	The STAI-Y trait scale: psychometric properties and normative data from a large population-based study of elderly people. International Psychogeriatrics, 2012, 24, 1163-1171.	1.0	47
157	Clinical usefulness of the metabolic syndrome for the risk of coronary heart disease does not exceed the sum of its individual components in older men and women. The Three-City (3C) Study. Heart, 2012, 98, 650-655.	2.9	43
158	Excessive Sleepiness is Predictive of Cognitive Decline in the Elderly. Sleep, 2012, 35, 1201-1207.	1.1	178
159	Lipid Lowering Agents, Cognitive Decline, and Dementia: The Three-City Study. Journal of Alzheimer's Disease, 2012, 30, 629-637.	2.6	66
160	Mild cognitive impairment (MCI) twenty years on. International Psychogeriatrics, 2012, 24, 1-5.	1.0	36
161	Metabolic syndrome and localization of white matter hyperintensities in the elderly population. , 2012, 8, S88-S95.e1.		33
162	Anxiety symptoms and disorder predict activity limitations in the elderly. Journal of Affective Disorders, 2012, 141, 276-285.	4.1	40

#	Article	IF	CITATIONS
163	Depression in elderly persons subject to childhood maltreatment is not modulated by corpus callosum and hippocampal loss. Journal of Affective Disorders, 2012, 141, 294-299.	4.1	10
164	From Genetics to Dietetics: The Contribution of Epidemiology to Understanding Alzheimer's Disease. Journal of Alzheimer's Disease, 2012, 33, S457-S463.	2.6	21
165	Steroid and nonsteroidal anti-inflammatory drugs, cognitive decline, and dementia. Neurobiology of Aging, 2012, 33, 2082-2090.	3.1	27
166	Depressed mood and blood pressure: The moderating effect of situation-specific arousal levels. International Journal of Psychophysiology, 2012, 85, 212-223.	1.0	21
167	Frequent attendance in family practice and common mental disorders in an open access health care system. Journal of Psychosomatic Research, 2012, 72, 413-418.	2.6	22
168	Is Frailty a Prodromal Stage of Vascular Dementia? Results From the <scp>T</scp> hreeâ€ <scp>C</scp> ity <scp>S</scp> tudy. Journal of the American Geriatrics Society, 2012, 60, 1708-1712.	2.6	101
169	Measuring Resilience in Adult Women Using the 10-Items Connor-Davidson Resilience Scale (CD-RISC). Role of Trauma Exposure and Anxiety Disorders. PLoS ONE, 2012, 7, e39879.	2.5	141
170	Engagement in leisure activities and benzodiazepine use in a French communityâ€dwelling elderly population. International Journal of Geriatric Psychiatry, 2012, 27, 716-721.	2.7	7
171	Excessive daytime sleepiness and vascular events: The Three City Study. Annals of Neurology, 2012, 71, 661-667.	<b>5.</b> 3	71
172	Estrogen receptor alpha gene variants and major depressive episodes. Journal of Affective Disorders, 2012, 136, 1222-1226.	4.1	30
173	Hormone Treatment, Estrogen Receptor Polymorphisms and Mortality: A Prospective Cohort Study. PLoS ONE, 2012, 7, e34112.	2.5	24
174	Insomnia Symptoms in Older Adults: Associated Factors and Gender Differences. American Journal of Geriatric Psychiatry, 2011, 19, 88-97.	1.2	214
175	Suicidal Behavior Is Associated with Reduced Corpus Callosum Area. Biological Psychiatry, 2011, 70, 320-326.	1.3	81
176	Carotid intima-media thickness in plaque-free site, carotid plaques and coronary heart disease risk prediction in older adults. The Three-City Study. Atherosclerosis, 2011, 219, 917-924.	0.8	117
177	Association between IgM Anti-Herpes Simplex Virus and Plasma Amyloid-Beta Levels. PLoS ONE, 2011, 6, e29480.	2.5	24
178	Depression History, Depressive Symptoms, and Incident Dementia: The 3C Study. Journal of Alzheimer's Disease, 2011, 26, 27-38.	2.6	55
179	Insomnia and Daytime Sleepiness Are Risk Factors for Depressive Symptoms in the Elderly. Sleep, 2011, 34, 1103-1110.	1.1	226
180	Estrogen receptor gene variants are associated with anxiety disorders in older women. Psychoneuroendocrinology, 2011, 36, 1582-1586.	2.7	38

#	Article	IF	Citations
181	Revised criteria for Alzheimer's disease: what are the lessons for clinicians?. Lancet Neurology, The, 2011, 10, 598-601.	10.2	30
182	The mental health of doctor-shoppers: Experience from a patient-led fee-for-service primary care setting. Journal of Affective Disorders, 2011, 131, 428-432.	4.1	18
183	Late life depression and incident activity limitations: Influence of gender and symptom severity. Journal of Affective Disorders, 2011, 133, 42-50.	4.1	34
184	Adverse childhood environment and late-life cognitive functioning. International Journal of Geriatric Psychiatry, 2011, 26, 503-510.	2.7	90
185	War exposure, 5-HTTLPR genotype and lifetime risk of depression. British Journal of Psychiatry, 2011, 199, 43-48.	2.8	13
186	Oestrogen receptor polymorphisms and late-life depression. British Journal of Psychiatry, 2011, 199, 126-131.	2.8	31
187	Alternative Healthy Eating Index and mortality over 18 y of follow-up: results from the Whitehall II cohort. American Journal of Clinical Nutrition, 2011, 94, 247-253.	4.7	151
188	Latest advances on interventions that may prevent, delay or ameliorate dementia. Therapeutic Advances in Chronic Disease, 2011, 2, 161-173.	2.5	16
189	Incidence of ischaemic stroke according to income level among older people: the 3C study. Age and Ageing, 2011, 40, 116-121.	1.6	20
190	Increased Thrombin Generation Is Associated With Acute Ischemic Stroke but Not With Coronary Heart Disease in the Elderly. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 1445-1451.	2.4	88
191	Metabolic Syndrome and Onset of Depressive Symptoms in the Elderly. Diabetes Care, 2011, 34, 904-909.	8.6	56
192	Late-Life Health Consequences of Exposure to Trauma in a General Elderly Population. Journal of Clinical Psychiatry, 2011, 72, 929-935.	2.2	25
193	Incidence and persistence of sleep complaints in a community older population. International Journal of Geriatric Psychiatry, 2010, 25, 37-45.	2.7	42
194	Neurological signs and lateâ€life depressive symptoms in a community population: the ESPRIT study. International Journal of Geriatric Psychiatry, 2010, 25, 672-678.	2.7	6
195	Caffeine Intake is Associated with a Lower Risk of Cognitive Decline: A Cohort Study from Portugal. Journal of Alzheimer's Disease, 2010, 20, S175-S185.	2.6	83
196	Caffeine, Cognitive Functioning, and White Matter Lesions in the Elderly: Establishing Causality from Epidemiological Evidence. Journal of Alzheimer's Disease, 2010, 20, S161-S166.	2.6	36
197	Long-Term Post-Operative Cognitive Decline in the Elderly: The Effects of Anesthesia Type, Apolipoprotein E Genotype, and Clinical Antecedents. Journal of Alzheimer's Disease, 2010, 22, S105-S113.	2.6	56
198	Higher Level of Systemic Câ€Reactive Protein Is Independently Predictive of Coronary Heart Disease in Older Communityâ€Dwelling Adults: The Threeâ€City Study. Journal of the American Geriatrics Society, 2010, 58, 129-135.	2.6	18

#	Article	IF	CITATIONS
199	Disability and Incident Coronary Heart Disease in Older Communityâ€Dwelling Adults: The Threeâ€City Study. Journal of the American Geriatrics Society, 2010, 58, 636-642.	2.6	23
200	Anesthetics and Alzheimer's Disease: Background and Research. Journal of Alzheimer's Disease, 2010, 22, S1-S3.	2.6	9
201	Designing prevention programmes to reduce incidence of dementia: prospective cohort study of modifiable risk factors. BMJ: British Medical Journal, 2010, 341, c3885-c3885.	2.3	181
202	Metabolic Syndrome, Its Components, and Mortality in the Elderly. Journal of Clinical Endocrinology and Metabolism, 2010, 95, E327-E332.	3.6	28
203	Retrospective Identification and Characterization of Mild Cognitive Impairment From a Prospective Population Cohort. American Journal of Geriatric Psychiatry, 2010, 18, 692-700.	1.2	25
204	Gender and Genotype Modulation of the Association Between Lipid Levels and Depressive Symptomatology in Community-Dwelling Elderly (The ESPRIT Study). Biological Psychiatry, 2010, 68, 125-132.	1.3	72
205	Resilience and mental health. Clinical Psychology Review, 2010, 30, 479-495.	11.4	823
206	5-HTTLPR genotype, stressful life events and late-life depression: No evidence of interaction in a French population. Neurobiology of Aging, 2010, 31, 886-887.	3.1	28
207	Triglycerides and risk of hemorrhagic stroke vs. ischemic vascular events: The Three-City Study. Atherosclerosis, 2010, 210, 243-248.	0.8	49
208	A Prospective Study of Hormone Therapy and Depression in Community-Dwelling Elderly Women. Journal of Clinical Psychiatry, 2010, 71, 1673-1679.	2.2	14
209	Drugs With Anticholinergic Properties, Cognitive Decline, and Dementia in an Elderly General Population. Archives of Internal Medicine, 2009, 169, 1317.	3.8	312
210	Olive Oil and Cognition: Results from the Three-City Study. Dementia and Geriatric Cognitive Disorders, 2009, 28, 357-364.	1.5	122
211	Excessive Daytime Sleepiness Is an Independent Risk Indicator for Cardiovascular Mortality in Community-Dwelling Elderly. Stroke, 2009, 40, 1219-1224.	2.0	152
212	Framingham Stroke Risk Function in a Large Population-Based Cohort of Elderly People. Stroke, 2009, 40, 1564-1570.	2.0	41
213	Relationship Between Blood Pressure and Outdoor Temperature in a Large Sample of Elderly Individuals. Archives of Internal Medicine, 2009, 169, 75.	3.8	217
214	Leisure activities and the risk of dementia in the elderly. Neurology, 2009, 73, 854-861.	1.1	263
215	Persistence of abnormal cortisol levels in elderly persons after recovery from major depression. Journal of Psychiatric Research, 2009, 43, 777-783.	3.1	45
216	Life-time estrogen exposure and cognitive functioning in later life. Psychoneuroendocrinology, 2009, 34, 287-298.	2.7	93

#	Article	IF	Citations
217	A prospective study of hormonal treatment and anxiety disorders in community-dwelling elderly women (The Esprit Study). Journal of Affective Disorders, 2009, 115, 274-279.	4.1	6
218	Do we really know the cause of death of the very old? Comparison between official mortality statistics and cohort study classification. European Journal of Epidemiology, 2009, 24, 669-675.	5.7	66
219	Onset and relapse of psychiatric disorders following early breast cancer: a case–control study. Psycho-Oncology, 2009, 18, 1029-1037.	2.3	47
220	Genome-wide association study identifies variants at CLU and CR1 associated with Alzheimer's disease. Nature Genetics, 2009, 41, 1094-1099.	21.4	2,155
221	Cognitive Impairment Improves the Predictive Validity of the Phenotype of Frailty for Adverse Health Outcomes: The Threeâ€City Study. Journal of the American Geriatrics Society, 2009, 57, 453-461.	2.6	438
222	Social Activity and Improvement in Depressive Symptoms in Older People: A Prospective Community Cohort Study. American Journal of Geriatric Psychiatry, 2009, 17, 688-696.	1.2	83
223	Long-term association of food and nutrient intakes with cognitive and functional decline: a 13-year follow-up study of elderly French women. British Journal of Nutrition, 2009, 102, 419-427.	2.3	142
224	Association of Adverse Childhood Environment and <i>5-HTTLPR</i> Genotype With Late-Life Depression. Journal of Clinical Psychiatry, 2009, 70, 1281-1288.	2.2	103
225	Factors associated with changes in antidepressant use in a community-dwelling elderly cohort: the Three-City Study. European Journal of Clinical Pharmacology, 2008, 64, 51-59.	1.9	12
226	Ascertaining lateâ€life depressive symptoms in Europe: an evaluation of the survey version of the EUROâ€D scale in 10 nations. The SHARE project. International Journal of Methods in Psychiatric Research, 2008, 17, 12-29.	2.1	125
227	Factors associated with antidepressant use in depressed and nonâ€depressed communityâ€dwelling elderly: the threeâ€city study. International Journal of Geriatric Psychiatry, 2008, 23, 324-330.	2.7	10
228	Abnormal reactions to environmental stress in elderly persons with anxiety disorders: Evidence from a population study of diurnal cortisol changes. Journal of Affective Disorders, 2008, 106, 307-313.	4.1	75
229	Distension of the Carotid Artery and Risk of Coronary Events. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 1392-1397.	2.4	73
230	Primary and Secondary Care Consultations in Elderly Demented Individuals in France. Dementia and Geriatric Cognitive Disorders, 2008, 26, 407-415.	1.5	34
231	Tea Consumption Is Inversely Associated With Carotid Plaques in Women. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 353-359.	2.4	29
232	Calf Circumference Is Inversely Associated With Carotid Plaques. Stroke, 2008, 39, 2958-2965.	2.0	26
233	Epidemiology of alcoholâ€related dementia. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2008, 89, 845-850.	1.8	18
234	Memory complaints in healthy young and elderly adults: Reliability of memory reporting. Aging and Mental Health, 2008, 12, 177-182.	2.8	96

#	Article	IF	CITATIONS
235	Hormonal treatment, mild cognitive impairment and Alzheimer's disease. International Psychogeriatrics, 2008, 20, 47-56.	1.0	49
236	Lifetime hormonal factors may predict late-life depression in women. International Psychogeriatrics, 2008, 20, 1203.	1.0	33
237	Elderly persons with elderly fathers – do they face additional risks?. International Psychogeriatrics, 2008, 20, 427-9.	1.0	0
238	The long and the short of it: are shorter periods of hospitalisation beneficial?. British Journal of Psychiatry, 2008, 192, 164-165.	2.8	16
239	Late-life depression and mortality: influence of gender and antidepressant use. British Journal of Psychiatry, 2008, 192, 12-18.	2.8	86
240	Frailty Among Community-Dwelling Elderly People in France: The Three-City Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2008, 63, 1089-1096.	3.6	301
241	Relationship between blood pressure and depression in the elderly. The Three-City Study. Journal of Hypertension, 2008, 26, 1765-1772.	0.5	48
242	Prevalence of depressive symptoms and syndromes in later life in ten European countries. British Journal of Psychiatry, 2007, 191, 393-401.	2.8	215
243	The Metabolic Syndrome and the Carotid Artery Structure in Noninstitutionalized Elderly Subjects. Stroke, 2007, 38, 893-899.	2.0	57
244	Is Antioxidant Therapy a Viable Alternative for Mild Cognitive Impairment? Examination of the Evidence. Dementia and Geriatric Cognitive Disorders, 2007, 24, 1-19.	1.5	42
245	Hormonal therapy and depression: Are we overlooking an important therapeutic alternative?. Journal of Psychosomatic Research, 2007, 62, 473-485.	2.6	35
246	Depressive Symptoms, Major Depressive Episode and Cognition in the Elderly: The Three-City Study. Neuroepidemiology, 2007, 28, 101-108.	2.3	27
247	Determinants of excessive daytime sleepiness in a French communityâ€dwelling elderly population. Journal of Sleep Research, 2007, 16, 364-371.	3.2	69
248	Use of the PRIME-MD Patient Health Questionnaire for estimating the prevalence of psychiatric disorders in French primary care: comparison with family practitioner estimates and relationship to psychotropic medication use. General Hospital Psychiatry, 2007, 29, 285-293.	2.4	28
249	Mild Cognitive Impairment: Ethical Considerations for Nosological Flexibility in Human Kinds. Philosophy, Psychiatry and Psychology, 2006, 13, 31-43.	0.4	26
250	Mild cognitive impairment. Lancet, The, 2006, 367, 1262-1270.	13.7	2,401
251	Prevalence, awareness, treatment, and control of hypertension in the elderly: the Three City study. Journal of Hypertension, 2006, 24, 51-58.	0.5	84
252	IPA survey of brief cognitive screening instruments. International Psychogeriatrics, 2006, 18, 281-294.	1.0	172

#	Article	IF	CITATIONS
253	â€Ĩ think therefore I am': improving cognition. Current Opinion in Psychiatry, 2006, 19, 570-574.	6.3	4
254	Non-degenerative mild cognitive impairment in elderly people and use of anticholinergic drugs: longitudinal cohort study. BMJ: British Medical Journal, 2006, 332, 455-459.	2.3	489
255	Functional Vitamin E Deficiency in <i>ApoE4</i> Patients with Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2006, 21, 198-204.	1.5	22
256	New Insight Into the Association of Apolipoprotein E Genetic Variants With Carotid Plaques and Intima-Media Thickness. Stroke, 2006, 37, 2917-2923.	2.0	27
257	Revised Criteria for Mild Cognitive Impairment: Validation within a Longitudinal Population Study. Dementia and Geriatric Cognitive Disorders, 2006, 22, 465-470.	1.5	173
258	Sleep and Depression. Journal of Clinical Psychiatry, 2005, 66, 1254-1269.	2.2	856
259	A historical perspective. , 2005, , 333-337.		0
260	Alcohol Consumption and Carotid Artery Structure in Older French Adults. Stroke, 2004, 35, 2770-2775.	2.0	53
261	Mild cognitive impairment: an epidemiological perspective. Dialogues in Clinical Neuroscience, 2004, 6, 401-408.	3.7	125
262	Alcohol consumption and the risk of dementia. Lancet Neurology, The, 2003, 2, 333.	10.2	3
262	Alcohol consumption and the risk of dementia. Lancet Neurology, The, 2003, 2, 333.  Consumption of psychotropic medication in the elderly: a re-evaluation of its effect on cognitive performance. International Journal of Geriatric Psychiatry, 2003, 18, 874-878.	10.2 2.7	3 58
	Consumption of psychotropic medication in the elderly: a re-evaluation of its effect on cognitive		
263	Consumption of psychotropic medication in the elderly: a re-evaluation of its effect on cognitive performance. International Journal of Geriatric Psychiatry, 2003, 18, 874-878.	2.7	58
263 264	Consumption of psychotropic medication in the elderly: a re-evaluation of its effect on cognitive performance. International Journal of Geriatric Psychiatry, 2003, 18, 874-878.  The dementias. Lancet, The, 2002, 360, 1759-1766.  Mild extrapyramidal signs and functional impairment in ageing. International Journal of Geriatric	2.7	58 423
263 264 265	Consumption of psychotropic medication in the elderly: a re-evaluation of its effect on cognitive performance. International Journal of Geriatric Psychiatry, 2003, 18, 874-878.  The dementias. Lancet, The, 2002, 360, 1759-1766.  Mild extrapyramidal signs and functional impairment in ageing. International Journal of Geriatric Psychiatry, 2002, 17, 150-153.	2.7 13.7 2.7	58 423 25
263 264 265 266	Consumption of psychotropic medication in the elderly: a re-evaluation of its effect on cognitive performance. International Journal of Geriatric Psychiatry, 2003, 18, 874-878.  The dementias. Lancet, The, 2002, 360, 1759-1766.  Mild extrapyramidal signs and functional impairment in ageing. International Journal of Geriatric Psychiatry, 2002, 17, 150-153.  Current Concepts in Mild Cognitive Impairment. Archives of Neurology, 2001, 58, 1985.	2.7 13.7 2.7 4.5	58 423 25 4,117
264 265 266 267	Consumption of psychotropic medication in the elderly: a re-evaluation of its effect on cognitive performance. International Journal of Geriatric Psychiatry, 2003, 18, 874-878.  The dementias. Lancet, The, 2002, 360, 1759-1766.  Mild extrapyramidal signs and functional impairment in ageing. International Journal of Geriatric Psychiatry, 2002, 17, 150-153.  Current Concepts in Mild Cognitive Impairment. Archives of Neurology, 2001, 58, 1985.  Community studies of psychogeriatric disorders. Current Opinion in Psychiatry, 2001, 14, 383-386.  Exposure to anaesthetic agents, cognitive functioning and depressive symptomatology in the elderly.	2.7 13.7 2.7 4.5	58 423 25 4,117

#	Article	IF	CITATIONS
271	Discrepancies between Apolipoprotein E Phenotyping and Genotyping in the Elderly. Clinical Chemistry and Laboratory Medicine, 2001, 39, 405-13.	2.3	5
272	Classification criteria for mild cognitive impairment. Neurology, 2001, 56, 37-42.	1.1	779
273	Mild cognitive impairment: conceptual basis and current nosological status. Lancet, The, 2000, 355, 225-228.	13.7	361
274	Subclinical ognitive impairment: Epidemiology and clinical characteristics. Comprehensive Psychiatry, 2000, 41, 61-65.	3.1	45
275	Mental health. Cross-European mental health indicators. A dream or a reality?. European Journal of Public Health, 1999, 9, 285-289.	0.3	4
276	Prodromal cognitive disorder in Alzheimer's disease. International Journal of Geriatric Psychiatry, 1999, 14, 556-563.	2.7	26
277	The current status of Apo E4 as a risk factor for Alzheimer's disease: an epidemiological perspective. , 1999, 14, 695-700.		20
278	Quality-of-Life Assessment in the Old Using the WHOQOL 100: Differences Between Patients With Senile Dementia and Patients With Cancer. International Psychogeriatrics, 1999, 11, 273-279.	1.0	20
279	Recent developments in neuropsychological assessment. Current Opinion in Psychiatry, 1999, 12, 345-349.	6.3	0
280	Progressive disability in senile dementia is accelerated in the presence of depression., 1998, 13, 459-461.		29
281	Mental Health of the Oldest Old: The Relevance of Centenarian Studies to Psychogeriatric Research. International Psychogeriatrics, 1998, 10, 7-9.	1.0	4
282	Establishing the limits of normal cerebral ageing and senile dementias. British Journal of Psychiatry, 1998, 173, 97-101.	2.8	9
283	Behavioral Disturbances of Dementia in Ambulatory Care Settings. International Psychogeriatrics, 1997, 8, 439-442.	1.0	13
284	Impact of Anesthesia on the Cognitive Functioning of the Elderly. International Psychogeriatrics, 1997, 9, 309-326.	1.0	45
285	Neuropsychological Assessment in Alzheimer's Disease: Current Status and Future Directions. International Psychogeriatrics, 1997, 9, 95-104.	1.0	4
286	Eugeria, longevity and normal ageing. British Journal of Psychiatry, 1997, 171, 501-501.	2.8	1
287	Characteristics of Alzheimer's disease patients with and without ApoE4 allele. Lancet, The, 1996, 348, 960.	13.7	9
288	A Typology of Sub-Clinical Senescent Cognitive Disorder. British Journal of Psychiatry, 1996, 168, 470-476.	2.8	66

#	Article	IF	Citations
289	The validation of an informant screening test for irreversible cognitive decline in the elderly: performance characteristics within a general population sample. International Journal of Geriatric Psychiatry, 1996, 11, 149-156.	2.7	36
290	A Census of European Health Surveys. International Journal of Epidemiology, 1996, 25, 227-227.	1.9	0
291	Does Education Level Determine the Course of Cognitive Decline?. Age and Ageing, 1996, 25, 392-397.	1.6	60
292	Mental Status Examination of an Exceptional Case of Longevity. British Journal of Psychiatry, 1995, 166, 229-235.	2.8	38
293	The Application of Disability Data from Epidemiological Surveys to the Development of Indicators of Service Needs for Dependent Elderly People. Age and Ageing, 1995, 24, 14-20.	1.6	8
294	The International Classification of Impairments, Disabilities, and Handicaps: A Mental Health Perspective. International Psychogeriatrics, 1995, 7, 3-7.	1.0	1
295	The diagnosis and management of senile dementia in general practice: A study of 301 general practitioners in the montpellier region. International Journal of Geriatric Psychiatry, 1994, 9, 43-46.	2.7	10
296	Identification of amyloid beta protein in the brain of the small, short-lived Lemurian primate Microcebus murinus. Neurobiology of Aging, 1994, 15, 215-220.	3.1	70
297	Dementiaâ€free life expectancy in Australia. Australian Journal of Public Health, 1994, 18, 149-152.	0.2	19
298	Computerized cognitive examination of the elderly (ECO): The development of a neuropsychological examination for clinic and population use. International Journal of Geriatric Psychiatry, 1993, 8, 899-914.	2.7	40
299	The eugeria study of cognitive ageing: Who are the â€~normal' elderly?. International Journal of Geriatric Psychiatry, 1993, 8, 969-977.	2.7	19
300	The Relationship between Age and the Prevalence of Senile Dementia: A Meta-Analysis of Recent Data. International Journal of Epidemiology, 1992, 21, 763-769.	1.9	137
301	Heterogeneity in senile dementia of the Alzheimer type: Individual differences, progressive deterioration or clinical sub-types?. Journal of Clinical Epidemiology, 1992, 45, 1391-1398.	5.0	65
302	The families of the institutionalized dementing elderly: A preliminary study of stress in a French caregiver population. International Journal of Geriatric Psychiatry, 1992, 7, 5-14.	2.7	28
303	The measurement of incapacity in the severely demented elderly: The validation of a behavioural assessment scale. International Journal of Geriatric Psychiatry, 1991, 6, 217-226.	2.7	35
304	The screening of cognitive impairment in the elderly: A critical review of current methods. Journal of Clinical Epidemiology, 1988, 41, 635-643.	5.0	44
305	RESEARCH NOTE: INTERACTION IN THE FAMILIES OF EPILEPTIC CHILDREN. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1981, 22, 65-71.	5.2	54
306	The Patient's Primary Group. British Journal of Psychiatry, 1978, 132, 74-86.	2.8	170

## KAREN RITCHIE

#	ARTICLE	IF	CITATIONS
307	A Typology of Parasuicide. British Journal of Psychiatry, 1977, 131, 631-641.	2.8	44
308	Neuropsychological Research in Psychiatry., 0,, 181-196.		0
309	La mesure de l'espérance de vie sans démenceÂ: étude préliminaire de faisabilité. Cahiers Quél Démographie, 0, 20, 253-268.	oécois D	)e 0
310	Fluid-attenuated inversion recovery magnetic resonance imaging textural features as sensitive markers of white matter damage in midlife adults. Brain Communications, 0, , .	3.3	4
311	Association Between Vision and Brain Cortical Thickness in a Community-Dwelling Elderly Cohort. Eye and Brain, 0, Volume 14, 71-82.	2.5	1