List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2724858/publications.pdf Version: 2024-02-01

	94433	133252
4,842	37	59
citations	h-index	g-index
		0001
223	223	2301
docs citations	times ranked	citing authors
	citations 223	4,84237citationsh-index223223

Монамер

#	Article	IF	CITATIONS
1	A cybersecurity platform for simulating transient responses of emulated programmable logic controllers in instrumentation and control systems for a pwr plant. Journal of Cyber Security Technology, 2022, 6, 65-90.	2.9	2
2	Experiments and correlations of saturation boiling of hfe-7000 dielectric liquid on rough inclined copper surfaces. International Journal of Heat and Mass Transfer, 2021, 164, 120540.	4.8	7
3	Passive and Walk-Away Safe Small and Microreactors for Electricity Generation and Production of Process Heat for Industrial Uses. Journal of Nuclear Engineering and Radiation Science, 2021, 7, .	0.4	0
4	Pressurizer dynamic model and emulated programmable logic controllers for nuclear power plants cybersecurity investigations. Annals of Nuclear Energy, 2021, 154, 108121.	1.8	7
5	Subcooled boiling critical heat flux of HFE-7000 dielectric liquid on inclined rough Cu. International Journal of Heat and Mass Transfer, 2021, 175, 121354.	4.8	2
6	Gas-lift enhanced natural circulation of alkali and heavy liquid metals for passive cooling of nuclear reactors. International Journal of Multiphase Flow, 2021, 143, 103783.	3.4	5
7	Thermal analyses of high-power advanced thermoacoustic radioisotope power system for future space exploration missions. Nuclear Engineering and Design, 2021, 385, 111504.	1.7	3
8	Experimental investigation of saturation boiling of HFE-7000 dielectric liquid on rough copper surfaces. Thermal Science and Engineering Progress, 2020, 15, 100428.	2.7	10
9	Extrapolation of thermal conductivity in non-equilibrium molecular dynamics simulations to bulk scale. International Communications in Heat and Mass Transfer, 2020, 118, 104880.	5.6	2
10	Postoperation Dose Rate Estimates for the Very-Small, Long-Life, Modular Reactor. Journal of Nuclear Engineering and Radiation Science, 2020, 6, .	0.4	0
11	Analytical and Numerical Investigations of Friction Number for Laminar Flow in Microchannels. Journal of Fluids Engineering, Transactions of the ASME, 2019, 141, .	1.5	6
12	Investigations of irradiation effects in crystalline and amorphous SiC. Journal of Applied Physics, 2019, 126, .	2.5	9
13	Friction factor correlation for hexagonal bundles of bare tubes/rods and with flat and scalloped walls. Nuclear Engineering and Design, 2019, 353, 110230.	1.7	5
14	CFD and thermal-hydraulics analyses of liquid sodium heat transfer in 19-rod hexagonal bundles with scalloped walls. International Journal of Heat and Mass Transfer, 2019, 144, 118637.	4.8	6
15	CFD analyses of passive decay heat removal for the Very-Small, Long-LIfe, Modular (VSLLIM) reactor by natural circulation of ambient air. Thermal Science and Engineering Progress, 2019, 11, 50-65.	2.7	0
16	A walk-away safe, Very-Small, Long-LIfe, Modular (VSLLIM) reactor for portable and stationary power. Annals of Nuclear Energy, 2019, 129, 181-198.	1.8	18
17	Nusselt number and development length correlations for laminar flows of water and air in microchannels. International Journal of Heat and Mass Transfer, 2019, 133, 277-294.	4.8	15
18	Thermal analyses of heat source assembly for a dual loop, Turbo-Brayton Radioisotope power system. Thermal Science and Engineering Progress, 2019, 10, 82-91.	2.7	10

#	Article	IF	CITATIONS
19	Post-operation radiological source term and dose rate estimates for the Scalable Llquid Metal-cooled small Modular Reactor. Annals of Nuclear Energy, 2018, 115, 442-458.	1.8	3
20	Convection heat transfer of alkali liquid metals and LBE in hexagonal bundles of uniformly heated tubes with helical spacers. Thermal Science and Engineering Progress, 2018, 5, 339-350.	2.7	3
21	Effects of decreasing fuel enrichment on the design of the Pellet Bed Reactor (PeBR) for lunar outposts. Progress in Nuclear Energy, 2018, 104, 288-297.	2.9	5
22	A study of irradiation effects in TiO2 using molecular dynamics simulation and complementary in situ transmission electron microscopy. Journal of Applied Physics, 2018, 124, 095901.	2.5	2
23	Characterization of radiation damage in TiO ₂ using molecular dynamics simulations. Modelling and Simulation in Materials Science and Engineering, 2018, 26, 085005.	2.0	1
24	Thermal conductivity of silicon using reverse non-equilibrium molecular dynamics. Journal of Applied Physics, 2018, 123, .	2.5	12
25	A Review and Correlations for Convection Heat Transfer and Pressure Losses in Toroidal and Helically Coiled Tubes. Heat Transfer Engineering, 2017, 38, 447-474.	1.9	47
26	A review of experimental data and heat transfer correlations for parallel flow of alkali liquid metals and lead-bismuth eutectic in bundles. Nuclear Engineering and Design, 2017, 317, 199-219.	1.7	14
27	Low-enrichment and long-life S calable LI quid M etal cooled small M odular (SLIMM-1.2) reactor. Nuclear Engineering and Design, 2017, 316, 163-185.	1.7	10
28	Natural circulation thermal-hydraulics model and analyses of "SLIMM―– A small modular reactor. Annals of Nuclear Energy, 2017, 101, 516-527.	1.8	7
29	Directional dependence of the threshold displacement energies in metal oxides. Modelling and Simulation in Materials Science and Engineering, 2017, 25, 085009.	2.0	11
30	Reliable and safe thermal coupling of generation-IV VHTR to a hydrogen fuel production complex. Thermal Science and Engineering Progress, 2017, 3, 164-170.	2.7	6
31	Computational Fluid Dynamics and Thermal-Hydraulic Analyses of SLIMM Reactor Passive Decay Heat Removal by Natural Circulation of Ambient Air. Nuclear Technology, 2016, 195, 1-14.	1.2	8
32	CFD analyses and correlation of pressure losses on the shell-side of concentric, helically-coiled tubes heat exchangers. Nuclear Engineering and Design, 2016, 305, 531-546.	1.7	36
33	Bubbles Transient Growth in Saturation Boiling of PF-5060 Dielectric Liquid on Dimpled Cu Surfaces. Journal of Thermal Science and Engineering Applications, 2016, 8, .	1.5	11
34	Probability-based threshold displacement energies for oxygen and silicon atoms in α-quartz silica. Computational Materials Science, 2016, 117, 164-171.	3.0	16
35	A point kinetics model for dynamic simulations of next generation nuclear reactor. Progress in Nuclear Energy, 2016, 92, 91-103.	2.9	2
36	Effects of inclination angle and liquid subcooling on nucleate boiling on dimpled copper surfaces. International Journal of Heat and Mass Transfer, 2016, 95, 650-661.	4.8	38

#	Article	IF	CITATIONS
37	Thermally anisotropic composite heat spreaders for enhanced thermal management of high-performance microprocessors. International Journal of Thermal Sciences, 2016, 100, 213-228.	4.9	16
38	Bond-order reactive force fields for molecular dynamics simulations of crystalline silica. Computational Materials Science, 2016, 111, 269-276.	3.0	14
39	SATURATION NUCLEATE BOILING OF PF-5060 ON INCLINED DIMPLED SURFACES. , 2016, , .		4
40	A Composite Cu/HOPG Heat Spreader for Immersion Cooling of High Power Chips. , 2015, , .		0
41	Saturation Boiling Critical Heat Flux of PF-5060 Dielectric Liquid on Microporous Copper Surfaces. Journal of Heat Transfer, 2015, 137, .	2.1	15
42	On force fields for molecular dynamics simulations of crystalline silica. Computational Materials Science, 2015, 107, 88-101.	3.0	31
43	Convection heat transfer of NaK-78 liquid metal in a circular tube and a tri-lobe channel. International Journal of Heat and Mass Transfer, 2015, 86, 234-243.	4.8	13
44	Saturation boiling of PF-5060 on rough Cu surfaces: Bubbles transient growth, departure diameter and detachment frequency. International Journal of Heat and Mass Transfer, 2015, 91, 363-373.	4.8	21
45	SLIMM-Scalable LIquid Metal cooled small Modular Reactor: Preliminary design and performance analyses. Progress in Nuclear Energy, 2015, 85, 56-70.	2.9	13
46	Dielectric liquids natural convection on small rough Cu surfaces at different orientations. International Journal of Heat and Mass Transfer, 2015, 81, 289-296.	4.8	8
47	Saturation Nucleate Boiling and Correlations for PF-5060 Dielectric Liquid on Inclined Rough Copper Surfaces. Journal of Heat Transfer, 2014, 136, .	2.1	24
48	Comparative CFD analyses of liquid metal cooled reactor for lunar surface power. Nuclear Engineering and Design, 2014, 280, 105-121.	1.7	4
49	Thermal-hydraulics and safety analyses of the Solid Core-Sectored Compact Reactor (SC-SCoRe) and power system. Progress in Nuclear Energy, 2014, 76, 216-231.	2.9	10
50	Chemical kinetics parameters and model validation for the gasification of PCEA nuclear graphite. Journal of Nuclear Materials, 2014, 444, 112-128.	2.7	14
51	SATURATION AND SUBCOOLED CHF CORRELATIONS FOR PF-5060 DIELECTRIC LIQUID ON INCLINED ROUGH COPPER SURFACES. Multiphase Science and Technology, 2014, 26, 139-170.	0.5	6
52	Thermal–hydraulics analyses for 1/6 prismatic VHTR core and fuel element with and without bypass flow. Energy Conversion and Management, 2013, 67, 325-341.	9.2	20
53	Transient gasification in an NBG-18 coolant channel of a VHTR prismatic fuel element. Progress in Nuclear Energy, 2013, 64, 16-30.	2.9	1
54	Sherwood number correlation for nuclear graphite gasification at high temperature. Progress in Nuclear Energy, 2013, 62, 26-36.	2.9	10

#	Article	IF	CITATIONS
55	Effects of Surface Roughness and Inclination Angle on Nucleate Boiling of PF-5060 Dielectric Liquid on Copper. , 2013, , .		3
56	Numerical Simulation and Turbulent Convection Heat Transfer Correlation for Coolant Channels in a Very-High-Temperature Reactor. Heat Transfer Engineering, 2013, 34, 1-14.	1.9	14
57	SATURATION BOILING ON MPC: EFFECTS OF THICKNESS, INCLINATION ANGLE, TRANSIENT BUBBLE GROWTH, AND NUCLEATION SITE DENSITY. Multiphase Science and Technology, 2013, 25, 201-236.	0.5	2
58	Numerical analysis of spreaders with an enhancing nucleate boiling surface for immersion cooling of chips with central hot spots. , 2012, , .		1
59	A Heat Transfer Correlation for Flow Channels in a Prismatic Core VHTR. Fusion Science and Technology, 2012, 61, 161-166.	1.1	1
60	An Investigation of Dose Estimates inside a Space Station Using Solar Protons Spectrum. Fusion Science and Technology, 2012, 61, 343-348.	1.1	0
61	Neutronics and Thermal-Hydraulics Analysis of a Long Operational Life LMR for Lunar Surface Power. Fusion Science and Technology, 2012, 61, 349-354.	1.1	1
62	Nucleate Boiling Enhancements on Porous Graphite and Microporous and Macro–Finned Copper Surfaces. Heat Transfer Engineering, 2012, 33, 175-204.	1.9	31
63	Validation of gasification model for NBG-18 nuclear graphite. Nuclear Engineering and Design, 2012, 250, 142-155.	1.7	13
64	Neutronics and thermal–hydraulics analysis of a liquid metal fast reactor for expandable lunar surface power. Annals of Nuclear Energy, 2012, 41, 48-60.	1.8	15
65	Effect of inclination on saturation boiling of PF-5060 dielectric liquid on 80- and 137-î¼m thick copper micro-porous surfaces. International Journal of Thermal Sciences, 2012, 53, 42-48.	4.9	24
66	Immersion cooling nucleate boiling of high power computer chips. Energy Conversion and Management, 2012, 53, 205-218.	9.2	61
67	Spreaders for immersion nucleate boiling cooling of a computer chip with a central hot spot. Energy Conversion and Management, 2012, 53, 259-267.	9.2	29
68	Comparison of oxidation model predictions with gasification data of IG-110, IG-430 and NBG-25 nuclear graphite. Journal of Nuclear Materials, 2012, 420, 141-158.	2.7	51
69	Long operation life reactor for lunar surface power. Nuclear Engineering and Design, 2011, 241, 2339-2352.	1.7	19
70	Development and validation of a model for the chemical kinetics of graphite oxidation. Journal of Nuclear Materials, 2011, 411, 193-207.	2.7	51
71	A neutronics analysis of long-life, sectored compact reactor concepts for lunar surface power. Progress in Nuclear Energy, 2011, 53, 106-118.	2.9	9
72	Subcooled Boiling of PF-5060 Dielectric Liquid on Microporous Surfaces. Journal of Heat Transfer, 2011, 133, .	2.1	10

#	Article	IF	CITATIONS
73	USES OF LIQUID-METAL AND WATER HEAT PIPES IN SPACE REACTOR POWER SYSTEMS. Frontiers in Heat Pipes, 2011, 2, .	0.9	30
74	Shielding Electronic Devices from Monoenergetic 100-MeV Protons. Nuclear Science and Engineering, 2010, 166, 58-72.	1.1	0
75	Axial flow, multi-stage turbine and compressor models. Energy Conversion and Management, 2010, 51, 16-29.	9.2	51
76	Performance and radiological analyses of a space reactor power system deployed into a 1000–3000km earth orbit. Progress in Nuclear Energy, 2010, 52, 236-248.	2.9	9
77	Enhanced nucleate boiling on copper micro-porous surfaces. International Journal of Multiphase Flow, 2010, 36, 780-792.	3.4	163
78	Numerical investigation of potential elimination of â€~hot streaking' and stratification in the VHTR lower plenum using helicoid inserts. Nuclear Engineering and Design, 2010, 240, 995-1004.	1.7	14
79	Enhancement of Saturation Boiling of PF-5060 on Microporous Copper Dendrite Surfaces. Journal of Heat Transfer, 2010, 132, .	2.1	31
80	Dynamic Simulation of a Space Reactor System with Closed Brayton Cycle Loops. Journal of Propulsion and Power, 2010, 26, 394-406.	2.2	30
81	High-Power Brayton Rotating Unit for Reactor and Solar Dynamic Power Systems. Journal of Propulsion and Power, 2010, 26, 167-176.	2.2	7
82	On the Performance of Very High Temperature Reactor Plants With Direct and Indirect Closed Brayton Cycles. Journal of Engineering for Gas Turbines and Power, 2010, 132, .	1.1	2
83	Safety guidelines for space nuclear reactor power and propulsion systems. , 2010, , 319-370.		3
84	Saturation and Subcooled Boiling on Copper Nano-Dendrites Surfaces. , 2010, , .		2
85	Saturation and Subcooled Boiling of HFE-7100 on Pinned Surfaces at Different Orientations. Journal of Thermophysics and Heat Transfer, 2009, 23, 381-391.	1.6	8
86	Small Size Turbo-Machines for HTR Plants. , 2009, , .		3
87	Numerical analysis of laminar flow in micro-tubes with a slip boundary. Energy Conversion and Management, 2009, 50, 1481-1490.	9.2	16
88	Brayton rotating units for space reactor power systems. Energy Conversion and Management, 2009, 50, 2210-2232.	9.2	54
89	Dose estimates in a lunar shelter with regolith shielding. Acta Astronautica, 2009, 64, 697-713.	3.2	11
90	Effects of working fluid and shaft rotation speed on the performance of HTR plants and the size of CBC turbo-machine. Nuclear Engineering and Design, 2009, 239, 1811-1827.	1.7	10

#	Article	IF	CITATIONS
91	Thermal-hydraulic and neutronic analyses of the submersion-subcritical, safe space (S4) reactor. Nuclear Engineering and Design, 2009, 239, 2809-2819.	1.7	21
92	Sectored Compact Space Reactor (SCoRe) concepts with a supplementary lunar regolith reflector. Progress in Nuclear Energy, 2009, 51, 93-108.	2.9	19
93	Methods for determining operation life and reactivity depletion for space reactors with fast energy spectra. Progress in Nuclear Energy, 2009, 51, 366-373.	2.9	2
94	Reactivity control options of space nuclear reactors. Progress in Nuclear Energy, 2009, 51, 526-542.	2.9	15
95	Performance analyses of VHTR plants with direct and indirect closed Brayton cycles and different working fluids. Progress in Nuclear Energy, 2009, 51, 556-572.	2.9	28
96	Deployment history and design considerations for space reactor power systems. Acta Astronautica, 2009, 64, 833-849.	3.2	75
97	High Performance Brayton Rotating Unit (UNM-BRU-3) for Space Reactor Power Systems. , 2009, , .		3
98	DynMo-CBC: Dynamic Simulation Model of a Space Reactor Power System with Multiple CBC Loops. , 2009, , .		1
99	Transient Analysis of Sulfur-Iodine Cycle Experiments and Very High Temperature Reactor Simulations Using MELCOR-H2. Nuclear Technology, 2009, 166, 76-85.	1.2	9
100	Saturation Boiling of HFE-7100 Dielectric Liquid on Copper Surfaces with Corner Pins at Different Inclinations. Journal of Enhanced Heat Transfer, 2009, 16, 103-122.	1.1	13
101	Noble gas binary mixtures for gas-cooled reactor power plants. Nuclear Engineering and Design, 2008, 238, 1353-1372.	1.7	103
102	Space reactor power systems with no single point failures. Nuclear Engineering and Design, 2008, 238, 2245-2255.	1.7	22
103	Properties of noble gases and binary mixtures for closed Brayton Cycle applications. Energy Conversion and Management, 2008, 49, 469-492.	9.2	109
104	Nucleate boiling of FC-72 and HFE-7100 on porous graphite at different orientations and liquid subcooling. Energy Conversion and Management, 2008, 49, 733-750.	9.2	74
105	On the use of noble gases and binary mixtures as reactor coolants and CBC working fluids. Energy Conversion and Management, 2008, 49, 1882-1891.	9.2	63
106	Space nuclear reactor power system concepts with static and dynamic energy conversion. Energy Conversion and Management, 2008, 49, 402-411.	9.2	100
107	Composite Spreader for Cooling Computer Chip With Non-Uniform Heat Dissipation. IEEE Transactions on Components and Packaging Technologies, 2008, 31, 165-172.	1.3	15
108	Friction Numbers and Viscous Dissipation Heating for Laminar Flows of Water in Microtubes. Journal of Heat Transfer, 2008, 130, .	2.1	22

#	Article	IF	CITATIONS
109	Properties of Helium, Nitrogen and He-N2 Binary Gas Mixtures. Journal of Thermophysics and Heat Transfer, 2008, 22, 442-456.	1.6	24
110	Radar Men on the Moon: A Brief Survey of Fission Surface Power Studies. AIP Conference Proceedings, 2008, , .	0.4	1
111	Thermal-Hydraulic Analyses of the Submersion-Subcritical Safe Space (Sâ^§4) Reactor. AIP Conference Proceedings, 2007, , .	0.4	8
112	Benefit of Lunar Regolith on Reflector Mass Savings. AIP Conference Proceedings, 2007, , .	0.4	3
113	Compressor and Turbine Models of Brayton Units for Space Nuclear Power Systems. AIP Conference Proceedings, 2007, , .	0.4	7
114	Noble-Gas Binary Mixtures for Closed-Brayton-Cycle Space Reactor Power Systems. Journal of Propulsion and Power, 2007, 23, 863-873.	2.2	51
115	Effects of metallic coatings on the performance of skutterudite-based segmented unicouples. Energy Conversion and Management, 2007, 48, 1383-1400.	9.2	34
116	Tests results of skutterudite based thermoelectric unicouples. Energy Conversion and Management, 2007, 48, 555-567.	9.2	49
117	Efficient spreaders for cooling high-power computer chips. Applied Thermal Engineering, 2007, 27, 1072-1088.	6.0	12
118	Temperature and burnup reactivities and operational lifetime for the submersion-subcritical, safe space (Sa^§4) reactor. Nuclear Engineering and Design, 2007, 237, 552-564.	1.7	10
119	Selection of Noble Gas Binary Mixtures for Brayton Space Nuclear Power Systems. , 2006, , .		19
120	High Temperature Water Heat Pipes Radiator for a Brayton Space Reactor Power System. AlP Conference Proceedings, 2006, , .	0.4	11
121	Submersion criticality safety of fast spectrum space reactors: Potential spectral shift absorbers. Nuclear Engineering and Design, 2006, 236, 238-254.	1.7	38
122	Submersion-Subcritical Safe Space (S4) reactor. Nuclear Engineering and Design, 2006, 236, 1759-1777.	1.7	45
123	DynMo-TE: Dynamic simulation model of space reactor power system with thermoelectric converters. Nuclear Engineering and Design, 2006, 236, 2501-2529.	1.7	27
124	Tests results and performance comparisons of coated and un-coated skutterudite based segmented unicouples. Energy Conversion and Management, 2006, 47, 174-200.	9.2	102
125	Thermal and performance analyses of efficient radioisotope power systems. Energy Conversion and Management, 2006, 47, 2290-2307.	9.2	15
126	Effect of Surface Orientation on Nucleate Boiling of FC-72 on Porous Graphite. Journal of Heat Transfer, 2006, 128, 1159-1175.	2.1	36

#	Article	IF	CITATIONS
127	Liquid Metal Loop and Heat Pipe Radiator for Space Reactor Power Systems. Journal of Propulsion and Power, 2006, 22, 1117-1134.	2.2	29
128	Thermal Analyses of Composite Copper/ Porous Graphite Spreaders for Immersion Cooling Applications. , 2005, , 305.		6
129	A review of refractory metal alloys and mechanically alloyed-oxide dispersion strengthened steels for space nuclear power systems. Journal of Nuclear Materials, 2005, 340, 93-112.	2.7	314
130	Enhanced saturation and subcooled boiling of FC-72 dielectric liquid. International Journal of Heat and Mass Transfer, 2005, 48, 3736-3752.	4.8	69
131	Performance analysis of cascaded thermoelectric converters for advanced radioisotope power systems. Energy Conversion and Management, 2005, 46, 1083-1105.	9.2	39
132	Enhanced boiling of HFE-7100 dielectric liquid on porous graphite. Energy Conversion and Management, 2005, 46, 2455-2481.	9.2	73
133	SCoRe — Concepts of Liquid Metal Cooled Space Reactors for Avoidance of Single-Point Failure. AIP Conference Proceedings, 2005, , .	0.4	24
134	Modeling and Optimization of Segmented Thermoelectric Generators for Terrestrial and Space Applications. , 2005, , 43-1-43-14.		2
135	Performance and Mass Estimates of CTM–ARPSs with Four GPHS Bricks. , 2005, , 54-1-54-14.		1
136	Parametric and Optimization Analyses of Cascaded Thermoelectric-Advanced Radioisotope Power Systems with Four GPHS Bricks. , 2005, , 55-1-55-13.		1
137	Conceptual Design of HP-STMCs Space Reactor Power System for 110 kWe. AIP Conference Proceedings, 2004, , .	0.4	41
138	AMTEC/TE static converters for high energy utilization, small nuclear power plants. Energy Conversion and Management, 2004, 45, 511-535.	9.2	41
139	Investigations of the performance of grooved electrodes thermionic converters at collector temperatures up to 1023 K. Energy Conversion and Management, 2004, 45, 1153-1173.	9.2	6
140	An analysis of coated particles fuel compact-general purpose heat source (CPFC-GPHS). Progress in Nuclear Energy, 2004, 44, 215-236.	2.9	6
141	"SAIRS―— Scalable Amtec Integrated Reactor space power System. Progress in Nuclear Energy, 2004, 45, 25-69.	2.9	134
142	On the breakup of a thin liquid film subject to interfacial shear. Journal of Fluid Mechanics, 2004, 500, 113-133.	3.4	44
143	Electrical breakdown experiments with application to alkali metal thermal-to-electric converters. Energy Conversion and Management, 2003, 44, 819-843.	9.2	4
144	High efficiency segmented thermoelectric unicouple for operation between 973 and 300 K. Energy Conversion and Management, 2003, 44, 1069-1088.	9.2	109

#	Article	IF	CITATIONS
145	Efficient segmented thermoelectric unicouples for space power applications. Energy Conversion and Management, 2003, 44, 1755-1772.	9.2	109
146	Analyses of static energy conversion systems for small nuclear power plants. Progress in Nuclear Energy, 2003, 42, 283-310.	2.9	10
147	Startup of a horizontal lithium–molybdenum heat pipe from a frozen state. International Journal of Heat and Mass Transfer, 2003, 46, 671-685.	4.8	49
148	Saturation boiling of HFE-7100 from a copper surface, simulating a microelectronic chip. International Journal of Heat and Mass Transfer, 2003, 46, 1841-1854.	4.8	101
149	COMBINED EFFECTS OF SUBCOOLING AND SURFACE ORIENTATION ON POOL BOILING OF HFE-7100 FROM A SIMULATED ELECTRONIC CHIP. Experimental Heat Transfer, 2003, 16, 281-301.	3.2	42
150	Dissociative recombination coefficient for low temperature equilibrium cesium plasma. Journal of Applied Physics, 2002, 92, 690-697.	2.5	17
151	Capillary Limit of Evaporator Wick in Alkali Metal Thermal-to-Electric Converters. Journal of Thermophysics and Heat Transfer, 2002, 16, 141-153.	1.6	5
152	Current capabilities of "HPTAM―for modeling high-temperature heat pipes' startup from a frozen state. AIP Conference Proceedings, 2002, , .	0.4	4
153	A three-dimensional, performance model of segmented thermoelectric converters. AIP Conference Proceedings, 2002, , .	0.4	9
154	A performance comparison of SiGe and skutterudite based segmented thermoelectric devices. AIP Conference Proceedings, 2002, , .	0.4	18
155	An investigation of breakdown voltage in AMTECs. AIP Conference Proceedings, 2002, , .	0.4	3
156	Saturation pool boiling of HFE-7100 dielectric liquid in a simulated reduced gravity. AIP Conference Proceedings, 2002, , .	0.4	0
157	An experimental investigation of the performance of a thermionic converter with planar molybdenum electrodes for low temperature applications. Energy Conversion and Management, 2002, 43, 911-936.	9.2	13
158	Performance comparison of potassium and sodium vapor anode, multi-tube AMTEC converters. Energy Conversion and Management, 2002, 43, 1931-1951.	9.2	21
159	Analysis of a vapor anode, multi-tube, potassium refractory AMTEC converter for space applications. AIP Conference Proceedings, 2001, , .	0.4	5
160	A high power, Coated Particle Fuel Compact Radioisotope Heat Unit. AIP Conference Proceedings, 2001, , .	0.4	0
161	Performance analysis of coated plutonia particle fuel compact for radioisotope heater units. Nuclear Engineering and Design, 2001, 208, 29-50.	1.7	6
162	Performance analyses of an Nb–1Zr/C-103 vapor anode multi-tube alkali-metal thermal-to-electric conversion cell. Energy Conversion and Management, 2001, 42, 721-739.	9.2	13

#	Article	IF	CITATIONS
163	Thermal conductivity measurements of alumina powders and molded Min-K in vacuum. Energy Conversion and Management, 2001, 42, 599-612.	9.2	11
164	High-Energy-Utilization, Dual-Mode System Concept for Mars Missions. Journal of Propulsion and Power, 2001, 17, 340-346.	2.2	29
165	Review of Refractory Materials for Alkali Metal Thermal-to-Electric Conversion Cells. Journal of Propulsion and Power, 2001, 17, 547-556.	2.2	16
166	Dual-mode, high energy utilization system concept for mars missions. AIP Conference Proceedings, 2000, , .	0.4	3
167	Estimates of helium gas release in 238PuO2 fuel particles for radioisotope heat sources and heater units. Journal of Nuclear Materials, 2000, 280, 1-17.	2.7	13
168	Design optimization and integration of nickel/Haynes-25 AMTEC cells into radioisotope power systems. Energy Conversion and Management, 2000, 41, 1703-1728.	9.2	17
169	Conical evaporator and liquid-return wick model for vapor anode, multi-tube AMTEC cells. AIP Conference Proceedings, 2000, , .	0.4	1
170	Helium release from [sup 238]PuO[sub 2] fuel particles. AIP Conference Proceedings, 2000, , .	0.4	0
171	Coated particle fuel for radioisotope power systems and heater units: status and future research needs. AIP Conference Proceedings, 2000, , .	0.4	0
172	A thermal model of the conical evaporator in Pluto/Express, multi-tube AMTEC cells. , 1999, , .		3
173	Super-alloy, AMTEC cells for the pluto/express mission. , 1999, , .		3
174	A thermionic converter with a planar, macro-grooved emitter and 0.5 mm Gap. , 1999, , .		3
175	Sodium Vapor Pressure Losses in a Multitube, Alkali-Metal Thermal-to-Electric Converter. Journal of Thermophysics and Heat Transfer, 1999, 13, 117-125.	1.6	12
176	Determination of operation envelopes for closed, two-phase thermosyphons. International Journal of Heat and Mass Transfer, 1999, 42, 889-903.	4.8	60
177	Performance analysis of Pluto/Express, multitube AMTEC cells. Energy Conversion and Management, 1999, 40, 139-173.	9.2	23
178	Performance comparison of thermionic converters with smooth and macro-grooved electrodes. Energy Conversion and Management, 1999, 40, 319-334.	9.2	10
179	Experiments on Pool Boiling of Water from Downward-Facing Hemispheres. Nuclear Technology, 1999, 125, 52-69.	1.2	7
180	Effect of oxygen on the operation of a single-cell thermionic fuel element. Journal of Nuclear Materials, 1998, 256, 218-228.	2.7	3

#	Article	IF	CITATIONS
181	Performance evaluation of a thermionic converter with a macro-grooved emitter and a smooth collector. AIP Conference Proceedings, 1998, , .	0.4	2
182	Optimization of liquid-return artery in a vapor-anode, multitube AMTEC. AIP Conference Proceedings, 1998, , .	0.4	1
183	AMTEC Performance and Evaluation Analysis Model (APEAM): Comparison with test results of PX-4C, PX-5A, and PX-3A cells. AIP Conference Proceedings, 1998, , .	0.4	10
184	Parametric analyses of vapor-anode, multitube AMTEC cells for Pluto/Express mission. AIP Conference Proceedings, 1998, , .	0.4	3
185	Extinguishing by "slow quenching'' in a thick grid Cs–Ba tacitron. Journal of Applied Physics, 1997, 8 50-57.	81, 2.5	2
186	Test Results of Ya-21u Thermionic Space Power System. Nuclear Technology, 1997, 117, 1-14.	1.2	10
187	Analysis of a lithium fluoride, porous thermal energy storage unit subjected to cyclical thermal loading. , 1997, , .		0
188	A review of cesium thermionic converters with developed emitter surfaces. Energy Conversion and Management, 1997, 38, 533-549.	9.2	30
189	Analysis of Ya-21u Thermionic Fuel Elements. Nuclear Technology, 1996, 116, 261-269.	1.2	4
190	Pool Boiling from Downward-Facing Curved Surfaces: Effects of Radius of Curvature and Edge Angle. Nuclear Technology, 1996, 114, 351-364.	1.2	1
191	A vapor flow model for analysis of liquid-metal heat pipe startup from a frozen state. International Journal of Heat and Mass Transfer, 1996, 39, 3767-3780.	4.8	61
192	TRANSIENT HEAT CONDUCTION DURING QUENCHING OF DOWNWARD FACING COPPER AND STAINLESS STEEL CONVEX SURFACES. Numerical Heat Transfer; Part A: Applications, 1996, 29, 543-573.	2.1	5
193	Neutronics and Thermal-Hydraulics Analyses of the Pellet Bed Reactor for Nuclear Thermal Propulsion. Nuclear Technology, 1995, 109, 87-107.	1.2	9
194	TRANSIENT ANALYSIS OF THE START-UP OF A WATER HEAT PIPE FROM A FROZEN STATE. Numerical Heat Transfer; Part A: Applications, 1995, 28, 461-486.	2.1	21
195	NUMERICAL SOLUTION OF TRANSIENT HEAT CONDUCTION IN A CYLINDRICAL SECTION DURING QUENCHING. Numerical Heat Transfer; Part A: Applications, 1995, 28, 547-574.	2.1	4
196	Modeling of Remote Condensing AMTEC Cells. , 1994, , .		11
197	Pellet bed reactor concepts for nuclear propulsion applications. Journal of Propulsion and Power, 1994, 10, 817-827.	2.2	6
198	Heat transfer of an impinging jet on a flat surface. International Journal of Heat and Mass Transfer, 1994, 37, 1915-1923.	4.8	115

#	Article	IF	CITATIONS
199	Experimental investigation of the ruthenium-uranium and rhenium-uranium binary systems. Journal of Nuclear Materials, 1994, 217, 304-321.	2.7	10
200	Thermal-hydraulic analysis of the pellet bed reactor for nuclear thermal propulsion. Nuclear Engineering and Design, 1994, 149, 387-400.	1.7	10
201	Status Report on the Throhput Transient Heat Pipe Modeling Code. , 1994, , .		7
202	Development and Comparison of a TOPAZ-II System Model with Experimental Data. Nuclear Technology, 1994, 108, 157-170.	1.2	24
203	An Integrated Model of the TOPAZ-II Electromagnetic Pump. Nuclear Technology, 1994, 108, 171-180.	1.2	16
204	Two-Dimensional Steady-State and Transient Analyses of Single-Cell Thermionic Fuel Elements. Nuclear Technology, 1994, 108, 112-125.	1.2	14
205	Transient Analysis and Startup Simulation of a Thermionic Space Nuclear Reactor System. Nuclear Technology, 1994, 105, 70-86.	1.2	24
206	Transient boiling from inclined and downward-facing surfaces in a saturated pool. International Journal of Refrigeration, 1993, 16, 414-422.	3.4	83
207	Transient and Load-Following Characteristics of a Fully Integrated Single-Cell Thermionic Fuel Element. Nuclear Technology, 1993, 102, 145-166.	1.2	22
208	Application of a model-reference adaptive controller to a space nuclear power system. Journal of Propulsion and Power, 1992, 8, 1093-1102.	2.2	8
209	Manned Mars Rover Powered by a Nuclear Reactor: Radiation Shield Analysis. Nuclear Technology, 1992, 99, 188-202.	1.2	0
210	Decay Heat Removal by Natural Circulation in a 550-kW(electric) SP-100 Power System for a Lunar Outpost. Nuclear Technology, 1992, 100, 271-286.	1.2	3
211	Model Reference Adaptive Control with Selective State Variable Weighting Applied to a Space Nuclear Power System. Nuclear Science and Engineering, 1991, 109, 171-187.	1.1	11
212	On the Predictions of Critical Heat Flux in Rod Bundles at Low Flow and Low Pressure Conditions. Heat Transfer Engineering, 1991, 12, 48-57.	1.9	55
213	Uranium nitride fuel swelling correlation. Journal of Nuclear Materials, 1990, 170, 169-177.	2.7	44
214	Forced and Combined Convection of Water in Rod Bundles. Heat Transfer Engineering, 1990, 11, 32-43.	1.9	11
215	Reliability and vulnerability studies of the SP-100 dual-loop thermoelectric-electromagnetic pump. Journal of Propulsion and Power, 1990, 6, 305-314.	2.2	10
216	Thermal conductivity correlation for uranium nitride fuel between 10 and 1923 K. Journal of Nuclear Materials, 1988, 151, 318-326.	2.7	73

#	Article	IF	CITATIONS
217	FREE CONVECTION EXPERIMENTS OF ATMOSPHERIC AIR IN VERTICAL OPEN ANNULI. Chemical Engineering Communications, 1988, 63, 225-243.	2.6	1
218	Experimental Studies of the Air Coolability of TRIGA Reactors Following a Loss-of-Coolant Accident. Nuclear Technology, 1987, 76, 360-369.	1.2	1
219	SEDIMENTATION OF BINARY MIXTURES OF PARTICLES OF UNEQUAL DENSITIES AND OF DIFFERENT SIZES. Chemical Engineering Communications, 1985, 36, 99-119.	2.6	8
220	Solar Gel Ponds. Science, 1982, 217, 982-984.	12.6	1