

Qiang Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2727686/publications.pdf>

Version: 2024-02-01

109
papers

8,484
citations

57758

44
h-index

46799

89
g-index

112
all docs

112
docs citations

112
times ranked

14738
citing authors

#	ARTICLE	IF	CITATIONS
1	A Global Map of p53 Transcription-Factor Binding Sites in the Human Genome. <i>Cell</i> , 2006, 124, 207-219.	28.9	1,060
2	Pharmacologic disruption of Polycomb-repressive complex 2-mediated gene repression selectively induces apoptosis in cancer cells. <i>Genes and Development</i> , 2007, 21, 1050-1063.	5.9	804
3	Glycine Decarboxylase Activity Drives Non-Small Cell Lung Cancer Tumor-Initiating Cells and Tumorigenesis. <i>Cell</i> , 2012, 148, 259-272.	28.9	593
4	Context-Specific Regulation of NF- κ B Target Gene Expression by EZH2 in Breast Cancers. <i>Molecular Cell</i> , 2011, 43, 798-810.	9.7	338
5	<i>miR-449a</i> and <i>miR-449b</i> are direct transcriptional targets of E2F1 and negatively regulate pRb-E2F1 activity through a feedback loop by targeting <i>CDK6</i> and <i>CDC25A</i> . <i>Genes and Development</i> , 2009, 23, 2388-2393.	5.9	242
6	Inhibitors of histone deacetylases target the Rb-E2F1 pathway for apoptosis induction through activation of proapoptotic protein Bim. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 16090-16095.	7.1	234
7	Methionine is a metabolic dependency of tumor-initiating cells. <i>Nature Medicine</i> , 2019, 25, 825-837.	30.7	226
8	DACT3 Is an Epigenetic Regulator of Wnt/ β -Catenin Signaling in Colorectal Cancer and Is a Therapeutic Target of Histone Modifications. <i>Cancer Cell</i> , 2008, 13, 529-541.	16.8	216
9	The histone methyltransferase inhibitor, DZNep, up-regulates TXNIP, increases ROS production, and targets leukemia cells in AML. <i>Blood</i> , 2011, 118, 2830-2839.	1.4	205
10	Hypoxic tumor microenvironment activates GLI2 via HIF-1 α and TGF- β 2 to promote chemoresistance in colorectal cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5990-E5999.	7.1	203
11	CDKN1C (p57KIP2) Is a Direct Target of EZH2 and Suppressed by Multiple Epigenetic Mechanisms in Breast Cancer Cells. <i>PLoS ONE</i> , 2009, 4, e5011.	2.5	155
12	FOXQ1 Regulates Epithelial-Mesenchymal Transition in Human Cancers. <i>Cancer Research</i> , 2011, 71, 3076-3086.	0.9	153
13	Precise-Spike-Driven Synaptic Plasticity: Learning Hetero-Association of Spatiotemporal Spike Patterns. <i>PLoS ONE</i> , 2013, 8, e78318.	2.5	137
14	p53-regulated Transcriptional Program Associated with Genotoxic Stress-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 2004, 279, 21183-21192.	3.4	133
15	EZH2 overexpression in natural killer/T-cell lymphoma confers growth advantage independently of histone methyltransferase activity. <i>Blood</i> , 2013, 121, 4512-4520.	1.4	131
16	IRAK1 is a therapeutic target that drives breast cancer metastasis and resistance to paclitaxel. <i>Nature Communications</i> , 2015, 6, 8746.	12.8	125
17	Rapid Feedforward Computation by Temporal Encoding and Learning With Spiking Neurons. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2013, 24, 1539-1552.	11.3	120
18	PDK1 Signaling Toward PLK1-MYC Activation Confers Oncogenic Transformation, Tumor-Initiating Cell Activation, and Resistance to mTOR-Targeted Therapy. <i>Cancer Discovery</i> , 2013, 3, 1156-1171.	9.4	119

#	ARTICLE	IF	CITATIONS
19	Arginine Methylation-Dependent Reader-Writer Interplay Governs Growth Control by E2F-1. <i>Molecular Cell</i> , 2013, 52, 37-51.	9.7	119
20	Chromosome 1q21.3 amplification is a trackable biomarker and actionable target for breast cancer recurrence. <i>Nature Medicine</i> , 2017, 23, 1319-1330.	30.7	116
21	Pharmacologic Modulation of Glycogen Synthase Kinase-3 β Promotes p53-Dependent Apoptosis through a Direct Bax-Mediated Mitochondrial Pathway in Colorectal Cancer Cells. <i>Cancer Research</i> , 2005, 65, 9012-9020.	0.9	115
22	VHL Deficiency Drives Enhancer Activation of Oncogenes in Clear Cell Renal Cell Carcinoma. <i>Cancer Discovery</i> , 2017, 7, 1284-1305.	9.4	111
23	EZH2 phosphorylation by JAK3 mediates a switch to noncanonical function in natural killer/T-cell lymphoma. <i>Blood</i> , 2016, 128, 948-958.	1.4	110
24	Inhibition of interleukin-1 receptor-associated kinase 1 (IRAK1) as a therapeutic strategy. <i>Oncotarget</i> , 2018, 9, 33416-33439.	1.8	107
25	B55 β -Associated PP2A Complex Controls PDK1-Directed Myc Signaling and Modulates Rapamycin Sensitivity in Colorectal Cancer. <i>Cancer Cell</i> , 2010, 18, 459-471.	16.8	104
26	BRCA1-deficient mammary tumor cells are dependent on EZH2 expression and sensitive to Polycomb Repressive Complex 2-inhibitor 3-deazaneplanocin A. <i>Breast Cancer Research</i> , 2009, 11, R63.	5.0	98
27	TXNIP (VDUP-1, TBP-2): A major redox regulator commonly suppressed in cancer by epigenetic mechanisms. <i>International Journal of Biochemistry and Cell Biology</i> , 2011, 43, 1668-1673.	2.8	94
28	EZH2-Mediated Inactivation of IFN- γ -JAK-STAT1 Signaling Is an Effective Therapeutic Target in MYC-Driven Prostate Cancer. <i>Cell Reports</i> , 2014, 8, 204-216.	6.4	87
29	Gut stem cell aging is driven by mTORC1 via a p38 MAPK-p53 pathway. <i>Nature Communications</i> , 2020, 11, 37.	12.8	87
30	Topotecan Is a Substrate for Multidrug Resistance Associated Protein 4. <i>Current Drug Metabolism</i> , 2006, 7, 105-118.	1.2	75
31	Nanoscale chromatin profiling of gastric adenocarcinoma reveals cancer-associated cryptic promoters and somatically acquired regulatory elements. <i>Nature Communications</i> , 2014, 5, 4361.	12.8	72
32	RASAL2 activates RAC1 to promote triple-negative breast cancer progression. <i>Journal of Clinical Investigation</i> , 2014, 124, 5291-5304.	8.2	72
33	Restoring p53-mediated apoptosis in cancer cells: New opportunities for cancer therapy. <i>Drug Resistance Updates</i> , 2006, 9, 19-25.	14.4	71
34	Pericyte-targeting prodrug overcomes tumor resistance to vascular disrupting agents. <i>Journal of Clinical Investigation</i> , 2017, 127, 3689-3701.	8.2	71
35	A Spiking Neural Network System for Robust Sequence Recognition. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2016, 27, 621-635.	11.3	70
36	Combinatorial pharmacologic approaches target EZH2-mediated gene repression in breast cancer cells. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 3191-3202.	4.1	65

#	ARTICLE	IF	CITATIONS
37	<i>p53</i> Genomic Status Regulates Sensitivity of Gastric Cancer Cells to the Histone Methylation Inhibitor 3-Deazaneplanocin A (DZNep). <i>Clinical Cancer Research</i> , 2012, 18, 4201-4212.	7.0	65
38	Saturated Fatty Acids Modulate Cell Response to DNA Damage: Implication for Their Role in Tumorigenesis. <i>PLoS ONE</i> , 2008, 3, e2329.	2.5	63
39	HIF-1 α activation underlies a functional switch in the paradoxical role of Ezh2/PRC2 in breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E3735-44.	7.1	62
40	Apoptosis Signal-regulating Kinase 1 Is a Direct Target of E2F1 and Contributes to Histone Deacetylase Inhibitor-induced Apoptosis through Positive Feedback Regulation of E2F1 Apoptotic Activity. <i>Journal of Biological Chemistry</i> , 2006, 281, 10508-10515.	3.4	60
41	The E2F family and the role of E2F1 in apoptosis. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 2389-2397.	2.8	57
42	Protein tyrosine phosphatase <i>UBASH3B</i> is overexpressed in triple-negative breast cancer and promotes invasion and metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11121-11126.	7.1	57
43	Ribosomal Protein S27-like, a p53-Inducible Modulator of Cell Fate in Response to Genotoxic Stress. <i>Cancer Research</i> , 2007, 67, 11317-11326.	0.9	56
44	The E3 Ligase RING1 Targets p53 for Degradation and Promotes Cancer Cell Proliferation and Survival. <i>Cancer Research</i> , 2018, 78, 359-371.	0.9	51
45	Stromal induction of BRD4 phosphorylation Results in Chromatin Remodeling and BET inhibitor Resistance in Colorectal Cancer. <i>Nature Communications</i> , 2021, 12, 4441.	12.8	49
46	Hypoxia induces HIF-1 α -dependent epigenetic vulnerability in triple negative breast cancer to confer immune effector dysfunction and resistance to anti-PD-1 immunotherapy. <i>Nature Communications</i> , 2022, 13, .	12.8	48
47	Spike Timing or Rate? Neurons Learn to Make Decisions for Both Through Threshold-Driven Plasticity. <i>IEEE Transactions on Cybernetics</i> , 2019, 49, 2178-2189.	9.5	44
48	Temporal coding of local spectrogram features for robust sound recognition. , 2013, , .		42
49	Numerical Spiking Neural P Systems. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2021, 32, 2443-2457.	11.3	42
50	A crucial role for bone morphogenetic protein-Smad1 signalling in the DNA damage response. <i>Nature Communications</i> , 2012, 3, 836.	12.8	41
51	Dual Regulation of Cdc25A by Chk1 and p53-ATF3 in DNA Replication Checkpoint Control. <i>Journal of Biological Chemistry</i> , 2009, 284, 4132-4139.	3.4	38
52	Colorectal cancer-associated fibroblasts promote metastasis by up-regulating LRG1 through stromal IL-6/STAT3 signaling. <i>Cell Death and Disease</i> , 2022, 13, 16.	6.3	36
53	miR-449 regulates CDK-Rb-E2F1 through an auto-regulatory feedback circuit. <i>Cell Cycle</i> , 2010, 9, 213-214.	2.6	35
54	Elevated expression of long intergenic non-coding RNA HOTAIR in a basal-like variant of MCF7 breast cancer cells. <i>Molecular Carcinogenesis</i> , 2015, 54, 1656-1667.	2.7	35

#	ARTICLE	IF	CITATIONS
55	KDM6B Counteracts EZH2-Mediated Suppression of <i>IGFBP5</i> to Confer Resistance to PI3K/AKT Inhibitor Treatment in Breast Cancer. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 1973-1983.	4.1	35
56	Mesenchymal Stem Cell-Secreted Exosome Promotes Chemoresistance in Breast Cancer via Enhancing miR-21-5p-Mediated S100A6 Expression. <i>Molecular Therapy - Oncolytics</i> , 2020, 19, 283-293.	4.4	35
57	Heterogeneous epigenetic regulation of <i>TIMP3</i> in prostate cancer. <i>Epigenetics</i> , 2012, 7, 1279-1289.	2.7	34
58	KDM4B-regulated unfolded protein response as a therapeutic vulnerability in <i>PTEN</i> -deficient breast cancer. <i>Journal of Experimental Medicine</i> , 2018, 215, 2833-2849.	8.5	33
59	MiR-200a Regulates CDK4/6 Inhibitor Effect by Targeting CDK6 in Metastatic Melanoma. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1955-1964.	0.7	32
60	Molecular mechanisms of tumor resistance to PI3K-mTOR-targeted therapy. <i>Chinese Journal of Cancer</i> , 2013, 32, 376-379.	4.9	32
61	Two COOH-Terminal Truncated Cytoplasmic Forms of Topoisomerase II β in a VP-16-Selected Lung Cancer Cell Line Result from Partial Gene Deletion and Alternative Splicing. <i>Biochemistry</i> , 1997, 36, 5868-5877.	2.5	30
62	Determinants of Sensitivity to DZNep Induced Apoptosis in Multiple Myeloma Cells. <i>PLoS ONE</i> , 2011, 6, e21583.	2.5	29
63	Preclinical pharmacokinetic studies of 3-deazaneplanocin A, a potent epigenetic anticancer agent, and its human pharmacokinetic prediction using GastroPlus. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 77, 290-302.	4.0	29
64	EZH2-mediated PP2A inactivation confers resistance to HER2-targeted breast cancer therapy. <i>Nature Communications</i> , 2020, 11, 5878.	12.8	29
65	Inhibition of the PLK1-Coupled Cell Cycle Machinery Overcomes Resistance to Oxaliplatin in Colorectal Cancer. <i>Advanced Science</i> , 2021, 8, e2100759.	11.2	29
66	Identification of Myc-mediated Death Response Pathways by Microarray Analysis. <i>Journal of Biological Chemistry</i> , 2002, 277, 13059-13066.	3.4	27
67	The KDM2B- Let-7b -EZH2 Axis in Myelodysplastic Syndromes as a Target for Combined Epigenetic Therapy. <i>PLoS ONE</i> , 2014, 9, e107817.	2.5	27
68	3-Deazaneplanocin A and Neplanocin A Analogues and Their Effects on Apoptotic Cell Death. <i>ChemMedChem</i> , 2015, 10, 173-182.	3.2	24
69	Constructing Accurate and Efficient Deep Spiking Neural Networks With Double-Threshold and Augmented Schemes. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2022, 33, 1714-1726.	11.3	23
70	c-Myc overexpression sensitizes Bim-mediated Bax activation for apoptosis induced by histone deacetylase inhibitor suberoylanilide hydroxamic acid (SAHA) through regulating Bcl-2/Bcl-xL expression. <i>International Journal of Biochemistry and Cell Biology</i> , 2007, 39, 1016-1025.	2.8	21
71	A truncated cytoplasmic topoisomerase II β in a drug-resistant lung cancer cell line is encoded by a TOP2A allele with a partial deletion of exon 34. , 2000, 85, 534-539.		20
72	Targeting the IRAK1-S100A9 Axis Overcomes Resistance to Paclitaxel in Nasopharyngeal Carcinoma. <i>Cancer Research</i> , 2021, 81, 1413-1425.	0.9	19

#	ARTICLE	IF	CITATIONS
73	Susceptibility to cell death induced by blockade of MAPK pathway in human colorectal cancer cells carrying Ras mutations is dependent on p53 status. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 609-613.	2.1	18
74	Functional Characterization of D9, a Novel Deazaneplanocin A (DZNep) Analog, in Targeting Acute Myeloid Leukemia (AML). <i>PLoS ONE</i> , 2015, 10, e0122983.	2.5	18
75	E2F1-Mediated Apoptosis as a Target of Cancer Therapy. <i>Current Molecular Pharmacology</i> , 2009, 2, 149-160.	1.5	18
76	Loading 3-deazaneplanocin A into pegylated unilamellar liposomes by forming transient phenylboronic acid-drug complex and its pharmacokinetic features in Sprague-Dawley rats. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012, 80, 323-331.	4.3	15
77	HER2-L755S mutation induces hyperactive MAPK and PI3K-mTOR signaling, leading to resistance to HER2 tyrosine kinase inhibitor treatment. <i>Cell Cycle</i> , 2019, 18, 1513-1522.	2.6	15
78	Robust Environmental Sound Recognition With Sparse Key-Point Encoding and Efficient Multispike Learning. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2021, 32, 625-638.	11.3	15
79	Neuromorphic Cognitive Systems. <i>Intelligent Systems Reference Library</i> , 2017, , .	1.2	13
80	Glycine Decarboxylase Activity Drives Non-Small Cell Lung Cancer Tumor-Initiating Cells and Tumorigenesis. <i>Cell</i> , 2012, 148, 1066.	28.9	12
81	Toward Efficient Processing and Learning With Spikes: New Approaches for Multispike Learning. <i>IEEE Transactions on Cybernetics</i> , 2022, 52, 1364-1376.	9.5	11
82	Synaptic Learning With Augmented Spikes. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2022, 33, 1134-1146.	11.3	10
83	CREBBP cooperates with the cell cycle machinery to attenuate chidamide sensitivity in relapsed/refractory diffuse large B-cell lymphoma. <i>Cancer Letters</i> , 2021, 521, 268-280.	7.2	10
84	Cancer gene silencing without DNA hypermethylation. <i>Epigenetics</i> , 2008, 3, 315-317.	2.7	8
85	Interleukin enhancer-binding factor 2 promotes cell proliferation and DNA damage response in metastatic melanoma. <i>Clinical and Translational Medicine</i> , 2021, 11, e608.	4.0	8
86	Quantification of 3-deazaneplanocin A, a novel epigenetic anticancer agent, in rat biosamples by hydrophilic interaction liquid chromatography-tandem mass spectrometric detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 285-290.	2.3	7
87	Temporal Dependent Local Learning for Deep Spiking Neural Networks. , 2021, , .		7
88	Pattern recognition computation in a spiking neural network with temporal encoding and learning. , 2012, , .		6
89	Molecular switch of EZH2 in hypoxia. <i>Cell Cycle</i> , 2016, 15, 3007-3008.	2.6	6
90	Targeting enhancer reprogramming to mitigate MEK inhibitor resistance in preclinical models of advanced ovarian cancer. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	6

#	ARTICLE	IF	CITATIONS
91	NOVEL TARGETS IN THE CELL CYCLE AND CELL CYCLE CHECKPOINTS. , 2002, , 13-cp2.		5
92	Temporal Encoding and Multispike Learning Framework for Efficient Recognition of Visual Patterns. IEEE Transactions on Neural Networks and Learning Systems, 2022, 33, 3387-3399.	11.3	5
93	Efficient Multi-spike Learning with Tempotron-Like LTP and PSD-Like LTD. Lecture Notes in Computer Science, 2018, , 545-554.	1.3	5
94	Improving Multispike Learning With Plastic Synaptic Delays. IEEE Transactions on Neural Networks and Learning Systems, 2023, 34, 10254-10265.	11.3	5
95	A bio-inspired feedforward system for categorization of AER motion events. , 2013, , .		4
96	Event-driven simulation of the tempotron spiking neuron. , 2014, , .		4
97	A Multi-spike Approach for Robust Sound Recognition. , 2019, , .		4
98	Efficient learning with augmented spikes: A case study with image classification. Neural Networks, 2021, 142, 205-212.	5.9	4
99	Tumor Necrosis Factor- α and Apoptosis Induction in Melanoma Cells through Histone Modification by 3-Deazaneplanocin A. Journal of Investigative Dermatology, 2014, 134, 1470-1473.	0.7	3
100	Learning real-world stimuli by single-spike coding and tempotron rule. , 2012, , .		2
101	An integrated system for robust gender classification with convolutional restricted Boltzmann machine and spiking neural network. , 2019, , .		2
102	PDK1-driven Myc signaling regulates cellular response to mTOR inhibitors. Cell Cycle, 2011, 10, 1019-1020.	2.6	1
103	A Deep Spike Learning through Critical Time Points. , 2021, , .		1
104	AugMapping: Accurate and Efficient Inference with Deep Double-Threshold Spiking Neural Networks. , 2020, , .		1
105	Brain-Inspired Framework for Image Classification with a New Unsupervised Matching Pursuit Encoding. Lecture Notes in Computer Science, 2020, , 208-219.	1.3	1
106	Systems Pharmacology in Cancer. , 2010, , 377-397.		0
107	A new learning rule for classification of spatiotemporal spike patterns. , 2014, , .		0
108	A Matching Pursuit Approach for Image Classification with Spiking Neural Networks. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
109	Robust Sound Event Classification with Local Time-Frequency Information and Convolutional Neural Networks. Lecture Notes in Computer Science, 2019, , 351-361.	1.3	0