

Jean-Philippe Jais

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2734202/publications.pdf>

Version: 2024-02-01

109
papers

9,971
citations

41344

49
h-index

34986

98
g-index

109
all docs

109
docs citations

109
times ranked

15000
citing authors

#	ARTICLE	IF	CITATIONS
1	Human CD14dim Monocytes Patrol and Sense Nucleic Acids and Viruses via TLR7 and TLR8 Receptors. <i>Immunity</i> , 2010, 33, 375-386.	14.3	1,060
2	Mutation of RRM2B, encoding p53-controlled ribonucleotide reductase (p53R2), causes severe mitochondrial DNA depletion. <i>Nature Genetics</i> , 2007, 39, 776-780.	21.4	478
3	X-linked Alport Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 649-657.	6.1	455
4	IDH2 mutations are frequent in angioimmunoblastic T-cell lymphoma. <i>Blood</i> , 2012, 119, 1901-1903.	1.4	435
5	X-Linked Alport Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 2603-2610.	6.1	394
6	Intensified chemotherapy with ACVBP plus rituximab versus standard CHOP plus rituximab for the treatment of diffuse large B-cell lymphoma (LNH03-2B): an open-label randomised phase 3 trial. <i>Lancet</i> , The, 2011, 378, 1858-1867.	13.7	311
7	Event-Free Survival at 24 Months Is a Robust End Point for Disease-Related Outcome in Diffuse Large B-Cell Lymphoma Treated With Immunochemotherapy. <i>Journal of Clinical Oncology</i> , 2014, 32, 1066-1073.	1.6	304
8	Preoperative Circulating Tumor Cell Detection Using the Isolation by Size of Epithelial Tumor Cell Method for Patients with Lung Cancer Is a New Prognostic Biomarker. <i>Clinical Cancer Research</i> , 2011, 17, 827-835.	7.0	281
9	SUVmax reduction improves early prognosis value of interim positron emission tomography scans in diffuse large B-cell lymphoma. <i>Blood</i> , 2011, 118, 37-43.	1.4	280
10	Long term effects of azithromycin in patients with cystic fibrosis: a double blind, placebo controlled trial. <i>Thorax</i> , 2006, 61, 895-902.	5.6	240
11	Mutations of the FHL1 Gene Cause Emery-Dreifuss Muscular Dystrophy. <i>American Journal of Human Genetics</i> , 2009, 85, 338-353.	6.2	208
12	Elevated Circulating E-Selectin, Intercellular Adhesion Molecule 1, and von Willebrand Factor in Patients with Severe Infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 157, 776-784.	5.6	200
13	C57BL/6J and A/J Mice Fed a High-Fat Diet Delineate Components of Metabolic Syndrome. <i>Obesity</i> , 2007, 15, 1996-2005.	3.0	200
14	Sex- and Diet-Specific Changes of Imprinted Gene Expression and DNA Methylation in Mouse Placenta under a High-Fat Diet. <i>PLoS ONE</i> , 2010, 5, e14398.	2.5	196
15	Outcome and Long-Term Growth After Extensive Small Bowel Resection in the Neonatal Period: A Survey of 87 Children. <i>European Journal of Pediatric Surgery</i> , 2005, 15, 95-101.	1.3	191
16	Next-Generation Sequencing in Diffuse Large B-Cell Lymphoma Highlights Molecular Divergence and Therapeutic Opportunities: a LYSA Study. <i>Clinical Cancer Research</i> , 2016, 22, 2919-2928.	7.0	181
17	Incidence, Presentation, and Prognosis of Malignancies in Ataxia-Telangiectasia: A Report From the French National Registry of Primary Immune Deficiencies. <i>Journal of Clinical Oncology</i> , 2015, 33, 202-208.	1.6	176
18	A gene-expression profiling score for prediction of outcome in patients with follicular lymphoma: a retrospective training and validation analysis in three international cohorts. <i>Lancet Oncology</i> , The, 2018, 19, 549-561.	10.7	165

#	ARTICLE	IF	CITATIONS
19	Integrative clinicopathological and molecular analyses of angioimmunoblastic T-cell lymphoma and other nodal lymphomas of follicular helper T-cell origin. <i>Haematologica</i> , 2017, 102, e148-e151.	3.5	163
20	Maternal Diets Trigger Sex-Specific Divergent Trajectories of Gene Expression and Epigenetic Systems in Mouse Placenta. <i>PLoS ONE</i> , 2012, 7, e47986.	2.5	153
21	Two loci control tuberculin skin test reactivity in an area hyperendemic for tuberculosis. <i>Journal of Experimental Medicine</i> , 2009, 206, 2583-2591.	8.5	142
22	The case for strategic international alliances to harness nutritional genomics for public and personal health. <i>British Journal of Nutrition</i> , 2005, 94, 623-632.	2.3	137
23	Risk-Adapted Salvage Treatment With Single or Tandem Autologous Stem-Cell Transplantation for First Relapse/Refractory Hodgkin's Lymphoma: Results of the Prospective Multicenter H96 Trial by the GELA/SFGM Study Group. <i>Journal of Clinical Oncology</i> , 2008, 26, 5980-5987.	1.6	137
24	Rituximab, gemcitabine and oxaliplatin: an effective salvage regimen for patients with relapsed or refractory B-cell lymphoma not candidates for high-dose therapy. <i>Annals of Oncology</i> , 2007, 18, 1363-1368.	1.2	134
25	Efficacy of Rifampin-Moxifloxacin-Metronidazole Combination Therapy in Hidradenitis Suppurativa. <i>Dermatology</i> , 2011, 222, 49-58.	2.1	128
26	Factors predicting mortality in idiopathic dilated cardiomyopathy. <i>European Heart Journal</i> , 1990, 11, 824-831.	2.2	119
27	Bacterial Pathogens Associated with Hidradenitis Suppurativa, France. <i>Emerging Infectious Diseases</i> , 2014, 20, 1990-1998.	4.3	117
28	Total metabolic tumor volume, circulating tumor cells, cell-free DNA: distinct prognostic value in follicular lymphoma. <i>Blood Advances</i> , 2018, 2, 807-816.	5.2	107
29	Treatment of the childhood haemolytic uraemic syndrome with plasma. <i>Pediatric Nephrology</i> , 1988, 2, 279-285.	1.7	104
30	Association of the PTPN22*R620W polymorphism with autoimmune myasthenia gravis. <i>Annals of Neurology</i> , 2006, 59, 404-407.	5.3	103
31	Description of a Large Family with Autosomal Dominant Hypercholesterolemia Associated with the <i>APOE</i> p.Leu167del Mutation. <i>Human Mutation</i> , 2013, 34, 83-87.	2.5	103
32	The Microbiological Landscape of Anaerobic Infections in Hidradenitis Suppurativa: A Prospective Metagenomic Study. <i>Clinical Infectious Diseases</i> , 2017, 65, 282-291.	5.8	101
33	Angioimmunoblastic T-cell lymphoma is the most common T-cell lymphoma in two distinct French information data sets. <i>Haematologica</i> , 2015, 100, e361-e364.	3.5	98
34	The expression of 16 genes related to the cell of origin and immune response predicts survival in elderly patients with diffuse large B-cell lymphoma treated with CHOP and rituximab. <i>Leukemia</i> , 2008, 22, 1917-1924.	7.2	95
35	Diagnosis-to-Treatment Interval Is an Important Clinical Factor in Newly Diagnosed Diffuse Large B-Cell Lymphoma and Has Implication for Bias in Clinical Trials. <i>Journal of Clinical Oncology</i> , 2018, 36, 1603-1610.	1.6	93
36	Outcome and Treatment of Nocardiosis After Solid Organ Transplantation: New Insights From a European Study. <i>Clinical Infectious Diseases</i> , 2017, 64, 1396-1405.	5.8	91

#	ARTICLE	IF	CITATIONS
37	Peripheral blood natural killer cell count is associated with clinical outcome in patients with aalPI 2â€³ diffuse large B-cell lymphoma. <i>Annals of Oncology</i> , 2007, 18, 1209-1215.	1.2	86
38	Circulating trophoblastic cells provide genetic diagnosis in 63 fetuses at risk for cystic fibrosis or spinal muscular atrophy. <i>Reproductive BioMedicine Online</i> , 2012, 25, 508-520.	2.4	83
39	Characteristics and outcome of early-onset, severe forms of Wiskott-Aldrich syndrome. <i>Blood</i> , 2013, 121, 1510-1516.	1.4	82
40	Biological and Clinical Relevance of Associated Genomic Alterations in MYD88 L265P and non-L265Pâ€³Mutated Diffuse Large B-Cell Lymphoma: Analysis of 361 Cases. <i>Clinical Cancer Research</i> , 2017, 23, 2232-2244.	7.0	82
41	Young Patients With Nonâ€³Germinal Center B-Cellâ€³Like Diffuse Large B-Cell Lymphoma Benefit From Intensified Chemotherapy With ACVBP Plus Rituximab Compared With CHOP Plus Rituximab: Analysis of Data From the Groupe d'Etudes des Lymphomes de l'Adulte/Lymphoma Study Association Phase III Trial LNH 03-2B. <i>Journal of Clinical Oncology</i> , 2014, 32, 3996-4003.	1.6	79
42	Recurrent mutations of the exportin 1 gene (XPO1) and their impact on selective inhibitor of nuclear export compounds sensitivity in primary mediastinal Bâ€³cell lymphoma. <i>American Journal of Hematology</i> , 2016, 91, 923-930.	4.1	79
43	Whole exome sequencing of relapsed/refractory patients expands the repertoire of somatic mutations in diffuse large <sc>B</sc>â€³cell lymphoma. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 251-267.	2.8	75
44	Efficacy of ertapenem in severe hidradenitis suppurativa: a pilot study in a cohort of 30 consecutive patients. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 513-520.	3.0	73
45	Resistance to high-fat diet in the female progeny of obese mice fed a control diet during the periconceptual, gestation, and lactation periods. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E1095-E1100.	3.5	71
46	Fifteen-year secondary leukaemia risk observed in 761 patients with Hodgkin's disease prospectively treated by MOPP or ABVD chemotherapy plus high-dose irradiation. <i>British Journal of Haematology</i> , 2002, 118, 189-194.	2.5	61
47	Nicastrin Mutations in French Families with Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2012, 132, 1728-1730.	0.7	58
48	A Novel Lipidomic Strategy Reveals Plasma Phospholipid Signatures Associated with Respiratory Disease Severity in Cystic Fibrosis Patients. <i>PLoS ONE</i> , 2009, 4, e7735.	2.5	51
49	Effect of Cell-Free DNA Screening vs Direct Invasive Diagnosis on Miscarriage Rates in Women With Pregnancies at High Risk of Trisomy 21. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 557.	7.4	51
50	Accurate Classification of Germinal Center B-Cellâ€³Like/Activated B-Cellâ€³Like Diffuse Large B-Cell Lymphoma Using a Simple and Rapid Reverse Transcriptaseâ€³Multiplex Ligation-Dependent Probe Amplification Assay. <i>Journal of Molecular Diagnostics</i> , 2015, 17, 273-283.	2.8	50
51	Obinutuzumab vs rituximab for advanced DLBCL: a PET-guided and randomized phase 3 study by LYSA. <i>Blood</i> , 2021, 137, 2307-2320.	1.4	48
52	Mediastinal tumor size and response to chemotherapy are the only prognostic factors in supradiaphragmatic Hodgkin's disease treated by ABVD plus radiotherapy: ten-year results of the Paris-Ouest-France 81/12 trial, including 262 patients.. <i>Journal of Clinical Oncology</i> , 1996, 14, 1928-1935.	1.6	46
53	A novel antiangiogenic and vascular normalization therapy targeted against human CD160 receptor. <i>Journal of Experimental Medicine</i> , 2011, 208, 973-986.	8.5	46
54	Dietary Alleviation of Maternal Obesity and Diabetes: Increased Resistance to Diet-Induced Obesity Transcriptional and Epigenetic Signatures. <i>PLoS ONE</i> , 2013, 8, e66816.	2.5	43

#	ARTICLE	IF	CITATIONS
55	Personalized risk prediction for event-free survival at 24 months in patients with diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2016, 91, 179-184.	4.1	41
56	Improvement of Diabetic Control and Acceptability of a Three-Injection Insulin Regimen in Diabetic Adolescents: A multicenter controlled study. <i>Diabetes Care</i> , 1993, 16, 94-102.	8.6	39
57	Comparison of two kinds of interface, based on guided navigation or usability principles, for improving the adoption of computerized decision support systems: application to the prescription of antibiotics. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2014, 21, e107-e116.	4.4	39
58	Determination of Molecular Subtypes of Diffuse Large B-Cell Lymphoma Using a Reverse Transcriptase Multiplex Ligation-Dependent Probe Amplification Classifier. <i>Journal of Molecular Diagnostics</i> , 2017, 19, 892-904.	2.8	39
59	A fourth locus for autosomal dominant hypercholesterolemia maps at 16q22.1. <i>European Journal of Human Genetics</i> , 2010, 18, 1236-1242.	2.8	38
60	The Surface Microbiome of Clinically Unaffected Skinfolds in Hidradenitis Suppurativa: A Cross-Sectional Culture-Based and 16S rRNA Gene Amplicon Sequencing Study in 60 Patients. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1847-1855.e6.	0.7	38
61	Dramatic reduction of clindamycin plasma concentration in hidradenitis suppurativa patients treated with the rifampin-clindamycin combination. <i>European Journal of Dermatology</i> , 2014, 24, 94-95.	0.6	37
62	How emergency departments might alert for prehospital heat-related excess mortality?. <i>Critical Care</i> , 2006, 10, R156.	5.8	36
63	Early versus late intensification for patients with high-risk Hodgkin lymphoma—3 Cycles of intensive chemotherapy plus low-dose lymph node radiation therapy versus 4 cycles of combined doxorubicin, bleomycin, vinblastine, and dacarbazine plus myeloablative chemotherapy with autologous stem cell transplantation. <i>Cancer</i> , 2008, 113, 3323-3330.	4.1	35
64	Tuberculin Skin Test and In Vitro Assays Provide Complementary Measures of Antimycobacterial Immunity in Children and Adolescents. <i>Chest</i> , 2010, 137, 1071-1077.	0.8	35
65	Long-Term Follow-up of HIV Positive Asymptomatic Patients Having Received Cyclosporin A. <i>Advances in Experimental Medicine and Biology</i> , 1995, 374, 229-234.	1.6	35
66	Impact of pneumoperitoneum on tumor growth. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2002, 16, 1170-1174.	2.4	33
67	Identification of a Major Locus, TNF1, That Controls BCG-Triggered Tumor Necrosis Factor Production by Leukocytes in an Area Hyperendemic for Tuberculosis. <i>Clinical Infectious Diseases</i> , 2013, 57, 963-970.	5.8	33
68	Prevalence of primary immunodeficiencies in France is underestimated. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1731-1733.	2.9	32
69	Adverse events associated with currently used medical treatments for cystinuria and treatment goals: results from a series of 442 patients in France. <i>BJU International</i> , 2019, 124, 849-861.	2.5	30
70	Peripheral B-Cell Phenotype and BAFF Levels are Associated With HLA Immunization in Patients Awaiting Kidney Transplantation. <i>Transplantation</i> , 2014, 97, 917-924.	1.0	29
71	The alternative RelB NF- κ B subunit is a novel critical player in diffuse large B-cell lymphoma. <i>Blood</i> , 2022, 139, 384-398.	1.4	29
72	Peritoneal closure reduces port site metastases. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2002, 16, 289-291.	2.4	26

#	ARTICLE	IF	CITATIONS
73	Novel Mouse Model of Monocular Amaurosis Fugax. <i>Stroke</i> , 2007, 38, 3237-3244.	2.0	23
74	Delayed bone age due to a dual effect of FGFR3 mutation in Achondroplasia. <i>Bone</i> , 2010, 47, 905-915.	2.9	23
75	Exploratory analysis of population pharmacokinetic data from clinical trials with application to isradipine. <i>Clinical Pharmacology and Therapeutics</i> , 1991, 50, 39-54.	4.7	21
76	Genetic diagnosis of primary immunodeficiencies: A survey of the French national registry. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 1646-1649.e10.	2.9	20
77	Cardiac function and exercise adaptation in 8 children with LPIN1 mutations. <i>Molecular Genetics and Metabolism</i> , 2018, 123, 375-381.	1.1	18
78	The impact of three discharge coding methods on the accuracy of diagnostic coding and hospital reimbursement for inpatient medical care. <i>International Journal of Medical Informatics</i> , 2018, 115, 35-42.	3.3	17
79	Long-term fatigue in survivors of non-Hodgkin lymphoma: The Lymphoma Study Association SIMONAL cross-sectional study. <i>Cancer</i> , 2019, 125, 2291-2299.	4.1	14
80	Comparison of cefoxitin and moxalactam 30 µg disc diffusion methods for detection of methicillin resistance in coagulase-negative staphylococci. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 59, 763-766.	3.0	13
81	Lifetime risk of renal replacement therapy in Europe: a population-based study using data from the ERA-EDTA Registry. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw392.	0.7	13
82	Categorical state sequence analysis and regression tree to identify determinants of care trajectory in chronic disease: Example of end-stage renal disease. <i>Statistical Methods in Medical Research</i> , 2019, 28, 1731-1740.	1.5	13
83	Infradiaphragmatic Hodgkin's Disease: Long Term Results of Combined Modality Therapy. <i>Leukemia and Lymphoma</i> , 1996, 21, 79-84.	1.3	11
84	Impact of spinal dysraphism on urinary and faecal prognosis in 25 cases of cloacal malformation. <i>Journal of Pediatric Urology</i> , 2014, 10, 1199-1205.	1.1	11
85	Influence of peritoneal factors on port-site metastases in a xenograft ovarian cancer model. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 809-812.	2.3	10
86	Interim PET Response-adapted Strategy in Untreated Advanced Stage Hodgkin Lymphoma: Results of GOELAMS LH 2007 Phase 2 Multicentric Trial. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, 191-198.	0.4	10
87	Usefulness of maximal oxygen pulse in timing of pulmonary valve replacement in patients with isolated pulmonary regurgitation. <i>Cardiology in the Young</i> , 2016, 26, 1310-1318.	0.8	9
88	<i>Mycobacterium bolletii</i> Lung Disease in Cystic Fibrosis. <i>Chest</i> , 2019, 156, 247-254.	0.8	9
89	Acral erythema and systemic toxicity related to CHA induction therapy in acute myeloid leukemia. <i>European Journal of Cancer & Clinical Oncology</i> , 1989, 25, 1181-1185.	0.7	8
90	Gibbs sampler for the logistic model in the analysis of longitudinal binary data. <i>Statistics in Medicine</i> , 1998, 17, 2905-2921.	1.6	8

#	ARTICLE	IF	CITATIONS
91	Gene modulation associated with inhibition of liver regeneration in hepatitis B virus X transgenic mice. <i>World Journal of Gastroenterology</i> , 2008, 14, 574.	3.3	8
92	Impact of pneumoperitoneum on visceral metastasis rate and survival. Results in two ovarian cancer models in rats. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 733-737.	2.3	7
93	Facilitating access to the renal transplant waiting list does not increase the number of transplantations: comparative study of two French regions. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 849-857.	2.9	7
94	Idiopathic, heritable and veno-occlusive pulmonary arterial hypertension in childhood: computed tomography angiography features in the initial assessment of the disease. <i>Pediatric Radiology</i> , 2019, 49, 575-585.	2.0	7
95	Outcome after hematopoietic stem cell transplantation in patients with extranodal natural killer/Cell lymphoma, nasal type: A French study from the Soci� Francophone de Greffe de Moelle et de Th�rapie Cellulaire (SFGM�TC). <i>American Journal of Hematology</i> , 2021, 96, 834-845.	4.1	5
96	Twenty-year disease and treatment-associated mortality rates of patients with Hodgkin lymphoma of clinical stages IIIB and IV prospectively treated with 3-month anthracycline-based chemotherapy followed by extended high-dose radiation. <i>Cancer</i> , 2008, 112, 846-855.	4.1	4
97	Germinal Center Phenotype Determined by Immunohistochemistry on Tissue Microarray Does Not Correlate with Outcome in Diffuse Large B-Cell Lymphoma Patients Treated with Immunochemotherapy in the Randomized Trial LNH98-5. A GELA Study.. <i>Blood</i> , 2007, 110, 51-51.	1.4	4
98	A transient state model for analysing ventilatory status in a randomized clinical trial. <i>Statistics in Medicine</i> , 1987, 6, 795-803.	1.6	2
99	The use of biofeedback for children with fecal incontinence secondary to retentive constipation: Experience of a French Pediatric Center. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101550.	1.5	2
100	Continuous positive airway pressure improves work of breathing in pediatric chronic heart failure. <i>Sleep Medicine</i> , 2021, 83, 99-105.	1.6	2
101	Male and Female Placentas Have Divergent Transcriptomic and Epigenomic Responses to Maternal Diets: Not Just Hormones. <i>Research and Perspectives in Endocrine Interactions</i> , 2014, , 71-91.	0.2	2
102	Rituximab Combined to ACVBP (R-ACVBP) Supported by Pegfilgrastim as a New Inductive Treatment Followed by High-Dose Consolidative Autotransplantation (HDC) for Poor Risk Diffuse Large B-Cell Lymphoma (DLBCL) in First-Line. Results of LNH 03�39B. A GELA Study.. <i>Blood</i> , 2007, 110, 3437-3437.	1.4	1
103	Economic burden in non-Hodgkin lymphoma survivors: The French Lymphoma Study Association SIMONAL cross-sectional study. <i>Cancer</i> , 2021, , .	4.1	1
104	Intermediate stage Hodgkin lymphoma in partial remission after three or four courses of doxorubicin, bleomycin, vinblastine dacarbazine: no benefit of one course of intensive chemotherapy before irradiation. <i>Leukemia and Lymphoma</i> , 2013, 54, 76-82.	1.3	0
105	Authors' Reply. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 266.	2.8	0
106	Distinct Expression Patterns of microRNAs in Activated B Cell (ABC) and Germinal Center B (GC) Subtypes of Diffuse Large B Cell Lymphoma (DLBCL).. <i>Blood</i> , 2007, 110, 562-562.	1.4	0
107	Gene Expression Profile Analysis According to Recurrent Gene Copy Number Abnormalities Defines a Diffuse Large B-Cell Lymphoma Subgroup Characterized by 9p21 Locus Deletion, Ribosome Machinery Deregulation and Poor Prognosis. A GELA Study. <i>Blood</i> , 2008, 112, 803-803.	1.4	0
108	Regional Professionals Network to Support the Renal Epidemiology and Information Registry in Ile-de-France. <i>Studies in Health Technology and Informatics</i> , 2019, 264, 1425-1426.	0.3	0

#	ARTICLE	IF	CITATIONS
109	TEDIS, a Comprehensive Data Model for In-Depth Clinical Assessment of Patients Affected with Neuro-Developmental Disorders Including Autism. <i>Studies in Health Technology and Informatics</i> , 2020, 270, 1401-1402.	0.3	0