

Michael S Lloyd

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2734235/publications.pdf>

Version: 2024-02-01

91
papers

3,010
citations

218677

26
h-index

175258

52
g-index

93
all docs

93
docs citations

93
times ranked

3195
citing authors

#	ARTICLE	IF	CITATIONS
1	A Multisite Retrospective Review of Direct Oral Anticoagulants Compared to Warfarin in Adult Fontan Patients. <i>Cardiovascular Drugs and Therapy</i> , 2023, 37, 519-527.	2.6	1
2	Hands-on defibrillation with safety drapes: Analysis of compressions and an alternate current pathway. <i>American Journal of Emergency Medicine</i> , 2022, 52, 132-136.	1.6	1
3	Pacemakers after valve replacement: Just because we can, should we?. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 586-588.	1.7	2
4	Diagnostic Pacing Maneuvers for Supraventricular Tachycardia Discrimination: a Taxonomic Approach. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2022, 24, 13-26.	0.9	0
5	Long Term Follow-Up of Stereotactic Body Radiation Therapy for Refractory Ventricular Tachycardia in Advanced Heart Failure Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 849113.	2.4	8
6	Ablation of manifest septal accessory pathways: a single-center experience. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, 61, 349-355.	1.3	2
7	Life cycle management of Micra transcatheter pacing system: Data from a high-volume center. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 484-490.	1.7	12
8	Relationship between device-detected burden and duration of atrial fibrillation and risk of ischemic stroke. <i>Heart Rhythm</i> , 2021, 18, 338-346.	0.7	17
9	Experience using multielectrode cardiac catheters for detection of electrophysiologic activity of the human urinary bladder. <i>Neurourology and Urodynamics</i> , 2021, 40, 80-84.	1.5	0
10	Clinical predictors of discordance between screening tests and psychiatric assessment for depressive and anxiety disorders among patients being evaluated for seizure disorders. <i>Epilepsia</i> , 2021, 62, 1170-1183.	5.1	14
11	A Predictive Model for the Long-Term Electrical Performance of a Leadless Transcatheter Pacemaker. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 502-512.	3.2	12
12	Accessing the inaccessible: Stereotactic radioablation of premature ventricular complexes originating in the right ventricle in a patient with a mechanical tricuspid valve. <i>HeartRhythm Case Reports</i> , 2021, 7, 229-231.	0.4	0
13	Enhanced detection of atrial arrhythmias by implantable monitors: Have we found what we are looking for?. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 2544-2545.	1.7	0
14	Stellate ganglion blockade for treating refractory electrical storm: a historical cohort study. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 1683-1689.	1.6	9
15	Valve-sparing transvenous defibrillator systems after tricuspid valve intervention. <i>Heart Rhythm</i> , 2021, 18, 2212-2214.	0.7	3
16	Efficacy and Tolerability of Quinidine as Salvage Therapy for Monomorphic Ventricular Tachycardia in patients with Structural Heart Disease. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 3173-3178.	1.7	3
17	Same-Day Versus Next-Day Discharge Strategies for Left Atrial Ablation Procedures: A Parallel, Intra-Institutional Comparison of Safety and Feasibility. <i>Journal of Atrial Fibrillation</i> , 2021, 13, 2466.	0.5	0
18	Preliminary psychometric validation of a brief screening tool for athlete mental health among male elite athletes: the Athlete Psychological Strain Questionnaire. <i>International Journal of Sport and Exercise Psychology</i> , 2020, 18, 850-865.	2.1	50

#	ARTICLE	IF	CITATIONS
19	Spider-specific probe set for ultraconserved elements offers new perspectives on the evolutionary history of spiders (Arachnida, Araneae). <i>Molecular Ecology Resources</i> , 2020, 20, 185-203.	4.8	54
20	Clinical experience of stereotactic body radiation for refractory ventricular tachycardia in advanced heart failure patients. <i>Heart Rhythm</i> , 2020, 17, 415-422.	0.7	91
21	A review of specialized and automated features in implantable cardiac devices. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 271-285.	1.7	2
22	Implantation of leadless pacemakers via inferior vena cava filters is feasible and safe: Insights from a multicenter experience. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 3277-3285.	1.7	4
23	Targeted Left Ventricular Lead Implantation Strategy for Non-Left Bundle Branch Block Patients. <i>JACC: Clinical Electrophysiology</i> , 2020, 6, 1171-1181.	3.2	29
24	Histopathologic and Ultrastructural Findings in Human Myocardium After Stereotactic Body Radiation Therapy for Recalcitrant Ventricular Tachycardia. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008753.	4.8	31
25	Development and validation of a screening questionnaire for psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2020, 112, 107482.	1.7	9
26	Sex-based differences in procedural complications associated with atrial fibrillation catheter ablation: A systematic review and meta-analysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 3176-3186.	1.7	12
27	Outcomes of convergent atrial fibrillation ablation with continuous rhythm monitoring. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1270-1276.	1.7	13
28	Early coronary computed tomographic angiography for out-of-hospital cardiac arrest victims: One step closer to the tricorder. <i>Resuscitation</i> , 2020, 153, 264-265.	3.0	0
29	Cardiac implantable electronic devices in patients with persistent left superior vena cava—A single center experience. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1175-1181.	1.7	6
30	Outcomes of percutaneous vacuum-assisted debulking of large vegetations as an adjunct to lead extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1032-1037.	1.2	9
31	Development of a Risk Score to Predict New Pacemaker Implantation After Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 2133-2142.	2.9	60
32	Multicenter Experience of Feasibility and Safety of Leadless Pacemakers Across Bioprosthetic and Repaired Tricuspid Valves. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1093-1094.	3.2	4
33	Outcomes of Micra leadless pacemaker implantation with uninterrupted anticoagulation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1313-1318.	1.7	12
34	Hands-on defibrillation with a safety barrier: An analysis of potential risk to rescuers. <i>Resuscitation</i> , 2019, 138, 110-113.	3.0	7
35	Long-Term Outcomes After Ablation for Paroxysmal Atrial Fibrillation Using the Second-Generation Cryoballoon. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 306-314.	3.2	72
36	Long-term performance of a pacing lead family: A single-center experience. <i>Heart Rhythm</i> , 2019, 16, 572-578.	0.7	23

#	ARTICLE	IF	CITATIONS
37	The Safety and Feasibility of Same-Day Discharge After Implantation of MICRA Transcatheter Leadless Pacemaker System. <i>Journal of Atrial Fibrillation</i> , 2019, 12, 2153.	0.5	15
38	Magnetic resonance imaging safety in nonconditional pacemaker and defibrillator recipients: A meta-analysis and systematic review. <i>Heart Rhythm</i> , 2018, 15, 1001-1008.	0.7	42
39	Leadless pacemaker implantation and concurrent atrioventricular junction ablation in patients with atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 504-510.	1.2	17
40	Techniques for successful early retrieval of the Micra transcatheter pacing system: A worldwide experience. <i>Heart Rhythm</i> , 2018, 15, 841-846.	0.7	66
41	Transcatheter/leadless pacing. <i>Heart Rhythm</i> , 2018, 15, 624-628.	0.7	12
42	Combined Angiography and Late Gadolinium Enhancement Acquisition to Improve Assessment of Pulmonary Vein Isolation for Atrial Fibrillation. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 477-486.	3.4	0
43	THE HORTATIVE AORIST. <i>Classical Quarterly</i> , 2018, 68, 415-424.	0.1	2
44	Rationale and design for ENHANCE CRT: QLV implant strategy for non-left bundle branch block patients. <i>ESC Heart Failure</i> , 2018, 5, 1184-1190.	3.1	8
45	Next-generation museum genomics: Phylogenetic relationships among palpimanoid spiders using sequence capture techniques (Araneae: Palpimanoidea). <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 907-918.	2.7	65
46	Updated performance of the Micra transcatheter pacemaker in the real-world setting: A comparison to the investigational study and a transvenous historical control. <i>Heart Rhythm</i> , 2018, 15, 1800-1807.	0.7	239
47	Life's Simple 7 Approach to Atrial Fibrillation Prevention. <i>Journal of Atrial Fibrillation</i> , 2018, 11, 2051.	0.5	6
48	Failure of an Implantable Defibrillator to detect transition from sinus tachycardia to slow ventricular tachycardia with Onset™ discrimination algorithm activated. <i>Europace</i> , 2017, 19, euw175.	1.7	0
49	Clinical Performance of Magnetic Resonance Imaging Conditional and Nonconditional Cardiac Implantable Electronic Devices. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 467-475.	1.2	16
50	Cardiac electrophysiology of patients with spinal cord injury. <i>Heart Rhythm</i> , 2017, 14, 920-927.	0.7	21
51	Rate adaptive pacing in an intracardiac pacemaker. <i>Heart Rhythm</i> , 2017, 14, 200-205.	0.7	21
52	Electrogram Characteristics of Ablated and Non-Ablated Myocardium in Humans: A Comparison of Miniaturized Embedded Electrodes and Conventional Ablation Electrodes. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 820-824.	1.7	12
53	Clinical Experience With the Subcutaneous Implantable Cardioverter-Defibrillator in Adults With Congenital Heart Disease. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	4.8	69
54	Safety and Quality of 1.5-T MRI in Patients With Conventional and MRI-Conditional Cardiac Implantable Electronic Devices After Implementation of a Standardized Protocol. <i>American Journal of Roentgenology</i> , 2016, 207, 599-604.	2.2	27

#	ARTICLE	IF	CITATIONS
55	59-06: AV node ablation and pacemaker implantation using a single femoral puncture site: The initial clinical experience with the MICRA pacemaker. <i>Europace</i> , 2016, 18, i171-i171.	1.7	1
56	A Leadless Intracardiac Transcatheter Pacing System. <i>New England Journal of Medicine</i> , 2016, 374, 533-541.	27.0	650
57	Outcome of Subcutaneous Implantable Cardioverter Defibrillator Implantation in Patients with End-Stage Renal Disease on Dialysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 900-904.	1.7	53
58	Pulse Generator Exchange Does Not Accelerate the Rate of Electrical Failure in a Recalled Small Caliber ICD Lead. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1434-1438.	1.2	2
59	Outcomes of Sprint Fidelis and Riata lead extraction: Data from 2 high-volume centers. <i>Heart Rhythm</i> , 2015, 12, 1216-1220.	0.7	28
60	Cardiorespiratory fitness and atrial fibrillation: A population-based follow-up study. <i>Heart Rhythm</i> , 2015, 12, 1424-1430.	0.7	61
61	Predictors of Long-Term Survival Following Transvenous Extraction of Defibrillator Leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1297-1303.	1.2	25
62	Early performance of a miniaturized leadless cardiac pacemaker: the Micra Transcatheter Pacing Study. <i>European Heart Journal</i> , 2015, 36, 2510-2519.	2.2	169
63	Prediction of response to cardiac resynchronization therapy using left ventricular pacing lead position and cardiovascular magnetic resonance derived wall motion patterns: a prospective cohort study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 57.	3.3	19
64	Letter to the Editor—Concern regarding adult congenital heart disease arrhythmia guidelines. <i>Heart Rhythm</i> , 2015, 12, e33.	0.7	0
65	Incidence of Defibrillator Shocks After Elective Generator Exchange—Following Uneventful First Battery Life. <i>Journal of the American Heart Association</i> , 2014, 3, e001289.	3.7	44
66	Cardiac Resynchronization Therapy in Adult Patients with Repaired Tetralogy of Fallot and Left Ventricular Systolic Dysfunction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 321-328.	1.2	23
67	Method to create regional mechanical dyssynchrony maps from short-axis cine steady-state free-precession images. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 958-965.	3.4	11
68	Lesion-Specific Differences for Implantable Cardioverter Defibrillator Therapies in Adults with Congenital Heart Disease. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1492-1498.	1.2	22
69	Sometimes, it is OK to be coarse: Quantifying ventricular fibrillation in the cardiac arrest victim. <i>Heart Rhythm</i> , 2014, 11, 237-238.	0.7	0
70	Specialized Functions of Cardiac Implantable Devices and How They Can Mimic Malfunction. <i>Cardiac Electrophysiology Clinics</i> , 2014, 6, 227-241.	1.7	1
71	Generator replacement is associated with an increased rate of ICD lead alerts. <i>Heart Rhythm</i> , 2014, 11, 1785-1789.	0.7	15
72	New-Onset Atrial Fibrillation After Acute Myocardial Infarction and Its Relation to Admission Biomarkers (from the TRIUMPH Registry). <i>American Journal of Cardiology</i> , 2013, 112, 1390-1395.	1.6	46

#	ARTICLE	IF	CITATIONS
73	Generator exchange is associated with an increased rate of Sprint Fidelis lead failure. <i>Heart Rhythm</i> , 2012, 9, 1615-1618.	0.7	26
74	Coronary Artery Disease Potentiates Response to Dofetilide for Rhythm Control of Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 170-173.	1.2	6
75	Polysomnography and Implantable Cardiac Devices: Identifying Normal and Abnormal Paced Beats. <i>Journal of Clinical Sleep Medicine</i> , 2012, 08, 340-342.	2.6	0
76	The Relationship of Bipolar Left Ventricular Pacing Stimulus Intensity to Cardiac Depolarization and Repolarization in Humans with Cardiac Resynchronization Devices. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 645-649.	1.7	20
77	Pacing Features That Mimic Malfunction: A Review of Current Programmable and Automated Device Functions That Cause Confusion in the Clinical Setting. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 453-460.	1.7	39
78	Palpitations after a pacemaker generator exchange: A new algorithm-induced cause of endless loop tachycardia. <i>Heart Rhythm</i> , 2009, 6, 1380-1382.	0.7	7
79	More Late Perforations with the Riataâ„¢ Defibrillator Lead from a Highâ€Volume Center: An Update on the Numbers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 784-785.	1.2	15
80	Emerging Applications for Transseptal Left Heart Catheterization. <i>Journal of the American College of Cardiology</i> , 2008, 51, 2116-2122.	2.8	74
81	Hands-On Defibrillation. <i>Circulation</i> , 2008, 117, 2510-2514.	1.6	99
82	Long-term survival after successful in-hospital cardiac arrest resuscitation. <i>American Heart Journal</i> , 2007, 153, 831-836.	2.7	74
83	Reverse Polarity Pacing: The Hemodynamic Benefit of Anodal Currents at Lead Tips for Cardiac Resynchronization Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 1167-1171.	1.7	25
84	Successfully Treated Mitral Valve Proteus mirabilis Endocarditis. <i>American Journal of the Medical Sciences</i> , 2005, 329, 267-269.	1.1	7
85	The Politeness of Achilles: Off-Record Conversation Strategies in Homer and the Meaning of <i>Kertomia</i> . <i>Journal of Hellenic Studies</i> , 2004, 124, 75-89.	0.0	78
86	Coping With Physical Exertion and Negative Feedback Under Competitive and Self-Standard Conditions. <i>Journal of Applied Social Psychology</i> , 2001, 31, 1582-1626.	2.0	33
87	The tragic aorist. <i>Classical Quarterly</i> , 1999, 49, 24-45.	0.1	83
88	Realism and Character in Euripides' "Electra". <i>Phoenix</i> , 1986, 40, 1.	0.1	12
89	Divine and Human Action in Euripides' Ion. <i>Antike Und Abendland</i> , 1986, 32, 33-45.	0.0	6
90	Euripides' Alcestis. <i>Greece and Rome</i> , 1985, 32, 119-131.	0.0	1

#	ARTICLE	IF	CITATIONS
91	The Helen Scene in Euripides' Troades. <i>Classical Quarterly</i> , 1984, 34, 303-313.	0.1	12