

Xiao-Ou Shu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2735620/publications.pdf>

Version: 2024-02-01

863
papers

53,657
citations

1614

105
h-index

4015

176
g-index

874
all docs

874
docs citations

874
times ranked

54284
citing authors

#	ARTICLE	IF	CITATIONS
1	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017, 551, 92-94.	27.8	1,099
2	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013, 45, 353-361.	21.4	960
3	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244.	21.4	959
4	Association between Body-Mass Index and Risk of Death in More Than 1 Million Asians. <i>New England Journal of Medicine</i> , 2011, 364, 719-729.	27.0	730
5	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019, 104, 21-34.	6.2	711
6	Type I and II Endometrial Cancers: Have They Different Risk Factors?. <i>Journal of Clinical Oncology</i> , 2013, 31, 2607-2618.	1.6	613
7	Genome-wide association study identifies variants in the ABO locus associated with susceptibility to pancreatic cancer. <i>Nature Genetics</i> , 2009, 41, 986-990.	21.4	597
8	Meta-analysis of genome-wide association studies identifies eight new loci for type 2 diabetes in east Asians. <i>Nature Genetics</i> , 2012, 44, 67-72.	21.4	545
9	A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. <i>Nature Genetics</i> , 2010, 42, 224-228.	21.4	539
10	Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012, 44, 651-658.	21.4	519
11	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015, 47, 373-380.	21.4	513
12	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 371-384.	21.4	493
13	Genome-wide association study identifies a new breast cancer susceptibility locus at 6q25.1. <i>Nature Genetics</i> , 2009, 41, 324-328.	21.4	481
14	A shared susceptibility locus in PLCE1 at 10q23 for gastric adenocarcinoma and esophageal squamous cell carcinoma. <i>Nature Genetics</i> , 2010, 42, 764-767.	21.4	453
15	The Shanghai Women's Health Study: Rationale, Study Design, and Baseline Characteristics. <i>American Journal of Epidemiology</i> , 2005, 162, 1123-1131.	3.4	384
16	Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases. <i>JAMA Oncology</i> , 2017, 3, 636.	7.1	376
17	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013, 45, 392-398.	21.4	374
18	Meta-analysis identifies common variants associated with body mass index in east Asians. <i>Nature Genetics</i> , 2012, 44, 307-311.	21.4	372

#	ARTICLE	IF	CITATIONS
19	Soy Food Intake and Breast Cancer Survival. JAMA - Journal of the American Medical Association, 2009, 302, 2437.	7.4	363
20	Validity and reproducibility of the food frequency questionnaire used in the Shanghai Women's Health Study. European Journal of Clinical Nutrition, 2004, 58, 17-23.	2.9	355
21	The power of genetic diversity in genome-wide association studies of lipids. Nature, 2021, 600, 675-679.	27.8	353
22	Prospective Study of Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Incidence of Type 2 Diabetes Mellitus in Middle-aged Chinese Women. Archives of Internal Medicine, 2007, 167, 2310.	3.8	345
23	The trans-ancestral genomic architecture of glycemic traits. Nature Genetics, 2021, 53, 840-860.	21.4	341
24	GWAS meta-analysis and replication identifies three new susceptibility loci for ovarian cancer. Nature Genetics, 2013, 45, 362-370.	21.4	326
25	Legume and soy food intake and the incidence of type 2 diabetes in the Shanghai Women's Health Study. American Journal of Clinical Nutrition, 2008, 87, 162-167.	4.7	320
26	Cigarette Smoking and Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Cohort Consortium. American Journal of Epidemiology, 2009, 170, 403-413.	3.4	298
27	Disparities by Race, Age, and Sex in the Improvement of Survival for Major Cancers. JAMA Oncology, 2015, 1, 88.	7.1	295
28	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. Nature Genetics, 2014, 46, 994-1000.	21.4	294
29	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. Nature Genetics, 2015, 47, 1282-1293.	21.4	294
30	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. Nature Genetics, 2017, 49, 1767-1778.	21.4	289
31	Influence of Exercise, Walking, Cycling, and Overall Nonexercise Physical Activity on Mortality in Chinese Women. American Journal of Epidemiology, 2007, 165, 1343-1350.	3.4	286
32	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. Nature Genetics, 2012, 44, 1330-1335.	21.4	286
33	Identification of type 2 diabetes loci in 433,540 East Asian individuals. Nature, 2020, 582, 240-245.	27.8	282
34	A population-based case-control study of childhood leukemia in shanghai. Cancer, 1988, 62, 635-644.	4.1	276
35	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. Nature Genetics, 2020, 52, 572-581.	21.4	265
36	Genetic variants in STAT4 and HLA-DQ genes confer risk of hepatitis B virus-related hepatocellular carcinoma. Nature Genetics, 2013, 45, 72-75.	21.4	259

#	ARTICLE	IF	CITATIONS
37	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572.	21.4	250
38	Association of menstrual and reproductive factors with breast cancer risk: Results from the Shanghai breast cancer study. <i>International Journal of Cancer</i> , 2000, 87, 295-300.	5.1	240
39	Association between body mass index and cardiovascular disease mortality in east Asians and south Asians: pooled analysis of prospective data from the Asia Cohort Consortium. <i>BMJ</i> , 2013, 347, f5446-f5446.	6.0	239
40	Soy Food Consumption Is Associated with Lower Risk of Coronary Heart Disease in Chinese Women. <i>Journal of Nutrition</i> , 2003, 133, 2874-2878.	2.9	228
41	Genome-wide association study of glioma and meta-analysis. <i>Human Genetics</i> , 2012, 131, 1877-1888.	3.8	222
42	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015, 47, 164-171.	21.4	221
43	Large-scale genetic study in East Asians identifies six new loci associated with colorectal cancer risk. <i>Nature Genetics</i> , 2014, 46, 533-542.	21.4	212
44	Pancreatic Cancer Risk and ABO Blood Group Alleles: Results from the Pancreatic Cancer Cohort Consortium. <i>Cancer Research</i> , 2010, 70, 1015-1023.	0.9	203
45	Functional Variants at the 11q13 Risk Locus for Breast Cancer Regulate Cyclin D1 Expression through Long-Range Enhancers. <i>American Journal of Human Genetics</i> , 2013, 92, 489-503.	6.2	201
46	Prospective Cohort Study of Soy Food Consumption and Risk of Bone Fracture Among Postmenopausal Women. <i>Archives of Internal Medicine</i> , 2005, 165, 1890.	3.8	200
47	Adolescent and adult soy food intake and breast cancer risk: results from the Shanghai Women's Health Study. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1920-1926.	4.7	194
48	Identification of New Genetic Risk Variants for Type 2 Diabetes. <i>PLoS Genetics</i> , 2010, 6, e1001127.	3.5	193
49	Meta-analysis of genome-wide association studies in East Asian-ancestry populations identifies four new loci for body mass index. <i>Human Molecular Genetics</i> , 2014, 23, 5492-5504.	2.9	192
50	Meta-Analysis of Genome-Wide Association Studies in African Americans Provides Insights into the Genetic Architecture of Type 2 Diabetes. <i>PLoS Genetics</i> , 2014, 10, e1004517.	3.5	191
51	Genome-wide meta-analysis identifies five new susceptibility loci for pancreatic cancer. <i>Nature Communications</i> , 2018, 9, 556.	12.8	188
52	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018, 50, 968-978.	21.4	184
53	Circulating 25-Hydroxyvitamin D and Risk of Pancreatic Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 81-93.	3.4	181
54	Identification of nine new susceptibility loci for endometrial cancer. <i>Nature Communications</i> , 2018, 9, 3166.	12.8	178

#	ARTICLE	IF	CITATIONS
55	Urinary isothiocyanate levels, brassica, and human breast cancer. <i>Cancer Research</i> , 2003, 63, 3980-6.	0.9	175
56	Use of complementary and alternative medicine by Chinese women with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2004, 85, 263-270.	2.5	174
57	Genome-wide association analyses in east Asians identify new susceptibility loci for colorectal cancer. <i>Nature Genetics</i> , 2013, 45, 191-196.	21.4	173
58	The 5p15.33 Locus Is Associated with Risk of Lung Adenocarcinoma in Never-Smoking Females in Asia. <i>PLoS Genetics</i> , 2010, 6, e1001051.	3.5	168
59	Cruciferous vegetable consumption is associated with a reduced risk of total and cardiovascular disease mortality. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 240-246.	4.7	162
60	Dietary calcium and magnesium intakes and the risk of type 2 diabetes: the Shanghai Women's Health Study. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1059-1067.	4.7	161
61	Genome-wide association study in Chinese men identifies two new prostate cancer risk loci at 9q31.2 and 19q13.4. <i>Nature Genetics</i> , 2012, 44, 1231-1235.	21.4	160
62	Maternal Exercise during Pregnancy, Physical Fitness, and Fetal Growth. <i>American Journal of Epidemiology</i> , 1993, 137, 1105-1114.	3.4	159
63	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.	9.4	157
64	Body Mass Index and Diabetes in Asia: A Cross-Sectional Pooled Analysis of 900,000 Individuals in the Asia Cohort Consortium. <i>PLoS ONE</i> , 2011, 6, e19930.	2.5	154
65	Genome-wide association studies in the Japanese population identify seven novel loci for type 2 diabetes. <i>Nature Communications</i> , 2016, 7, 10531.	12.8	149
66	Validity and reproducibility of the food-frequency questionnaire used in the Shanghai Men's Health Study. <i>British Journal of Nutrition</i> , 2007, 97, 993-1000.	2.3	148
67	Meeting the physical activity guidelines and survival after breast cancer: findings from the after breast cancer pooling project. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 637-643.	2.5	148
68	Human metabolic correlates of body mass index. <i>Metabolomics</i> , 2014, 10, 259-269.	3.0	148
69	Joint analysis of three genome-wide association studies of esophageal squamous cell carcinoma in Chinese populations. <i>Nature Genetics</i> , 2014, 46, 1001-1006.	21.4	148
70	Anthropometric Factors and Thyroid Cancer Risk by Histological Subtype: Pooled Analysis of 22 Prospective Studies. <i>Thyroid</i> , 2016, 26, 306-318.	4.5	148
71	Vegetable but Not Fruit Consumption Reduces the Risk of Type 2 Diabetes in Chinese Women. <i>Journal of Nutrition</i> , 2008, 138, 574-580.	2.9	146
72	Obesity and weight change in relation to breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 2010, 122, 823-833.	2.5	145

#	ARTICLE	IF	CITATIONS
73	Genome-wide association study identifies 25 known breast cancer susceptibility loci as risk factors for triple-negative breast cancer. <i>Carcinogenesis</i> , 2014, 35, 1012-1019.	2.8	145
74	Metabolomics in Epidemiology: Sources of Variability in Metabolite Measurements and Implications. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 631-640.	2.5	144
75	Association of Genetic Polymorphisms in the <i>VEGF</i> Gene with Breast Cancer Survival. <i>Cancer Research</i> , 2005, 65, 5015-5019.	0.9	143
76	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. <i>Human Molecular Genetics</i> , 2014, 23, 6961-6972.	2.9	143
77	Soy food intake after diagnosis of breast cancer and survival: an in-depth analysis of combined evidence from cohort studies of US and Chinese women. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 123-132.	4.7	142
78	Genome-wide association study identifies a common variant associated with risk of endometrial cancer. <i>Nature Genetics</i> , 2011, 43, 451-454.	21.4	141
79	A Common Deletion in the <i>APOBEC3</i> Genes and Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2013, 105, 573-579.	6.3	141
80	Quality of Life After Breast Cancer Diagnosis and Survival. <i>Journal of Clinical Oncology</i> , 2011, 29, 406-412.	1.6	137
81	Genome-Wide Association Study in East Asians Identifies Novel Susceptibility Loci for Breast Cancer. <i>PLoS Genetics</i> , 2012, 8, e1002532.	3.5	137
82	Night-Shift Work and Breast Cancer Risk in a Cohort of Chinese Women. <i>American Journal of Epidemiology</i> , 2010, 171, 953-959.	3.4	135
83	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at 1q32.1, 5q14.3 and 15q26.1. <i>Nature Genetics</i> , 2014, 46, 886-890.	21.4	135
84	Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. <i>Human Molecular Genetics</i> , 2017, 26, 1770-1784.	2.9	135
85	Dietary factors and epithelial ovarian cancer. <i>British Journal of Cancer</i> , 1989, 59, 92-96.	6.4	134
86	Diet and Other Risk Factors for Laryngeal Cancer in Shanghai, China. <i>American Journal of Epidemiology</i> , 1992, 136, 178-191.	3.4	133
87	Occupational physical activity and the incidence of cancer of the breast, corpus uteri, and ovary in shanghai. <i>Cancer</i> , 1993, 71, 3620-3624.	4.1	133
88	Reproducibility and Validity of the Shanghai Women's Health Study Physical Activity Questionnaire. <i>American Journal of Epidemiology</i> , 2003, 158, 1114-1122.	3.4	133
89	Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017, 60, 1022-1032.	6.3	132
90	Dietary habits and stomach cancer in Shanghai, China. , 1998, 76, 659-664.		129

#	ARTICLE	IF	CITATIONS
91	Exome chip meta-analysis identifies novel loci and East Asian-specific coding variants that contribute to lipid levels and coronary artery disease. <i>Nature Genetics</i> , 2017, 49, 1722-1730.	21.4	129
92	Novel Common Genetic Susceptibility Loci for Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2019, 111, 146-157.	6.3	129
93	Family history of cancer and risk of pancreatic cancer: A pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). <i>International Journal of Cancer</i> , 2010, 127, 1421-1428.	5.1	128
94	Exercise After Diagnosis of Breast Cancer in Association with Survival. <i>Cancer Prevention Research</i> , 2011, 4, 1409-1418.	1.5	127
95	The Use of Complementary and Alternative Medicine Among Chinese Women with Breast Cancer. <i>Journal of Alternative and Complementary Medicine</i> , 2008, 14, 1049-1055.	2.1	125
96	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. <i>Nature Genetics</i> , 2016, 48, 374-386.	21.4	125
97	Sleep Duration and Mortality: A Prospective Study of 113,138 Middle-Aged and Elderly Chinese Men and Women. <i>Sleep</i> , 2015, 38, 529-536.	1.1	124
98	A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. <i>American Journal of Human Genetics</i> , 2018, 102, 375-400.	6.2	123
99	A Population-based Case-Control Study of Dietary Factors and Endometrial Cancer in Shanghai, People's Republic of China. <i>American Journal of Epidemiology</i> , 1993, 137, 155-165.	3.4	122
100	Menstrual and reproductive factors and endometrial cancer risk: Results from a population-based case-control study in urban Shanghai. <i>International Journal of Cancer</i> , 2004, 108, 613-619.	5.1	120
101	An Absolute Risk Model to Identify Individuals at Elevated Risk for Pancreatic Cancer in the General Population. <i>PLoS ONE</i> , 2013, 8, e72311.	2.5	120
102	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020, 52, 56-73.	21.4	120
103	Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. <i>PLoS Medicine</i> , 2016, 13, e1002105.	8.4	118
104	Correlates of Circulating 25-Hydroxyvitamin D: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 21-35.	3.4	114
105	Diabetes and risk of pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. <i>Cancer Causes and Control</i> , 2013, 24, 13-25.	1.8	114
106	Dietary Patterns and Breast Cancer Risk in the Shanghai Breast Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1443-1448.	2.5	113
107	Vitamin Supplement Use During Breast Cancer Treatment and Survival: A Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 262-271.	2.5	113
108	Weight Change and Survival after Breast Cancer in the After Breast Cancer Pooling Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1260-1271.	2.5	113

#	ARTICLE	IF	CITATIONS
109	Pre-diagnosis body mass index and survival after breast cancer in the After Breast Cancer Pooling Project. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 729-739.	2.5	112
110	Adherence to dietary guidelines and mortality: a report from prospective cohort studies of 134,000 Chinese adults in urban Shanghai. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 693-700.	4.7	112
111	Telomere Length in White Blood Cell DNA and Lung Cancer: A Pooled Analysis of Three Prospective Cohorts. <i>Cancer Research</i> , 2014, 74, 4090-4098.	0.9	112
112	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019, 51, 636-648.	21.4	112
113	Cohort Profile: The Shanghai Men's Health Study. <i>International Journal of Epidemiology</i> , 2015, 44, 810-818.	1.9	111
114	Large-Scale Genome-Wide Association Study of East Asians Identifies Loci Associated With Risk for Colorectal Cancer. <i>Gastroenterology</i> , 2019, 156, 1455-1466.	1.3	111
115	Identification of a Functional Genetic Variant at 16q12.1 for Breast Cancer Risk: Results from the Asia Breast Cancer Consortium. <i>PLoS Genetics</i> , 2010, 6, e1001002.	3.5	107
116	Menstrual and reproductive factors and gastric cancer risk in a large prospective study of women. <i>Gut</i> , 2007, 56, 1671-1677.	12.1	105
117	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014, 5, 4999.	12.8	105
118	Meta-analysis of genome-wide association studies of adult height in East Asians identifies 17 novel loci. <i>Human Molecular Genetics</i> , 2015, 24, 1791-1800.	2.9	105
119	Genetic polymorphisms in glutathione-S-transferase genes (GSTM1,GSTT1,GSTP1) and survival after chemotherapy for invasive breast carcinoma. <i>Cancer</i> , 2005, 103, 52-58.	4.1	104
120	Combined Impact of Lifestyle-Related Factors on Total and Cause-Specific Mortality among Chinese Women: Prospective Cohort Study. <i>PLoS Medicine</i> , 2010, 7, e1000339.	8.4	104
121	Physical Activity, Smoking, and Alcohol Consumption in Association with Incidence of Type 2 Diabetes among Middle-Aged and Elderly Chinese Men. <i>PLoS ONE</i> , 2013, 8, e77919.	2.5	104
122	Overall Mortality After Diagnosis of Breast Cancer in Men vs Women. <i>JAMA Oncology</i> , 2019, 5, 1589.	7.1	103
123	Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e192696.	5.9	103
124	Dietary patterns and their correlates among middle-aged and elderly Chinese men: a report from the Shanghai Men's Health Study. <i>British Journal of Nutrition</i> , 2007, 98, 1006-1013.	2.3	102
125	Pathway analysis of genome-wide association study data highlights pancreatic development genes as susceptibility factors for pancreatic cancer. <i>Carcinogenesis</i> , 2012, 33, 1384-1390.	2.8	102
126	Tobacco Smoking and Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e191474.	5.9	102

#	ARTICLE	IF	CITATIONS
127	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. <i>American Journal of Human Genetics</i> , 2015, 96, 487-497.	6.2	101
128	Cross-Cancer Genome-Wide Analysis of Lung, Ovary, Breast, Prostate, and Colorectal Cancer Reveals Novel Pleiotropic Associations. <i>Cancer Research</i> , 2016, 76, 5103-5114.	0.9	100
129	Oxidative Stress, Obesity, and Breast Cancer Risk: Results From the Shanghai Women's Health Study. <i>Journal of Clinical Oncology</i> , 2009, 27, 2482-2488.	1.6	99
130	Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv219.	6.3	99
131	Genome-wide association study of gastric adenocarcinoma in Asia: a comparison of associations between cardia and non-cardia tumours. <i>Gut</i> , 2016, 65, 1611-1618.	12.1	99
132	Association of body size and fat distribution with risk of breast cancer among Chinese women. <i>International Journal of Cancer</i> , 2001, 94, 449-455.	5.1	98
133	Intake of fruits, vegetables and selected micronutrients in relation to the risk of breast cancer. <i>International Journal of Cancer</i> , 2003, 105, 413-418.	5.1	98
134	Circulating 25-Hydroxyvitamin D and Risk of Kidney Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 47-57.	3.4	98
135	Dietary polyunsaturated fatty acids and breast cancer risk in Chinese women: A prospective cohort study. <i>International Journal of Cancer</i> , 2011, 128, 1434-1441.	5.1	98
136	Fine-Scale Mapping of the FGFR2 Breast Cancer Risk Locus: Putative Functional Variants Differentially Bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013, 93, 1046-1060.	6.2	98
137	Burden of Total and Cause-Specific Mortality Related to Tobacco Smoking among Adults Aged ≥45 Years in Asia: A Pooled Analysis of 21 Cohorts. <i>PLoS Medicine</i> , 2014, 11, e1001631.	8.4	98
138	Identification of Susceptibility Loci and Genes for Colorectal Cancer Risk. <i>Gastroenterology</i> , 2016, 150, 1633-1645.	1.3	97
139	Fish, shellfish, and long-chain n-3 fatty acid consumption and risk of incident type 2 diabetes in middle-aged Chinese men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 543-551.	4.7	96
140	A pooled analysis of post-diagnosis lifestyle factors in association with late estrogen-receptor-positive breast cancer prognosis. <i>International Journal of Cancer</i> , 2016, 138, 2088-2097.	5.1	95
141	Soyfood intake and breast cancer survival: a followup of the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2005, 92, 11-17.	2.5	94
142	No evidence that protein truncating variants in <i>BRIP1</i> are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016, 53, 298-309.	3.2	94
143	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018, 13, e0198166.	2.5	94
144	Soya food intake and risk of endometrial cancer among Chinese women in Shanghai: population based case-control study. <i>BMJ: British Medical Journal</i> , 2004, 328, 1285.	2.3	93

#	ARTICLE	IF	CITATIONS
145	Alcohol intake and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium (PanScan). <i>Cancer Causes and Control</i> , 2010, 21, 1213-1225.	1.8	93
146	Distinct distribution and prognostic significance of molecular subtypes of breast cancer in Chinese women: a population-based cohort study. <i>BMC Cancer</i> , 2011, 11, 292.	2.6	93
147	Evaluation of Breast Cancer Susceptibility Loci in Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2357-2365.	2.5	92
148	Genome-wide association study identifies breast cancer risk variant at 10q21.2: results from the Asia Breast Cancer Consortium. <i>Human Molecular Genetics</i> , 2011, 20, 4991-4999.	2.9	92
149	Dietary nitrate and nitrite intake and risk of colorectal cancer in the Shanghai Women's Health Study. <i>International Journal of Cancer</i> , 2014, 134, 2917-2926.	5.1	92
150	Association of Ginseng Use with Survival and Quality of Life among Breast Cancer Patients. <i>American Journal of Epidemiology</i> , 2006, 163, 645-653.	3.4	91
151	Association of Estrogen Metabolism with Breast Cancer Risk in Different Cohorts of Postmenopausal Women. <i>Cancer Research</i> , 2017, 77, 918-925.	0.9	91
152	Genetic Polymorphisms in the TGF- β 21 Gene and Breast Cancer Survival. <i>Cancer Research</i> , 2004, 64, 836-839.	0.9	90
153	Drinking Green Tea Modestly Reduces Breast Cancer Risk. <i>Journal of Nutrition</i> , 2009, 139, 310-316.	2.9	90
154	Genetic and Clinical Predictors for Breast Cancer Risk Assessment and Stratification Among Chinese Women. <i>Journal of the National Cancer Institute</i> , 2010, 102, 972-981.	6.3	90
155	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	2.9	90
156	Genome-wide association and transcriptome studies identify target genes and risk loci for breast cancer. <i>Nature Communications</i> , 2019, 10, 1741.	12.8	90
157	Predictors and Variability of Repeat Measurements of Urinary Phenols and Parabens in a Cohort of Shanghai Women and Men. <i>Environmental Health Perspectives</i> , 2014, 122, 733-740.	6.0	89
158	Dietary Carbohydrates, Refined Grains, Glycemic Load, and Risk of Coronary Heart Disease in Chinese Adults. <i>American Journal of Epidemiology</i> , 2013, 178, 1542-1549.	3.4	88
159	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. <i>Oncotarget</i> , 2016, 7, 66328-66343.	1.8	88
160	European polygenic risk score for prediction of breast cancer shows similar performance in Asian women. <i>Nature Communications</i> , 2020, 11, 3833.	12.8	88
161	Prospective Study of Urinary Prostaglandin E ₂ Metabolite and Colorectal Cancer Risk. <i>Journal of Clinical Oncology</i> , 2006, 24, 5010-5016.	1.6	87
162	Duration of breast-feeding and the incidence of type 2 diabetes mellitus in the Shanghai Women's Health Study. <i>Diabetologia</i> , 2008, 51, 258-266.	6.3	86

#	ARTICLE	IF	CITATIONS
163	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013, 22, 2539-2550.	2.9	86
164	Prospective Evaluation of the Association of Nut/Peanut Consumption With Total and Cause-Specific Mortality. <i>JAMA Internal Medicine</i> , 2015, 175, 755.	5.1	86
165	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016, 7, 11843.	12.8	86
166	Longitudinal study of soy food intake and blood pressure among middle-aged and elderly Chinese women. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 1012-1017.	4.7	85
167	Dietary intake of calcium, fiber and other micronutrients in relation to colorectal cancer risk: Results from the Shanghai Women's Health Study. <i>International Journal of Cancer</i> , 2006, 119, 2938-2942.	5.1	85
168	Association of Matrix Metalloproteinase-8 Gene Variation with Breast Cancer Prognosis. <i>Cancer Research</i> , 2007, 67, 10214-10221.	0.9	85
169	Association of Hormone-Related Characteristics and Breast Cancer Risk by Estrogen Receptor/Progesterone Receptor Status in the Shanghai Breast Cancer Study. <i>American Journal of Epidemiology</i> , 2011, 174, 661-671.	3.4	85
170	APOBEC3 deletion polymorphism is associated with breast cancer risk among women of European ancestry. <i>Carcinogenesis</i> , 2013, 34, 2240-2243.	2.8	85
171	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019, 188, 1033-1054.	3.4	85
172	Evaluating the relationships among maternal reproductive history, birth characteristics, and infant leukemia: A report from the children's cancer group. <i>Annals of Epidemiology</i> , 1997, 7, 172-179.	1.9	83
173	Vitamin Intake and Liver Cancer Risk: A Report From Two Cohort Studies in China. <i>Journal of the National Cancer Institute</i> , 2012, 104, 1174-1182.	6.3	83
174	Parental medication use and risk of childhood acute lymphoblastic leukemia. <i>Cancer</i> , 2002, 95, 1786-1794.	4.1	81
175	Animal Origin Foods and Colorectal Cancer Risk: A Report From the Shanghai Women's Health Study. <i>Nutrition and Cancer</i> , 2009, 61, 194-205.	2.0	81
176	Prospective cohort study of soy food intake and colorectal cancer risk in women. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 577-583.	4.7	81
177	The Consortium of Metabolomics Studies (COMETS): Metabolomics in 47 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2019, 188, 991-1012.	3.4	81
178	Prospective study of oral microbiome and colorectal cancer risk in low-income and African American populations. <i>International Journal of Cancer</i> , 2019, 144, 2381-2389.	5.1	81
179	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 795-806.	1.9	81
180	Cruciferous vegetables, the GSTP1 IleVal genetic polymorphism, and breast cancer risk. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 753-760.	4.7	80

#	ARTICLE	IF	CITATIONS
181	Fine Mapping of Chromosome 6q23-25 Region in Familial Lung Cancer Families Reveals <i>RGS17</i> as a Likely Candidate Gene. <i>Clinical Cancer Research</i> , 2009, 15, 2666-2674.	7.0	80
182	Dietary patterns are associated with lower incidence of type 2 diabetes in middle-aged women: the Shanghai Women's Health Study. <i>International Journal of Epidemiology</i> , 2010, 39, 889-899.	1.9	80
183	Genetic Polymorphisms of the Transforming Growth Factor- β 1 Gene and Breast Cancer Risk: A Possible Dual Role at Different Cancer Stages. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1567-1570.	2.5	78
184	Variant ABO Blood Group Alleles, Secretor Status, and Risk of Pancreatic Cancer: Results from the Pancreatic Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3140-3149.	2.5	78
185	Green tea consumption and colorectal cancer risk: a report from the Shanghai Men's Health Study. <i>Carcinogenesis</i> , 2011, 32, 1684-1688.	2.8	78
186	Lifetime Cigarette Smoking and Breast Cancer Prognosis in the After Breast Cancer Pooling Project. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt359-djt359.	6.3	78
187	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016, 7, 12675.	12.8	78
188	Overall and Central Obesity and Risk of Lung Cancer: A Pooled Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 831-842.	6.3	78
189	Age at Last Birth in Relation to Risk of Endometrial Cancer: Pooled Analysis in the Epidemiology of Endometrial Cancer Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 269-278.	3.4	76
190	Fine-Scale Mapping of the 5q11.2 Breast Cancer Locus Reveals at Least Three Independent Risk Variants Regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015, 96, 5-20.	6.2	76
191	Association of Overweight with Breast Cancer Survival. <i>American Journal of Epidemiology</i> , 2006, 163, 101-107.	3.4	75
192	Red Meat and Poultry Intakes and Risk of Total and Cause-Specific Mortality: Results from Cohort Studies of Chinese Adults in Shanghai. <i>PLoS ONE</i> , 2013, 8, e56963.	2.5	75
193	<i>BRCA2</i> Hypomorphic Missense Variants Confer Moderate Risks of Breast Cancer. <i>Cancer Research</i> , 2017, 77, 2789-2799.	0.9	75
194	Interethnic analyses of blood pressure loci in populations of East Asian and European descent. <i>Nature Communications</i> , 2018, 9, 5052.	12.8	75
195	Evaluating the Utility of Polygenic Risk Scores in Identifying High-Risk Individuals for Eight Common Cancers. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkaa021.	2.9	75
196	Allergic disorders and the risk of childhood acute lymphoblastic leukemia (United States). <i>Cancer Causes and Control</i> , 2000, 11, 303-307.	1.8	74
197	Spousal Correlations for Lifestyle Factors and Selected Diseases in Chinese Couples. <i>Annals of Epidemiology</i> , 2006, 16, 285-291.	1.9	74
198	An exploratory analysis of risk factors for childhood malignant germ-cell tumors: report from the Childrens Cancer Group (Canada, United States). <i>Cancer Causes and Control</i> , 1995, 6, 187-198.	1.8	73

#	ARTICLE	IF	CITATIONS
199	Postdiagnosis social networks and breast cancer mortality in the After Breast Cancer Pooling Project. <i>Cancer</i> , 2017, 123, 1228-1237.	4.1	73
200	Birth characteristics, maternal reproductive history, hormone use during pregnancy, and risk of childhood acute lymphocytic leukemia by immunophenotype (United States). <i>Cancer Causes and Control</i> , 2002, 13, 15-25.	1.8	72
201	Association of Passive Smoking by Husbands with Prevalence of Stroke among Chinese Women Nonsmokers. <i>American Journal of Epidemiology</i> , 2005, 161, 213-218.	3.4	72
202	Patterns and correlates of physical activity: a cross-sectional study in urban Chinese women. <i>BMC Public Health</i> , 2007, 7, 213.	2.9	72
203	Circulating 25-Hydroxyvitamin D and Risk of Esophageal and Gastric Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 94-106.	3.4	72
204	Accelerometer-Measured Physical Activity in Chinese Adults. <i>American Journal of Preventive Medicine</i> , 2010, 38, 583-591.	3.0	72
205	Prospective cohort study of tea consumption and risk of digestive system cancers: results from the Shanghai Women's Health Study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1056-1063.	4.7	72
206	Genetic variants associated with longer telomere length are associated with increased lung cancer risk among never-smoking women in Asia: a report from the female lung cancer consortium in Asia. <i>International Journal of Cancer</i> , 2015, 137, 311-319.	5.1	72
207	Association of serum concentration of organochlorine pesticides with dietary intake and other lifestyle factors among urban Chinese women. <i>Environment International</i> , 2007, 33, 157-163.	10.0	71
208	Prevalence of depression and its related factors among Chinese women with breast cancer. <i>Acta Oncologica</i> , 2009, 48, 1128-1136.	1.8	71
209	A Prospective Study of Dietary Polyunsaturated Fatty Acids and Colorectal Cancer Risk in Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2283-2291.	2.5	71
210	Replication and Functional Genomic Analyses of the Breast Cancer Susceptibility Locus at 6q25.1 Generalize Its Importance in Women of Chinese, Japanese, and European Ancestry. <i>Cancer Research</i> , 2011, 71, 1344-1355.	0.9	71
211	Circulating 25-Hydroxyvitamin D and the Risk of Rarer Cancers: Design and Methods of the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 10-20.	3.4	70
212	Menstrual and Reproductive Factors in Association With Lung Cancer in Female Lifetime Nonsmokers. <i>American Journal of Epidemiology</i> , 2008, 168, 1319-1325.	3.4	69
213	Association between Adult Height and Risk of Colorectal, Lung, and Prostate Cancer: Results from Meta-analyses of Prospective Studies and Mendelian Randomization Analyses. <i>PLoS Medicine</i> , 2016, 13, e1002118.	8.4	69
214	Genetic polymorphisms in uridine diphospho-glucuronosyltransferase 1A1 (UGT1A1) and risk of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2004, 85, 239-245.	2.5	68
215	Major metabolite of F2-isoprostane in urine may be a more sensitive biomarker of oxidative stress than isoprostane itself. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 405-414.	4.7	68
216	Impact of Premature Ovarian Failure on Mortality and Morbidity among Chinese Women. <i>PLoS ONE</i> , 2014, 9, e89597.	2.5	68

#	ARTICLE	IF	CITATIONS
217	A meta-analysis of genome-wide association studies for adiponectin levels in East Asians identifies a novel locus near WDR11-FGFR2. <i>Human Molecular Genetics</i> , 2014, 23, 1108-1119.	2.9	68
218	Home kitchen ventilation, cooking fuels, and lung cancer risk in a prospective cohort of never smoking women in Shanghai, China. <i>International Journal of Cancer</i> , 2015, 136, 632-638.	5.1	68
219	Identification of new susceptibility loci for gastric non-cardia adenocarcinoma: pooled results from two Chinese genome-wide association studies. <i>Cut</i> , 2017, 66, 581-587.	12.1	68
220	Endogenous Estrogens, Estrogen Metabolites, and Breast Cancer Risk in Postmenopausal Chinese Women. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw103.	6.3	67
221	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk. <i>JAMA Oncology</i> , 2020, 6, e194107.	7.1	67
222	Isoflavone intake in persons at high risk of cardiovascular events: implications for vascular endothelial function and the carotid atherosclerotic burden. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 938-945.	4.7	66
223	General and Abdominal Adiposity and Risk of Stroke in Chinese Women. <i>Stroke</i> , 2009, 40, 1098-1104.	2.0	66
224	Vegetable-based dietary pattern and liver cancer risk: Results from the Shanghai Women's and Men's Health Studies. <i>Cancer Science</i> , 2013, 104, 1353-1361.	3.9	66
225	Estimation of heritability for nine common cancers using data from genome-wide association studies in Chinese population. <i>International Journal of Cancer</i> , 2017, 140, 329-336.	5.1	66
226	Evaluating Genome-Wide Association Study-Identified Breast Cancer Risk Variants in African-American Women. <i>PLoS ONE</i> , 2013, 8, e58350.	2.5	66
227	A population-based case-control study of endometrial cancer in Shanghai, China. <i>International Journal of Cancer</i> , 1991, 49, 38-43.	5.1	65
228	Plasma sex steroid hormones and breast cancer risk in Chinese women. <i>International Journal of Cancer</i> , 2003, 105, 92-97.	5.1	65
229	Circulating 25-Hydroxyvitamin D and Risk of Non-Hodgkin Lymphoma: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 58-69.	3.4	65
230	Association of Obesity-related Genetic Variants With Endometrial Cancer Risk: A Report From the Shanghai Endometrial Cancer Genetics Study. <i>American Journal of Epidemiology</i> , 2011, 174, 1115-1126.	3.4	65
231	Dietary B Vitamin and Methionine Intakes and Breast Cancer Risk Among Chinese Women. <i>American Journal of Epidemiology</i> , 2011, 173, 1171-1182.	3.4	65
232	Fruit and vegetable intake and the risk of colorectal cancer: results from the Shanghai Men's Health Study. <i>Cancer Causes and Control</i> , 2013, 24, 1935-1945.	1.8	65
233	Sleep duration and its correlates in middle-aged and elderly Chinese women: The Shanghai Women's Health Study. <i>Sleep Medicine</i> , 2012, 13, 1138-1145.	1.6	64
234	Age at Menarche and Natural Menopause and Number of Reproductive Years in Association with Mortality: Results from a Median Follow-Up of 11.2 Years among 31,955 Naturally Menopausal Chinese Women. <i>PLoS ONE</i> , 2014, 9, e103673.	2.5	64

#	ARTICLE	IF	CITATIONS
235	Objectively measured physical activity and plasma metabolomics in the Shanghai Physical Activity Study. <i>International Journal of Epidemiology</i> , 2016, 45, 1433-1444.	1.9	64
236	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019, 10, 376.	12.8	64
237	Genome-Wide Association Study Meta-Analysis Reveals Transethnic Replication of Mean Arterial and Pulse Pressure Loci. <i>Hypertension</i> , 2013, 62, 853-859.	2.7	63
238	Healthy Eating and Risks of Total and Cause-Specific Death among Low-Income Populations of African-Americans and Other Adults in the Southeastern United States: A Prospective Cohort Study. <i>PLoS Medicine</i> , 2015, 12, e1001830.	8.4	63
239	Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. <i>Nature Communications</i> , 2015, 6, 8234.	12.8	63
240	Cigarette smoking behaviour and blood metabolomics. <i>International Journal of Epidemiology</i> , 2016, 45, 1421-1432.	1.9	63
241	The association of meat intake and the risk of type 2 diabetes may be modified by body weight. <i>International Journal of Medical Sciences</i> , 2006, 3, 152-159.	2.5	62
242	Physical activity and the incidence of type 2 diabetes in the Shanghai women's health study. <i>International Journal of Epidemiology</i> , 2006, 35, 1553-1562.	1.9	62
243	Use of oral contraceptives, intrauterine devices and tubal sterilization and cancer risk in a large prospective study, from 1996 to 2006. <i>International Journal of Cancer</i> , 2009, 124, 2442-2449.	5.1	62
244	Novel Genetic Markers of Breast Cancer Survival Identified by a Genome-Wide Association Study. <i>Cancer Research</i> , 2012, 72, 1182-1189.	0.9	62
245	Association of Leukocyte Telomere Length With Breast Cancer Risk: Nested Case-Control Findings From the Shanghai Women's Health Study. <i>American Journal of Epidemiology</i> , 2013, 177, 617-624.	3.4	62
246	Multi-ancestry sleep-by-SNP interaction analysis in 126,926 individuals reveals lipid loci stratified by sleep duration. <i>Nature Communications</i> , 2019, 10, 5121.	12.8	62
247	Infant Breastfeeding and the Risk of Childhood Lymphoma and Leukaemia. <i>International Journal of Epidemiology</i> , 1995, 24, 27-32.	1.9	61
248	Joint effect of cigarette smoking and alcohol consumption on mortality. <i>Preventive Medicine</i> , 2007, 45, 313-319.	3.4	61
249	Multiple Nonglycemic Genomic Loci Are Newly Associated With Blood Level of Glycated Hemoglobin in East Asians. <i>Diabetes</i> , 2014, 63, 2551-2562.	0.6	61
250	Effect of Adiposity and Fat Distribution on Endometrial Cancer Risk in Shanghai Women. <i>American Journal of Epidemiology</i> , 2005, 161, 939-947.	3.4	60
251	Dietary carbohydrates, fiber, and breast cancer risk in Chinese women. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 283-289.	4.7	59
252	Fruit, Vegetable, and Animal Food Intake and Breast Cancer Risk by Hormone Receptor Status. <i>Nutrition and Cancer</i> , 2012, 64, 806-819.	2.0	59

#	ARTICLE	IF	CITATIONS
253	Postdiagnosis Alcohol Consumption and Breast Cancer Prognosis in the After Breast Cancer Pooling Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 32-41.	2.5	59
254	Genome-wide association study of survival in patients with pancreatic adenocarcinoma. <i>Gut</i> , 2014, 63, 152-160.	12.1	59
255	Genome-Wide Association Meta-analysis Identifies Novel Variants Associated With Fasting Plasma Glucose in East Asians. <i>Diabetes</i> , 2015, 64, 291-298.	0.6	59
256	Tumor tissue microRNA expression in association with triple-negative breast cancer outcomes. <i>Breast Cancer Research and Treatment</i> , 2015, 152, 183-191.	2.5	59
257	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016, 99, 903-911.	6.2	59
258	A Transcriptome-Wide Association Study Identifies Novel Candidate Susceptibility Genes for Pancreatic Cancer. <i>Journal of the National Cancer Institute</i> , 2020, 112, 1003-1012.	6.3	59
259	Genetic polymorphisms in the estrogen receptor alpha gene and risk of breast cancer: results from the Shanghai Breast Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 853-9.	2.5	59
260	Impact of season of food frequency questionnaire administration on dietary reporting. <i>Annals of Epidemiology</i> , 2004, 14, 778-785.	1.9	58
261	Physical Activity and Risk of Endometrial Cancer: A Report from the Shanghai Endometrial Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 779-785.	2.5	58
262	Dietary Folate Intake, MTHFR Genetic Polymorphisms, and the Risk of Endometrial Cancer among Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 281-287.	2.5	58
263	Fruit and Vegetable Consumption and Risk of Distal Gastric Cancer in the Shanghai Women's and Men's Health Studies. <i>American Journal of Epidemiology</i> , 2010, 172, 397-406.	3.4	58
264	Genotypic variants at 2q33 and risk of esophageal squamous cell carcinoma in China: a meta-analysis of genome-wide association studies. <i>Human Molecular Genetics</i> , 2012, 21, 2132-2141.	2.9	58
265	Genome-wide association studies in East Asians identify new loci for waist-hip ratio and waist circumference. <i>Scientific Reports</i> , 2016, 6, 17958.	3.3	58
266	Plasma metabolomic profiles in association with type 2 diabetes risk and prevalence in Chinese adults. <i>Metabolomics</i> , 2016, 12, 1.	3.0	58
267	Is high vitamin B12 status a cause of lung cancer?. <i>International Journal of Cancer</i> , 2019, 145, 1499-1503.	5.1	58
268	Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021, 4, e2122837.	5.9	58
269	The obesity epidemic and rising diabetes incidence in a low-income racially diverse southern US cohort. <i>PLoS ONE</i> , 2018, 13, e0190993.	2.5	58
270	A polygenic risk score improves risk stratification of coronary artery disease: a large-scale prospective Chinese cohort study. <i>European Heart Journal</i> , 2022, 43, 1702-1711.	2.2	58

#	ARTICLE	IF	CITATIONS
271	Weight history and risk of endometrial cancer among Chinese women. <i>International Journal of Epidemiology</i> , 2006, 35, 159-166.	1.9	57
272	Dietary animal-derived iron and fat intake and breast cancer risk in the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2007, 107, 123-132.	2.5	57
273	Intakes of Fruits, Vegetables, and Related Vitamins and Lung Cancer Risk: Results from the Shanghai Men's Health Study (2002-2009). <i>Nutrition and Cancer</i> , 2013, 65, 51-61.	2.0	57
274	The Circadian Rhythm Gene <i>Arntl2</i> Is a Metastasis Susceptibility Gene for Estrogen Receptor-Negative Breast Cancer. <i>PLoS Genetics</i> , 2016, 12, e1006267.	3.5	57
275	Prospective Study of <i>Helicobacter pylori</i> Biomarkers for Gastric Cancer Risk among Chinese Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2185-2192.	2.5	56
276	Urinary Levels of Trimethylamine-N-Oxide and Incident Coronary Heart Disease: A Prospective Investigation Among Urban Chinese Adults. <i>Journal of the American Heart Association</i> , 2019, 8, e010606.	3.7	56
277	The Long-Term Impact of Medical and Socio-Demographic Factors on the Quality of Life of Breast Cancer Survivors Among Chinese Women. <i>Breast Cancer Research and Treatment</i> , 2004, 87, 135-147.	2.5	55
278	Correlation of Blood Sex Steroid Hormones with Body Size, Body Fat Distribution, and Other Known Risk Factors for Breast Cancer in Post-Menopausal Chinese Women. <i>Cancer Causes and Control</i> , 2004, 15, 305-311.	1.8	55
279	Interaction of Soy Food and Tea Consumption with CYP19A1 Genetic Polymorphisms in the Development of Endometrial Cancer. <i>American Journal of Epidemiology</i> , 2007, 166, 1420-1430.	3.4	55
280	Pregnancy, Childrearing, and Risk of Stroke in Chinese Women. <i>Stroke</i> , 2009, 40, 2680-2684.	2.0	55
281	Dietary patterns and blood pressure among middle-aged and elderly Chinese men in Shanghai. <i>British Journal of Nutrition</i> , 2010, 104, 265-275.	2.3	55
282	Exercise, Tea Consumption, and Depression Among Breast Cancer Survivors. <i>Journal of Clinical Oncology</i> , 2010, 28, 991-998.	1.6	55
283	Circulating 25-Hydroxyvitamin D and Risk of Epithelial Ovarian Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 70-80.	3.4	55
284	Occupational Lead Exposure and Associations with Selected Cancers: The Shanghai Men's and Women's Health Study Cohorts. <i>Environmental Health Perspectives</i> , 2016, 124, 97-103.	6.0	55
285	A population-based case-control study of cancers of the nasal cavity and paranasal sinuses in Shanghai. <i>International Journal of Cancer</i> , 1992, 52, 557-561.	5.1	54
286	Genetic Polymorphisms of the CYP19A1 Gene and Breast Cancer Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2115-2122.	2.5	54
287	Changes in quality of life among breast cancer patients three years post-diagnosis. <i>Breast Cancer Research and Treatment</i> , 2009, 114, 357-369.	2.5	54
288	Is Green Tea Drinking Associated With a Later Onset of Breast Cancer?. <i>Annals of Epidemiology</i> , 2010, 20, 74-81.	1.9	54

#	ARTICLE	IF	CITATIONS
289	Fish Intake and Risks of Total and Cause-specific Mortality in 2 Population-based Cohort Studies of 134,296 Men and Women. <i>American Journal of Epidemiology</i> , 2013, 178, 46-57.	3.4	54
290	Intrauterine devices and endometrial cancer risk: A pooled analysis of the epidemiology of endometrial cancer consortium. <i>International Journal of Cancer</i> , 2015, 136, E410-22.	5.1	54
291	Assessment of Dietary Isoflavone Intake among Middle-Aged Chinese Men. <i>Journal of Nutrition</i> , 2007, 137, 1011-1016.	2.9	53
292	Effect of family history of cancers and environmental factors on risk of nasopharyngeal carcinoma in Guangdong, China. <i>Cancer Epidemiology</i> , 2010, 34, 419-424.	1.9	53
293	Concordance of self-reported and medical chart information on cancer diagnosis and treatment. <i>BMC Medical Research Methodology</i> , 2011, 11, 72.	3.1	53
294	Association of Leukocyte Telomere Length with Colorectal Cancer Risk: Nested Case-Control Findings from the Shanghai Women's Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1807-1813.	2.5	53
295	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014, 23, 6096-6111.	2.9	53
296	<i>Helicobacter pylori</i> blood biomarker for gastric cancer risk in East Asia. <i>International Journal of Epidemiology</i> , 2016, 45, 774-781.	1.9	53
297	Evaluation of the synergistic effect of insulin resistance and insulin-like growth factors on the risk of breast carcinoma. <i>Cancer</i> , 2004, 100, 694-700.	4.1	52
298	Nutritional factors in relation to endometrial cancer: A report from a population-based case-control study in Shanghai, China. <i>International Journal of Cancer</i> , 2007, 120, 1776-1781.	5.1	52
299	Thyroid cancer risk and dietary nitrate and nitrite intake in the Shanghai women's health study. <i>International Journal of Cancer</i> , 2013, 132, 897-904.	5.1	52
300	Comorbidities and breast cancer survival: a report from the Shanghai Breast Cancer Survival Study. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 227-235.	2.5	52
301	Genome-wide association study identifies a new SMAD7 risk variant associated with colorectal cancer risk in East Asians. <i>International Journal of Cancer</i> , 2014, 135, 948-955.	5.1	52
302	Prediction of breast cancer risk based on common genetic variants in women of East Asian ancestry. <i>Breast Cancer Research</i> , 2016, 18, 124.	5.0	52
303	Impact of very low physical activity, BMI, and comorbidities on mortality among breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2016, 155, 551-557.	2.5	52
304	Breastfeeding and Endometrial Cancer Risk. <i>Obstetrics and Gynecology</i> , 2017, 129, 1059-1067.	2.4	52
305	Dietary Fat Intake and Lung Cancer Risk: A Pooled Analysis. <i>Journal of Clinical Oncology</i> , 2017, 35, 3055-3064.	1.6	52
306	SNRPN methylation patterns in germ cell tumors as a reflection of primordial germ cell development. <i>Genes Chromosomes and Cancer</i> , 2001, 32, 342-352.	2.8	51

#	ARTICLE	IF	CITATIONS
307	Isothiocyanate exposure, glutathione S-transferase polymorphisms, and colorectal cancer risk. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 704-711.	4.7	51
308	Combining a Job-Exposure Matrix with Exposure Measurements to Assess Occupational Exposure to Benzene in a Population Cohort in Shanghai, China. <i>Annals of Occupational Hygiene</i> , 2012, 56, 80-91.	1.9	51
309	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016, 139, 1303-1317.	5.1	51
310	Variation in oral microbiome is associated with future risk of lung cancer among never-smokers. <i>Thorax</i> , 2021, 76, 256-263.	5.6	51
311	Diet and other risk factors for cancer of the salivary glands: A population-based case-control study. , 1996, 67, 194-198.		50
312	Fruit and vegetable intake and risk of CHD: results from prospective cohort studies of Chinese adults in Shanghai. <i>British Journal of Nutrition</i> , 2014, 111, 353-362.	2.3	50
313	Fine-mapping of the HNF1B multicancer locus identifies candidate variants that mediate endometrial cancer risk. <i>Human Molecular Genetics</i> , 2015, 24, 1478-1492.	2.9	50
314	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2016, 26, ddw414.	2.9	50
315	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , 2016, 25, 620-629.	2.9	50
316	Reproducibility and Validity of the Shanghai Men's Health Study Physical Activity Questionnaire. <i>American Journal of Epidemiology</i> , 2007, 165, 1124-1133.	3.4	49
317	Physical Activity Patterns and Their Correlates among Chinese Men in Shanghai. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1700-1707.	0.4	49
318	Quantitative analysis of mitochondrial DNA 4977-bp deletion in sporadic breast cancer and benign breast diseases. <i>Breast Cancer Research and Treatment</i> , 2008, 108, 427-434.	2.5	49
319	Urinary Prostaglandin E2 Metabolite and Gastric Cancer Risk in the Shanghai Women's Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3075-3078.	2.5	49
320	Urinary isoflavonoids and risk of coronary heart disease. <i>International Journal of Epidemiology</i> , 2012, 41, 1367-1375.	1.9	49
321	Higher Dietary Choline Intake Is Associated with Lower Risk of Nonalcoholic Fatty Liver in Normal-Weight Chinese Women. <i>Journal of Nutrition</i> , 2014, 144, 2034-2040.	2.9	49
322	Genetic Data from Nearly 63,000 Women of European Descent Predicts DNA Methylation Biomarkers and Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2019, 79, 505-517.	0.9	49
323	Mitochondrial DNA Copy Number and Risk of Gastric Cancer: a Report from the Shanghai Women's Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1944-1949.	2.5	48
324	Prospective cohort study of general and central obesity, weight change trajectory and risk of major cancers among Chinese women. <i>International Journal of Cancer</i> , 2016, 139, 1461-1470.	5.1	48

#	ARTICLE	IF	CITATIONS
325	Impact of newly diagnosed breast cancer on quality of life among Chinese women. <i>Breast Cancer Research and Treatment</i> , 2007, 102, 201-210.	2.5	47
326	The Effect of Regular Exercise on Quality of Life Among Breast Cancer Survivors. <i>American Journal of Epidemiology</i> , 2009, 170, 854-862.	3.4	47
327	Soy Food Intake and Circulating Levels of Inflammatory Markers in Chinese Women. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012, 112, 996-1004.e4.	0.8	47
328	Age at menarche and age at natural menopause in East Asian women: a genome-wide association study. <i>Age</i> , 2016, 38, 513-523.	3.0	47
329	Fruit and vegetable consumption, <i>Helicobacter pylori</i> antibodies, and gastric cancer risk: A pooled analysis of prospective studies in China, Japan, and Korea. <i>International Journal of Cancer</i> , 2017, 140, 591-599.	5.1	47
330	Integrative genomic analyses of APOBEC-mutational signature, expression and germline deletion of APOBEC3 genes, and immunogenicity in multiple cancer types. <i>BMC Medical Genomics</i> , 2019, 12, 131.	1.5	47
331	Birthweight, childhood growth and hypertension in adulthood. <i>International Journal of Epidemiology</i> , 2002, 31, 1043-1051.	1.9	46
332	Leveraging Epidemiology and Clinical Studies of Cancer Outcomes: Recommendations and Opportunities for Translational Research. <i>Journal of the National Cancer Institute</i> , 2013, 105, 85-94.	6.3	46
333	Depressive symptoms and their association with social determinants and chronic diseases in middle-aged and elderly Chinese people. <i>Scientific Reports</i> , 2018, 8, 3841.	3.3	46
334	Oral microbiome and obesity in a large study of low-income and African-American populations. <i>Journal of Oral Microbiology</i> , 2019, 11, 1650597.	2.7	46
335	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. <i>Nature Communications</i> , 2020, 11, 1217.	12.8	46
336	Personal use of hair dye and cancer risk in a prospective cohort of Chinese women. <i>Cancer Science</i> , 2009, 100, 1088-1091.	3.9	45
337	Weight change patterns among breast cancer survivors: results from the Shanghai breast cancer survival study. <i>Cancer Causes and Control</i> , 2010, 21, 621-629.	1.8	45
338	Intra-Person Variation of Urinary Biomarkers of Oxidative Stress and Inflammation. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 947-952.	2.5	45
339	Weight Change and Its Correlates Among Breast Cancer Survivors. <i>Nutrition and Cancer</i> , 2011, 63, 538-548.	2.0	45
340	Visceral adiposity and risk of coronary heart disease in relatively lean Chinese adults. <i>International Journal of Cardiology</i> , 2013, 168, 2141-2145.	1.7	45
341	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2021, 113, 329-337.	6.3	45
342	Evaluation of Genetic Susceptibility Loci for Obesity in Chinese Women. <i>American Journal of Epidemiology</i> , 2010, 172, 244-254.	3.4	44

#	ARTICLE	IF	CITATIONS
343	Prevalence and Determinants of Hyperuricemia in Middle-Aged, Urban Chinese Men. <i>Metabolic Syndrome and Related Disorders</i> , 2010, 8, 263-270.	1.3	44
344	Well-done meat intake and meat-derived mutagen exposures in relation to breast cancer risk: the Nashville Breast Health Study. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 919-928.	2.5	44
345	Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015, 10, e0128106.	2.5	44
346	Associations Between Neighborhood Environment, Health Behaviors, and Mortality. <i>American Journal of Preventive Medicine</i> , 2018, 54, 87-95.	3.0	44
347	Nutrient intake among Chinese women living in Shanghai, China. <i>British Journal of Nutrition</i> , 2006, 96, 393-399.	2.3	43
348	Demographic, lifestyle, and other factors in relation to antimüllerian hormone levels in mostly late premenopausal women. <i>Fertility and Sterility</i> , 2017, 107, 1012-1022.e2.	1.0	43
349	Reproductive profiles and risk of breast cancer subtypes: a multi-center case-only study. <i>Breast Cancer Research</i> , 2017, 19, 119.	5.0	43
350	Identification of Novel Susceptibility Loci and Genes for Prostate Cancer Risk: A Transcriptome-Wide Association Study in Over 140,000 European Descendants. <i>Cancer Research</i> , 2019, 79, 3192-3204.	0.9	43
351	HTR1B, ADIPOR1, PPARGC1A, and CYP19A1 and Obesity in a Cohort of Caucasians and African Americans: An Evaluation of Gene-Environment Interactions and Candidate Genes. <i>American Journal of Epidemiology</i> , 2012, 175, 11-21.	3.4	42
352	Genome-wide association study of endometrial cancer in E2C2. <i>Human Genetics</i> , 2014, 133, 211-224.	3.8	42
353	Modifiable Lifestyle Factors and Triple-negative Breast Cancer Survival. <i>Epidemiology</i> , 2015, 26, 909-916.	2.7	42
354	Associations of Body Mass Index, Smoking, and Alcohol Consumption With Prostate Cancer Mortality in the Asia Cohort Consortium. <i>American Journal of Epidemiology</i> , 2015, 182, 381-389.	3.4	42
355	Cooking Coal Use and All-Cause and Cause-Specific Mortality in a Prospective Cohort Study of Women in Shanghai, China. <i>Environmental Health Perspectives</i> , 2016, 124, 1384-1389.	6.0	42
356	Long-term diet quality is associated with gut microbiome diversity and composition among urban Chinese adults. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 684-694.	4.7	42
357	Prior medical conditions and the risk of adult leukemia in Shanghai, People's Republic of China. <i>Cancer Causes and Control</i> , 1993, 4, 361-368.	1.8	41
358	Risk of childhood germ cell tumors in association with parental smoking and drinking. <i>Cancer</i> , 2005, 103, 1064-1071.	4.1	41
359	Breast Cancer and Urinary Biomarkers of Polycyclic Aromatic Hydrocarbon and Oxidative Stress in the Shanghai Women's Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 877-883.	2.5	41
360	MiR-374a suppresses lung adenocarcinoma cell proliferation and invasion by targeting <i>TGFA</i> gene expression. <i>Carcinogenesis</i> , 2016, 37, 567-575.	2.8	41

#	ARTICLE	IF	CITATIONS
361	Prospective study of blood metabolites associated with colorectal cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 527-534.	5.1	41
362	A Mendelian randomization analysis of circulating lipid traits and breast cancer risk. <i>International Journal of Epidemiology</i> , 2020, 49, 1117-1131.	1.9	41
363	Paternal Military Service and Risk for Childhood Leukemia in Offspring. <i>American Journal of Epidemiology</i> , 2000, 151, 231-240.	3.4	40
364	Expression patterns of the ATM gene in mammary tissues and their associations with breast cancer survival. <i>Cancer</i> , 2007, 109, 1729-1735.	4.1	40
365	Circulating transforming growth factor- β 1 and breast cancer prognosis: results from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2008, 112, 335-341.	2.5	40
366	Polymorphisms in tissue inhibitors of metalloproteinases α 2 and α 3 and breast cancer susceptibility and survival. <i>International Journal of Cancer</i> , 2009, 125, 844-850.	5.1	40
367	Obesity, Age, and Oxidative Stress in Middle-Aged and Older Women. <i>Antioxidants and Redox Signaling</i> , 2011, 14, 2453-2460.	5.4	40
368	Cell-type-specific enrichment of risk-associated regulatory elements at ovarian cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2015, 24, 3595-3607.	2.9	40
369	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015, 24, 2966-2984.	2.9	40
370	Genome-wide association study in East Asians identifies two novel breast cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2016, 25, 3361-3371.	2.9	40
371	Body mass index and weight change in relation to triple-negative breast cancer survival. <i>Cancer Causes and Control</i> , 2016, 27, 229-236.	1.8	40
372	Circulating Folate, Vitamin B6, and Methionine in Relation to Lung Cancer Risk in the Lung Cancer Cohort Consortium (LC3). <i>Journal of the National Cancer Institute</i> , 2018, 110, 57-67.	6.3	40
373	Association of Breast Cancer Risk with a Common Functional Polymorphism (Asp327Asn) in the Sex Hormone-Binding Globulin Gene. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1096-1101.	2.5	39
374	Common <i>MMP-7</i> Polymorphisms and Breast Cancer Susceptibility: A Multistage Study of Association and Functionality. <i>Cancer Research</i> , 2008, 68, 6453-6459.	0.9	39
375	Genetic polymorphisms in the <i>MMP-7</i> gene and breast cancer survival. <i>International Journal of Cancer</i> , 2009, 124, 208-214.	5.1	39
376	Genetic variant in TP63 on locus 3q28 is associated with risk of lung adenocarcinoma among never-smoking females in Asia. <i>Human Genetics</i> , 2012, 131, 1197-1203.	3.8	39
377	Circulating C-reactive protein and colorectal cancer risk: a report from the Shanghai Men's Health Study. <i>Carcinogenesis</i> , 2013, 34, 2799-2803.	2.8	39
378	Green tea consumption and cause-specific mortality: Results from two prospective cohort studies in China. <i>Journal of Epidemiology</i> , 2017, 27, 36-41.	2.4	39

#	ARTICLE	IF	CITATIONS
379	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020, 107, 837-848.	6.2	39
380	Insulin-like growth factor-I gene polymorphism and breast cancer risk in Chinese women. <i>International Journal of Cancer</i> , 2005, 113, 307-311.	5.1	38
381	Plasma carotenoids, tocopherols, retinol and breast cancer risk: results from the Shanghai Women Health Study (SWHS). <i>Breast Cancer Research and Treatment</i> , 2009, 117, 381-389.	2.5	38
382	Age at Menarche, the Leg Length to Sitting Height Ratio, and Risk of Diabetes in Middle-Aged and Elderly Chinese Men and Women. <i>PLoS ONE</i> , 2012, 7, e30625.	2.5	38
383	Association of Leukocyte Mitochondrial DNA Copy Number with Colorectal Cancer Risk: Results from the Shanghai Women's Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2357-2365.	2.5	38
384	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015, 24, 285-298.	2.9	38
385	Evaluating genetic variants associated with breast cancer risk in high and moderate-penetrance genes in Asians. <i>Carcinogenesis</i> , 2017, 38, 511-518.	2.8	38
386	Joint effect of estrogen receptor beta sequence variants and endogenous estrogen exposure on breast cancer risk in Chinese women. <i>Cancer Research</i> , 2003, 63, 7624-9.	0.9	38
387	Occupational history and exposure and the risk of adult leukemia in Shanghai. <i>Annals of Epidemiology</i> , 2003, 13, 485-494.	1.9	37
388	Secular Trends in Response Rates for Controls Selected by Random Digit Dialing in Childhood Cancer Studies: A Report from the Children's Oncology Group. <i>American Journal of Epidemiology</i> , 2007, 166, 109-116.	3.4	37
389	Soy Food Intake and Risk of Lung Cancer: Evidence From the Shanghai Women's Health Study and a Meta-Analysis. <i>American Journal of Epidemiology</i> , 2012, 176, 846-855.	3.4	37
390	Evaluation of Genome-wide Association Study-identified Type 2 Diabetes Loci in African Americans. <i>American Journal of Epidemiology</i> , 2012, 176, 995-1001.	3.4	37
391	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015, 97, 22-34.	6.2	37
392	Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 626-640.	1.9	37
393	Physical Activity, Body Size, and Estrogen Metabolism in Women. <i>Cancer Causes and Control</i> , 2004, 15, 473-481.	1.8	36
394	Circulating 25-Hydroxyvitamin D and Risk of Endometrial Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 36-46.	3.4	36
395	Interaction of vitamin E isoforms on asthma and allergic airway disease. <i>Thorax</i> , 2016, 71, 954-956.	5.6	36
396	Habitual sleep and human plasma metabolomics. <i>Metabolomics</i> , 2017, 13, 1.	3.0	36

#	ARTICLE	IF	CITATIONS
397	Prospective metabolomics study identifies potential novel blood metabolites associated with pancreatic cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 2161-2167.	5.1	36
398	Circulating high sensitivity C reactive protein concentrations and risk of lung cancer: nested case-control study within Lung Cancer Cohort Consortium. <i>BMJ: British Medical Journal</i> , 2019, 364, k4981.	2.3	36
399	Healthy lifestyles, genetic modifiers, and colorectal cancer risk: a prospective cohort study in the UK Biobank. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 810-820.	4.7	36
400	Dietary B Vitamin and Methionine Intakes and Plasma Folate Are Not Associated with Colorectal Cancer Risk in Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1003-1006.	2.5	35
401	Low Plasma Coenzyme Q10 Levels and Breast Cancer Risk in Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1124-1130.	2.5	35
402	Calcium Intake and Lung Cancer Risk Among Female Nonsmokers: A Report from the Shanghai Women's Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 50-57.	2.5	35
403	Associations of genetic variants in/near body mass index-associated genes with type 2 diabetes: a systematic meta-analysis. <i>Clinical Endocrinology</i> , 2014, 81, 702-710.	2.4	35
404	Long-term Diet Quality and Risk of Type 2 Diabetes Among Urban Chinese Adults. <i>Diabetes Care</i> , 2018, 41, 723-730.	8.6	35
405	Gene expression in triple-negative breast cancer in relation to survival. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 199-207.	2.5	35
406	Genetically Predicted Levels of DNA Methylation Biomarkers and Breast Cancer Risk: Data From 228,951 Women of European Descent. <i>Journal of the National Cancer Institute</i> , 2020, 112, 295-304.	6.3	35
407	Mendelian randomization analyses suggest a role for cholesterol in the development of endometrial cancer. <i>International Journal of Cancer</i> , 2021, 148, 307-319.	5.1	35
408	Diabetes Medication Use in Association with Survival among Patients of Breast, Colorectal, Lung, or Gastric Cancer. <i>Cancer Research and Treatment</i> , 2019, 51, 538-546.	3.0	35
409	Abortion history and breast cancer risk: Results from the Shanghai breast cancer study. <i>International Journal of Cancer</i> , 2001, 92, 899-905.	5.1	34
410	Resting heart rate and risk of type 2 diabetes in women. <i>International Journal of Epidemiology</i> , 2010, 39, 900-906.	1.9	34
411	The After Breast Cancer Pooling Project: rationale, methodology, and breast cancer survivor characteristics. <i>Cancer Causes and Control</i> , 2011, 22, 1319-1331.	1.8	34
412	Common Genetic Variants in the Vitamin D Pathway Including Genome-Wide Associated Variants Are Not Associated with Breast Cancer Risk among Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2313-2316.	2.5	34
413	Circulating 25-hydroxyvitamin D levels in relation to blood pressure parameters and hypertension in the Shanghai Women's and Men's Health Studies. <i>British Journal of Nutrition</i> , 2012, 108, 449-458.	2.3	34
414	Vitamin E intake and the lung cancer risk among female nonsmokers: A report from the Shanghai Women's Health Study. <i>International Journal of Cancer</i> , 2015, 136, 610-617.	5.1	34

#	ARTICLE	IF	CITATIONS
415	Interactions between household air pollution and GWAS-identified lung cancer susceptibility markers in the Female Lung Cancer Consortium in Asia (FLCCA). <i>Human Genetics</i> , 2015, 134, 333-341.	3.8	34
416	Dietary glycemic index, glycemic load, and refined carbohydrates are associated with risk of stroke: a prospective cohort study in urban Chinese women. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1345-1351.	4.7	34
417	Incidence and mortality of gynaecological cancers: Secular trends in urban Shanghai, China over 40 years. <i>European Journal of Cancer</i> , 2016, 63, 1-10.	2.8	34
418	Dietary antioxidant vitamins intake and mortality: A report from two cohort studies of Chinese adults in Shanghai. <i>Journal of Epidemiology</i> , 2017, 27, 89-97.	2.4	34
419	Green tea consumption and risk of type 2 diabetes in Chinese adults: the Shanghai Women's Health Study and the Shanghai Men's Health Study. <i>International Journal of Epidemiology</i> , 2018, 47, 1887-1896.	1.9	34
420	Occupations and breast cancer risk among Chinese women in urban Shanghai. <i>American Journal of Industrial Medicine</i> , 2002, 42, 296-308.	2.1	33
421	Polymorphisms in CYP1A1 and breast carcinoma risk in a population-based case-control study of Chinese women. <i>Cancer</i> , 2005, 103, 2228-2235.	4.1	33
422	Genetic Polymorphisms of Metastasis Suppressor Gene <i>NME1</i> and Breast Cancer Survival. <i>Clinical Cancer Research</i> , 2008, 14, 4787-4793.	7.0	33
423	Polymorphisms and Haplotypes in the Caspase-3, Caspase-7, and Caspase-8 Genes and Risk for Endometrial Cancer: A Population-Based, Case-Control Study in a Chinese Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2114-2122.	2.5	33
424	Dietary B vitamin and methionine intakes and lung cancer risk among female never smokers in China. <i>Cancer Causes and Control</i> , 2012, 23, 1965-1975.	1.8	33
425	Ginseng and <i>Ganoderma lucidum</i> Use after Breast Cancer Diagnosis and Quality of Life: A Report from the Shanghai Breast Cancer Survival Study. <i>PLoS ONE</i> , 2012, 7, e39343.	2.5	33
426	Circulating cytokines and gastric cancer risk. <i>Cancer Causes and Control</i> , 2013, 24, 2245-2250.	1.8	33
427	Associations of Tai Chi, Walking, and Jogging With Mortality in Chinese Men. <i>American Journal of Epidemiology</i> , 2013, 178, 791-796.	3.4	33
428	Use of nonsteroidal anti-inflammatory drugs and reduced breast cancer risk among overweight women. <i>Breast Cancer Research and Treatment</i> , 2014, 146, 439-446.	2.5	33
429	Oral health and risk of colorectal cancer: results from three cohort studies and a meta-analysis. <i>Annals of Oncology</i> , 2016, 27, 1329-1336.	1.2	33
430	An intergenic risk locus containing an enhancer deletion in 2q35 modulates breast cancer risk by deregulating IGFBP5 expression. <i>Human Molecular Genetics</i> , 2016, 25, 3863-3876.	2.9	33
431	Body Size Indicators and Risk of Gallbladder Cancer: Pooled Analysis of Individual-Level Data from 19 Prospective Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 597-606.	2.5	33
432	Dietary trace element intake and liver cancer risk: Results from two population-based cohorts in China. <i>International Journal of Cancer</i> , 2017, 140, 1050-1059.	5.1	33

#	ARTICLE	IF	CITATIONS
433	Smoking, <i>Helicobacter Pylori</i> Serology, and Gastric Cancer Risk in Prospective Studies from China, Japan, and Korea. <i>Cancer Prevention Research</i> , 2019, 12, 667-674.	1.5	33
434	Passive smoking and breast cancer risk among non-smoking Chinese women. <i>International Journal of Cancer</i> , 2004, 110, 605-609.	5.1	32
435	Genetic polymorphisms in the matrix metalloproteinase 12 gene (MMP12) and breast cancer risk and survival: the Shanghai Breast Cancer Study. <i>Breast Cancer Research</i> , 2005, 7, R506-12.	5.0	32
436	Oral contraceptive and IUD use and endometrial cancer: A population-based case-control study in Shanghai, China. <i>International Journal of Cancer</i> , 2006, 119, 2142-2147.	5.1	32
437	Anthropometric Measurements, Physical Activity, and the Risk of Symptomatic Gallstone Disease in Chinese Women. <i>Annals of Epidemiology</i> , 2009, 19, 344-350.	1.9	32
438	Urinary polyphenols and breast cancer risk: results from the Shanghai Women's Health Study. <i>Breast Cancer Research and Treatment</i> , 2010, 120, 693-702.	2.5	32
439	Genome-Wide Association Study Identifies a Possible Susceptibility Locus for Endometrial Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 980-987.	2.5	32
440	Anthropometry and head and neck cancer: a pooled analysis of cohort data. <i>International Journal of Epidemiology</i> , 2015, 44, 673-681.	1.9	32
441	Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 771-779.	1.9	32
442	Use of Antihypertensive Medications and Survival Rates for Breast, Colorectal, Lung, or Stomach Cancer. <i>American Journal of Epidemiology</i> , 2019, 188, 1512-1528.	3.4	32
443	Racial Differences in the Oral Microbiome: Data from Low-Income Populations of African Ancestry and European Ancestry. <i>MSystems</i> , 2019, 4, .	3.8	32
444	Association of Adult Weight Gain With Major Health Outcomes Among Middle-aged Chinese Persons With Low Body Weight in Early Adulthood. <i>JAMA Network Open</i> , 2019, 2, e1917371.	5.9	32
445	Transcriptome-wide association study of breast cancer risk by estrogen receptor status. <i>Genetic Epidemiology</i> , 2020, 44, 442-468.	1.3	32
446	Parental Occupational Exposure to Pesticides and Childhood Germ-Cell Tumors. <i>American Journal of Epidemiology</i> , 2005, 162, 858-867.	3.4	31
447	Association of soy food intake with risk and biomarkers of coronary heart disease in Chinese men. <i>International Journal of Cardiology</i> , 2014, 172, e285-e287.	1.7	31
448	Personal History of Diabetes, Genetic Susceptibility to Diabetes, and Risk of Brain Glioma: A Pooled Analysis of Observational Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 47-54.	2.5	31
449	Contraceptive methods and ovarian cancer risk among Chinese women: A report from the Shanghai Women's Health Study. <i>International Journal of Cancer</i> , 2015, 137, 607-614.	5.1	31
450	Dietary isoflavones, urinary isoflavonoids, and risk of ischemic stroke in women. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 680-686.	4.7	31

#	ARTICLE	IF	CITATIONS
451	Association of breast cancer risk with genetic variants showing differential allelic expression: Identification of a novel breast cancer susceptibility locus at 4q21. <i>Oncotarget</i> , 2016, 7, 80140-80163.	1.8	31
452	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , 2016, 18, 64.	5.0	31
453	A multi-ancestry genome-wide study incorporating gene-smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. <i>Human Molecular Genetics</i> , 2019, 28, 2615-2633.	2.9	31
454	A prospective study of immune and inflammation markers and risk of lung cancer among female never smokers in Shanghai. <i>Carcinogenesis</i> , 2017, 38, 1004-1010.	2.8	31
455	A population-based case-control study of the Arg399Gln polymorphism in DNA repair gene XRCC1 and risk of breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 1462-7.	2.5	31
456	Matrix Metalloproteinase-2 Polymorphisms and Breast Cancer Susceptibility. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1770-1776.	2.5	30
457	Joint effects of body size, energy intake, and physical activity on breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 113, 153-161.	2.5	30
458	Melatonin pathway genes and breast cancer risk among Chinese women. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 693-699.	2.5	30
459	Adherence to Cancer Prevention Guidelines and Cancer Risk in Low-Income and African American Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 846-853.	2.5	30
460	Post-diagnosis social networks, and lifestyle and treatment factors in the After Breast Cancer Pooling Project. <i>Psycho-Oncology</i> , 2017, 26, 544-552.	2.3	30
461	Incidence trends for cancers of the breast, ovary, and corpus uteri in urban Shanghai, 1972-89. <i>Cancer Causes and Control</i> , 1993, 4, 355-360.	1.8	29
462	Vitamin supplement use and risk for breast cancer: the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2008, 111, 269-278.	2.5	29
463	Prevalence of Obesity and Correlations With Lifestyle and Dietary Factors in Chinese Men. <i>Obesity</i> , 2008, 16, 1440-1447.	3.0	29
464	Marital Status and Mortality among Middle Age and Elderly Men and Women in Urban Shanghai. <i>PLoS ONE</i> , 2011, 6, e26600.	2.5	29
465	Vitamin D Metabolic Pathway Genes and Pancreatic Cancer Risk. <i>PLoS ONE</i> , 2015, 10, e0117574.	2.5	29
466	The association of soy food consumption with the risk of subtype of breast cancers defined by hormone receptor and HER2 status. <i>International Journal of Cancer</i> , 2016, 139, 742-748.	5.1	29
467	Chromosomes 1 and 12 abnormalities in pediatric germ cell tumors by interphase fluorescence in situ hybridization. <i>Cancer Genetics and Cytogenetics</i> , 2001, 125, 112-118.	1.0	28
468	Environmental exposure to residential pesticides, chemicals, dusts, fumes, and metals, and risk of childhood germ cell tumors. <i>International Journal of Hygiene and Environmental Health</i> , 2006, 209, 31-40.	4.3	28

#	ARTICLE	IF	CITATIONS
469	Network-Based Integration of GWAS and Gene Expression Identifies a <i>HOX</i> -Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1574-1584.	2.5	28
470	A prospective study of dietary polyunsaturated fatty acids intake and lung cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 2225-2237.	5.1	28
471	The FANCM:p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2019, 5, 38.	5.2	28
472	Genome-wide association studies identify susceptibility loci for epithelial ovarian cancer in east Asian women. <i>Gynecologic Oncology</i> , 2019, 153, 343-355.	1.4	28
473	An integrative multi-omics analysis to identify candidate DNA methylation biomarkers related to prostate cancer risk. <i>Nature Communications</i> , 2020, 11, 3905.	12.8	28
474	Polymorphisms in ER-alpha gene interact with estrogen receptor status in breast cancer survival. <i>Clinical Cancer Research</i> , 2005, 11, 1093-8.	7.0	28
475	Expression of LINE-1 p40 protein in pediatric malignant germ cell tumors and its association with clinicopathological parameters: A report from the Children's Oncology Group. <i>Cancer Letters</i> , 2007, 247, 204-212.	7.2	27
476	Associations of adult height and its components with mortality: a report from cohort studies of 135 000 Chinese women and men. <i>International Journal of Epidemiology</i> , 2011, 40, 1715-1726.	1.9	27
477	Associations of Hormone-Related Factors With Breast Cancer Risk According to Hormone Receptor Status Among White and African American Women. <i>Clinical Breast Cancer</i> , 2014, 14, 417-425.	2.4	27
478	Parkinson's disease research in a prospective cohort in China. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 1200-1204.	2.2	27
479	Intraindividual Variation and Short-term Temporal Trend in DNA Methylation of Human Blood. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 490-497.	2.5	27
480	Identifying Putative Susceptibility Genes and Evaluating Their Associations with Somatic Mutations in Human Cancers. <i>American Journal of Human Genetics</i> , 2019, 105, 477-492.	6.2	27
481	Adherence to Dietary Recommendations among Long-Term Breast Cancer Survivors and Cancer Outcome Associations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 386-395.	2.5	27
482	Circulating trimethylamine N-oxide in association with diet and cardiometabolic biomarkers: an international pooled analysis. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1145-1156.	4.7	27
483	Polygenic risk scores for prediction of breast cancer risk in Asian populations. <i>Genetics in Medicine</i> , 2022, 24, 586-600.	2.4	27
484	Prior immunity-related medical conditions and pancreatic-cancer risk in Shanghai. <i>International Journal of Cancer</i> , 1995, 63, 337-340.	5.1	26
485	MTHFR genotypes and breast cancer survival after surgery and chemotherapy: a report from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2005, 91, 73-79.	2.5	26
486	Polymorphisms of the CYP1B1 gene may be associated with the onset of natural menopause in Chinese women. <i>Maturitas</i> , 2006, 55, 238-246.	2.4	26

#	ARTICLE	IF	CITATIONS
487	In utero exposure to female hormones and germ cell tumors in children. <i>Cancer</i> , 2006, 106, 1169-1177.	4.1	26
488	Genetic variation in IGF1, IGF-1R, IGFALS, and IGFBP3 in breast cancer survival among Chinese women: a report from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2007, 104, 309-319.	2.5	26
489	Expression patterns of insulin-like growth factor 1 (IGF-I) and its receptor in mammary tissues and their associations with breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 2007, 105, 55-61.	2.5	26
490	The modifying effect of C-reactive protein gene polymorphisms on the association between central obesity and endometrial cancer risk. <i>Cancer</i> , 2008, 112, 2409-2416.	4.1	26
491	Menopausal symptoms among breast cancer patients 6 months after diagnosis. <i>Menopause</i> , 2009, 16, 1205-1212.	2.0	26
492	Association between adult height, genetic susceptibility and risk of glioma. <i>International Journal of Epidemiology</i> , 2012, 41, 1075-1085.	1.9	26
493	Intake of Specific Nonfermented Soy Foods May Be Inversely Associated with Risk of Distal Gastric Cancer in a Chinese Population. <i>Journal of Nutrition</i> , 2013, 143, 1736-1742.	2.9	26
494	Calibrating a population-based job-exposure matrix using inspection measurements to estimate historical occupational exposure to lead for a population-based cohort in Shanghai, China. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2014, 24, 9-16.	3.9	26
495	Genetic Variation in the Peroxisome Proliferator-Activated Receptor (PPAR) and Peroxisome Proliferator-Activated Receptor Gamma Co-activator 1 (PGC1) Gene Families and Type 2 Diabetes. <i>Annals of Human Genetics</i> , 2014, 78, 23-32.	0.8	26
496	Long-term cognitive function change among breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2014, 146, 599-609.	2.5	26
497	Level of moderate-intensity leisure-time physical activity and reduced mortality in middle-aged and elderly Chinese. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 13-20.	3.7	26
498	Cigarette smoking and oral microbiota in low-income and African-American populations. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 1108-1115.	3.7	26
499	Modifying Effects of Sulfotransferase 1A1 Gene Polymorphism on the Association of Breast Cancer Risk with Body Mass Index or Endogenous Steroid Hormones. <i>Breast Cancer Research and Treatment</i> , 2005, 94, 63-70.	2.5	25
500	History of benign breast disease and risk of breast cancer among women in China: a case-control study. <i>Cancer Causes and Control</i> , 2008, 19, 819-828.	1.8	25
501	Association of Mitochondrial DNA Displacement Loop (CA) _n Dinucleotide Repeat Polymorphism with Breast Cancer Risk and Survival among Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2117-2122.	2.5	25
502	Mutations in the mitochondrial DNA D-loop region and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2010, 119, 431-436.	2.5	25
503	Urinary isothiocyanate levels and lung cancer risk among non-smoking women: A prospective investigation. <i>Lung Cancer</i> , 2011, 73, 18-24.	2.0	25
504	Liver Enzymes, Type 2 Diabetes, and Metabolic Syndrome in Middle-Aged, Urban Chinese Men. <i>Metabolic Syndrome and Related Disorders</i> , 2011, 9, 305-311.	1.3	25

#	ARTICLE	IF	CITATIONS
505	Diet, <i>Helicobacter pylori</i> Strain-Specific Infection, and Gastric Cancer Risk Among Chinese Men. <i>Nutrition and Cancer</i> , 2014, 66, 550-557.	2.0	25
506	Prospective study of urinary prostaglandin E2 metabolite and pancreatic cancer risk. <i>International Journal of Cancer</i> , 2017, 141, 2423-2429.	5.1	25
507	Prospective cohort studies of birth weight and risk of obesity, diabetes, and hypertension in adulthood among the Chinese population. <i>Journal of Diabetes</i> , 2019, 11, 55-64.	1.8	25
508	Associations of blood pressure categories defined by 2017 ACC/AHA guidelines with mortality in China: Pooled results from three prospective cohorts. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 345-354.	1.8	25
509	Identification of Novel Loci and New Risk Variant in Known Loci for Colorectal Cancer Risk in East Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 477-486.	2.5	25
510	Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015, 2, .	0.3	25
511	Oral and gastric microbiome in relation to gastric intestinal metaplasia. <i>International Journal of Cancer</i> , 2022, 150, 928-940.	5.1	25
512	Genetic polymorphisms in estrogen-metabolizing genes and breast cancer survival. <i>Pharmacogenetics and Genomics</i> , 2007, 17, 331-338.	1.5	24
513	Genetic Variation in <i>VEGF</i> Family Genes and Breast Cancer Risk: A Report from the Shanghai Breast Cancer Genetics Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 33-41.	2.5	24
514	Rare Coding Variants and Breast Cancer Risk: Evaluation of Susceptibility Loci Identified in Genome-Wide Association Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 622-628.	2.5	24
515	Occupational Exposure to Benzene and Non-Hodgkin Lymphoma in a Population-Based Cohort: The Shanghai Women's Health Study. <i>Environmental Health Perspectives</i> , 2015, 123, 971-977.	6.0	24
516	Common variants at the <i>CHEK2</i> gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015, 36, 1341-1353.	2.8	24
517	Fine-Scale Mapping of the 4q24 Locus Identifies Two Independent Loci Associated with Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1680-1691.	2.5	24
518	Combined Impact of Known Lifestyle Factors on Total and Cause-Specific Mortality among Chinese Men: A Prospective Cohort Study. <i>Scientific Reports</i> , 2017, 7, 5293.	3.3	24
519	Prediagnosis body mass index and waist-hip circumference ratio in association with colorectal cancer survival. <i>International Journal of Cancer</i> , 2017, 140, 292-301.	5.1	24
520	Association of Untargeted Urinary Metabolomics and Lung Cancer Risk Among Never-Smoking Women in China. <i>JAMA Network Open</i> , 2019, 2, e1911970.	5.9	24
521	Green tea intake and risk of incident kidney stones: Prospective cohort studies in middle-aged and elderly Chinese individuals. <i>International Journal of Urology</i> , 2019, 26, 241-246.	1.0	24
522	Associations of choline-related nutrients with cardiometabolic and all-cause mortality: results from 3 prospective cohort studies of blacks, whites, and Chinese. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 644-656.	4.7	24

#	ARTICLE	IF	CITATIONS
523	Racial disparities in mortality for patients with prostate cancer after radical prostatectomy. <i>Cancer</i> , 2021, 127, 1517-1528.	4.1	24
524	Association of breast cancer risk with a GT dinucleotide repeat polymorphism upstream of the estrogen receptor-alpha gene. <i>Cancer Research</i> , 2003, 63, 5727-30.	0.9	24
525	Occupation and breast cancer risk among Shanghai women in a population-based cohort study. <i>American Journal of Industrial Medicine</i> , 2008, 51, 100-110.	2.1	23
526	Maximizing resources to study an uncommon cancer: E2C2â€”Epidemiology of Endometrial Cancer Consortium. <i>Cancer Causes and Control</i> , 2009, 20, 491-496.	1.8	23
527	MMP9 polymorphisms and breast cancer risk: a report from the Shanghai Breast Cancer Genetics Study. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 507-513.	2.5	23
528	Genetic polymorphisms in obesity-related genes and endometrial cancer risk. <i>Cancer</i> , 2012, 118, 3356-3364.	4.1	23
529	Evaluating GWAS-Identified SNPs for Age at Natural Menopause among Chinese Women. <i>PLoS ONE</i> , 2013, 8, e58766.	2.5	23
530	Genetic polymorphism of NFKB1 and NFKBIA genes and liver cancer risk: a nested case-control study in Shanghai, China. <i>BMJ Open</i> , 2014, 4, e004427.	1.9	23
531	<i>ALDH1A1</i> mRNA expression in association with prognosis of triple-negative breast cancer. <i>Oncotarget</i> , 2015, 6, 41360-41369.	1.8	23
532	Association of hypertension and obesity with renal cell carcinoma risk: a report from the Shanghai Men's and Women's Health Studies. <i>Cancer Causes and Control</i> , 2015, 26, 1173-1180.	1.8	23
533	Combined Impact of Health Behaviors on Mortality in Low-Income Americans. <i>American Journal of Preventive Medicine</i> , 2016, 51, 344-355.	3.0	23
534	Dose-response association between hepatitis B surface antigen levels and liver cancer risk in Chinese men and women. <i>International Journal of Cancer</i> , 2016, 139, 355-362.	5.1	23
535	Total and Free Circulating Vitamin D and Vitamin D-Binding Protein in Relation to Colorectal Cancer Risk in a Prospective Study of African Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1242-1247.	2.5	23
536	Serologic markers of viral infection and risk of non-Hodgkin lymphoma: A pooled study of three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2018, 143, 570-579.	5.1	23
537	Pancreatic cancer risk is modulated by inflammatory potential of diet and ABO genotype: a consortia-based evaluation and replication study. <i>Carcinogenesis</i> , 2018, 39, 1056-1067.	2.8	23
538	Dietary fatty acids and colorectal cancer risk in men: A report from the Shanghai Men's Health Study and a meta-analysis. <i>International Journal of Cancer</i> , 2021, 148, 77-89.	5.1	23
539	Association of Genetic Markers in the BCL-2 Family of Apoptosis-Related Genes with Endometrial Cancer Risk in a Chinese Population. <i>PLoS ONE</i> , 2013, 8, e60915.	2.5	23
540	Association of cyclin D1 genotype with breast cancer risk and survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 91-7.	2.5	23

#	ARTICLE	IF	CITATIONS
541	Unrelated Donor Bone Marrow Transplantation for Hematological Malignancies-Current Status. <i>Leukemia and Lymphoma</i> , 1996, 23, 221-226.	1.3	22
542	Genetic polymorphisms in the human growth hormone-1 gene (GH1) and the risk of breast carcinoma. <i>Cancer</i> , 2004, 101, 251-257.	4.1	22
543	The association of alcohol, tea, and other modifiable lifestyle factors with myocardial infarction and stroke in Chinese men. <i>CVD Prevention and Control</i> , 2008, 3, 133-140.	0.7	22
544	Systemic cytokine levels and subsequent risk of gastric cancer in Chinese Women. <i>Cancer Science</i> , 2011, 102, 1911-1915.	3.9	22
545	Dietary glycemic load and risk of colorectal cancer in Chinese women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 101-107.	4.7	22
546	Pathway Analyses Identify <i>TGFBR2</i> as Potential Breast Cancer Susceptibility Gene: Results from a Consortium Study among Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1176-1184.	2.5	22
547	Polymorphisms in Inflammation Pathway Genes and Endometrial Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 216-223.	2.5	22
548	Evaluation of GWAS-identified genetic variants for age at menarche among Chinese women. <i>Human Reproduction</i> , 2013, 28, 1135-1143.	0.9	22
549	Dual specificity phosphatase 4 gene expression in association with triple-negative breast cancer outcome. <i>Breast Cancer Research and Treatment</i> , 2014, 148, 211-220.	2.5	22
550	Epithelial-Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. <i>Genetic Epidemiology</i> , 2015, 39, 689-697.	1.3	22
551	Whole-Exome Sequencing Identifies Novel Somatic Mutations in Chinese Breast Cancer Patients. <i>Journal of Molecular and Genetic Medicine: an International Journal of Biomedical Research</i> , 2015, 09, .	0.1	22
552	Circulating concentrations of biomarkers and metabolites related to vitamin status, one-carbon and the kynurenine pathways in US, Nordic, Asian, and Australian populations. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 1314-1326.	4.7	22
553	Adherence to treatment guidelines as a major determinant of survival disparities between black and white patients with ovarian cancer. <i>Gynecologic Oncology</i> , 2021, 160, 10-15.	1.4	22
554	IGFBP3 mRNA expression in benign and malignant breast tumors. <i>Breast Cancer Research</i> , 2007, 9, R2.	5.0	21
555	Correlates of High Serum C-Reactive Protein Levels in a Socioeconomically Disadvantaged Population. <i>Disease Markers</i> , 2008, 24, 351-359.	1.3	21
556	Prevalence and Determinants of Metabolic Syndrome According to Three Definitions in Middle-Aged Chinese Men. <i>Metabolic Syndrome and Related Disorders</i> , 2009, 7, 37-45.	1.3	21
557	Postdiagnosis Cruciferous Vegetable Consumption and Breast Cancer Outcomes: A Report from the After Breast Cancer Pooling Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1451-1456.	2.5	21
558	<i>T'ai Chi</i> as Exercise Among Middle-Aged and Elderly Chinese in Urban China. <i>Journal of Alternative and Complementary Medicine</i> , 2013, 19, 550-557.	2.1	21

#	ARTICLE	IF	CITATIONS
559	Prospective cohort studies of association between family history of liver cancer and risk of liver cancer. <i>International Journal of Cancer</i> , 2014, 135, 1605-1614.	5.1	21
560	Urinary Prostaglandin E2 Metabolite and Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2866-2873.	2.5	21
561	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , 2016, 27, 679-693.	1.8	21
562	Prospective cohort studies of dietary vitamin B6 intake and risk of cause-specific mortality. <i>Clinical Nutrition</i> , 2019, 38, 1180-1187.	5.0	21
563	Racial/ethnic, age and sex disparities in leukemia survival among adults in the United States during 1973-2014 period. <i>PLoS ONE</i> , 2019, 14, e0220864.	2.5	21
564	Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Cancer</i> , 2020, 146, 2394-2405.	5.1	21
565	Serum ghrelin and esophageal and gastric cancer in two cohorts in China. <i>International Journal of Cancer</i> , 2020, 146, 2728-2735.	5.1	21
566	Family history of cancer and autoimmune disease and risk of leukemia in infancy: a report from the Children's Cancer Group (United States and Canada). <i>Cancer Causes and Control</i> , 1998, 9, 161-171.	1.8	20
567	Gene-Environment Interactions for Breast Cancer Risk Among Chinese Women: A Report From the Shanghai Breast Cancer Genetics Study. <i>American Journal of Epidemiology</i> , 2013, 177, 161-170.	3.4	20
568	Correlates of 25-Hydroxyvitamin D among Chinese Breast Cancer Patients. <i>PLoS ONE</i> , 2014, 9, e86467.	2.5	20
569	Predictors and long-term reproducibility of urinary phthalate metabolites in middle-aged men and women living in urban Shanghai. <i>Environment International</i> , 2015, 84, 94-106.	10.0	20
570	Uric acid correlates to oxidation and inflammation in opposite directions in women. <i>Biomarkers</i> , 2015, 20, 225-231.	1.9	20
571	Long-term soy consumption and tumor tissue MicroRNA and gene expression in triple-negative breast cancer. <i>Cancer</i> , 2016, 122, 2544-2551.	4.1	20
572	Dietary selenium intake and mortality in two population-based cohort studies of 133 957 Chinese men and women. <i>Public Health Nutrition</i> , 2016, 19, 2991-2998.	2.2	20
573	Use of deep whole-genome sequencing data to identify structure risk variants in breast cancer susceptibility genes. <i>Human Molecular Genetics</i> , 2018, 27, 853-859.	2.9	20
574	Ischaemic heart disease and stroke mortality by specific coal type among non-smoking women with substantial indoor air pollution exposure in China. <i>International Journal of Epidemiology</i> , 2020, 49, 56-68.	1.9	20
575	A retrospective approach to evaluating potential adverse outcomes associated with delay of procedures for cardiovascular and cancer-related diagnoses in the context of COVID-19. <i>Journal of Biomedical Informatics</i> , 2021, 113, 103657.	4.3	20
576	Parental exposure to medications and hydrocarbons and ras mutations in children with acute lymphoblastic leukemia: a report from the Children's Oncology Group. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1230-5.	2.5	20

#	ARTICLE	IF	CITATIONS
577	Mendelian randomization analyses of 23 known and suspected risk factors and biomarkers for breast cancer overall and by molecular subtypes. <i>International Journal of Cancer</i> , 2022, 151, 372-380.	5.1	20
578	Sources of variation in nutrient intakes among men in Shanghai, China. <i>Public Health Nutrition</i> , 2005, 8, 1293-1299.	2.2	19
579	Cytochrome P450 1B1 and Catechol-O-Methyltransferase Genetic Polymorphisms and Endometrial Cancer Risk in Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2570-2573.	2.5	19
580	Two-stage case-control study of common ATM gene variants in relation to breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2007, 106, 121-126.	2.5	19
581	Validity of a Physical Activity Questionnaire in Shanghai. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 2222-2230.	0.4	19
582	E-cadherin polymorphisms and breast cancer susceptibility: a report from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2010, 121, 445-452.	2.5	19
583	Association of Genetic Polymorphisms in Cell-Cycle Control Genes and Susceptibility to Endometrial Cancer Among Chinese Women. <i>American Journal of Epidemiology</i> , 2011, 173, 1263-1271.	3.4	19
584	Exercise after diagnosis and metabolic syndrome among breast cancer survivors: a report from the Shanghai Breast Cancer Survival Study. <i>Cancer Causes and Control</i> , 2013, 24, 1747-1756.	1.8	19
585	Prediagnosis Soy Food Consumption and Lung Cancer Survival in Women. <i>Journal of Clinical Oncology</i> , 2013, 31, 1548-1553.	1.6	19
586	Fine scale mapping of the 17q22 breast cancer locus using dense SNPs, genotyped within the Collaborative Oncological Gene-Environment Study (COGs). <i>Scientific Reports</i> , 2016, 6, 32512.	3.3	19
587	GWAS meta-analysis of 16 852 women identifies new susceptibility locus for endometrial cancer. <i>Human Molecular Genetics</i> , 2016, 25, ddw092.	2.9	19
588	A Prospective Study of Urinary Prostaglandin E2 Metabolite, Helicobacter pylori Antibodies, and Gastric Cancer Risk. <i>Clinical Infectious Diseases</i> , 2017, 64, 1380-1386.	5.8	19
589	Accelerated aging in breast cancer survivors and its association with mortality and cancer recurrence. <i>Breast Cancer Research and Treatment</i> , 2020, 180, 449-459.	2.5	19
590	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 623-642.	2.5	19
591	Urinary phytoestrogen excretion and breast cancer risk: evaluating potential effect modifiers endogenous estrogens and anthropometrics. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 497-502.	2.5	19
592	Autologous bone marrow versus non-mobilized peripheral blood stem cell transplantation for lymphoid malignancies: A prospective, comparative trial. , 1997, 54, 202-208.		18
593	Oral contraceptive use and risk of diabetes among Chinese women. <i>Contraception</i> , 2004, 69, 251-257.	1.5	18
594	Functional Plasminogen Activator Inhibitor-1 Gene Variants and Breast Cancer Survival. <i>Clinical Cancer Research</i> , 2006, 12, 6037-6042.	7.0	18

#	ARTICLE	IF	CITATIONS
595	Evaluation of Functional Genetic Variants for Breast Cancer Risk: Results From the Shanghai Breast Cancer Study. <i>American Journal of Epidemiology</i> , 2011, 173, 1159-1170.	3.4	18
596	Pre-existing type 2 diabetes and risk of lung cancer: a report from two prospective cohort studies of 133 024 Chinese adults in urban Shanghai. <i>BMJ Open</i> , 2014, 4, e004875-e004875.	1.9	18
597	Cruciferous vegetables, glutathione S-transferase polymorphisms, and the risk of colorectal cancer among Chinese men. <i>Annals of Epidemiology</i> , 2014, 24, 44-49.	1.9	18
598	Impact of known risk factors on endometrial cancer burden in Chinese women. <i>European Journal of Cancer Prevention</i> , 2016, 25, 329-334.	1.3	18
599	Association of oral microbiota with lung cancer risk in a low-income population in the Southeastern USA. <i>Cancer Causes and Control</i> , 2021, 32, 1423-1432.	1.8	18
600	Associations between Genetically Predicted Blood Protein Biomarkers and Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1501-1508.	2.5	18
601	Pet ownership and childhood acute leukemia (USA and Canada). <i>Cancer Causes and Control</i> , 2001, 12, 301-303.	1.8	17
602	Methodological Issues in the Investigation of Ginseng as an Intervention for Fatigue. <i>Clinical Nurse Specialist</i> , 2006, 20, 183-189.	0.5	17
603	The <i>Asp³²⁷Asn</i> Polymorphism in the Sex Hormone-Binding Globulin Gene Modifies the Association of Soy Food and Tea Intake With Endometrial Cancer Risk. <i>Nutrition and Cancer</i> , 2008, 60, 736-743.	2.0	17
604	Family history of cancer and malignant germ cell tumors in children: A report from the Children's Oncology Group. <i>Cancer Causes and Control</i> , 2010, 21, 181-189.	1.8	17
605	Hip Circumference and the Risk of Type 2 Diabetes in Middle-Aged and Elderly Men and Women: The Shanghai Women and Shanghai Men's Health Studies. <i>Annals of Epidemiology</i> , 2011, 21, 358-366.	1.9	17
606	Urinary polyphenols, glutathione S-transferases copy number variation, and breast cancer risk: Results from the Shanghai women's health study. <i>Molecular Carcinogenesis</i> , 2012, 51, 379-388.	2.7	17
607	Interactions of Hormone Replacement Therapy, Body Weight, and Bilateral Oophorectomy in Breast Cancer Risk. <i>Clinical Cancer Research</i> , 2014, 20, 1169-1178.	7.0	17
608	Exome genotyping arrays to identify rare and low frequency variants associated with epithelial ovarian cancer risk. <i>Human Molecular Genetics</i> , 2016, 25, 3600-3612.	2.9	17
609	Evaluation of genetic variants in association with colorectal cancer risk and survival in Asians. <i>International Journal of Cancer</i> , 2017, 141, 1130-1139.	5.1	17
610	The joint effects of major lifestyle factors on colorectal cancer risk among Chinese men: A prospective cohort study. <i>International Journal of Cancer</i> , 2018, 142, 1093-1101.	5.1	17
611	Adherence to dietary recommendations and colorectal cancer risk: results from two prospective cohort studies. <i>International Journal of Epidemiology</i> , 2020, 49, 270-280.	1.9	17
612	Fecal metagenomics and metabolomics reveal gut microbial changes after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2020, 16, 1772-1782.	1.2	17

#	ARTICLE	IF	CITATIONS
613	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2020, 26, 2111-2125.	7.9	17
614	Prospective study of oral microbiome and gastric cancer risk among Asian, African American and European American populations. <i>International Journal of Cancer</i> , 2022, 150, 916-927.	5.1	17
615	Body Mass Index and Thyroid Cancer Risk: A Pooled Analysis of Half a Million Men and Women in the Asia Cohort Consortium. <i>Thyroid</i> , 2022, 32, 306-314.	4.5	17
616	Association of endometrial cancer risk with a functional polymorphism (Asp327Asn) in the sex hormone-binding globulin gene. <i>Cancer</i> , 2007, 109, 1296-1302.	4.1	16
617	Peroxisome Proliferator-Activated Receptor Delta (PPARD) Genetic Variation and Type 2 Diabetes in Middle-Aged Chinese Women. <i>Annals of Human Genetics</i> , 2011, 75, 621-629.	0.8	16
618	Joint Effect of Genetic and Lifestyle Risk Factors on Type 2 Diabetes Risk among Chinese Men and Women. <i>PLoS ONE</i> , 2012, 7, e49464.	2.5	16
619	Adolescent Exercise in Association with Mortality from All Causes, Cardiovascular Disease, and Cancer among Middle-Aged and Older Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1270-1276.	2.5	16
620	Association between genetic risk score for telomere length and risk of breast cancer. <i>Cancer Causes and Control</i> , 2016, 27, 1219-1228.	1.8	16
621	Evaluation of potential regulatory function of breast cancer risk locus at 6q25.1. <i>Carcinogenesis</i> , 2016, 37, 163-168.	2.8	16
622	Nephrolithiasis Among Middle Aged and Elderly Urban Chinese: A Report from Prospective Cohort Studies in Shanghai. <i>Journal of Endourology</i> , 2017, 31, 1327-1334.	2.1	16
623	Body mass index, waist-to-hip ratio and late outcomes: a report from the Shanghai Breast Cancer Survival Study. <i>Scientific Reports</i> , 2017, 7, 6996.	3.3	16
624	Physical Activity and Pancreatic Cancer Risk among Urban Chinese: Results from Two Prospective Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 479-487.	2.5	16
625	Evaluation of pathogenetic mutations in breast cancer predisposition genes in population-based studies conducted among Chinese women. <i>Breast Cancer Research and Treatment</i> , 2020, 181, 465-473.	2.5	16
626	Haplotype Analysis of CYP11A1 Identifies Promoter Variants Associated with Breast Cancer Risk. <i>Cancer Research</i> , 2007, 67, 5673-5682.	0.9	15
627	Two-stage case-control study of DNMT-1 and DNMT-3B gene variants and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2010, 121, 765-769.	2.5	15
628	Soy intake in association with menopausal symptoms during the first 6 and 36 months after breast cancer diagnosis. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 879-889.	2.5	15
629	Plasma folate concentrations and colorectal cancer risk: A case-control study nested within the Shanghai Men's Health Study. <i>International Journal of Cancer</i> , 2014, 135, 2191-2198.	5.1	15
630	One-Carbon Metabolism Dietary Factors and Distal Gastric Cancer Risk in Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1374-1382.	2.5	15

#	ARTICLE	IF	CITATIONS
631	Soluble levels of <sc>CD</sc>27 and <sc>CD</sc>30 are associated with risk of non-Hodgkin lymphoma in three Chinese prospective cohorts. International Journal of Cancer, 2015, 137, 2688-2695.	5.1	15
632	Soy isoflavone intake and bone mineral density in breast cancer survivors. Cancer Causes and Control, 2015, 26, 571-580.	1.8	15
633	RNA Sequencing of Formalin-Fixed, Paraffin-Embedded Specimens for Gene Expression Quantification and Data Mining. International Journal of Genomics, 2016, 2016, 1-10.	1.6	15
634	Validation of a Blood Biomarker for Identification of Individuals at High Risk for Gastric Cancer. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 1472-1479.	2.5	15
635	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). International Journal of Epidemiology, 2018, 47, 1760-1771.	1.9	15
636	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. Genomics, 2020, 112, 1223-1232.	2.9	15
637	A multilayered post-GWAS assessment on genetic susceptibility to pancreatic cancer. Genome Medicine, 2021, 13, 15.	8.2	15
638	Outcomes After Use of a Lymph Node Collection Kit for Lung Cancer Surgery: A Pragmatic, Population-Based, Multi-Institutional, Staggered Implementation Study. Journal of Thoracic Oncology, 2021, 16, 630-642.	1.1	15
639	A 584Åbp deletion in CTRB2 inhibits chymotrypsin B2 activity and secretion and confers risk of pancreatic cancer. American Journal of Human Genetics, 2021, 108, 1852-1865.	6.2	15
640	Plant and Animal Protein Intake and Risk of Incident Kidney Stones: Results from the Shanghai Men's and Women's Health Studies. Journal of Urology, 2019, 202, 1217-1223.	0.4	15
641	Delay in the diagnosis and treatment of breast cancer in Vietnam. Cancer Medicine, 2021, 10, 7683-7691.	2.8	15
642	Common variants in breast cancer risk loci predispose to distinct tumor subtypes. Breast Cancer Research, 2022, 24, 2.	5.0	15
643	Agreement of job-exposure matrix (JEM) assessed exposure and self-reported exposure among adult leukemia patients and controls in Shanghai. American Journal of Industrial Medicine, 2004, 45, 281-288.	2.1	14
644	No Association between <i>Matrix Metalloproteinase-1</i> or <i>Matrix Metalloproteinase-3</i> Polymorphisms and Breast Cancer Susceptibility: A Report from the Shanghai Breast Cancer Study. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1324-1327.	2.5	14
645	Prevalence and Correlates of Complementary and Alternative Medicine Services Use in Low-Income African Americans and Whites: A Report from the Southern Community Cohort Study. Journal of Alternative and Complementary Medicine, 2012, 18, 844-849.	2.1	14
646	Pooled Analysis of Mitochondrial DNA Copy Number and Lung Cancer Risk in Three Prospective Studies. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2977-2980.	2.5	14
647	Population-based cohort studies of type 2 diabetes and stomach cancer risk in Chinese men and women. Cancer Science, 2015, 106, 294-298.	3.9	14
648	A common deletion in the haptoglobin gene associated with blood cholesterol levels among Chinese women. Journal of Human Genetics, 2017, 62, 911-914.	2.3	14

#	ARTICLE	IF	CITATIONS
649	Re-evaluating genetic variants identified in candidate gene studies of breast cancer risk using data from nearly 280,000 women of Asian and European ancestry. <i>EBioMedicine</i> , 2019, 48, 203-211.	6.1	14
650	The U-shaped association between body mass index and gastric cancer risk in the <i>Helicobacter pylori</i> Biomarker Cohort Consortium: A nested case-control study from eight East Asian cohort studies. <i>International Journal of Cancer</i> , 2020, 147, 777-784.	5.1	14
651	Sex Disparity Observed for Oncotype DX Breast Recurrence Score in Predicting Mortality Among Patients with Early Stage ER-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2020, 26, 101-109.	7.0	14
652	Pregnancy outcomes and risk of endometrial cancer: A pooled analysis of individual participant data in the Epidemiology of Endometrial Cancer Consortium. <i>International Journal of Cancer</i> , 2021, 148, 2068-2078.	5.1	14
653	Genetic variations of DNA bindings of FOXA1 and co-factors in breast cancer susceptibility. <i>Nature Communications</i> , 2021, 12, 5318.	12.8	14
654	Distinct Reproductive Risk Profiles for Intrinsic-Like Breast Cancer Subtypes: Pooled Analysis of Population-Based Studies. <i>Journal of the National Cancer Institute</i> , 2022, 114, 1706-1719.	6.3	14
655	Dietary Iron Intake and Risk of Endometrial Cancer: A Population-Based Case-Control Study in Shanghai, China. <i>Nutrition and Cancer</i> , 2009, 62, 40-50.	2.0	13
656	Relation of FGFR2 Genetic Polymorphisms to the Association Between Oral Contraceptive Use and the Risk of Breast Cancer in Chinese Women. <i>American Journal of Epidemiology</i> , 2011, 173, 923-931.	3.4	13
657	Body Mass Index Genetic Risk Score and Endometrial Cancer Risk. <i>PLoS ONE</i> , 2015, 10, e0143256.	2.5	13
658	Transcriptome-Wide Association Study Identifies Susceptibility Loci and Genes for Age at Natural Menopause. <i>Reproductive Sciences</i> , 2019, 26, 496-502.	2.5	13
659	Evaluation of associations between genetically predicted circulating protein biomarkers and breast cancer risk. <i>International Journal of Cancer</i> , 2020, 146, 2130-2138.	5.1	13
660	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk—Reply. <i>JAMA Oncology</i> , 2020, 6, 788.	7.1	13
661	Multi-omics analysis to identify susceptibility genes for colorectal cancer. <i>Human Molecular Genetics</i> , 2021, 30, 321-330.	2.9	13
662	Multi-ancestry genome-wide gene-sleep interactions identify novel loci for blood pressure. <i>Molecular Psychiatry</i> , 2021, 26, 6293-6304.	7.9	13
663	Long-term Diet Quality and Gut Microbiome Functionality: A Prospective, Shotgun Metagenomic Study among Urban Chinese Adults. <i>Current Developments in Nutrition</i> , 2021, 5, nzab026.	0.3	13
664	Reports: Insulin-Like Growth Factor-I, Soy Protein Intake, and Breast Cancer Risk. <i>Nutrition and Cancer</i> , 2004, 50, 8-15.	2.0	12
665	ERBB2 genetic polymorphism and breast cancer risk in Chinese women: a population-based case-control study. <i>Breast Cancer Research and Treatment</i> , 2008, 110, 169-176.	2.5	12
666	Family history of malignancies and risk of breast cancer: prospective data from the Shanghai women's health study. <i>Cancer Causes and Control</i> , 2008, 19, 1139-1145.	1.8	12

#	ARTICLE	IF	CITATIONS
667	Maternal Dietary Patterns During Early Pregnancy and the Odds of Childhood Germ Cell Tumors: A Children's Oncology Group Study. <i>American Journal of Epidemiology</i> , 2011, 173, 282-291.	3.4	12
668	Effects of polymorphisms in translesion DNA synthesis genes on lung cancer risk and prognosis in Chinese men. <i>Cancer Epidemiology</i> , 2013, 37, 917-922.	1.9	12
669	Exome-Wide Association Study of Endometrial Cancer in a Multiethnic Population. <i>PLoS ONE</i> , 2014, 9, e97045.	2.5	12
670	Cholelithiasis and the risk of liver cancer: results from cohort studies of 134â€¦546 Chinese men and women. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 565-570.	3.7	12
671	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016, 11, e0160316.	2.5	12
672	Impaired functional vitamin B6 status is associated with increased risk of lung cancer. <i>International Journal of Cancer</i> , 2018, 142, 2425-2434.	5.1	12
673	A Prospective Investigation of Dietary Intake and Functional Impairments Among the Elderly. <i>American Journal of Epidemiology</i> , 2018, 187, 2372-2386.	3.4	12
674	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. <i>Environment International</i> , 2021, 147, 105975.	10.0	12
675	Red meat consumption, cooking mutagens, <i>NAT1</i> genotypes and pancreatic cancer risk in two ethnically diverse prospective cohorts. <i>International Journal of Cancer</i> , 2021, 149, 811-819.	5.1	12
676	Sex-Specific Associations between Gut Microbiome and Non-Alcoholic Fatty Liver Disease among Urban Chinese Adults. <i>Microorganisms</i> , 2021, 9, 2118.	3.6	12
677	Correlations of urinary phytoestrogen excretion with lifestyle factors and dietary intakes among middle-aged and elderly Chinese women. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2012, 3, 18-29.	0.4	12
678	Incorporating Polygenic Risk Scores and Nongenetic Risk Factors for Breast Cancer Risk Prediction Among Asian Women. <i>JAMA Network Open</i> , 2022, 5, e2149030.	5.9	12
679	Epidemiology of childhood leukemia. <i>Current Opinion in Hematology</i> , 1997, 4, 227-232.	2.5	11
680	Prescription medication use during pregnancy and risk of infant leukemia (United States). <i>Cancer Causes and Control</i> , 2003, 14, 447-451.	1.8	11
681	Association of Thymidylate Synthase Gene with Endometrial Cancer Risk in a Chinese Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 579-584.	2.5	11
682	Association of the progesterone receptor gene with endometrial cancer risk in a Chinese population. <i>Cancer</i> , 2009, 115, 2693-2700.	4.1	11
683	Urinary biomarkers of oxidative stress and breast cancer survival. <i>Cancer Causes and Control</i> , 2014, 25, 701-707.	1.8	11
684	Pre-diagnostic cruciferous vegetables intake and lung cancer survival among Chinese women. <i>Scientific Reports</i> , 2015, 5, 10306.	3.3	11

#	ARTICLE	IF	CITATIONS
685	Prospective Cohort Study of Central Adiposity and Risk of Death in Middle Aged and Elderly Chinese. PLoS ONE, 2015, 10, e0138429.	2.5	11
686	Intra-individual variation of miRNA expression levels in human plasma samples. Biomarkers, 2018, 23, 339-346.	1.9	11
687	<i>Helicobacter pylori</i> Blood Biomarkers and Gastric Cancer Survival in China. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 342-344.	2.5	11
688	Epstein-Barr Virus Antibody Titers Are Not Associated with Gastric Cancer Risk in East Asia. Digestive Diseases and Sciences, 2018, 63, 2765-2772.	2.3	11
689	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1861-1867.	2.5	11
690	Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. BMJ Open, 2019, 9, e026225.	1.9	11
691	Replication and Genetic Risk Score Analysis for Pancreatic Cancer in a Diverse Multiethnic Population. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2686-2692.	2.5	11
692	Association between lincRNA expression and overall survival for patients with triple-negative breast cancer. Breast Cancer Research and Treatment, 2021, 186, 769-777.	2.5	11
693	Reduction in total and major cause-specific mortality from tobacco smoking cessation: a pooled analysis of 16 population-based cohort studies in Asia. International Journal of Epidemiology, 2022, 50, 2070-2081.	1.9	11
694	Associations of circulating choline and its related metabolites with cardiometabolic biomarkers: an international pooled analysis. American Journal of Clinical Nutrition, 2021, 114, 893-906.	4.7	11
695	Lung Cancer in Vietnam. Journal of Thoracic Oncology, 2021, 16, 1443-1448.	1.1	11
696	Menopausal Symptoms among Breast Cancer Patients: A Potential Indicator of Favorable Prognosis. PLoS ONE, 2013, 8, e75926.	2.5	11
697	Systematic Fine-Mapping of Association with BMI and Type 2 Diabetes at the FTO Locus by Integrating Results from Multiple Ethnic Groups. PLoS ONE, 2014, 9, e101329.	2.5	11
698	Ageing, obesity, and post-therapy cognitive recovery in breast cancer survivors. Oncotarget, 2017, 8, 12364-12373.	1.8	11
699	ABO blood type is associated with endometrial cancer risk in Chinese women. Chinese Journal of Cancer, 2011, 30, 766-771.	4.9	11
700	Outcomes of robotic-assisted liver surgery versus laparoscopic liver surgery for treatment of stage I hepatocellular carcinoma. Cancer, 2022, 128, 762-769.	4.1	11
701	Impact of menopausal symptoms on quality of life 6 months after systemic breast cancer treatment: results from the Shanghai Breast Cancer Survival Study. Breast Cancer Research and Treatment, 2010, 119, 725-735.	2.5	10
702	Ovarian cancer risk, ALDH2 polymorphism and alcohol drinking: Asian data from the Ovarian Cancer Association Consortium. Cancer Science, 2018, 109, 435-445.	3.9	10

#	ARTICLE	IF	CITATIONS
703	Disparities by race, age, and sex in the improvement of survival for lymphoma: Findings from a population-based study. <i>PLoS ONE</i> , 2018, 13, e0199745.	2.5	10
704	Associations of dietary intake and supplement use with post-therapy cognitive recovery in breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 189-198.	2.5	10
705	Compliance to dietary guidelines on fruit and vegetable intake and prevalence of hypertension among Vietnamese adults, 2015. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 39-46.	1.8	10
706	Survival outcomes for robotic-assisted laparoscopy versus traditional laparoscopy in clinical stage I epithelial ovarian cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 474.e1-474.e12.	1.3	10
707	Disparities in BRCA counseling across providers in a diverse population of young breast cancer survivors. <i>Genetics in Medicine</i> , 2020, 22, 1088-1093.	2.4	10
708	Racial/Ethnic Disparities in All-Cause Mortality among Patients Diagnosed with Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2021, 81, 1163-1170.	0.9	10
709	Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2021, 148, 2457-2470.	5.1	10
710	Incorporating both genetic and tobacco smoking data to identify high-risk smokers for lung cancer screening. <i>Carcinogenesis</i> , 2021, 42, 874-879.	2.8	10
711	Associations between Genetically Predicted Circulating Protein Concentrations and Endometrial Cancer Risk. <i>Cancers</i> , 2021, 13, 2088.	3.7	10
712	Impact of molecular subtype and race on HR+, HER2 ⁺ breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 845-852.	2.5	10
713	Integrating Genome and Methylome Data to Identify Candidate DNA Methylation Biomarkers for Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2079-2087.	2.5	10
714	Association between Tea Consumption and Hypertension Risk among Middle-Aged and Older Chinese Adults. <i>Journal of Nutrition</i> , 2021, 151, 3773-3780.	2.9	10
715	Nightshift work job exposure matrices and urinary 6-sulfatoxymelatonin levels among healthy Chinese women. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 553-559.	3.4	10
716	Association of a single nucleotide polymorphism at 6q25.1, rs2046210, with endometrial cancer risk among Chinese women. <i>Chinese Journal of Cancer</i> , 2011, 30, 138-143.	4.9	10
717	Genetic Evidence for the Association between Schizophrenia and Breast Cancer. <i>Journal of Psychiatry and Brain Science</i> , 2018, 3, .	0.5	10
718	Oncotype DX Risk Recurrence Score and Total Mortality for Early-Stage Breast Cancer by Race/Ethnicity. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 821-830.	2.5	10
719	A Two-stage Case-Control Study of EGFR Polymorphisms and Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 680-683.	2.5	9
720	Family cancer history affecting risk of colorectal cancer in a prospective cohort of Chinese women. <i>Cancer Causes and Control</i> , 2009, 20, 1517-1521.	1.8	9

#	ARTICLE	IF	CITATIONS
721	Replication study for reported SNP associations with breast cancer survival. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 1019-1026.	2.5	9
722	Adiposity and Fat Distribution in relation to Inflammation and Oxidative Stress in a Relatively Lean Population of Chinese Women. <i>Disease Markers</i> , 2013, 34, 279-293.	1.3	9
723	Association of Dietary Glycemic Index and Glycemic Load with Endometrial Cancer Risk Among Chinese Women. <i>Nutrition and Cancer</i> , 2015, 67, 89-97.	2.0	9
724	Increased pSmad2 expression and cytoplasmic predominant presence of TGF- β 2RII in breast cancer tissue are associated with poor prognosis: results from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2015, 149, 467-477.	2.5	9
725	Prediagnostic Calcium Intake and Lung Cancer Survival: A Pooled Analysis of 12 Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1060-1070.	2.5	9
726	Individual and combined effects of hepatitis B surface antigen level and viral load on liver cancer risk. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1131-1137.	2.8	9
727	Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. <i>PLoS ONE</i> , 2018, 13, e0197561.	2.5	9
728	The functional ALDH2 polymorphism is associated with breast cancer risk: A pooled analysis from the Breast Cancer Association Consortium. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e707.	1.2	9
729	Food intake of folate, folic acid and other B vitamins with lung cancer risk in a low-income population in the Southeastern United States. <i>European Journal of Nutrition</i> , 2020, 59, 671-683.	3.9	9
730	Treatment at Academic Centers Decreases Insurance-Based Survival Disparities in Colon Cancer. <i>Journal of Surgical Research</i> , 2020, 245, 265-272.	1.6	9
731	From tobacco smoking to cancer mutational signature: a mediation analysis strategy to explore the role of epigenetic changes. <i>BMC Cancer</i> , 2020, 20, 880.	2.6	9
732	MicroRNA-374b inhibits breast cancer progression through regulating <i>CCND1</i> and <i>TGFA</i> genes. <i>Carcinogenesis</i> , 2021, 42, 528-536.	2.8	9
733	A Prospective Investigation of Circulating Metabolome Identifies Potential Biomarkers for Gastric Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1634-1642.	2.5	9
734	Hepcidin-regulating iron metabolism genes and pancreatic ductal adenocarcinoma: a pathway analysis of genome-wide association studies. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1408-1417.	4.7	9
735	Epidemiology of 40 blood biomarkers of one-carbon metabolism, vitamin status, inflammation, and renal and endothelial function among cancer-free older adults. <i>Scientific Reports</i> , 2021, 11, 13805.	3.3	9
736	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. <i>British Journal of Cancer</i> , 2021, 125, 1135-1145.	6.4	9
737	Adiposity and fat distribution in relation to inflammation and oxidative stress in a relatively lean population of Chinese women. <i>Disease Markers</i> , 2013, 34, 279-93.	1.3	9
738	The oral microbiome in relation to pancreatic cancer risk in African Americans. <i>British Journal of Cancer</i> , 2022, 126, 287-296.	6.4	9

#	ARTICLE	IF	CITATIONS
739	Association of Marital Status With Total and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2022, 5, e2214181.	5.9	9
740	Stability and Reliability of Plasma Level of Lipid Biomarkers and Their Correlation with Dietary Fat Intake. <i>Disease Markers</i> , 2008, 24, 73-79.	1.3	8
741	No Association between <i>Matrix Metalloproteinase (MMP)-1, MMP-3</i> , and <i>MMP-7</i> SNPs and Endometrial Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1925-1928.	2.5	8
742	No association between genetic variants in angiogenesis and inflammation pathway genes and breast cancer survival among Chinese women. <i>Cancer Epidemiology</i> , 2013, 37, 619-624.	1.9	8
743	Associations of reproductive time events and intervals with breast cancer risk: A report from the Shanghai Breast Cancer Study. <i>International Journal of Cancer</i> , 2014, 135, 186-195.	5.1	8
744	Evaluating Exposure-Response Associations for Non-Hodgkin Lymphoma with Varying Methods of Assigning Cumulative Benzene Exposure in the Shanghai Women's Health Study. <i>Annals of Work Exposures and Health</i> , 2017, 61, 56-66.	1.4	8
745	Associations of obesity and weight change with physical and mental impairments in elderly Chinese people. <i>Maturitas</i> , 2018, 108, 77-83.	2.4	8
746	Pre-diagnostic urinary 15-ketotestosterone level and liver cancer risk: Results from the Shanghai Women's and Men's Health Studies. <i>International Journal of Cancer</i> , 2018, 143, 1896-1903.	5.1	8
747	Soy Food Consumption, Exercise, and Body Mass Index and Osteoporotic Fracture Risk Among Breast Cancer Survivors: The Shanghai Breast Cancer Survival Study. <i>JNCI Cancer Spectrum</i> , 2019, 3, plz017.	2.9	8
748	Prediagnostic blood levels of organochlorines and risk of non-Hodgkin lymphoma in three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2020, 146, 839-849.	5.1	8
749	Discovery of rare coding variants in <i>OGDHL</i> and <i>BRCA2</i> in relation to breast cancer risk in Chinese women. <i>International Journal of Cancer</i> , 2020, 146, 2175-2181.	5.1	8
750	Differences in gene-expression profiles in breast cancer between African and European-ancestry women. <i>Carcinogenesis</i> , 2020, 41, 887-893.	2.8	8
751	Smoking Modifies Pancreatic Cancer Risk Loci on 2q21.3. <i>Cancer Research</i> , 2021, 81, 3134-3143.	0.9	8
752	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. <i>Nutrients</i> , 2021, 13, 1223.	4.1	8
753	Systematic Review of Cancer Research Output From Africa, With Zambia as an Example. <i>JCO Global Oncology</i> , 2021, 7, 802-810.	1.8	8
754	ABO genotypes and the risk of esophageal and gastric cancers. <i>BMC Cancer</i> , 2021, 21, 589.	2.6	8
755	Cholesterol and Egg Intakes with Cardiometabolic and All-Cause Mortality among Chinese and Low-Income Black and White Americans. <i>Nutrients</i> , 2021, 13, 2094.	4.1	8
756	Association of Type 2 Diabetes Genetic Variants with Breast Cancer Survival among Chinese Women. <i>PLoS ONE</i> , 2015, 10, e0117419.	2.5	8

#	ARTICLE	IF	CITATIONS
757	Nut consumption in association with overall mortality and recurrence/disease-specific mortality among breast cancer survivors. <i>International Journal of Cancer</i> , 2022, 150, 572-579.	5.1	8
758	Factors influencing intent to receive COVID-19 vaccination among Black and White adults in the southeastern United States, October – December 2020. <i>Human Vaccines and Immunotherapeutics</i> , 2024, 17, 4761-4798.	3.3	8
759	Association between body mass index and oesophageal cancer mortality: a pooled analysis of prospective cohort studies with >800,000 individuals in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 1190-1203.	1.9	8
760	Occupation and adult-onset asthma among Chinese women in a population-based cohort. <i>American Journal of Industrial Medicine</i> , 2007, 50, 265-273.	2.1	7
761	The Shanghai Women's Asthma and Allergy Study: Objectives, Design, and Recruitment Results. <i>American Journal of Epidemiology</i> , 2008, 167, 1387-1396.	3.4	7
762	Pediatric Germ Cell Tumors and Maternal Vitamin Supplementation: a Children's Oncology Group Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2661-2664.	2.5	7
763	Time-varying effects of prognostic factors associated with long-term survival in breast cancer. <i>Endocrine-Related Cancer</i> , 2018, 25, 509-521.	3.1	7
764	Dietary Glycemic Load, Glycemic Index, and Carbohydrate Intake on the Risk of Lung Cancer among Men and Women in Shanghai. <i>Nutrition and Cancer</i> , 2018, 70, 671-677.	2.0	7
765	Plasma selenoprotein P concentration and lung cancer risk: results from a case-control study nested within the Shanghai Men's Health Study. <i>Carcinogenesis</i> , 2018, 39, 1352-1358.	2.8	7
766	Prediagnostic Level of Dietary and Urinary Isoflavonoids in Relation to Risk of Liver Cancer in Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1712-1719.	2.5	7
767	Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021, 30, 328-335.	3.2	7
768	Incorporating European GWAS findings improve polygenic risk prediction accuracy of breast cancer among East Asians. <i>Genetic Epidemiology</i> , 2021, 45, 471-484.	1.3	7
769	A Pooled Case-only Analysis of Reproductive Risk Factors and Breast Cancer Subtype Among Black Women in the Southeastern United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1416-1423.	2.5	7
770	Legume Consumption and Gut Microbiome in Elderly Chinese Men and Women. <i>Journal of Nutrition</i> , 2021, 151, 2399-2408.	2.9	7
771	Gut Microbiota and Fecal Metabolites Associated With Neurocognitive Impairment in HIV-Infected Population. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 723840.	3.9	7
772	Polycyclic aromatic hydrocarbons and risk of gastric cancer in the Shanghai Women's Health Study. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2014, 5, 140-4.	0.4	7
773	Prediagnosis Leisure-Time Physical Activity and Lung Cancer Survival: A Pooled Analysis of 11 Cohorts. <i>JNCI Cancer Spectrum</i> , 2022, 6, .	2.9	7
774	Association of Ginseng Consumption With All-cause and Cause-specific Mortality: Shanghai Women's Health Study. <i>Journal of Epidemiology</i> , 2022, 32, 469-475.	2.4	7

#	ARTICLE	IF	CITATIONS
775	UACA locus is associated with breast cancer chemoresistance and survival. <i>Npj Breast Cancer</i> , 2022, 8, 39.	5.2	7
776	Association of Fruit, Vegetable, and Animal Food Intakes with Breast Cancer Risk Overall and by Molecular Subtype among Vietnamese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1026-1035.	2.5	7
777	Racial/Ethnic Disparities in Mortality Related to Access to Care for Major Cancers in the United States. <i>Cancers</i> , 2022, 14, 3390.	3.7	7
778	Development of a nomogram for identification of asthma among adults in epidemiologic studies. <i>Annals of Allergy, Asthma and Immunology</i> , 2010, 105, 203-210.	1.0	6
779	Correlates of self-reported dietary cruciferous vegetable intake and urinary isothiocyanate from two cohorts in China. <i>Public Health Nutrition</i> , 2015, 18, 1237-1244.	2.2	6
780	Mortality for robotic- versus video-assisted lobectomy treated stage I non-small cell lung cancer patients. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkaa028.	2.9	6
781	Mendelian Randomization Analysis of n-6 Polyunsaturated Fatty Acid Levels and Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2735-2739.	2.5	6
782	Prospective study of plasma levels of coenzyme Q10 and lung cancer risk in a low-income population in the Southeastern United States. <i>Cancer Medicine</i> , 2021, 10, 1439-1447.	2.8	6
783	Prediction models for breast cancer prognosis among Asian women. <i>Cancer</i> , 2021, 127, 1758-1769.	4.1	6
784	Development and external validation of a breast cancer absolute risk prediction model in Chinese population. <i>Breast Cancer Research</i> , 2021, 23, 62.	5.0	6
785	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021, 108, 1190-1203.	6.2	6
786	Association between body mass index and colorectal adenomas: Findings from a case-control study in Vietnam. <i>International Journal of Cancer</i> , 2021, 149, 1898-1909.	5.1	6
787	Phytoestrogens and lung cancer risk: a nested case-control study in never-smoking Chinese women. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 643-651.	4.7	6
788	Population attributable risks of cigarette smoking for deaths of all causes, all cancers and other chronic diseases among adults aged 40-74 years in urban Shanghai, China. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2015, 27, 59-65.	2.2	6
789	Her-2/neu amplification and breast cancer survival: results from the Shanghai breast cancer study. <i>Oncology Reports</i> , 2008, 19, 1347-54.	2.6	6
790	New Breast Cancer Risk Variant Discovered at 10q25 in East Asian Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1297-1303.	2.5	5
791	Urinary Isothiocyanates Level and Liver Cancer Risk: A Nested Case-Control Study in Shanghai, China. <i>Nutrition and Cancer</i> , 2014, 66, 1023-1029.	2.0	5
792	Associations of the Transforming Growth Factor β /Smad Pathway, Body Mass Index, and Physical Activity With Breast Cancer Outcomes: Results From the Shanghai Breast Cancer Study. <i>American Journal of Epidemiology</i> , 2016, 184, 501-509.	3.4	5

#	ARTICLE	IF	CITATIONS
793	Anti-Mullerian hormone and endometrial cancer: a multi-cohort study. <i>British Journal of Cancer</i> , 2017, 117, 1412-1418.	6.4	5
794	Anti-Müllerian hormone and risk of ovarian cancer in nine cohorts. <i>International Journal of Cancer</i> , 2018, 142, 262-270.	5.1	5
795	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , 2019, 9, 12524.	3.3	5
796	Urinary metabolites and risk of coronary heart disease: A prospective investigation among urban Chinese adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 467-473.	2.6	5
797	Soy Intake and Colorectal Cancer Risk: Results from a Pooled Analysis of Prospective Cohort Studies Conducted in China and Japan. <i>Journal of Nutrition</i> , 2020, 150, 2442-2450.	2.9	5
798	Genome-Wide Gene-Diabetes and Gene-Obesity Interaction Scan in 8,255 Cases and 11,900 Controls from PanScan and PanC4 Consortia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1784-1791.	2.5	5
799	Genome-Wide Association Study Data Reveal Genetic Susceptibility to Chronic Inflammatory Intestinal Diseases and Pancreatic Ductal Adenocarcinoma Risk. <i>Cancer Research</i> , 2020, 80, 4004-4013.	0.9	5
800	CYP3A7*1C allele: linking premenopausal oestrone and progesterone levels with risk of hormone receptor-positive breast cancers. <i>British Journal of Cancer</i> , 2021, 124, 842-854.	6.4	5
801	Comprehensive Characterization of COVID-19 Patients with Repeatedly Positive SARS-CoV-2 Tests Using a Large U.S. Electronic Health Record Database. <i>Microbiology Spectrum</i> , 2021, 9, e0032721.	3.0	5
802	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. <i>Oncotarget</i> , 2016, 7, 69097-69110.	1.8	5
803	Associations of Dietary Intakes of Calcium, Magnesium, and Soy Isoflavones With Bone Fracture Risk in Men: A Prospective Study. <i>JBMR Plus</i> , 2022, 6, e10563.	2.7	5
804	Endogenous sex hormones, aromatase activity and lung cancer risk in postmenopausal never-smoking women. <i>International Journal of Cancer</i> , 2022, 151, 699-707.	5.1	5
805	Polymorphisms in genes related to one-carbon metabolism are not related to pancreatic cancer in PanScan and PanC4. <i>Cancer Causes and Control</i> , 2013, 24, 595-602.	1.8	4
806	A prospective study of autoantibodies to Ezrin and pancreatic cancer risk. <i>Cancer Causes and Control</i> , 2016, 27, 831-835.	1.8	4
807	Association of sleep duration and incidence of diabetes modified by tea consumption: a report from the Shanghai men's health study. <i>Sleep Medicine</i> , 2017, 38, 135-141.	1.6	4
808	Scientific Evidence for Cancer Control in Vietnam. <i>Cancer Control</i> , 2019, 26, 107327481986645.	1.8	4
809	Diabetes, obesity, and subsequent risk of postmenopausal breast cancer among white and black women in the Southern Community Cohort Study. <i>Cancer Causes and Control</i> , 2019, 30, 425-433.	1.8	4
810	Urinary PGE-M Levels and Risk of Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1845-1852.	2.5	4

#	ARTICLE	IF	CITATIONS
811	Associations of Depressive Symptoms With All-Cause and Cause-Specific Mortality by Race in a Population of Low Socioeconomic Status: A Report From the Southern Community Cohort Study. <i>American Journal of Epidemiology</i> , 2021, 190, 562-575.	3.4	4
812	Racial Differences in Hepatocellular Carcinoma Incidence and Risk Factors among a Low Socioeconomic Population. <i>Cancers</i> , 2021, 13, 3710.	3.7	4
813	Discovery of structural deletions in breast cancer predisposition genes using whole genome sequencing data from 2000 women of African-ancestry. <i>Human Genetics</i> , 2021, 140, 1449-1457.	3.8	4
814	Racial disparity in taxane-induced neutropenia among cancer patients. <i>Cancer Medicine</i> , 2021, 10, 6767-6776.	2.8	4
815	Type 2 diabetes and mammographic breast density among underserved women. <i>Cancer Causes and Control</i> , 2015, 26, 303-309.	1.8	3
816	Discovery of a Pathogenic Variant rs139379666 (p. P2974L) in <i>ATM</i> for Breast Cancer Risk in Chinese Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1308-1315.	2.5	3
817	Investigating the associations of glycemic load and glycemic index with lung cancer risk in the Southern Community Cohort Study. <i>Cancer Causes and Control</i> , 2020, 31, 1069-1077.	1.8	3
818	A pooled case-only analysis of obesity and breast cancer subtype among Black women in the southeastern United States. <i>Cancer Causes and Control</i> , 2022, 33, 515-524.	1.8	3
819	Quality of dietary carbohydrate is more important than its quantity in lipid peroxidation. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 189-196.	4.7	3
820	Large-scale Integrated Analysis of Genetics and Metabolomic Data Reveals Potential Links Between Lipids and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1216-1226.	2.5	3
821	Lipid peroxidation biomarkers associated with height and obesity measures in the opposite direction in women. <i>Obesity</i> , 2022, 30, 1257-1267.	3.0	3
822	Tooth Loss and Risk of Lung Cancer among Urban Chinese Adults: A Cohort Study with Meta-Analysis. <i>Cancers</i> , 2022, 14, 2428.	3.7	3
823	Occupational Exposure to Lead and Cancer in Two Cohort Studies of Men and Women in Shanghai, China. <i>Occupational and Environmental Medicine</i> , 2014, 71, A42.2-A42.	2.8	2
824	Genetic Variation and Insulin Resistance in Middle-Aged Chinese Men. <i>Annals of Human Genetics</i> , 2015, 79, 357-365.	0.8	2
825	rs2735383, located at a microRNA binding site in the 3'UTR of NBS1, is not associated with breast cancer risk. <i>Scientific Reports</i> , 2016, 6, 36874.	3.3	2
826	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020, 10, 9688.	3.3	2
827	Multi-ancestry genome-wide association study accounting for gene-psychosocial factor interactions identifies novel loci for blood pressure traits. <i>Human Genetics and Genomics Advances</i> , 2021, 2, 100013.	1.7	2
828	Radiotherapy after breast-conserving surgery for elderly patients with early-stage breast cancer: A national registry-based study. <i>International Journal of Cancer</i> , 2021, 148, 857-867.	5.1	2

#	ARTICLE	IF	CITATIONS
829	Functional Genomic Analyses of the 21q22.3 Locus Identifying Functional Variants and Candidate Gene YBEY for Breast Cancer Risk. <i>Cancers</i> , 2021, 13, 2037.	3.7	2
830	Development and validation of a breast cancer absolute risk prediction model in Chinese population. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	2
831	Associations of genetic susceptibility to 16 cancers with risk of breast cancer overall and by intrinsic subtypes. <i>Human Genetics and Genomics Advances</i> , 2022, 3, 100077.	1.7	2
832	Evaluating breast cancer predisposition genes in women of African ancestry. <i>Genetics in Medicine</i> , 2022, 24, 1468-1475.	2.4	2
833	Findings from the first colorectal cancer screening among 103,542 individuals in Vietnam with systematic review of colorectal cancer screening programs in Asia-Pacific region. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 707-715.	1.3	2
834	Associations of lung cancer risk with biomarkers of <i>Helicobacter pylori</i> infection. <i>Carcinogenesis</i> , 2022, 43, 538-546.	2.8	2
835	No Association between Ovarian Cancer Susceptibility Variants and Breast Cancer Risk among Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 467-469.	2.5	1
836	Authors' response: Associations of obesity and circulating insulin and glucose with breast cancer risk. <i>International Journal of Epidemiology</i> , 2019, 48, 1016-1017.	1.9	1
837	Lead-Time Bias in the Analyses of Overall Mortality of Breast Cancer in Men vs Women—Reply. <i>JAMA Oncology</i> , 2020, 6, 442.	7.1	1
838	Abstract PD11-05: Diabetes decreases overall survival in women with breast cancer in the southern community cohort study. , 2021, , .		1
839	Associations of Subtype and Isomeric Plasma Carotenoids with Prostate Cancer Risk in Low-Income African and European Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1846-1857.	2.5	1
840	Post-diagnosis BMI and physical activity in association with triple-negative breast cancer prognosis: Results from 5 prospective cohorts.. <i>Journal of Clinical Oncology</i> , 2015, 33, 1507-1507.	1.6	1
841	Evaluation of determinants for age disparities in the survival improvement of colon cancer: results from a cohort of more than 486,000 patients in the United States. <i>American Journal of Cancer Research</i> , 2020, 10, 3395-3405.	1.4	1
842	Association Between Long-Term Regular Exercise and Gut Microbiota Among Middle-Aged and Older Urban Chinese. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2022, , 1-9.	2.1	1
843	Relevance of the MHC region for breast cancer susceptibility in Asians. <i>Breast Cancer</i> , 2022, 29, 869-879.	2.9	1
844	Whole transcriptomic analysis of HR+ breast cancer in Black women classified as basal-type by BluePrint.. <i>Journal of Clinical Oncology</i> , 2022, 40, 517-517.	1.6	1
845	Role of TGF- β 1 and its receptors in breast carcinogenesis: Evaluation of gene expression patterns and clinical implications. <i>Chinese Journal of Clinical Oncology</i> , 2007, 4, 153-159.	0.0	0
846	Occupational exposure to benzene and risk of non-Hodgkin lymphoma in a population-based cohort study of Chinese women in Shanghai... Occupational exposure to benzene and risk of non-Hodgkin lymphoma in a population-based cohort study of Chinese women in Shanghai. <i>Occupational and Environmental Medicine</i> , 2014, 71, A40.3-A41.	2.8	0

#	ARTICLE	IF	CITATIONS
847	The Establishment of the Household Air Pollution Consortium (HAPCO). Atmosphere, 2019, 10, 422.	2.3	0
848	Associations of n-3 Fatty Acids and Fish Intakes with Risk of Alzheimer's Disease and Related Dementia Among Low-Income Black and White Americans. Current Developments in Nutrition, 2020, 4, nzaa040_059.	0.3	0
849	Reply to Kenyon, "Are Differences in the Oral Microbiome Due to Ancestry or Socioeconomics?" MSys, 2020, 5, .	3.8	0
850	Using Risk Stratification to Optimize Mammography Screening in Chinese Women. JNCI Cancer Spectrum, 2021, 5, pkab060.	2.9	0
851	Abstract 851: Associations of dietary calcium and magnesium intakes with lung cancer risk among low-income Americans: Results from the Southern Community Cohort Study. , 2021, , .		0
852	Influence of Exercise and Non-exercise Physical Activity on Mortality in Chinese Women. Medicine and Science in Sports and Exercise, 2006, 38, S435.	0.4	0
853	Postdiagnosis social networks and lifestyle and treatment mechanisms in the Ater Breast Cancer Pooling Project (ABCPP).. Journal of Clinical Oncology, 2014, 32, 115-115.	1.6	0
854	Disparities in pretest genetic counseling among a population-based sample of young breast cancer patients.. Journal of Clinical Oncology, 2019, 37, 1579-1579.	1.6	0
855	Body mass index and type 2 diabetes and breast cancer survival: a Mendelian randomization study. American Journal of Cancer Research, 2021, 11, 3921-3934.	1.4	0
856	OUP accepted manuscript. Carcinogenesis, 2021, , .	2.8	0
857	The role of thoracic radiotherapy dosing in the treatment of limited-stage small cell lung cancer: A study based on the National Cancer Database. Advances in Radiation Oncology, 2022, 7, 100907.	1.2	0
858	Abstract P3-14-11: Mammprint and Blueprint identify genomic differences in HR+ HER2- breast cancers from young Black and White women. Cancer Research, 2022, 82, P3-14-11-P3-14-11.	0.9	0
859	Abstract 2262: Associations of plasma carotenes with lung cancer risk in a low-income population in the southeastern United States. Cancer Research, 2022, 82, 2262-2262.	0.9	0
860	Tea Consumption and Gut Microbiome in Chinese Men and Women. Current Developments in Nutrition, 2022, 6, 1035.	0.3	0
861	Healthy Lifestyles and the Risk of Alzheimer's Disease and Related Dementias among Low-Income Black and White Americans. Current Developments in Nutrition, 2022, 6, 967.	0.3	0
862	Dietary Polyphenols and the Risk of Alzheimer's Disease and Related Dementias Among Low-income Black and White Americans. Current Developments in Nutrition, 2022, 6, 814.	0.3	0
863	Improved overall survival of metastatic cancers in the United States across all age groups in the immunotherapy era: Implications for considering elderly patients (age ≥ 75) for immune checkpoint inhibitors (ICIs).. Journal of Clinical Oncology, 2022, 40, 12039-12039.	1.6	0