

Adam Grzegorz Flakus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2735729/publications.pdf>

Version: 2024-02-01

68

papers

674

citations

623734

14

h-index

752698

20

g-index

68

all docs

68

docs citations

68

times ranked

622

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Forecasting the number of species of asexually reproducing fungi (Ascomycota and Basidiomycota). <i>Fungal Diversity</i> , 2022, 114, 463-490. | 12.3 | 12 |
| 2 | Phylogeny and Ecology of Trebouxia Photobionts From Bolivian Lichens. <i>Frontiers in Microbiology</i> , 2022, 13, 779784. | 3.5 | 5 |
| 3 | Turnover of Lecanoroid Mycobionts and Their Trebouxia Photobionts Along an Elevation Gradient in Bolivia Highlights the Role of Environment in Structuring the Lichen Symbiosis. <i>Frontiers in Microbiology</i> , 2021, 12, 774839. | 3.5 | 16 |
| 4 | A tribute to Professor Adam Boratyński: an eminent Polish botanist and scholar. <i>Plant and Fungal Systematics</i> , 2021, 66, 107-107. | 0.5 | 0 |
| 5 | Phylogenetic placement of <i>Leptosphaeria polylepidis</i> , a pathogen of Andean endemic <i>Polylepis tarapacana</i> , and its newly discovered mycoparasite <i>Sajamaea mycophila</i> gen. et sp. nov.. <i>Mycological Progress</i> , 2020, 19, 1-14. | 1.4 | 7 |
| 6 | The identity, ecology and distribution of <i>Polypprenula</i> (Ascomycota: Dothideomycetes): a new member of Trypetheliaceae revealed by molecular and anatomical data. <i>Lichenologist</i> , 2020, 52, 27-35. | 0.8 | 3 |
| 7 | Trentepohlialean Algae (Trentepohliales, Ulvophyceae) Show Preference to Selected Mycobiont Lineages in Lichen Symbioses. <i>Journal of Phycology</i> , 2020, 56, 979-993. | 2.3 | 16 |
| 8 | A Festschrift in honor of Philippe Clerc: an eminent and multitalented lichenologist in Switzerland. <i>Plant and Fungal Systematics</i> , 2020, 65, 239-239. | 0.5 | 0 |
| 9 | A Festschrift in honor of Emmanuel Sărusiaux, lichenologist and environmentalist. <i>Plant and Fungal Systematics</i> , 2020, 65, 1-1. | 0.5 | 0 |
| 10 | A new genus, <i>Zhurbenkoa</i> , and a novel nutritional mode revealed in the family Malmideaceae (Lecanoromycetes, Ascomycota). <i>Mycologia</i> , 2019, 111, 593-611. | 1.9 | 11 |
| 11 | New species and records of lichens from Bolivia. <i>Phytotaxa</i> , 2019, 397, 257. | 0.3 | 14 |
| 12 | Phylogenetic placement of <i>Lepraria cryptovouauxii</i> sp. nov. (Lecanorales, Lecanoromycetes,) Tj ETQq0 0 0 rgBT /Overlock 10 Tj 50 302 T | | |
| 13 | A Liber Amicorum: Jadwiga Siemińska-Słupska (1922–2018). <i>Plant and Fungal Systematics</i> , 2019, 64, 1. | 0.5 | 0 |
| 14 | Biodiversity assessment of ascomycetes inhabiting Lobariella lichens in Andean cloud forests led to one new family, three new genera and 13 new species of lichenicolous fungi. <i>Plant and Fungal Systematics</i> , 2019, 64, 283-344. | 0.5 | 30 |
| 15 | A tribute to James D. Lawrey, honoring a unique career in the biology of lichens and lichenicolous fungi. <i>Plant and Fungal Systematics</i> , 2019, 64, 115. | 0.5 | 0 |
| 16 | Three new lichenicolous species of the genus <i>Plectocarpon</i> (Ascomycota: Lecanographaceae) discovered in the Bolivian Andes. <i>Phytotaxa</i> , 2018, 357, 275. | 0.3 | 4 |
| 17 | Considerations and consequences of allowing DNA sequence data as types of fungal taxa. <i>IMA Fungus</i> , 2018, 9, 167-175. | 3.8 | 45 |
| 18 | Seven Species of Freshwater Lichen-Forming Fungi Newly Recorded from Poland. <i>Polish Botanical Journal</i> , 2017, 62, 273-278. | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Eight <i>Caloplaca</i> species newly recorded from Bolivia, including <i>C. crocina</i> comb. nov.. Mycotaxon, 2017, 132, 125-140. | 0.3 | 2 |
| 20 | Circumscription of the genus <i>Lepra</i> , a recently resurrected genus to accommodate the "Variolaria" group of Pertusaria sensu lato (Pertusariales, Ascomycota). PLoS ONE, 2017, 12, e0180284. | 2.5 | 12 |
| 21 | <i>Trypetheliaceae</i> of Bolivia: an updated checklist with descriptions of twenty-four new species. Lichenologist, 2016, 48, 661-692. | 0.8 | 11 |
| 22 | Additions to the global diversity of <i>Cladonia</i> . Lichenologist, 2016, 48, 517-526. | 0.8 | 2 |
| 23 | <i>Trichonectria calopadiicola</i> sp. nov. (Hypocreales, Ascomycota): the second species of the family Bionectriaceae parasitic on folicolous lichens discovered in Tanzania. Phytotaxa, 2016, 278, 281. | 0.3 | 4 |
| 24 | Lichens and lichenicolous fungi of Magurski National Park (Poland, Western Carpathians). Polish Botanical Journal, 2016, 61, 127-160. | 0.5 | 5 |
| 25 | Contribution to the knowledge of the lichen biota of Bolivia. 8. Polish Botanical Journal, 2016, 61, 107-126. | 0.5 | 5 |
| 26 | The Lichen Family Parmeliaceae in Poland. Xanthoparmelia Species Containing Usnic Acid. Herzogia, 2016, 29, 108. | 0.4 | 7 |
| 27 | The identity of <i>Acarospora xanthophana</i> (Fungi: Ascomycota) and a description of <i>A. congregata</i> sp. nov. to accommodate a widely distributed saxicolous species occurring in the higher elevations of South America. Taxon, 2016, 65, 146-151. | 0.7 | 3 |
| 28 | <i>Macroskyttea parmotrematis</i> gen. et sp. nov. (Helotiales, Leotiomycetes, Ascomycota), a new lichenicolous fungus from Bolivia. Phytotaxa, 2015, 224, 247. | 0.3 | 9 |
| 29 | A first assessment of lichenized Arthoniales in Bolivia with descriptions of two new species. Phytotaxa, 2015, 217, 1. | 0.3 | 6 |
| 30 | Contribution to the knowledge of the lichen biota of Bolivia. 7. Polish Botanical Journal, 2015, 60, 81-98. | 0.5 | 6 |
| 31 | Rare or Overlooked? Two Species of <i>Lyromma</i> (Lyrommataceae, Lichenized Ascomycota) are New for Africa. Herzogia, 2015, 28, 204-211. | 0.4 | 3 |
| 32 | New lichen-associated bulbil-forming species of Cantharellales (Basidiomycetes). Lichenologist, 2014, 46, 333-347. | 0.8 | 15 |
| 33 | A Contribution to the Lichen Family Graphidaceae (Ostropales, Ascomycota) of Bolivia. 2. Polish Botanical Journal, 2014, 59, 85-96. | 0.5 | 4 |
| 34 | The Lichen Order Peltigerales in Bolivia – The First Assessment of the Biodiversity. Herzogia, 2014, 27, 321-345. | 0.4 | 3 |
| 35 | <i>Melaspilea tucumana</i> , a new gall-forming lichenicolous fungus from the tropical Andes in Bolivia. Lichenologist, 2014, 46, 657-662. | 0.8 | 10 |
| 36 | The first squamulose <i>Thelocarpon</i> species (Thelocarpaceae, Ascomycota) discovered in the biological soil crusts in the Bolivian Andes. Phytotaxa, 2014, 175, 281. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Contribution to the Knowledge of the Lichen Biota of Bolivia. 6. Polish Botanical Journal, 2014, 59, 63-83. | 0.5 | 5 |
| 38 | New Records of Lecanora for Bolivia. II. Polish Botanical Journal, 2014, 59, 97-103. | 0.5 | 4 |
| 39 | <i>Niesslia echinoides</i> (<i>Niessliaceae</i>, Ascomycota), a new lichenicolous fungus on <i>Erioderma</i> from Bolivia. Lichenologist, 2013, 45, 21-24. | 0.8 | 15 |
| 40 | A Contribution to the Lichen Family Graphidaceae (ostropales, Ascomycota) of Bolivia. Herzogia, 2013, 26, 231-252. | 0.4 | 13 |
| 41 | Contribution to the knowledge of the lichen biota of Bolivia. 5. Polish Botanical Journal, 2013, 58, 697-733. | 0.5 | 18 |
| 42 | Foliicolous lichenized fungi of lowland Amazon forests in Pando, Bolivia. Polish Botanical Journal, 2013, 58, 539-554. | 0.5 | 7 |
| 43 | Capronia paranectrioides (Herpotrichiellaceae, Ascomycota), a new lichenicolous fungus from Bolivia. Lichenologist, 2013, 45, 623-626. | 0.8 | 13 |
| 44 | Notes on the lichen genus Ochrolechia in Bolivia. Polish Botanical Journal, 2013, 58, 691-695. | 0.5 | 4 |
| 45 | <i>Lichenochora tertia</i> (<i>Phyllachorales</i>): the third species of the genus growing on <i>Xanthoria elegans</i>. Mycotaxon, 2013, 123, 9-13. | 0.3 | 6 |
| 46 | A contribution to the taxonomy of <>Lyromma<> (<>Lyrommataceae<>,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.3 | 7 |
| 47 | A molecular perspective on generic concepts in the Hypotrachyna clade (Parmeliaceae, Ascomycota). Phytotaxa, 2013, 132, 21. | 0.3 | 34 |
| 48 | New records of <i>Lecanora</i> for Bolivia. Mycotaxon, 2013, 121, 385-392. | 0.3 | 4 |
| 49 | Additions to the biota of lichenized fungi of Poland. Acta Mycologica, 2013, 44, 249-257. | 0.3 | 9 |
| 50 | Note on the distribution of some lichenized and lichenicolous fungi of the Tatra National Park. Acta Mycologica, 2013, 41, 329-342. | 0.3 | 1 |
| 51 | Additional information on the recently described species, <i>Lecanora printzenii</i>. Lichenologist, 2012, 44, 561-562. | 0.8 | 3 |
| 52 | A new species and new combinations and records of <i>Hypotrachyna</i> and <i>Remototrachyna</i> from Bolivia. Mycotaxon, 2012, 119, 157-166. | 0.3 | 14 |
| 53 | <i>Calopadia erythrocephala</i>, a new foliicolous lichenized fungus from Brazil. Lichenologist, 2012, 44, 395-399. | 0.8 | 6 |
| 54 | New species of lichenicolous fungi from Bolivia. Lichenologist, 2012, 44, 469-477. | 0.8 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | <i>Plectocarpon stereocaulicola</i> (<i>Roccellaceae</i>, Ascomycota), a new lichenicolous fungus from Bolivia. Lichenologist, 2012, 44, 479-482. | 0.8 | 18 |
| 56 | A contribution to the study of <i>Acarosporaceae</i> in South America. Lichenologist, 2012, 44, 253-262. | 0.8 | 12 |
| 57 | New species and records of Lepraria (Stereocaulaceae, lichenized Ascomycota) from South America. Lichenologist, 2011, 43, 57-66. | 0.8 | 25 |
| 58 | Lepraria maderensis Kukwa Flakus, a new lichen species containing gyrophoric and lecanoric acids. Nova Hedwigia, 2011, 92, 95-99. | 0.4 | 4 |
| 59 | <i>Lecanora microloba</i>, a new saxicolous species from Poland. Lichenologist, 2011, 43, 1-6. | 0.8 | 13 |
| 60 | Acarospora ramosa (Acarosporaceae), a new effigurate yellow species from South America. Nova Hedwigia, 2009, 89, 349-353. | 0.4 | 5 |
| 61 | Aspidothelium lueckingii: a new lichenized fungus from Bolivia. Nova Hedwigia, 2009, 88, 139-143. | 0.4 | 11 |
| 62 | Lecanora flavoleprosa (Lecanoraceae, lichenized Ascomycota) found in the Carpathians. Biologia (Poland), 2009, 64, 1066-1069. | 1.5 | 8 |
| 63 | <i>Lepraria glaucosorediata</i> sp. nov. (<i>Stereocaulaceae</i>, lichenized <i>Ascomycota</i>) and other interesting records of <i>Lepraria</i>. Mycotaxon, 2009, 108, 353-364. | 0.3 | 20 |
| 64 | New and Interesting Records of <i>Cladonia</i> and their Lichenicolous Fungi from the Andean Cloud Forest in Bolivia. Annales Botanici Fennici, 2008, 45, 448-454. | 0.1 | 25 |
| 65 | New species and additional records of foliicolous lichenized fungi from Bolivia. Lichenologist, 2008, 40, 423-436. | 0.8 | 18 |
| 66 | New species and records of Lepraria (Stereocaulaceae, lichenized Ascomycota) from South America. Lichenologist, 2007, 39, 463-474. | 0.8 | 24 |
| 67 | Cladonia crispata var. cetrariiformis (Cladoniaceae, lichenized Ascomycota) in the Tatra Mts. Biologia (Poland), 2007, 62, 144-147. | 1.5 | 10 |
| 68 | Three species of lichenized Ascomycota new to Poland. Biologia (Poland), 2006, 61, 15-17. | 1.5 | 2 |