Karine Peres

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2739629/publications.pdf

Version: 2024-02-01

119	6,951	36	79
papers	citations	h-index	g-index
125	125	125	9550
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Routinization: risk factor or marker of adjustment to negative health issues?. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	1
2	Longitudinal Study of Cognitive Decline before and after the COVID-19 Pandemic: Evidence from the PA-COVID Survey. Dementia and Geriatric Cognitive Disorders, 2022, 51, 56-62.	1.5	16
3	Towards an approach of disability along a continuum from robustness, pre-frailty, frailty to disability. Age and Ageing, 2022, 51, .	1.6	4
4	Effectiveness of an Ambient Assisted Living (HomeAssist) Platform for Supporting Aging in Place of Older Adults With Frailty: Protocol for a Quasi-Experimental Study. JMIR Research Protocols, 2022, 11, e33351.	1.0	2
5	A robust machine learning framework to identify signatures for frailty: a nested case-control study in four aging European cohorts. GeroScience, 2021, 43, 1317-1329.	4.6	31
6	Prospective pragmatic quasi-experimental study to assess the impact and effectiveness of an innovative large-scale public health intervention to foster healthy ageing in place: the SoBeezy program protocol. BMJ Open, 2021, 11, e043082.	1.9	8
7	ADL-dependent older adults were identified in medico-administrative databases. Journal of Clinical Epidemiology, 2021, 139, 297-306.	5.0	4
8	Herpes simplex virus, early neuroimaging markers and incidence of Alzheimer's disease. Translational Psychiatry, 2021, 11, 414.	4.8	16
9	Older Adults and the COVID-19 Pandemic, What About the Oldest Old? The PACOVID Population-Based Survey. Frontiers in Psychiatry, 2021, 12, 711583.	2.6	7
10	Simple Carbohydrate Intake and Higher Risk for Physical Frailty Over 15 Years in Community-Dwelling Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, , .	3.6	6
11	Living in rural area: A protective factor for a negative experience of the lockdown and the COVID \hat{a} crisis in the oldest old population? International Journal of Geriatric Psychiatry, 2021, 36, 1950-1958.	2.7	13
12	Connecting Cohorts to Diminish Alzheimer's Disease (CONCORD-AD): A Report of an International Research Collaboration Network. Journal of Alzheimer's Disease, 2021, , 1-15.	2.6	1
13	Association of Seropositivity to Borrelia burgdorferi With the Risk of Neuropsychiatric Disorders and Functional Decline in Older Adults. JAMA Neurology, 2020, 77, 210.	9.0	9
14	Do partners of severely disabled elderly protect against nursing home entry? Evidence from a French cohort. Journal of the Economics of Ageing, 2020, 15, 100207.	1.3	5
15	Association of anthropometry and weight change with risk of dementia and its major subtypes: A metaâ€analysis consisting 2.8 million adults with 57 294 cases of dementia. Obesity Reviews, 2020, 21, e12989.	6.5	62
16	Validation of Short Form of Preferences for Routines Scale: Norms in Older Adults. International Journal of Aging and Human Development, 2020, 93, 009141502094021.	1.6	3
17	Changes Over Time of Diffusion MRI in the White Matter of Aging Brain, a Good Predictor of Verbal Recall. Frontiers in Aging Neuroscience, 2020, 12, 218.	3.4	9
18	The disability process: is there a place for frailty?. Age and Ageing, 2020, 49, 764-770.	1.6	17

#	Article	IF	CITATIONS
19	Gait speed and body mass index: Results from the AMI study. PLoS ONE, 2020, 15, e0229979.	2.5	19
20	Heterogeneous Long-Term Trajectories of Dependency in Older Adults: The PAQUID Cohort, a Population-Based Study over 22 years. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 2396-2403.	3.6	15
21	Psycho-social transition to retirement and adjustment to retired life: influence on wellbeing and mental health in retired farmers. Ageing and Society, 2019, 39, 2578-2604.	1.7	5
22	Associations of fatâ€soluble micronutrients and redox biomarkers with frailty status in the FRAILOMIC initiative. Journal of Cachexia, Sarcopenia and Muscle, 2019, 10, 1339-1346.	7.3	22
23	Associations of Plasma 3-Methylhistidine with Frailty Status in French Cohorts of the FRAILOMIC Initiative. Journal of Clinical Medicine, 2019, 8, 1010.	2.4	25
24	Sex-specific depressive symptoms as markers of pre-Alzheimer dementia: findings from the Three-City cohort study. Translational Psychiatry, 2019, 9, 291.	4.8	11
25	Development of the Central Africa Daily Functioning Interference Scale for Dementia Diagnosis in Older Adults: The EPIDEMCA Study. Dementia and Geriatric Cognitive Disorders, 2019, 47, 29-41.	1.5	4
26	Immune thrombotic thrombocytopenic purpura in older patients: prognosis and long-term survival. Blood, 2019, 134, 2209-2217.	1.4	38
27	Increased levels of soluble Receptor for Advanced Glycation End-products (RAGE) are associated with a higher risk of mortality in frail older adults. Age and Ageing, 2019, 48, 696-702.	1.6	22
28	Determinants of functional decline in older adults experiencing cancer (the INCAPAC study). Journal of Geriatric Oncology, 2019, 10, 913-920.	1.0	16
29	Secular trends of mortality and dementia-free life expectancy over a 10-year period in France. European Journal of Epidemiology, 2019, 34, 115-123.	5.7	13
30	Depression Increases the Risk of Death Independently From Vascular Events in Elderly Individuals: The Threeâ€City Study. Journal of the American Geriatrics Society, 2019, 67, 546-552.	2.6	18
31	Vision loss and 12-year risk of dementia in older adults: the 3C cohort study. European Journal of Epidemiology, 2019, 34, 141-152.	5.7	53
32	A comprehensive approach of the determinants of use of care in dementia: the Recaredem (recourse to) Tj ETQq(0 0 0 rgBT 1.0	/Qverlock 10
33	Patterns of circulating fat-soluble vitamins and carotenoids and risk of frailty in four European cohorts of older adults. European Journal of Nutrition, 2019, 58, 379-389.	3.9	27
34	Near Visual Impairment Incidence in Relation to Diabetes in Older People: The Threeâ€Cities Study. Journal of the American Geriatrics Society, 2018, 66, 699-705.	2.6	5
35	Effect of SSRI and calcium channel blockers on depression symptoms and cognitive function in elderly persons treated for hypertension: three city cohort study. International Psychogeriatrics, 2018, 30, 1345-1354.	1.0	14
36	Prevalence and Co-Occurrence of Geriatric Syndromes in People Aged 75 Years and Older in France: Results From the Bordeaux Three-city Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 109-116.	3.6	41

#	Article	IF	Citations
37	High adherence to a Mediterranean diet and lower risk of frailty among French older adults community-dwellers: Results from the Three-City-Bordeaux Study. Clinical Nutrition, 2018, 37, 1293-1298.	5.0	60
38	A Subjective Quality of Life Proxy for Older Adults in the PAQUID Cohort Study. Journal of Geriatric Psychiatry and Neurology, 2018, 31, 303-311.	2.3	3
39	Association between plasma CCL11 (eotaxin-1) and cognitive status in older adults: Differences between rural and urban dwellers. Experimental Gerontology, 2018, 113, 173-179.	2.8	11
40	Evolution of dementia diagnosis over time (1988–2013): Evidence from French and English cohorts. Implication for secular trends analyses. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 490-497.	2.4	7
41	Dietary patterns and risk of self-reported activity limitation in older adults from the Three-City Bordeaux Study. British Journal of Nutrition, 2018, 120, 549-556.	2.3	9
42	Temporal Trends in the Level and Decline of Cognition and Disability in an Elderly Population. American Journal of Epidemiology, 2018, 187, 2168-2176.	3.4	7
43	Visual Loss and Subsequent Activity Limitations in the Elderly: The French Three-City Cohort. American Journal of Public Health, 2017, 107, 564-569.	2.7	41
44	The changing prevalence and incidence of dementia over time $\hat{a} \in \text{``}$ current evidence. Nature Reviews Neurology, 2017, 13, 327-339.	10.1	503
45	Antidepressant use and cognitive decline in community-dwelling elderly people – The Three-City Cohort. BMC Medicine, 2017, 15, 81.	5.5	14
46	Modifiable Risk Factors for Prevention ofÂDementia in Midlife, Late Life and the Oldest-Old: Validation of the LIBRA Index. Journal of Alzheimer's Disease, 2017, 58, 537-547.	2.6	95
47	Vascular Cerebral Damage in Frail Older Adults: The AMImage Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 971-977.	3.6	47
48	Trends in Prevalence of Dementia in French Farmers from Two Epidemiological Cohorts. Journal of the American Geriatrics Society, 2017, 65, 415-420.	2.6	27
49	The impact of chronic psychiatric disorders on cognitive decline. Acta Psychiatrica Scandinavica, 2017, 136, 280-287.	4.5	1
50	Feasibility and validity of mobile cognitive testing in the investigation of ageâ€related cognitive decline. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	47
51	Psychological transition and adjustment processes related to retirement: influence on cognitive functioning. Aging and Mental Health, 2017, 21, 1310-1316.	2.8	6
52	Activity/rest cycle and disturbances of structural backbone of cerebral networks in aging. NeuroImage, 2017, 146, 814-820.	4.2	24
53	Visual Impairment, Undercorrected Refractive Errors, and Activity Limitations in Older Adults: Findings From the Three-City Alienor Study. , 2017, 58, 2359.		19
54	0281 FRONTAL Î'-AMYLOID BURDEN AND SLEEP DURATION IN AGING. Sleep, 2017, 40, A103-A104.	1.1	0

#	Article	IF	Citations
55	Mood Influences the Concordance of Subjective and Objective Measures of Sleep Duration in Older Adults. Frontiers in Aging Neuroscience, 2016, 08, 181.	3.4	33
56	Patterns of selective serotonin reuptake inhibitor use and risk of falls and fractures in community-dwelling elderly people: the Three-City cohort. Osteoporosis International, 2016, 27, 3187-3195.	3.1	20
57	Consumption of fruit and vegetables and risk of frailty: a dose-response analysis of 3 prospective cohorts of community-dwelling older adults. American Journal of Clinical Nutrition, 2016, 104, 132-142.	4.7	97
58	TNI-93: A New Memory Test for Dementia Detection in Illiterate and Low-Educated Patients. Archives of Clinical Neuropsychology, 2016, 31, 896-903.	0.5	18
59	High Level of Depressive Symptoms at Repeated Study Visits and Risk of Coronary Heart Disease and Stroke over 10ÂYears in Older Adults: The Threeâ€City Study. Journal of the American Geriatrics Society, 2016, 64, 118-125.	2.6	55
60	Trends in dementia incidence: Evolution over a 10â€year period in France. Alzheimer's and Dementia, 2016, 12, 272-280.	0.8	83
61	ADL disability and death in dementia in a French population-based cohort: New insights with an illness-death model., 2016, 12, 909-916.		9
62	The APOE epsilon 4 polymorphism does not predict late onsetÂdepression: the Three-City Study. Neurobiology of Aging, 2016, 40, 191.e9-191.e10.	3.1	5
63	Natural History of Dependency in the Elderly: A 24-Year Population-Based Study Using a Longitudinal Item Response Theory Model. American Journal of Epidemiology, 2016, 183, 277-285.	3.4	54
64	Effect of Early Referral to Specialist in Dementia on Institutionalization and Functional Decline: Findings from a Population-Based Study. Journal of Alzheimer's Disease, 2015, 49, 819-828.	2.6	12
65	Elderly Benzodiazepine Users at Increased Risk of Activity Limitations: Influence of Chronicity, Indications, and Duration of Action—The Three-City Cohort. American Journal of Geriatric Psychiatry, 2015, 23, 840-851.	1.2	19
66	Mild cognitive impairment and deficits in instrumental activities of daily living: a systematic review. Alzheimer's Research and Therapy, 2015, 7, 17.	6.2	419
67	Age-Related Modifications of Diffusion Tensor Imaging Parameters and White Matter Hyperintensities as Inter-Dependent Processes. Frontiers in Aging Neuroscience, 2015, 7, 255.	3.4	40
68	Mobile Technologies in the Early Detection of Cognitive Decline. PLoS ONE, 2014, 9, e112197.	2.5	80
69	Change in leisure and social activities and risk of dementia in elderly cohort. Journal of Nutrition, Health and Aging, 2014, 18, 876-882.	3.3	21
70	Metabolic Syndrome and Disability: Findings From the Prospective Three-City Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 79-86.	3.6	47
71	Ageing and trajectories of depressive symptoms in communityâ€dwelling men and women. International Journal of Geriatric Psychiatry, 2014, 29, 720-729.	2.7	44
72	Visual acuity thresholds associated with activity limitations in the elderly. The Pathologies Oculaires Liées à l'Age study. Acta Ophthalmologica, 2014, 92, e500-6.	1.1	38

#	Article	IF	Citations
73	Hierarchical structure of the activities of daily living scale in dementia. Journal of Nutrition, Health and Aging, 2014, 18, 698-704.	3.3	12
74	Becoming a nonagenarian: Factors associated with survival up to 90 years old in 70+ men and women. Results from the paquid longitudinal cohort. Journal of Nutrition, Health and Aging, 2013, 17, 881-892.	3.3	14
75	Hypnotics and mortality in an elderly general population: a 12-year prospective study. BMC Medicine, 2013, 11, 212.	5.5	64
76	Short―versus longâ€ŧerm prediction of dementia among subjects with low and high educational levels. Alzheimer's and Dementia, 2013, 9, 562-571.	0.8	44
77	A prospective study of the bi-directional association between vision loss and depression in the elderly. Journal of Affective Disorders, 2013, 151, 164-170.	4.1	79
78	Depressive symptoms, antidepressants and disability and future coronary heart disease and stroke events in older adults: the Three City Study. European Journal of Epidemiology, 2013, 28, 249-256.	5.7	22
79	A Simple Score to Predict Survival with Dementia in the General Population. Neuroepidemiology, 2013, 41, 20-28.	2.3	10
80	Recent Trends in Disability-Free Life Expectancy in the French Elderly BR> <1>Twenty Years Follow-Up of the Paquid Cohort 1 . Annual Review of Gerontology and Geriatrics, 2013, 33, 293-311.	0.5	11
81	Restriction in Instrumental Activities of Daily Living in Older Persons: Association with Preferences for Routines and Psychological Vulnerability. International Journal of Aging and Human Development, 2013, 77, 309-329.	1.6	18
82	Structural hippocampal network alterations during healthy aging: a multi-modal MRI study. Frontiers in Aging Neuroscience, 2013, 5, 84.	3.4	35
83	Visual acuity thresholds associated with activity limitations in the elderly. The POLA study. Acta Ophthalmologica, 2013, 91, 0-0.	1.1	0
84	From Genetics to Dietetics: The Contribution of Epidemiology to Understanding Alzheimer's Disease. Journal of Alzheimer's Disease, 2012, 33, S457-S463.	2.6	21
85	Benzodiazepine use and risk of dementia: prospective population based study. BMJ, The, 2012, 345, e6231-e6231.	6.0	323
86	Health and aging in elderly farmers: the AMI cohort. BMC Public Health, 2012, 12, 558.	2.9	59
87	Estrogen receptor alpha gene variants and major depressive episodes. Journal of Affective Disorders, 2012, 136, 1222-1226.	4.1	30
88	Visual Impairment, Optical Correction, and Their Impact on Activity Limitations in Elderly Persons: The POLA Study. Archives of Internal Medicine, 2011, 171, 1206.	3.8	15
89	Gender Differences in the Prodromal Signs of Dementia: Memory Complaint and IADL-Restriction. A Prospective Population-Based Cohort. Journal of Alzheimer's Disease, 2011, 27, 39-47.	2.6	55
90	Insomnia and Daytime Sleepiness Are Risk Factors for Depressive Symptoms in the Elderly. Sleep, 2011, 34, 1103-1110.	1.1	226

#	Article	IF	CITATIONS
91	Late life depression and incident activity limitations: Influence of gender and symptom severity. Journal of Affective Disorders, 2011, 133, 42-50.	4.1	34
92	Adherence to a Mediterranean diet and onset of disability in older persons. European Journal of Epidemiology, 2011, 26, 747-756.	5.7	49
93	Oestrogen receptor polymorphisms and late-life depression. British Journal of Psychiatry, 2011, 199, 126-131.	2.8	31
94	Depression and parkinsonism in older Europeans: results from the EURODEP concerted action. International Journal of Geriatric Psychiatry, 2010, 25, 679-687.	2.7	12
95	Disability and Incident Coronary Heart Disease in Older Communityâ€Dwelling Adults: The Threeâ€City Study. Journal of the American Geriatrics Society, 2010, 58, 636-642.	2.6	23
96	Modelling complex pathways between late-life depression and disability: evidence for mediating and moderating factors. Psychological Medicine, 2009, 39, 1587.	4.5	17
97	Early prevention at public health issue. Journal of Nutrition, Health and Aging, 2008, 12, S84-S85.	3.3	2
98	Impact of lateâ€life selfâ€reported emotional problems on Disabilityâ€Free Life Expectancy: results from the MRC Cognitive Function and Ageing Study. International Journal of Geriatric Psychiatry, 2008, 23, 643-649.	2.7	31
99	Prodromal Alzheimer's disease: Successive emergence of the clinical symptoms. Annals of Neurology, 2008, 64, 492-498.	5.3	607
100	Natural History of Decline in Instrumental Activities of Daily Living Performance over the 10 Years Preceding the Clinical Diagnosis of Dementia: A Prospective Populationâ€Based Study. Journal of the American Geriatrics Society, 2008, 56, 37-44.	2.6	264
101	Primary and Secondary Care Consultations in Elderly Demented Individuals in France. Dementia and Geriatric Cognitive Disorders, 2008, 26, 407-415.	1.5	34
102	Low plasma eicosapentaenoic acid and depressive symptomatology are independent predictors of dementia risk. American Journal of Clinical Nutrition, 2008, 88, 714-721.	4.7	158
103	Seropositivity to Herpes Simplex Virus Antibodies and Risk of Alzheimer's Disease: A Population-Based Cohort Study. PLoS ONE, 2008, 3, e3637.	2.5	199
104	SELECTING PROMISING ALS THERAPIES IN CLINICAL TRIALS. Neurology, 2007, 68, 1545-1546.	1.1	11
105	Fast Cognitive Decline at the Time of Dementia Diagnosis: A Major Prognostic Factor for Survival in the Community. Dementia and Geriatric Cognitive Disorders, 2007, 23, 439-445.	1.5	58
106	Predictive Value of 6-Month Decline in ADAS-cog for Survival without Severe Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2007, 23, 168-174.	1.5	14
107	Depressive Symptoms, Major Depressive Episode and Cognition in the Elderly: The Three-City Study. Neuroepidemiology, 2007, 28, 101-108.	2.3	27
108	Evolution of Prevalence of Depressive Symptoms and Antidepressant Use Between 1988 and 1999 in a Large Sample of Older French People: Results from the Personnes AgÃfÂ@es Quid Study. Journal of the American Geriatrics Society, 2006, 54, 1839-1845.	2.6	28

#	Article	IF	CITATIONS
109	Restriction in complex activities of daily living in MCI. Neurology, 2006, 67, 461-466.	1.1	235
110	Dementia in Subjects Aged 75 Years or Over within the PAQUID Cohort: Prevalence and Burden by Severity. Dementia and Geriatric Cognitive Disorders, 2006, 22, 87-94.	1.5	90
111	Physical health and depressive symptoms in older Europeans. British Journal of Psychiatry, 2005, 187, 35-42.	2.8	139
112	Disability-free life expectancy of older French people: gender and education differentials from the PAQUID cohort. European Journal of Ageing, 2005, 2, 225-233.	2.8	20
113	Ten-year change in disability prevalence and related factors in two generations of French elderly community dwellers: data from the PAQUID study. Aging Clinical and Experimental Research, 2005, 17, 229-235.	2.9	22
114	The disablement process: Factors associated with progression of disability and recovery in French elderly people. Disability and Rehabilitation, 2005, 27, 263-276.	1.8	81
115	The Contribution of Dementia to the Disablement Process and Modifying Factors. Dementia and Geriatric Cognitive Disorders, 2004, 18, 330-337.	1.5	28
116	Relationship between body mass index and different domains of disability in older persons: the 3C study. International Journal of Obesity, 2004, 28, 1555-1560.	3.4	101
117	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. European Journal of Ageing, 2004, 1 , 26-36.	2.8	24
118	Vascular Factors and Risk of Dementia: Design of the Three-City Study and Baseline Characteristics of the Study Population. Neuroepidemiology, 2003, 22, 316-325.	2.3	570
119	Fish, meat, and risk of dementia: cohort study. BMJ: British Medical Journal, 2002, 325, 932-933.	2.3	405