List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2747071/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Peptoids that mimic the structure, function, and mechanism of helical antimicrobial peptides. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 2794-2799.	7.1	558
2	New Peptidomimetic Polymers for Antifouling Surfaces. Journal of the American Chemical Society, 2005, 127, 7972-7973.	13.7	402
3	Helical Peptoid Mimics of Magainin-2 Amide. Journal of the American Chemical Society, 2003, 125, 12092-12093.	13.7	342
4	Landscape of Next-Generation Sequencing Technologies. Analytical Chemistry, 2011, 83, 4327-4341.	6.5	314
5	Structural and Spectroscopic Studies of Peptoid Oligomers with α-Chiral Aliphatic Side Chains. Journal of the American Chemical Society, 2003, 125, 13525-13530.	13.7	279
6	Microchannel wall coatings for protein separations by capillary and chip electrophoresis. Electrophoresis, 2003, 24, 34-54.	2.4	264
7	Mimicry of bioactive peptides via non-natural, sequence-specific peptidomimetic oligomers. Current Opinion in Chemical Biology, 2002, 6, 872-877.	6.1	246
8	Peptoid Oligomers with α-Chiral, Aromatic Side Chains:  Sequence Requirements for the Formation of Stable Peptoid Helices. Journal of the American Chemical Society, 2001, 123, 6778-6784.	13.7	229
9	Capillary electrophoresis of DNA in uncross-linked polymer solutions. Journal of Chromatography A, 1993, 652, 3-16.	3.7	220
10	A transient entanglement coupling mechanism for DNA separation by capillary electrophoresis in ultradilute polymer solutions. Electrophoresis, 1994, 15, 597-615.	2.4	212
11	Peptoid Oligomers with α-Chiral, Aromatic Side Chains: Effects of Chain Length on Secondary Structure. Journal of the American Chemical Society, 2001, 123, 2958-2963.	13.7	189
12	Enhanced function of pancreatic islets co-encapsulated with ECM proteins and mesenchymal stromal cells in a silk hydrogel. Biomaterials, 2012, 33, 6691-6697.	11.4	154
13	DNA Sequencing up to 1300 Bases in Two Hours by Capillary Electrophoresis with Mixed Replaceable Linear Polyacrylamide Solutions. Analytical Chemistry, 2000, 72, 1045-1052.	6.5	144
14	Extreme stability of helices formed by water-soluble poly-N-substituted glycines (polypeptoids) with ?-chiral side chains. Biopolymers, 2002, 63, 12-20.	2.4	144
15	Soft X-ray tomography of phenotypic switching and the cellular response to antifungal peptoids in <i>Candida albicans</i> . Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19375-19380.	7.1	137
16	Advantages and limitations of nextâ€generation sequencing technologies: A comparison of electrophoresis and nonâ€electrophoresis methods. Electrophoresis, 2008, 29, 4618-4626.	2.4	132
17	The effects of polymer properties on DNA separations by capillary electrophoresis in uncross-linked polymer solutions. Electrophoresis, 1996, 17, 744-757.	2.4	125
18	A Threaded Loop Conformation Adopted by a Family of Peptoid Nonamers. Journal of the American Chemical Society, 2006, 128, 1733-1738.	13.7	124

#	Article	IF	CITATIONS
19	Polymeric matrices for DNA sequencing by capillary electrophoresis. Electrophoresis, 2000, 21, 4096-4111.	2.4	119
20	Antimicrobial Peptoids Are Effective against Pseudomonas aeruginosa Biofilms. Antimicrobial Agents and Chemotherapy, 2011, 55, 3054-3057.	3.2	115
21	Microchannel DNA Sequencing Matrices with a Thermally Controlled "Viscosity Switch― Analytical Chemistry, 2001, 73, 157-164.	6.5	111
22	DNA sequencing and genotyping in miniaturized electrophoresis systems. Electrophoresis, 2004, 25, 3564-3588.	2.4	108
23	Short Alkylated Peptoid Mimics of Antimicrobial Lipopeptides. Antimicrobial Agents and Chemotherapy, 2011, 55, 417-420.	3.2	108
24	End-labeled free-solution electrophoresis of DNA. Electrophoresis, 2005, 26, 331-350.	2.4	104
25	Surface-immobilised antimicrobial peptoids. Biofouling, 2008, 24, 439-448.	2.2	97
26	Efficacy of Antimicrobial Peptoids against Mycobacterium tuberculosis. Antimicrobial Agents and Chemotherapy, 2011, 55, 3058-3062.	3.2	93
27	Modular enzymatically crosslinked protein polymer hydrogels for in situ gelation. Biomaterials, 2010, 31, 7288-7297.	11.4	92
28	Poly-N-hydroxyethylacrylamide as a novel, adsorbed coating for protein separation by capillary electrophoresis. Electrophoresis, 2003, 24, 1166-1175.	2.4	91
29	Role of Microbes in the Development of Alzheimer's Disease: State of the Art – An International Symposium Presented at the 2017 IAGG Congress in San Francisco. Frontiers in Genetics, 2018, 9, 362.	2.3	91
30	Multiplexed, High-Throughput Genotyping by Single-Base Extension and End-Labeled Free-Solution Electrophoresis. Analytical Chemistry, 2002, 74, 4328-4333.	6.5	88
31	Critical factors for high-performance physically adsorbed (dynamic) polymeric wall coatings for capillary electrophoresis of DNA. Electrophoresis, 2002, 23, 2766-2776.	2.4	85
32	The use of coated and uncoated capillaries for the electrophoretic separation of DNA in dilute polymer solutions. Electrophoresis, 1995, 16, 64-74.	2.4	80
33	A tunable silk–alginate hydrogel scaffold for stem cell culture and transplantation. Biomaterials, 2014, 35, 3736-3743.	11.4	80
34	In Vivo, In Vitro, and In Silico Characterization of Peptoids as Antimicrobial Agents. PLoS ONE, 2016, 11, e0135961.	2.5	78
35	Helical Peptoid Mimics of Lung Surfactant Protein C. Chemistry and Biology, 2003, 10, 1057-1063.	6.0	76
36	Simple, Helical Peptoid Analogs of Lung Surfactant Protein B. Chemistry and Biology, 2005, 12, 77-88.	6.0	74

#	Article	IF	CITATIONS
37	Peptoids: Bio-Inspired Polymers as Potential Pharmaceuticals. Current Pharmaceutical Design, 2011, 17, 2732-2747.	1.9	73
38	Poly-N-hydroxyethylacrylamide (polyDuramideâ,,¢): A novel, hydrophilic, self-coating polymer matrix for DNA sequencing by capillary electrophoresis. Electrophoresis, 2002, 23, 1429.	2.4	72
39	Impact of polymer hydrophobicity on the properties and performance of DNA sequencing matrices for capillary electrophoresis. Electrophoresis, 2001, 22, 737-747.	2.4	69
40	Ultrafast DNA sequencing on a microchip by a hybrid separation mechanism that gives 600 bases in 6.5 minutes. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 476-481.	7.1	64
41	High-Throughput, High-Sensitivity Genetic Mutation Detection by Tandem Single-Strand Conformation Polymorphism/Heteroduplex Analysis Capillary Array Electrophoresis. Analytical Chemistry, 2002, 74, 2565-2572.	6.5	63
42	Vipericidins: a novel family of cathelicidin-related peptides from the venom gland of South American pit vipers. Amino Acids, 2014, 46, 2561-2571.	2.7	60
43	Halogenation as a tool to tune antimicrobial activity of peptoids. Scientific Reports, 2020, 10, 14805.	3.3	60
44	Learning from Host-Defense Peptides: Cationic, Amphipathic Peptoids with Potent Anticancer Activity. PLoS ONE, 2014, 9, e90397.	2.5	60
45	Molar Mass Profiling of Synthetic Polymers by Free-Solution Capillary Electrophoresis of DNAâ^'Polymer Conjugates. Analytical Chemistry, 2001, 73, 1795-1803.	6.5	59
46	Technical challenges in applying capillary electrophoresis-single strand conformation polymorphism for routine genetic analysis. Electrophoresis, 2002, 23, 1375.	2.4	56
47	Human antimicrobial peptide LL-37 induces glial-mediated neuroinflammation. Biochemical Pharmacology, 2015, 94, 130-141.	4.4	54
48	Poly(acrylamide-co-alkylacrylamides) for Electrophoretic DNA Purification in Microchannels. Analytical Chemistry, 2005, 77, 772-779.	6.5	51
49	<i>In Vivo</i> Biodistribution and Small Animal PET of ⁶⁴ Cu-Labeled Antimicrobial Peptoids. Bioconjugate Chemistry, 2012, 23, 1069-1079.	3.6	51
50	DNA Separations by Slab Gel, and Capillary Electrophoresis: Theory and Practice. Separation and Purification Reviews, 1995, 24, 1-118.	0.8	50
51	A New Cloning Method for the Preparation of Long Repetitive Polypeptides without a Sequence Requirement. Macromolecules, 2002, 35, 8281-8287.	4.8	50
52	Experimental and theoretical investigation of chain length and surface coverage on fouling of surface grafted polypeptoids. Biointerphases, 2009, 4, FA22-FA32.	1.6	49
53	Visualizing and quantifying cell phenotype using soft Xâ€ray tomography. BioEssays, 2012, 34, 320-327.	2.5	49
54	Chemoselective and Microwave-Assisted Synthesis of Glycopeptoids. Organic Letters, 2009, 11, 5210-5213.	4.6	48

#	Article	IF	CITATIONS
55	Novel Peptoid Building Blocks: Synthesis of Functionalized Aromatic Helix-Inducing Submonomers. Organic Letters, 2010, 12, 492-495.	4.6	48
56	Sustained prolonged topical delivery of bioactive human insulin for potential treatment of cutaneous wounds. International Journal of Pharmaceutics, 2010, 398, 146-154.	5.2	47
57	Tunable, Post-translational Hydroxylation of Collagen Domains in <i>Escherichia coli</i> . ACS Chemical Biology, 2011, 6, 320-324.	3.4	47
58	Comblike, Monodisperse Polypeptoid Drag-Tags for DNA Separations by End-Labeled Free-Solution Electrophoresis (ELFSE). Bioconjugate Chemistry, 2005, 16, 929-938.	3.6	46
59	Effects of Hydrophobic Helix Length and Side Chain Chemistry on Biomimicry in Peptoid Analogues of SP-C. Biochemistry, 2008, 47, 1808-1818.	2.5	46
60	Alginate-PEG Sponge Architecture and Role in the Design of Insulin Release Dressings. Biomacromolecules, 2012, 13, 1478-1485.	5.4	45
61	No Evidence of Pathogenic Involvement of Cathelicidins in Patient Cohorts and Mouse Models of Lupus and Arthritis. PLoS ONE, 2014, 9, e115474.	2.5	45
62	Intracellular biomass flocculation as a key mechanism of rapid bacterial killing by cationic, amphipathic antimicrobial peptides and peptoids. Scientific Reports, 2017, 7, 16718.	3.3	45
63	The potential of electrophoretic mobility shift assays for clinical mutation detection. Electrophoresis, 2006, 27, 3805-3815.	2.4	44
64	Evidence that the Human Innate Immune Peptide LL-37 may be a Binding Partner of Amyloid-Î ² and Inhibitor of Fibril Assembly. Journal of Alzheimer's Disease, 2017, 59, 1213-1226.	2.6	44
65	Periprosthetic bacterial biofilm and quorum sensing. Journal of Orthopaedic Research, 2018, 36, 2331-2339.	2.3	43
66	Sparsely Cross-Linked "Nanogel―Matrixes as Fluid, Mechanically Stabilized Polymer Networks for High-Throughput Microchannel DNA Sequencing. Analytical Chemistry, 2004, 76, 5249-5256.	6.5	42
67	Effect of side chain hydrophobicity and cationic charge on antimicrobial activity and cytotoxicity of helical peptoids. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 170-173.	2.2	41
68	Effects of Including an N-Terminal Insertion Region and Arginine-Mimetic Side Chains in Helical Peptoid Analogues of Lung Surfactant Protein Bâ€. Biochemistry, 2006, 45, 11809-11818.	2.5	40
69	Self-assembling peptide–lipoplexes for substrate-mediated gene delivery. Acta Biomaterialia, 2009, 5, 903-912.	8.3	40
70	Multivalent Protein Polymer MRI Contrast Agents: Controlling Relaxivity via Modulation of Amino Acid Sequence. Biomacromolecules, 2010, 11, 1429-1436.	5.4	36
71	Functional Synergy between Antimicrobial Peptoids and Peptides against Gram-Negative Bacteria. Antimicrobial Agents and Chemotherapy, 2011, 55, 5399-5402.	3.2	36
72	What is the future of electrophoresis in large-scale genomic sequencing?. Electrophoresis, 2006, 27, 3689-3702.	2.4	35

#	Article	IF	CITATIONS
73	Hyperactivation of monocytes and macrophages in MCI patients contributes to the progression of Alzheimer's disease. Immunity and Ageing, 2021, 18, 29.	4.2	35
74	Self-Assembly of Antimicrobial Peptoids Impacts Their Biological Effects on <i>ESKAPE</i> Bacterial Pathogens. ACS Infectious Diseases, 2022, 8, 533-545.	3.8	35
75	Biomimicry of Surfactant Protein C. Accounts of Chemical Research, 2008, 41, 1409-1417.	15.6	34
76	Comparing Bacterial Membrane Interactions of Antimicrobial Peptides and Their Mimics. Methods in Molecular Biology, 2010, 618, 171-182.	0.9	34
77	The Human Hostâ€Defense Peptide Cathelicidin LLâ€37 is a Nanomolar Inhibitor of Amyloid Selfâ€Assembly of Islet Amyloid Polypeptide (IAPP). Angewandte Chemie - International Edition, 2020, 59, 12837-12841.	13.8	34
78	Sequencing of DNA by Free-Solution Capillary Electrophoresis Using a Genetically Engineered Protein Polymer Drag-Tag. Analytical Chemistry, 2008, 80, 2842-2848.	6.5	33
79	Biophysical Mimicry of Lung Surfactant Protein B by Random Nylon-3 Copolymers. Journal of the American Chemical Society, 2010, 132, 7957-7967.	13.7	32
80	Synthesis and Characterization of a New Class of Cationic Protein Polymers for Multivalent Display and Biomaterial Applications. Biomacromolecules, 2009, 10, 1125-1134.	5.4	31
81	Capillary Electrophoretic Separation of DNA Restriction Fragments in Mixtures of Low- and High-Molecular-Weight Hydroxyethylcellulose. Industrial & Engineering Chemistry Research, 1996, 35, 2900-2908.	3.7	30
82	Protein polymer drag-tags for DNA separations by end-labeled free-solution electrophoresis. Electrophoresis, 2005, 26, 2138-2148.	2.4	30
83	Protein and peptide biomimicry: Goldâ€mining inspiration from Nature's ingenuity. AICHE Journal, 2008, 54, 2-8.	3.6	30
84	Versatile Oligo(N-Substituted) Glycines: The Many Roles of Peptoids in Drug Discovery. , 2005, , 1-31.		29
85	Sparsely cross-linked"nanogels―for microchannel DNA sequencing. Electrophoresis, 2003, 24, 4170-4180.	2.4	28
86	Potent Antiviral Activity against HSV-1 and SARS-CoV-2 by Antimicrobial Peptoids. Pharmaceuticals, 2021, 14, 304.	3.8	28
87	Multiplexed p53 Mutation Detection by Free-Solution Conjugate Microchannel Electrophoresis with Polyamide Drag-Tags. Analytical Chemistry, 2007, 79, 1848-1854.	6.5	27
88	Purification of HIV RNA from Serum Using a Polymer Capture Matrix in a Microfluidic Device. Analytical Chemistry, 2011, 83, 982-988.	6.5	27
89	Effective in vivo treatment of acute lung injury with helical, amphipathic peptoid mimics of pulmonary surfactant proteins. Scientific Reports, 2018, 8, 6795.	3.3	27
90	Free-solution electrophoresis of DNA modified with drag-tags at both ends. Electrophoresis, 2006, 27, 1702-1712.	2.4	26

#	Article	IF	CITATIONS
91	Close mimicry of lung surfactant protein B by "clicked―dimers of helical, cationic peptoids. Biopolymers, 2009, 92, 538-553.	2.4	26
92	A 265-Base DNA Sequencing Read by Capillary Electrophoresis with No Separation Matrix. Analytical Chemistry, 2011, 83, 509-515.	6.5	26
93	Profiling Solid-Phase Synthesis Products by Free-Solution Conjugate Capillary Electrophoresis. Bioconjugate Chemistry, 2002, 13, 663-670.	3.6	25
94	An optimized microchip electrophoresis system for mutation detection by tandem SSCP and heteroduplex analysis for p53â€gene exonsâ€5–9. Electrophoresis, 2006, 27, 3823-3835.	2.4	25
95	Protein polymer MRI contrast agents: Longitudinal analysis of biomaterials in vivo. Magnetic Resonance in Medicine, 2011, 65, 220-228.	3.0	25
96	The use of light scattering for precise characterization of polymers for DNA sequencing by capillary electrophoresis. Electrophoresis, 2001, 22, 4118-4128.	2.4	24
97	Ligase detection reaction for the analysis of point mutations using freeâ€solution conjugate electrophoresis in a polymer microfluidic device. Electrophoresis, 2008, 29, 4751-4760.	2.4	24
98	Capillary electrophoresis of DNA in uncrosslinked polymer solutions: Evidence for a new mechanism of DNA separation. , 2000, 52, 259-270.		22
99	Self-Associating Block Copolymer Networks for Microchip Electrophoresis Provide Enhanced DNA Separation via "Inchworm―Chain Dynamics. Analytical Chemistry, 2006, 78, 4409-4415.	6.5	22
100	Engineering Surfaces for Substrate-Mediated Gene Delivery Using Recombinant Proteins. Biomacromolecules, 2009, 10, 2779-2786.	5.4	22
101	Non-ionic, thermo-responsive DEA/DMA nanogels: Synthesis, characterization, and use for DNA separations by microchip electrophoresis. Journal of Colloid and Interface Science, 2011, 357, 345-353.	9.4	22
102	Lipid composition greatly affects the in vitro surface activity of lung surfactant protein mimics. Colloids and Surfaces B: Biointerfaces, 2007, 57, 37-55.	5.0	21
103	Biomimetic N-Terminal Alkylation of Peptoid Analogues of Surfactant Protein C. Biophysical Journal, 2011, 101, 1076-1085.	0.5	21
104	Peptoid transporters: effects of cationic, amphipathic structure on their cellular uptake. Molecular BioSystems, 2012, 8, 2626.	2.9	21
105	Broad-spectrum CRISPR-mediated inhibition of SARS-CoV-2 variants and endemic coronaviruses in vitro. Nature Communications, 2022, 13, 2766.	12.8	20
106	Optical monitoring of bubble size and shape in a pulsating bubble surfactometer. Journal of Applied Physiology, 2005, 99, 624-633.	2.5	19
107	Mimicking SP-C palmitoylation on a peptoid-based SP-B analogue markedly improves surface activity. Biochimica Et Biophysica Acta - Biomembranes, 2010, 1798, 1663-1678.	2.6	19
108	Targeting Infectious Agents as a Therapeutic Strategy in Alzheimer's Disease. CNS Drugs, 2020, 34, 673-695.	5.9	19

#	Article	IF	CITATIONS
109	A novel thermogelling matrix for microchannel DNA sequencing based on poly-N-alkoxyalkylacrylamide copolymers. Electrophoresis, 2003, 24, 4161-4169.	2.4	18
110	Polymer systems designed specifically for DNA sequencing by microchip electrophoresis: A comparison with commercially available materials. Electrophoresis, 2008, 29, 4652-4662.	2.4	18
111	Optimized Sample Preparation for Tandem Capillary Electrophoresis Single-Stranded Conformational Polymorphism/Heteroduplex Analysis. BioTechniques, 2002, 33, 318-325.	1.8	17
112	Characterization of Glutamine Deamidation in a Long, Repetitive Protein Polymer via Bioconjugate Capillary Electrophoresis. Biomacromolecules, 2004, 5, 618-627.	5.4	17
113	Microfabricated devices for biomolecule encapsulation. Electrophoresis, 2012, 33, 2639-2649.	2.4	17
114	Prostate tumor specific peptide–peptoid hybrid prodrugs. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 2849-2852.	2.2	17
115	A Readily Applicable Strategy to Convert Peptides to Peptoid-based Therapeutics. PLoS ONE, 2013, 8, e58874.	2.5	17
116	DNA migration mechanism analyses for applications in capillary and microchip electrophoresis. Electrophoresis, 2009, 30, 2014-2024.	2.4	16
117	Stochastic Single-Molecule Videomicroscopy Methods To Measure Electrophoretic DNA Migration Modalities in Polymer Solutions above and below Entanglement. Analytical Chemistry, 2007, 79, 7740-7747.	6.5	15
118	Peptide-mediated lipofection is governed by lipoplex physical properties and the density of surface-displayed amines. Journal of Pharmaceutical Sciences, 2008, 97, 4794-4806.	3.3	15
119	Sizeâ€based protein separations by microchip electrophoresis using an acidâ€labile surfactant as a replacement for SDS. Electrophoresis, 2009, 30, 2117-2122.	2.4	15
120	A fluorescence polarization assay using an engineered human respiratory syncytial virus F protein as a direct screening platform. Analytical Biochemistry, 2011, 409, 195-201.	2.4	14
121	Simultaneous detection of 19 <scp>K</scp> <i>â€ras</i> mutations by freeâ€solution conjugate electrophoresis of ligase detection reaction products on glass microchips. Electrophoresis, 2013, 34, 590-597.	2.4	14
122	Hydrophobically modified polyacrylamide block copolymers for fast, highâ€resolution DNA sequencing in microfluidic chips. Electrophoresis, 2008, 29, 4669-4676.	2.4	13
123	Ultrafast, efficient separations of largeâ€sized dsDNA in a blended polymer matrix by microfluidic chip electrophoresis: A design of experiments approach. Electrophoresis, 2011, 32, 3233-3240.	2.4	13
124	Targeting Impaired Antimicrobial Immunity in the Brain for the Treatment of Alzheimer's Disease. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 1311-1339.	2.2	13
125	NMEGylation: A novel modification to enhance the bioavailability of therapeutic peptides. Biopolymers, 2011, 96, 688-693.	2.4	12
126	Commentary progress in the <i>de novo</i> design of structured peptoid protein mimics. Biopolymers, 2011, 96, 556-560.	2.4	12

8

#	Article	IF	CITATIONS
127	DNA sequencing by microchip electrophoresis using mixtures of high―and lowâ€molar mass poly(<i>N,N</i> â€dimethylacrylamide) matrices. Electrophoresis, 2008, 29, 4663-4668.	2.4	11
128	Protein polymer hydrogels: Effects of endotoxin on biocompatibility. Journal of Biomaterials Applications, 2013, 28, 395-406.	2.4	11
129	Completely Monodisperse, Highly Repetitive Proteins for Bioconjugate Capillary Electrophoresis: Development and Characterization. Biomacromolecules, 2011, 12, 2275-2284.	5.4	9
130	A chemically synthesized peptoidâ€based dragâ€tag enhances freeâ€solution DNA sequencing by capillary electrophoresis. Biopolymers, 2011, 96, 702-707.	2.4	9
131	A Four-Arm Star-Shaped Poly(ethylene glycol) (StarPEG) Platform for Bombesin Peptide Delivery to Gastrin-Releasing Peptide Receptors in Prostate Cancer. ACS Macro Letters, 2012, 1, 753-757.	4.8	8
132	Encapsulation of protein microfiber networks supporting pancreatic islets. Journal of Biomedical Materials Research - Part A, 2012, 100A, 3384-3391.	4.0	8
133	Efficacy of Cathelicidin-Mimetic Antimicrobial Peptoids against Staphylococcus aureus. Microbiology Spectrum, 2022, 10, e0053422.	3.0	8
134	Blinded study determination of high sensitivity and specificity microchip electrophoresis‧SCP/HA to detect mutations in the p53 gene. Electrophoresis, 2011, 32, 2921-2929.	2.4	7
135	Divergent dispersion behavior of ss <scp>DNA</scp> fragments during microchip electrophoresis in p <scp>DMA</scp> and <scp>LPA</scp> entangled polymer networks. Electrophoresis, 2012, 33, 1411-1420.	2.4	7
136	Quantitative experimental determination of primer–dimer formation risk by freeâ€solution conjugate electrophoresis. Electrophoresis, 2012, 33, 483-491.	2.4	7
137	ThermoresponsiveN-alkoxyalkylacrylamide polymers as a sieving matrix for high-resolution DNA separations on a microfluidic chip. Electrophoresis, 2008, 29, 4677-4683.	2.4	6
138	Freeâ€solution electrophoretic separations of DNA–dragâ€ŧag conjugates on glass microchips with no polymer network and no loss of resolution at increased electric field strength. Electrophoresis, 2011, 32, 1201-1208.	2.4	6
139	Helical side chain chemistry of a peptoidâ€based SPâ€C analogue: Balancing structural rigidity and biomimicry. Biopolymers, 2019, 110, e23277.	2.4	6
140	Optimizing Exogenous Surfactant as a Pulmonary Delivery Vehicle for Chicken Cathelicidin-2. Scientific Reports, 2020, 10, 9392.	3.3	5
141	Synthesis and Assembly of Functional High Molecular Weight Adiponectin Multimers in an Engineered Strain of Escherichia coli. Biomacromolecules, 2012, 13, 1035-1042.	5.4	4
142	1072 INHIBITION OF BLADDER CANCER CELL GROWTH BY TREATMENT WITH SYNTHETICALLY DERIVED ANTI-CANCER PEPTOIDS. Journal of Urology, 2012, 187, .	0.4	2
143	Monodisperse, "Highly―Positively Charged Protein Polymer Drag-Tags Generated in an Intein-Mediated Purification System Used in Free-Solution Electrophoretic Separations of DNA. Biomacromolecules, 2012, 13, 117-123.	5.4	2
144	Evidence that the Human Innate Immune Peptide LL-37 May Be a Binding Partner of Abeta and Inhibitor of Fibril Assembly. Biophysical Journal, 2018, 114, 393a.	0.5	2

ANNELISE E BARRON

#	Article	IF	CITATIONS
145	Das humane Wirtsabwehrpeptid Cathelicidin LLâ€37 ist ein nanomolarer Inhibitor der amyloiden Selbstassoziation von Inselamyloidâ€Polypeptid (IAPP). Angewandte Chemie, 2020, 132, 12937-12941.	2.0	2
146	Surface Behaviour of Peptoid Mimics of Pulmonary Surfactant Protein SP-C: Captive Bubble Surfactometry. Biophysical Journal, 2009, 96, 352a.	0.5	1
147	Gene libraries open up. Nature Materials, 2011, 10, 83-84.	27.5	1
148	Microchip-Based Sanger Sequencing of DNA. , 0, , 153-163.		1
149	Biophysical Mechanisms of Host Defense Peptide (HDP) Toxicity as Revealed by a Study of Peptoid Mimics of HDPs. FASEB Journal, 2011, 25, 206.2.	0.5	1
150	Surface Rheological and Morphological Studies of Peptoid Mimics of Lung Surfactant Protein C. Biophysical Journal, 2010, 98, 89a-90a.	0.5	0
151	Potent antiviral activity against HSV-1 and SARS-CoV-2 by antimicrobial peptoids. , 0, , .		0