Annelise E Barron

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2747071/publications.pdf

Version: 2024-02-01

41323 45285 9,071 151 49 90 citations h-index g-index papers 155 155 155 8034 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Self-Assembly of Antimicrobial Peptoids Impacts Their Biological Effects on <i>ESKAPE</i> Bacterial Pathogens. ACS Infectious Diseases, 2022, 8, 533-545. | 1.8 | 35 |
| 2 | Efficacy of Cathelicidin-Mimetic Antimicrobial Peptoids against Staphylococcus aureus. Microbiology Spectrum, 2022, 10, e0053422. | 1.2 | 8 |
| 3 | Broad-spectrum CRISPR-mediated inhibition of SARS-CoV-2 variants and endemic coronaviruses in vitro. Nature Communications, 2022, 13, 2766. | 5.8 | 20 |
| 4 | Potent Antiviral Activity against HSV-1 and SARS-CoV-2 by Antimicrobial Peptoids. Pharmaceuticals, 2021, 14, 304. | 1.7 | 28 |
| 5 | Targeting Impaired Antimicrobial Immunity in the Brain for the Treatment of Alzheimer's Disease. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 1311-1339. | 1.0 | 13 |
| 6 | Hyperactivation of monocytes and macrophages in MCI patients contributes to the progression of Alzheimer's disease. Immunity and Ageing, 2021, 18, 29. | 1.8 | 35 |
| 7 | Halogenation as a tool to tune antimicrobial activity of peptoids. Scientific Reports, 2020, 10, 14805. | 1.6 | 60 |
| 8 | Targeting Infectious Agents as a Therapeutic Strategy in Alzheimer's Disease. CNS Drugs, 2020, 34, 673-695. | 2.7 | 19 |
| 9 | Optimizing Exogenous Surfactant as a Pulmonary Delivery Vehicle for Chicken Cathelicidin-2. Scientific Reports, 2020, 10, 9392. | 1.6 | 5 |
| 10 | Das humane Wirtsabwehrpeptid Cathelicidin LLâ€37 ist ein nanomolarer Inhibitor der amyloiden Selbstassoziation von Inselamyloidâ€Polypeptid (IAPP). Angewandte Chemie, 2020, 132, 12937-12941. | 1.6 | 2 |
| 11 | The Human Hostâ€Defense Peptide Cathelicidin LLâ€37 is a Nanomolar Inhibitor of Amyloid Selfâ€Assembly of Islet Amyloid Polypeptide (IAPP). Angewandte Chemie - International Edition, 2020, 59, 12837-12841. | 7.2 | 34 |
| 12 | Helical side chain chemistry of a peptoidâ€based SPâ€C analogue: Balancing structural rigidity and biomimicry. Biopolymers, 2019, 110, e23277. | 1.2 | 6 |
| 13 | Effective in vivo treatment of acute lung injury with helical, amphipathic peptoid mimics of pulmonary surfactant proteins. Scientific Reports, 2018, 8, 6795. | 1.6 | 27 |
| 14 | Effect of side chain hydrophobicity and cationic charge on antimicrobial activity and cytotoxicity of helical peptoids. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 170-173. | 1.0 | 41 |
| 15 | Evidence that the Human Innate Immune Peptide LL-37 May Be a Binding Partner of Abeta and Inhibitor of Fibril Assembly. Biophysical Journal, 2018, 114, 393a. | 0.2 | 2 |
| 16 | Role of Microbes in the Development of Alzheimer's Disease: State of the Art – An International Symposium Presented at the 2017 IAGG Congress in San Francisco. Frontiers in Genetics, 2018, 9, 362. | 1.1 | 91 |
| 17 | Periprosthetic bacterial biofilm and quorum sensing. Journal of Orthopaedic Research, 2018, 36, 2331-2339. | 1.2 | 43 |
| 18 | Intracellular biomass flocculation as a key mechanism of rapid bacterial killing by cationic, amphipathic antimicrobial peptides and peptoids. Scientific Reports, 2017, 7, 16718. | 1.6 | 45 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Evidence that the Human Innate Immune Peptide LL-37 may be a Binding Partner of Amyloid- \hat{l}^2 and Inhibitor of Fibril Assembly. Journal of Alzheimer's Disease, 2017, 59, 1213-1226. | 1.2 | 44 |
| 20 | In Vivo, In Vitro, and In Silico Characterization of Peptoids as Antimicrobial Agents. PLoS ONE, 2016, 11, e0135961. | 1.1 | 78 |
| 21 | Human antimicrobial peptide LL-37 induces glial-mediated neuroinflammation. Biochemical Pharmacology, 2015, 94, 130-141. | 2.0 | 54 |
| 22 | Prostate tumor specific peptide–peptoid hybrid prodrugs. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 2849-2852. | 1.0 | 17 |
| 23 | No Evidence of Pathogenic Involvement of Cathelicidins in Patient Cohorts and Mouse Models of Lupus and Arthritis. PLoS ONE, 2014, 9, e115474. | 1.1 | 45 |
| 24 | Vipericidins: a novel family of cathelicidin-related peptides from the venom gland of South American pit vipers. Amino Acids, 2014, 46, 2561-2571. | 1.2 | 60 |
| 25 | A tunable silk–alginate hydrogel scaffold for stem cell culture and transplantation. Biomaterials, 2014, 35, 3736-3743. | 5.7 | 80 |
| 26 | Learning from Host-Defense Peptides: Cationic, Amphipathic Peptoids with Potent Anticancer Activity. PLoS ONE, 2014, 9, e90397. | 1.1 | 60 |
| 27 | Protein polymer hydrogels: Effects of endotoxin on biocompatibility. Journal of Biomaterials Applications, 2013, 28, 395-406. | 1.2 | 11 |
| 28 | Simultaneous detection of 19 <scp>K</scp> <i>â€ras</i> mutations by freeâ€solution conjugate electrophoresis of ligase detection reaction products on glass microchips. Electrophoresis, 2013, 34, 590-597. | 1.3 | 14 |
| 29 | A Readily Applicable Strategy to Convert Peptides to Peptoid-based Therapeutics. PLoS ONE, 2013, 8, e58874. | 1.1 | 17 |
| 30 | Alginate-PEG Sponge Architecture and Role in the Design of Insulin Release Dressings. Biomacromolecules, 2012, 13, 1478-1485. | 2.6 | 45 |
| 31 | 1072 INHIBITION OF BLADDER CANCER CELL GROWTH BY TREATMENT WITH SYNTHETICALLY DERIVED ANTI-CANCER PEPTOIDS. Journal of Urology, 2012, 187, . | 0.2 | 2 |
| 32 | Peptoid transporters: effects of cationic, amphipathic structure on their cellular uptake. Molecular BioSystems, 2012, 8, 2626. | 2.9 | 21 |
| 33 | <i>In Vivo</i> Biodistribution and Small Animal PET of ⁶⁴ Cu-Labeled Antimicrobial Peptoids. Bioconjugate Chemistry, 2012, 23, 1069-1079. | 1.8 | 51 |
| 34 | A Four-Arm Star-Shaped Poly(ethylene glycol) (StarPEG) Platform for Bombesin Peptide Delivery to Gastrin-Releasing Peptide Receptors in Prostate Cancer. ACS Macro Letters, 2012, 1, 753-757. | 2.3 | 8 |
| 35 | Synthesis and Assembly of Functional High Molecular Weight Adiponectin Multimers in an Engineered Strain of Escherichia coli. Biomacromolecules, 2012, 13, 1035-1042. | 2.6 | 4 |
| 36 | Monodisperse, "Highly―Positively Charged Protein Polymer Drag-Tags Generated in an Intein-Mediated Purification System Used in Free-Solution Electrophoretic Separations of DNA. Biomacromolecules, 2012, 13, 117-123. | 2.6 | 2 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Microfabricated devices for biomolecule encapsulation. Electrophoresis, 2012, 33, 2639-2649. | 1.3 | 17 |
| 38 | Divergent dispersion behavior of ss <scp>DNA</scp> fragments during microchip electrophoresis in p <scp>DMA</scp> and <scp>LPA</scp> entangled polymer networks. Electrophoresis, 2012, 33, 1411-1420. | 1.3 | 7 |
| 39 | Encapsulation of protein microfiber networks supporting pancreatic islets. Journal of Biomedical Materials Research - Part A, 2012, 100A, 3384-3391. | 2.1 | 8 |
| 40 | Visualizing and quantifying cell phenotype using soft Xâ€ray tomography. BioEssays, 2012, 34, 320-327. | 1.2 | 49 |
| 41 | Enhanced function of pancreatic islets co-encapsulated with ECM proteins and mesenchymal stromal cells in a silk hydrogel. Biomaterials, 2012, 33, 6691-6697. | 5.7 | 154 |
| 42 | Quantitative experimental determination of primer–dimer formation risk by freeâ€solution conjugate electrophoresis. Electrophoresis, 2012, 33, 483-491. | 1.3 | 7 |
| 43 | Completely Monodisperse, Highly Repetitive Proteins for Bioconjugate Capillary Electrophoresis: Development and Characterization. Biomacromolecules, 2011, 12, 2275-2284. | 2.6 | 9 |
| 44 | Purification of HIV RNA from Serum Using a Polymer Capture Matrix in a Microfluidic Device. Analytical Chemistry, 2011, 83, 982-988. | 3.2 | 27 |
| 45 | A 265-Base DNA Sequencing Read by Capillary Electrophoresis with No Separation Matrix. Analytical Chemistry, 2011, 83, 509-515. | 3.2 | 26 |
| 46 | Tunable, Post-translational Hydroxylation of Collagen Domains in <i>Escherichia coli</i> Chemical Biology, 2011, 6, 320-324. | 1.6 | 47 |
| 47 | Biomimetic N-Terminal Alkylation of Peptoid Analogues of Surfactant Protein C. Biophysical Journal, 2011, 101, 1076-1085. | 0.2 | 21 |
| 48 | Blinded study determination of high sensitivity and specificity microchip electrophoresisâ€SSCP/HA to detect mutations in the p53 gene. Electrophoresis, 2011, 32, 2921-2929. | 1.3 | 7 |
| 49 | Gene libraries open up. Nature Materials, 2011, 10, 83-84. | 13.3 | 1 |
| 50 | Landscape of Next-Generation Sequencing Technologies. Analytical Chemistry, 2011, 83, 4327-4341. | 3.2 | 314 |
| 51 | Functional Synergy between Antimicrobial Peptoids and Peptides against Gram-Negative Bacteria. Antimicrobial Agents and Chemotherapy, 2011, 55, 5399-5402. | 1.4 | 36 |
| 52 | Protein polymer MRI contrast agents: Longitudinal analysis of biomaterials in vivo. Magnetic Resonance in Medicine, 2011, 65, 220-228. | 1.9 | 25 |
| 53 | Freeâ€solution electrophoretic separations of DNA–dragâ€tag conjugates on glass microchips with no polymer network and no loss of resolution at increased electric field strength. Electrophoresis, 2011, 32, 1201-1208. | 1.3 | 6 |
| 54 | Ultrafast, efficient separations of largeâ€sized dsDNA in a blended polymer matrix by microfluidic chip electrophoresis: A design of experiments approach. Electrophoresis, 2011, 32, 3233-3240. | 1.3 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | NMEGylation: A novel modification to enhance the bioavailability of therapeutic peptides. Biopolymers, 2011, 96, 688-693. | 1.2 | 12 |
| 56 | Commentary progress in the <i>de novo</i> design of structured peptoid protein mimics. Biopolymers, 2011, 96, 556-560. | 1.2 | 12 |
| 57 | A chemically synthesized peptoidâ€based dragâ€tag enhances freeâ€solution DNA sequencing by capillary electrophoresis. Biopolymers, 2011, 96, 702-707. | 1.2 | 9 |
| 58 | A fluorescence polarization assay using an engineered human respiratory syncytial virus F protein as a direct screening platform. Analytical Biochemistry, 2011, 409, 195-201. | 1.1 | 14 |
| 59 | Non-ionic, thermo-responsive DEA/DMA nanogels: Synthesis, characterization, and use for DNA separations by microchip electrophoresis. Journal of Colloid and Interface Science, 2011, 357, 345-353. | 5.0 | 22 |
| 60 | Peptoids: Bio-Inspired Polymers as Potential Pharmaceuticals. Current Pharmaceutical Design, 2011, 17, 2732-2747. | 0.9 | 73 |
| 61 | Efficacy of Antimicrobial Peptoids against Mycobacterium tuberculosis. Antimicrobial Agents and Chemotherapy, 2011, 55, 3058-3062. | 1.4 | 93 |
| 62 | Short Alkylated Peptoid Mimics of Antimicrobial Lipopeptides. Antimicrobial Agents and Chemotherapy, 2011, 55, 417-420. | 1.4 | 108 |
| 63 | Antimicrobial Peptoids Are Effective against Pseudomonas aeruginosa Biofilms. Antimicrobial Agents and Chemotherapy, 2011, 55, 3054-3057. | 1.4 | 115 |
| 64 | Biophysical Mechanisms of Host Defense Peptide (HDP) Toxicity as Revealed by a Study of Peptoid Mimics of HDPs. FASEB Journal, 2011, 25, 206.2. | 0.2 | 1 |
| 65 | Comparing Bacterial Membrane Interactions of Antimicrobial Peptides and Their Mimics. Methods in Molecular Biology, 2010, 618, 171-182. | 0.4 | 34 |
| 66 | Sustained prolonged topical delivery of bioactive human insulin for potential treatment of cutaneous wounds. International Journal of Pharmaceutics, 2010, 398, 146-154. | 2.6 | 47 |
| 67 | Modular enzymatically crosslinked protein polymer hydrogels for in situ gelation. Biomaterials, 2010, 31, 7288-7297. | 5.7 | 92 |
| 68 | Surface Rheological and Morphological Studies of Peptoid Mimics of Lung Surfactant Protein C. Biophysical Journal, 2010, 98, 89a-90a. | 0.2 | 0 |
| 69 | Novel Peptoid Building Blocks: Synthesis of Functionalized Aromatic Helix-Inducing Submonomers. Organic Letters, 2010, 12, 492-495. | 2.4 | 48 |
| 70 | Biophysical Mimicry of Lung Surfactant Protein B by Random Nylon-3 Copolymers. Journal of the American Chemical Society, 2010, 132, 7957-7967. | 6.6 | 32 |
| 71 | Mimicking SP-C palmitoylation on a peptoid-based SP-B analogue markedly improves surface activity. Biochimica Et Biophysica Acta - Biomembranes, 2010, 1798, 1663-1678. | 1.4 | 19 |
| 72 | Multivalent Protein Polymer MRI Contrast Agents: Controlling Relaxivity via Modulation of Amino Acid Sequence. Biomacromolecules, 2010, 11, 1429-1436. | 2.6 | 36 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Soft X-ray tomography of phenotypic switching and the cellular response to antifungal peptoids in <i>Candida albicans</i> . Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19375-19380. | 3.3 | 137 |
| 74 | Sizeâ€based protein separations by microchip electrophoresis using an acidâ€labile surfactant as a replacement for SDS. Electrophoresis, 2009, 30, 2117-2122. | 1.3 | 15 |
| 75 | DNA migration mechanism analyses for applications in capillary and microchip electrophoresis. Electrophoresis, 2009, 30, 2014-2024. | 1.3 | 16 |
| 76 | Close mimicry of lung surfactant protein B by "clicked―dimers of helical, cationic peptoids. Biopolymers, 2009, 92, 538-553. | 1.2 | 26 |
| 77 | Self-assembling peptide–lipoplexes for substrate-mediated gene delivery. Acta Biomaterialia, 2009, 5, 903-912. | 4.1 | 40 |
| 78 | Synthesis and Characterization of a New Class of Cationic Protein Polymers for Multivalent Display and Biomaterial Applications. Biomacromolecules, 2009, 10, 1125-1134. | 2.6 | 31 |
| 79 | Engineering Surfaces for Substrate-Mediated Gene Delivery Using Recombinant Proteins. Biomacromolecules, 2009, 10, 2779-2786. | 2.6 | 22 |
| 80 | Experimental and theoretical investigation of chain length and surface coverage on fouling of surface grafted polypeptoids. Biointerphases, 2009, 4, FA22-FA32. | 0.6 | 49 |
| 81 | Chemoselective and Microwave-Assisted Synthesis of Glycopeptoids. Organic Letters, 2009, 11, 5210-5213. | 2.4 | 48 |
| 82 | Surface Behaviour of Peptoid Mimics of Pulmonary Surfactant Protein SP-C: Captive Bubble Surfactometry. Biophysical Journal, 2009, 96, 352a. | 0.2 | 1 |
| 83 | Peptide-mediated lipofection is governed by lipoplex physical properties and the density of surface-displayed amines. Journal of Pharmaceutical Sciences, 2008, 97, 4794-4806. | 1.6 | 15 |
| 84 | Ligase detection reaction for the analysis of point mutations using freeâ€solution conjugate electrophoresis in a polymer microfluidic device. Electrophoresis, 2008, 29, 4751-4760. | 1.3 | 24 |
| 85 | Polymer systems designed specifically for DNA sequencing by microchip electrophoresis: A comparison with commercially available materials. Electrophoresis, 2008, 29, 4652-4662. | 1.3 | 18 |
| 86 | Hydrophobically modified polyacrylamide block copolymers for fast, highâ€resolution DNA sequencing in microfluidic chips. Electrophoresis, 2008, 29, 4669-4676. | 1.3 | 13 |
| 87 | ThermoresponsiveN-alkoxyalkylacrylamide polymers as a sieving matrix for high-resolution DNA separations on a microfluidic chip. Electrophoresis, 2008, 29, 4677-4683. | 1.3 | 6 |
| 88 | DNA sequencing by microchip electrophoresis using mixtures of high―and lowâ€molar mass poly(<i>N,N</i> â€dimethylacrylamide) matrices. Electrophoresis, 2008, 29, 4663-4668. | 1.3 | 11 |
| 89 | Advantages and limitations of nextâ€generation sequencing technologies: A comparison of electrophoresis and nonâ€electrophoresis methods. Electrophoresis, 2008, 29, 4618-4626. | 1.3 | 132 |
| 90 | Protein and peptide biomimicry: Goldâ€mining inspiration from Nature's ingenuity. AICHE Journal, 2008, 54, 2-8. | 1.8 | 30 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Biomimicry of Surfactant Protein C. Accounts of Chemical Research, 2008, 41, 1409-1417. | 7.6 | 34 |
| 92 | Sequencing of DNA by Free-Solution Capillary Electrophoresis Using a Genetically Engineered Protein Polymer Drag-Tag. Analytical Chemistry, 2008, 80, 2842-2848. | 3.2 | 33 |
| 93 | Effects of Hydrophobic Helix Length and Side Chain Chemistry on Biomimicry in Peptoid Analogues of SP-C. Biochemistry, 2008, 47, 1808-1818. | 1.2 | 46 |
| 94 | Peptoids that mimic the structure, function, and mechanism of helical antimicrobial peptides. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 2794-2799. | 3.3 | 558 |
| 95 | Ultrafast DNA sequencing on a microchip by a hybrid separation mechanism that gives 600 bases in 6.5 minutes. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 476-481. | 3.3 | 64 |
| 96 | Surface-immobilised antimicrobial peptoids. Biofouling, 2008, 24, 439-448. | 0.8 | 97 |
| 97 | Multiplexed p53 Mutation Detection by Free-Solution Conjugate Microchannel Electrophoresis with Polyamide Drag-Tags. Analytical Chemistry, 2007, 79, 1848-1854. | 3.2 | 27 |
| 98 | Stochastic Single-Molecule Videomicroscopy Methods To Measure Electrophoretic DNA Migration Modalities in Polymer Solutions above and below Entanglement. Analytical Chemistry, 2007, 79, 7740-7747. | 3.2 | 15 |
| 99 | Lipid composition greatly affects the in vitro surface activity of lung surfactant protein mimics. Colloids and Surfaces B: Biointerfaces, 2007, 57, 37-55. | 2.5 | 21 |
| 100 | An optimized microchip electrophoresis system for mutation detection by tandem SSCP and heteroduplex analysis for p53â€gene exonsâ€5–9. Electrophoresis, 2006, 27, 3823-3835. | 1.3 | 25 |
| 101 | A Threaded Loop Conformation Adopted by a Family of Peptoid Nonamers. Journal of the American Chemical Society, 2006, 128, 1733-1738. | 6.6 | 124 |
| 102 | Effects of Including an N-Terminal Insertion Region and Arginine-Mimetic Side Chains in Helical Peptoid Analogues of Lung Surfactant Protein Bâ€. Biochemistry, 2006, 45, 11809-11818. | 1.2 | 40 |
| 103 | Self-Associating Block Copolymer Networks for Microchip Electrophoresis Provide Enhanced DNA Separation via "Inchworm―Chain Dynamics. Analytical Chemistry, 2006, 78, 4409-4415. | 3.2 | 22 |
| 104 | Free-solution electrophoresis of DNA modified with drag-tags at both ends. Electrophoresis, 2006, 27, 1702-1712. | 1.3 | 26 |
| 105 | What is the future of electrophoresis in large-scale genomic sequencing?. Electrophoresis, 2006, 27, 3689-3702. | 1.3 | 35 |
| 106 | The potential of electrophoretic mobility shift assays for clinical mutation detection. Electrophoresis, 2006, 27, 3805-3815. | 1.3 | 44 |
| 107 | Versatile Oligo(N-Substituted) Glycines: The Many Roles of Peptoids in Drug Discovery. , 2005, , 1-31. | | 29 |
| 108 | Simple, Helical Peptoid Analogs of Lung Surfactant Protein B. Chemistry and Biology, 2005, 12, 77-88. | 6.2 | 74 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Protein polymer drag-tags for DNA separations by end-labeled free-solution electrophoresis. Electrophoresis, 2005, 26, 2138-2148. | 1.3 | 30 |
| 110 | End-labeled free-solution electrophoresis of DNA. Electrophoresis, 2005, 26, 331-350. | 1.3 | 104 |
| 111 | Optical monitoring of bubble size and shape in a pulsating bubble surfactometer. Journal of Applied Physiology, 2005, 99, 624-633. | 1.2 | 19 |
| 112 | Comblike, Monodisperse Polypeptoid Drag-Tags for DNA Separations by End-Labeled Free-Solution Electrophoresis (ELFSE). Bioconjugate Chemistry, 2005, 16, 929-938. | 1.8 | 46 |
| 113 | Poly(acrylamide-co-alkylacrylamides) for Electrophoretic DNA Purification in Microchannels. Analytical Chemistry, 2005, 77, 772-779. | 3.2 | 51 |
| 114 | New Peptidomimetic Polymers for Antifouling Surfaces. Journal of the American Chemical Society, 2005, 127, 7972-7973. | 6.6 | 402 |
| 115 | DNA sequencing and genotyping in miniaturized electrophoresis systems. Electrophoresis, 2004, 25, 3564-3588. | 1.3 | 108 |
| 116 | Sparsely Cross-Linked "Nanogel―Matrixes as Fluid, Mechanically Stabilized Polymer Networks for High-Throughput Microchannel DNA Sequencing. Analytical Chemistry, 2004, 76, 5249-5256. | 3.2 | 42 |
| 117 | Characterization of Glutamine Deamidation in a Long, Repetitive Protein Polymer via Bioconjugate Capillary Electrophoresis. Biomacromolecules, 2004, 5, 618-627. | 2.6 | 17 |
| 118 | A novel thermogelling matrix for microchannel DNA sequencing based on poly-N-alkoxyalkylacrylamide copolymers. Electrophoresis, 2003, 24, 4161-4169. | 1.3 | 18 |
| 119 | Sparsely cross-linked"nanogels―for microchannel DNA sequencing. Electrophoresis, 2003, 24, 4170-4180. | 1.3 | 28 |
| 120 | Microchannel wall coatings for protein separations by capillary and chip electrophoresis. Electrophoresis, 2003, 24, 34-54. | 1.3 | 264 |
| 121 | Poly-N-hydroxyethylacrylamide as a novel, adsorbed coating for protein separation by capillary electrophoresis. Electrophoresis, 2003, 24, 1166-1175. | 1.3 | 91 |
| 122 | Helical Peptoid Mimics of Lung Surfactant Protein C. Chemistry and Biology, 2003, 10, 1057-1063. | 6.2 | 76 |
| 123 | Helical Peptoid Mimics of Magainin-2 Amide. Journal of the American Chemical Society, 2003, 125, 12092-12093. | 6.6 | 342 |
| 124 | Structural and Spectroscopic Studies of Peptoid Oligomers with \hat{l}_{\pm} -Chiral Aliphatic Side Chains. Journal of the American Chemical Society, 2003, 125, 13525-13530. | 6.6 | 279 |
| 125 | High-Throughput, High-Sensitivity Genetic Mutation Detection by Tandem Single-Strand Conformation Polymorphism/Heteroduplex Analysis Capillary Array Electrophoresis. Analytical Chemistry, 2002, 74, 2565-2572. | 3.2 | 63 |
| 126 | Profiling Solid-Phase Synthesis Products by Free-Solution Conjugate Capillary Electrophoresis. Bioconjugate Chemistry, 2002, 13, 663-670. | 1.8 | 25 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Multiplexed, High-Throughput Genotyping by Single-Base Extension and End-Labeled Free-Solution Electrophoresis. Analytical Chemistry, 2002, 74, 4328-4333. | 3.2 | 88 |
| 128 | A New Cloning Method for the Preparation of Long Repetitive Polypeptides without a Sequence Requirement. Macromolecules, 2002, 35, 8281-8287. | 2.2 | 50 |
| 129 | Optimized Sample Preparation for Tandem Capillary Electrophoresis Single-Stranded Conformational Polymorphism/Heteroduplex Analysis. BioTechniques, 2002, 33, 318-325. | 0.8 | 17 |
| 130 | Technical challenges in applying capillary electrophoresis-single strand conformation polymorphism for routine genetic analysis. Electrophoresis, 2002, 23, 1375. | 1.3 | 56 |
| 131 | Poly-N-hydroxyethylacrylamide (polyDuramideâ,,¢): A novel, hydrophilic, self-coating polymer matrix for DNA sequencing by capillary electrophoresis. Electrophoresis, 2002, 23, 1429. | 1.3 | 72 |
| 132 | Critical factors for high-performance physically adsorbed (dynamic) polymeric wall coatings for capillary electrophoresis of DNA. Electrophoresis, 2002, 23, 2766-2776. | 1.3 | 85 |
| 133 | Extreme stability of helices formed by water-soluble poly-N-substituted glycines (polypeptoids) with ?-chiral side chains. Biopolymers, 2002, 63, 12-20. | 1.2 | 144 |
| 134 | Mimicry of bioactive peptides via non-natural, sequence-specific peptidomimetic oligomers. Current Opinion in Chemical Biology, 2002, 6, 872-877. | 2.8 | 246 |
| 135 | Peptoid Oligomers with α-Chiral, Aromatic Side Chains:  Sequence Requirements for the Formation of Stable Peptoid Helices. Journal of the American Chemical Society, 2001, 123, 6778-6784. | 6.6 | 229 |
| 136 | Microchannel DNA Sequencing Matrices with a Thermally Controlled "Viscosity Switch― Analytical Chemistry, 2001, 73, 157-164. | 3.2 | 111 |
| 137 | Peptoid Oligomers with α-Chiral, Aromatic Side Chains: Effects of Chain Length on Secondary Structure. Journal of the American Chemical Society, 2001, 123, 2958-2963. | 6.6 | 189 |
| 138 | Molar Mass Profiling of Synthetic Polymers by Free-Solution Capillary Electrophoresis of DNAâ^'Polymer Conjugates. Analytical Chemistry, 2001, 73, 1795-1803. | 3.2 | 59 |
| 139 | Impact of polymer hydrophobicity on the properties and performance of DNA sequencing matrices for capillary electrophoresis. Electrophoresis, 2001, 22, 737-747. | 1.3 | 69 |
| 140 | The use of light scattering for precise characterization of polymers for DNA sequencing by capillary electrophoresis. Electrophoresis, 2001, 22, 4118-4128. | 1.3 | 24 |
| 141 | Capillary electrophoresis of DNA in uncrosslinked polymer solutions: Evidence for a new mechanism of DNA separation., 2000, 52, 259-270. | | 22 |
| 142 | Polymeric matrices for DNA sequencing by capillary electrophoresis. Electrophoresis, 2000, 21, 4096-4111. | 1.3 | 119 |
| 143 | DNA Sequencing up to 1300 Bases in Two Hours by Capillary Electrophoresis with Mixed Replaceable Linear Polyacrylamide Solutions. Analytical Chemistry, 2000, 72, 1045-1052. | 3.2 | 144 |
| 144 | Capillary Electrophoretic Separation of DNA Restriction Fragments in Mixtures of Low- and High-Molecular-Weight Hydroxyethylcellulose. Industrial & Engineering Chemistry Research, 1996, 35, 2900-2908. | 1.8 | 30 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | The effects of polymer properties on DNA separations by capillary electrophoresis in uncross-linked polymer solutions. Electrophoresis, 1996, 17, 744-757. | 1.3 | 125 |
| 146 | The use of coated and uncoated capillaries for the electrophoretic separation of DNA in dilute polymer solutions. Electrophoresis, 1995, 16, 64-74. | 1.3 | 80 |
| 147 | DNA Separations by Slab Gel, and Capillary Electrophoresis: Theory and Practice. Separation and Purification Reviews, 1995, 24, 1-118. | 0.8 | 50 |
| 148 | A transient entanglement coupling mechanism for DNA separation by capillary electrophoresis in ultradilute polymer solutions. Electrophoresis, 1994, 15, 597-615. | 1.3 | 212 |
| 149 | Capillary electrophoresis of DNA in uncross-linked polymer solutions. Journal of Chromatography A, 1993, 652, 3-16. | 1.8 | 220 |
| 150 | Microchip-Based Sanger Sequencing of DNA., 0,, 153-163. | | 1 |
| 151 | Potent antiviral activity against HSV-1 and SARS-CoV-2 by antimicrobial peptoids. , 0, , . | | 0 |