John E Ware Jr

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2751147/publications.pdf

Version: 2024-02-01

19657 17105 71,933 121 61 122 citations h-index g-index papers 122 122 122 58201 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The MOS 36-Item Short-Form Health Survey (SF-36). Medical Care, 1992, 30, 473-483.	2.4	29,313
2	A 12-Item Short-Form Health Survey. Medical Care, 1996, 34, 220-233.	2.4	14,204
3	The MOS Short-form General Health Survey. Medical Care, 1988, 26, 724-735.	2.4	3,192
4	SF-36 Health Survey Update. Spine, 2000, 25, 3130-3139.	2.0	3,125
5	Cross-Validation of Item Selection and Scoring for the SF-12 Health Survey in Nine Countries. Journal of Clinical Epidemiology, 1998, 51, 1171-1178.	5.0	2,428
6	Overview of the SF-36 Health Survey and the International Quality of Life Assessment (IQOLA) Project. Journal of Clinical Epidemiology, 1998, 51, 903-912.	5.0	2,094
7	Patients' participation in medical care. Journal of General Internal Medicine, 1988, 3, 448-457.	2.6	1,058
8	Defining and measuring patient satisfaction with medical care. Evaluation and Program Planning, 1983, 6, 247-263.	1.6	1,021
9	Psychometric and Clinical Tests of Validity of the Japanese SF-36 Health Survey. Journal of Clinical Epidemiology, 1998, 51, 1045-1053.	5.0	813
10	Translating Health Status Questionnaires and Evaluating Their Quality. Journal of Clinical Epidemiology, 1998, 51, 913-923.	5.0	761
11	Does Free Care Improve Adults' Health?. New England Journal of Medicine, 1983, 309, 1426-1434.	27.0	635
12	Health-related quality of life associated with chronic conditions in eight countries: Results from the International Quality of Life Assessment (IQOLA) Project. Quality of Life Research, 2004, 13, 283-298.	3.1	623
13	The Factor Structure of the SF-36 Health Survey in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1159-1165.	5.0	574
14	Standards for validating health measures: Definition and content. Journal of Chronic Diseases, 1987, 40, 473-480.	1.2	526
15	Methods for Testing Data Quality, Scaling Assumptions, and Reliability. Journal of Clinical Epidemiology, 1998, 51, 945-952.	5.0	518
16	The Equivalence of SF-36 Summary Health Scores Estimated Using Standard and Country-Specific Algorithms in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1167-1170.	5.0	513
17	Methods For Measuring Patient Satisfaction With Specific Medical Encounters. Medical Care, 1988, 26, 393-402.	2.4	500
18	Interpreting SF-36 summary health measures: a response. Quality of Life Research, 2001, 10, 405-413.	3.1	476

#	Article	IF	CITATIONS
19	Tests of Data Quality, Scaling Assumptions, and Reliability of the SF-36 in Eleven Countries. Journal of Clinical Epidemiology, 1998, 51, 1149-1158.	5.0	359
20	Behavioral consequences of consumer dissatisfaction with medical care. Evaluation and Program Planning, 1983, 6, 291-297.	1.6	338
21	The Status of Health Assessment 1994. Annual Review of Public Health, 1995, 16, 327-354.	17.4	333
22	Evaluating Translations of Health Status Questionnaires: <i>Methods From the IQOLA Project</i> International Journal of Technology Assessment in Health Care, 1995, 11, 525-551.	0.5	305
23	The PROMIS Physical Function item bank was calibrated to a standardized metric and shown to improve measurement efficiency. Journal of Clinical Epidemiology, 2014, 67, 516-526.	5.0	301
24	Usefulness of the SF-8 Health Survey for comparing the impact of migraine and other conditions. Quality of Life Research, 2003, 12, 1003-1012.	3.1	300
25	Health-related quality of life in chronic hepatitis C: Impact of disease and treatment response. Hepatology, 1999, 30, 550-555.	7.3	293
26	Measuring the Functional Status and Wellâ€Being of Patients with Migraine Headache. Headache, 1994, 34, 337-343.	3.9	291
27	Methods for Validating and Norming Translations of Health Status Questionnaires. Journal of Clinical Epidemiology, 1998, 51, 953-959.	5.0	263
28	Evaluation of the mos SF-36 physical functioning scale (PF-10): I. Unidimensionality and reproducibility of the Rasch Item scale. Journal of Clinical Epidemiology, 1994, 47, 671-684.	5.0	255
29	Cross-Cultural Comparisons of the Content of SF-36 Translations across 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 925-932.	5.0	250
30	Health status in patients with chronic fatigue syndrome and in general population and disease comparison groups. American Journal of Medicine, 1996, 101, 281-290.	1.5	243
31	Effect of Cilostazol on Treadmill Walking, Community-Based Walking Ability, and Health-Related Quality of Life in Patients with Intermittent Claudication Due to Peripheral Arterial Disease: Meta-Analysis of Six Randomized Controlled Trials. Journal of the American Geriatrics Society, 2002, 50. 1939-1946.	2.6	232
32	Use of Structural Equation Modeling to Test the Construct Validity of the SF-36 Health Survey in Ten Countries. Journal of Clinical Epidemiology, 1998, 51, 1179-1188.	5.0	210
33	Conceptualizing Disease Impact and Treatment Outcomes. Cancer, 1984, 53, 2316-2323.	4.1	199
34	Conceptualization and measurement of health-related quality of life: Comments on an evolving field. Archives of Physical Medicine and Rehabilitation, 2003, 84, S43-S51.	0.9	199
35	Health status and the use of outpatient mental health services American Psychologist, 1984, 39, 1090-1100.	4.2	197
36	Validation testing of a three-component model of Short Form-36 scores. Journal of Clinical Epidemiology, 2011, 64, 301-308.	5.0	194

#	Article	IF	Citations
37	Improving the Response Choices on the Veterans SF-36 Health Survey Role Functioning Scales. Journal of Ambulatory Care Management, 2004, 27, 263-280.	1.1	186
38	Quality of life research in oncology. Past achievements and future priorities. Cancer, 1991, 67, 839-843.	4.1	180
39	Evaluation of the MOS SF-36 physical functioning scale (PF-40): II. Comparison of relative precision using Likert and Rasch scoring methods. Journal of Clinical Epidemiology, 1997, 50, 451-461.	5.0	177
40	Calibration of an item pool for assessing the burden of headaches: an application of item response theory to the headache impact test (HIT). Quality of Life Research, 2003, 12, 913-933.	3.1	176
41	Differential Item Functioning in the Danish Translation of the SF-36. Journal of Clinical Epidemiology, 1998, 51, 1189-1202.	5.0	173
42	Sleep problems, health-related quality of life, work functioning and health care utilization among the chronically ill. Quality of Life Research, 2001, 10, 331-345.	3.1	160
43	Controlling for Acquiescence Response Set in scale development Journal of Applied Psychology, 1982, 67, 555-561.	5.3	155
44	Applications of computerized adaptive testing (CAT) to the assessment of headache impact. Quality of Life Research, 2003, 12, 935-952.	3.1	150
45	Comparison of Rasch and Summated Rating Scales Constructed from SF-36 Physical Functioning Items in Seven Countries. Journal of Clinical Epidemiology, 1998, 51, 1203-1214.	5.0	143
46	Health-related quality of life among patients with metastatic prostate cancer. Urology, 1997, 49, 207-217.	1.0	136
47	Patient-reported Functional Health and Well-Being Outcomes With Drug Therapy. Medical Care, 2014, 52, 439-445.	2.4	135
48	Psychometric evaluation of the SF-36 health survey in Medicare managed care. Health Care Financing Review, 2004, 25, 5-25.	1.8	132
49	Burden of restless legs syndrome on health-related quality of life. Quality of Life Research, 2007, 16, 617-24.	3.1	121
50	Usefulness of the SF-36 Health Survey in Measuring Health Outcomes in the Depressed Elderly. Journal of Geriatric Psychiatry and Neurology, 1996, 9, 13-21.	2.3	112
51	Method of administration of PROMIS scales did not significantly impact score level, reliability, or validity. Journal of Clinical Epidemiology, 2014, 67, 108-113.	5.0	102
52	Health-related quality of life in early rheumatoid arthritis: impact of disease and treatment response. American Journal of Managed Care, 2002, 8, 231-40.	1.1	101
53	A model for predicting the counseling practices of physicians. Journal of General Internal Medicine, 1986, 1, 14-19.	2.6	91
54	Testing the Equivalence of Translations of Widely Used Response Choice Labels. Journal of Clinical Epidemiology, 1998, 51, 933-944.	5.0	90

#	Article	IF	CITATIONS
55	Better assessment of physical function: item improvement is neglected but essential. Arthritis Research and Therapy, 2009, 11, R191.	3.5	90
56	Development and Initial Psychometric Evaluation of the Participation Measure for Post-Acute Care (PM-PAC). American Journal of Physical Medicine and Rehabilitation, 2007, 86, 57-71.	1.4	86
57	Development of a Short Version of the Thyroid-Related Patient-Reported Outcome ThyPRO. Thyroid, 2015, 25, 1069-1079.	4.5	82
58	Longitudinal Analysis of Sexual Function Reported by Men in the Prostate Cancer Prevention Trial. Journal of the National Cancer Institute, 2007, 99, 1025-1035.	6.3	80
59	Using item response theory to calibrate the Headache Impact Test (HIT) to the metric of traditional headache scales. Quality of Life Research, 2003, 12, 981-1002.	3.1	78
60	Effects of expressiveness, content coverage, and incentive on multidimensional student rating scales: New interpretations of the Dr. Fox effect Journal of Educational Psychology, 1982, 74, 126-134.	2.9	71
61	Conceptualizing and measuring generic health outcomes. Cancer, 1991, 67, 774-779.	4.1	70
62	Developing a New Version of the SF-6D Health State Classification System From the SF-36v2: SF-6Dv2. Medical Care, 2020, 58, 557-565.	2.4	66
63	A 12-item short form of the Knee injury and Osteoarthritis Outcome Score (KOOS-12): tests of reliability, validity and responsiveness. Osteoarthritis and Cartilage, 2019, 27, 762-770.	1.3	64
64	Improvements in short-form measures of health status: Introduction to a series. Journal of Clinical Epidemiology, 2008, 61, 1-5.	5.0	63
65	4. The Patient Judgments of Hospital Quality (PJHQ) Questionnaire. Medical Care, 1990, 28, S17-S18.	2.4	62
66	Validity of student ratings of instruction under different incentive conditions: A further study of the Dr. Fox effect Journal of Educational Psychology, 1976, 68, 48-56.	2.9	61
67	Profile of Men Randomized to the Prostate Cancer Prevention Trial: Baseline Health-Related Quality of Life, Urinary and Sexual Functioning, and Health Behaviors. Journal of Clinical Oncology, 2000, 18, 1942-1953.	1.6	58
68	6. The PJHQ Questionnaire Exploratory Factor Analysis and Empirical Scale Construction. Medical Care, 1990, 28, S22-S29.	2.4	57
69	Difference in method of administration did not significantly impact item response: an IRT-based analysis from the Patient-Reported Outcomes Measurement Information System (PROMIS) initiative. Quality of Life Research, 2014, 23, 217-227.	3.1	57
70	Impact of efalizumab on psoriasis-specific patient-reported outcomes. Results from three randomized, placebo-controlled clinical trials of moderate to severe plaque psoriasis. Journal of Drugs in Dermatology, 2004, 3, 27-38.	0.8	57
71	Item response theory and computerized adaptive testing: Implications for outcomes measurement in rehabilitation Rehabilitation Psychology, 2005, 50, 71-78.	1.3	56
72	An Extended Visit with Dr. Fox: Validity of Student Satisfaction with Instruction Ratings after Repeated Exposures To A Lecturer. American Educational Research Journal, 1977, 14, 449-457.	2.7	54

#	Article	IF	Citations
73	Standardizing disease-specific quality of life measures across multiple chronic conditions: development and initial evaluation of the QOL Disease Impact Scale (QDIS®). Health and Quality of Life Outcomes, 2016, 14, 84.	2.4	53
74	Using the bootstrap to establish statistical significance for relative validity comparisons among patient-reported outcome measures. Health and Quality of Life Outcomes, 2013, 11, 89.	2.4	49
75	Channeling Health: A Review of the Evaluation of Televised Health Campaigns. Health Education Quarterly, 1980, 7, 56-89.	1.4	47
76	A 12-item short form of the Hip disability and Osteoarthritis Outcome Score (HOOS-12): tests of reliability, validity and responsiveness. Osteoarthritis and Cartilage, 2019, 27, 754-761.	1.3	47
77	Asian-American Patient Ratings of Physician Primary Care Performance. Journal of General Internal Medicine, 1997, 12, 237-242.	2.6	47
78	Treatment of rheumatoid arthritis patients with abatacept and methotrexate significantly improved health-related quality of life. Journal of Rheumatology, 2006, 33, 681-9.	2.0	47
79	How to Survey Patient Satisfaction. Drug Intelligence & Clinical Pharmacy, 1981, 15, 892-899.	0.4	46
80	Item Response Theory Methods can Improve the Measurement of Physical Function by Combining the Modified Health Assessment Questionnaire and the SF-36 Physical Function Scale. Quality of Life Research, 2007, 16, 647-60.	3.1	39
81	Item selection for 12-item short forms of the Knee injury and Osteoarthritis Outcome Score (KOOS-12) and Hip disability and Osteoarthritis Outcome Score (HOOS-12). Osteoarthritis and Cartilage, 2019, 27, 746-753.	1.3	39
82	Energy, fatigue, or both? A bifactor modeling approach to the conceptualization and measurement of vitality. Quality of Life Research, 2015, 24, 81-93.	3.1	38
83	7. Further Evaluations of the PJHQ Scales. Medical Care, 1990, 28, S29-S39.	2.4	36
84	An evaluation of a patient-reported outcomes found computerized adaptive testing was efficient in assessing osteoarthritis impact. Journal of Clinical Epidemiology, 2006, 59, 715-723.	5.0	35
85	Development of a multidimensional scale of anxiety. Journal of Anxiety Disorders, 1990, 4, 99-115.	3.2	32
86	A new tool for monitoring asthma outcomes: the ITG Asthma Short Form. Quality of Life Research, 2000, 9, 451-466.	3.1	30
87	Discriminant Analysis of Student Ratings as a Means for Identifying Lecturers who Differ in Enthusiasm or Information-Giving. Educational and Psychological Measurement, 1977, 37, 627-639.	2.4	29
88	Psychosocial problems in chronically ill children. Journal of Community Health, 1982, 7, 250-261.	3.8	28
89	Treatment effectiveness of pasireotide on health-related quality of life in patients with Cushing's disease. European Journal of Endocrinology, 2014, 171, 89-98.	3.7	26
90	Improving CKD-Specific Patient-Reported Measures of Health-Related Quality of Life. Journal of the American Society of Nephrology: JASN, 2019, 30, 664-677.	6.1	26

#	Article	IF	CITATIONS
91	Computerized Adaptive Testing—Ready for Ambulatory Monitoring?. Psychosomatic Medicine, 2012, 74, 338-348.	2.0	25
92	Validity and Responsiveness of the Knee Injury and Osteoarthritis Outcome Score: A Comparative Study Among Total Knee Replacement Patients. Arthritis Care and Research, 2017, 69, 817-825.	3.4	25
93	The Findings of the Rand Health Insurance Experiment??? A Response to Welch et al. Medical Care, 1987, 25, 157-179.	2.4	24
94	Editorial: Using Generic Measures of Functional Health and Well-Being to Increase Understanding of Disease Burden. Spine, 2000, 25, 1467.	2.0	21
95	Impact of Changes in Asthma Severity on Health-Related Quality of Life in Pediatric and Adult Asthma Patients: Results from The Asthma Outcomes Monitoring System. Allergy and Asthma Proceedings, 2000, 21, 151-158.	2.2	20
96	The Effect of Systematically Varying Components of Nursing Care on Satisfaction in Elderly Ambulatory Women. Western Journal of Nursing Research, 1984, 6, 367-386.	1.4	18
97	The potential synergy between cognitive models and modern psychometric models. Quality of Life Research, 2003, 12, 261-274.	3.1	18
98	Content validation of two SF-36 subscales for use in type 2 diabetes and non-dialysis chronic kidney disease-related anemia. Quality of Life Research, 2011, 20, 889-901.	3.1	18
99	Assessing health-related quality of life in patients with benign non-toxic goitre. Best Practice and Research in Clinical Endocrinology and Metabolism, 2014, 28, 559-575.	4.7	18
100	Advances in health assessment: Organization of the conference and of this monograph. Journal of Chronic Diseases, 1987, 40, 1S-5S.	1.2	16
101	The Validity of Disease-Specific Quality of Life Attributions Among Adults with Multiple Chronic Conditions. International Journal of Statistics in Medical Research, 2016, 5, 17-40.	1.0	16
102	Health-Related Quality of Life of Heart Failure and Coronary Artery Disease Patients Improved During Participation in Disease Management Programs: A Longitudinal Observational Study. Disease Management: DM, 2007, 10, 164-178.	1.0	14
103	Evaluating health measures. Commentary: Measuring overall health: An evaluation of three important approaches. Journal of Chronic Diseases, 1987, 40, 23S-26S.	1.2	13
104	Finale Panel: Comments on the Conference on Advances in Health Status Assessment. Medical Care, 1989, 27, S282-S294.	2.4	11
105	Assessing the factor structure of a role functioning item bank. Quality of Life Research, 2011, 20, 745-758.	3.1	11
106	Health-Related Quality-of-Life Findings for the Prostate Cancer Prevention Trial. Journal of the National Cancer Institute, 2012, 104, 1373-1385.	6.3	11
107	Varying the item format improved the range of measurement in patient-reported outcome measures assessing physical function. Arthritis Research and Therapy, 2017, 19, 66.	3.5	11
108	Predicting the 10-year risk of death from other causes in men with localized prostate cancer using patient-reported factors: Development of a tool. PLoS ONE, 2020, 15, e0240039.	2.5	11

#	Article	IF	CITATIONS
109	Use of Outpatient Mental Health Services by a General Population With Health Insurance Coverage. Psychiatric Services, 1986, 37, 1119-1125.	2.0	9
110	Comments on the Use of Health Status Assessment in Clinical Settings. Medical Care, 1992, 30, MS205-MS209.	2.4	9
111	Evaluation of smoking-specific and generic quality of life measures in current and former smokers in Germany and the United States. Health and Quality of Life Outcomes, 2015, 13, 128.	2.4	8
112	Testing item response theory invariance of the standardized Quality-of-life Disease Impact Scale (QDISÅ®) in acute coronary syndrome patients: differential functioning of items and test. Quality of Life Research, 2015, 24, 1809-1822.	3.1	7
113	3. Pilot Study Methods Design of Study. Medical Care, 1990, 28, S15-S17.	2.4	6
114	Effects of cost sharing in health insurance on disability days. Health Policy, 1991, 18, 131-139.	3.0	6
115	Short and Precise Patient Self-Assessment of Heart Failure Symptoms Using a Computerized Adaptive Test. Circulation: Heart Failure, 2012, 5, 331-339.	3.9	6
116	A Behavioral and Clinical Evaluation of Two Psychotropic Agents: Doxepin - Hydrochloride & Psychosomatics, 1972, 13, 125-130.	2.5	5
117	Impact of comorbid conditions on disease-specific quality of life in older men and women with atrial fibrillation. Quality of Life Research, 2020, 29, 3285-3296.	3.1	4
118	Preliminary Evaluation of a New German Translated Tobacco Quality of Life Impact Tool to Discriminate Between Healthy Current and Former Smokers and to Explore the Effect of Switching Smokers to a Reduced Toxicant Prototype Cigarette. Nicotine and Tobacco Research, 2015, 17, 1456-1464.	2.6	3
119	Development of an item bank and computer adaptive test for role functioning. Quality of Life Research, 2012, 21, 1625-1637.	3.1	2
120	Improving multimorbidity measurement using individualized disease-specific quality of life impact assessments: predictive validity of a new comorbidity index. Health and Quality of Life Outcomes, 2022, 20, .	2.4	2
121	Strategies for Improving and Expanding the Application of Health Status Measures in Clinical Settings. Medical Care, 1992, 30, MS210-MS218.	2.4	1