

Claudia Megan Urry

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2752013/publications.pdf>

Version: 2024-02-01

325
papers

27,572
citations

7551

77
h-index

6282

158
g-index

331
all docs

331
docs citations

331
times ranked

9555
citing authors

#	ARTICLE	IF	CITATIONS
1	Unified Schemes for Radio-Loud Active Galactic Nuclei. Publications of the Astronomical Society of the Pacific, 1995, 107, 803.	1.0	3,728
2	THE <i>NUCLEAR SPECTROSCOPIC TELESCOPE ARRAY</i> (<i>NuSTAR</i>) HIGH-ENERGY X-RAY MISSION. Astrophysical Journal, 2013, 770, 103.	1.6	1,627
3	The Great Observatories Origins Deep Survey: Initial Results from Optical and Near-Infrared Imaging. Astrophysical Journal, 2004, 600, L93-L98.	1.6	1,351
4	Active Galactic Nucleus Black Hole Masses and Bolometric Luminosities. Astrophysical Journal, 2002, 579, 530-544.	1.6	667
5	VARIABILITY OF ACTIVE GALACTIC NUCLEI. Annual Review of Astronomy and Astrophysics, 1997, 35, 445-502.	8.1	639
6	The green valley is a red herring: Galaxy Zoo reveals two evolutionary pathways towards quenching of star formation in early- and late-type galaxies.... Monthly Notices of the Royal Astronomical Society, 2014, 440, 889-907.	1.6	506
7	<i>COSMOS</i> : The <i>Spitzer</i> Legacy Survey of the <i>Hubble Space Telescope</i> ACS 2 deg ² <i>COSMOS</i> Field I: Survey Strategy and First Analysis. Astrophysical Journal, Supplement Series, 2007, 172, 86-98.	3.0	503
8	Galaxy Zoo Green Peas: discovery of a class of compact extremely star-forming galaxies. Monthly Notices of the Royal Astronomical Society, 2009, 399, 1191-1205.	1.6	446
9	The complete sample of 1 Jansky BL Lacertae objects. I - Summary properties. Astrophysical Journal, 1991, 374, 431.	1.6	395
10	<i>COSMOS</i> : <i>Hubble Space Telescope</i> Observations. Astrophysical Journal, Supplement Series, 2007, 172, 38-45.	3.0	392
11	THE <i>CHANDRA</i> <i>COSMOS</i> SURVEY. I. OVERVIEW AND POINT SOURCE CATALOG. Astrophysical Journal, Supplement Series, 2009, 184, 158-171.	3.0	361
12	On the Spectral Energy Distributions of Blazars. Astrophysical Journal, 1996, 463, 444.	1.6	301
13	THE DISCOVERY OF THE FIRST "CHANGING LOOK" QUASAR: NEW INSIGHTS INTO THE PHYSICS AND PHENOMENOLOGY OF ACTIVE GALACTIC NUCLEI. Astrophysical Journal, 2015, 800, 144.	1.6	300
14	$\text{Ly}\alpha$ Emission-Line Galaxies at $z = 3.1$ in the Extended Chandra Deep Field "South. Astrophysical Journal, 2007, 667, 79-91.	1.6	293
15	MAJOR GALAXY MERGERS ONLY TRIGGER THE MOST LUMINOUS ACTIVE GALACTIC NUCLEI. Astrophysical Journal Letters, 2012, 758, L39.	3.0	292
16	The X-Ray Jet of PKS 0637-752: Inverse Compton Radiation from the Cosmic Microwave Background?. Astrophysical Journal, 2000, 544, L23-L26.	1.6	288
17	THE SPACE DENSITY OF COMPTON-THICK ACTIVE GALACTIC NUCLEUS AND THE X-RAY BACKGROUND. Astrophysical Journal, 2009, 696, 110-120.	1.6	276
18	$\text{Ly}\alpha$ -Emitting Galaxies at $z = 3.1$: * Progenitors Experiencing Rapid Star Formation. Astrophysical Journal, 2007, 671, 278-284.	1.6	265

#	ARTICLE	IF	CITATIONS
19	[ITAL]BeppoSAX[/ITAL] Observations of Unprecedented Synchrotron Activity in the BL Lacertae Object Markarian 501. <i>Astrophysical Journal</i> , 1998, 492, L17-L20.	1.6	263
20	The XMM-Newton Wide-field Survey in the COSMOS Field. I. Survey Description. <i>Astrophysical Journal</i> , Supplement Series, 2007, 172, 29-37.	3.0	263
21	The VLA COSMOS Survey. II. Source Catalog of the Large Project. <i>Astrophysical Journal</i> , Supplement Series, 2007, 172, 46-69.	3.0	258
22	THE CHANDRA COSMOS LEGACY SURVEY: OPTICAL/IR IDENTIFICATIONS. <i>Astrophysical Journal</i> , 2016, 817, 34.	1.6	242
23	The XMM-Newton Wide-field survey in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 497, 635-648.	2.1	230
24	The Multiwavelength Survey by Yale-Chile (MUSYC): Survey Design and Deep Public UBVR _I z ² Images and Catalogs of the Extended Hubble Deep Field-South. <i>Astrophysical Journal</i> , Supplement Series, 2006, 162, 1-19.	3.0	228
25	THE MULTIWAVELENGTH SURVEY BY YALE-CHILE (MUSYC): DEEP MEDIUM-BAND OPTICAL IMAGING AND HIGH-QUALITY 32-BAND PHOTOMETRIC REDSHIFTS IN THE ECDF-S. <i>Astrophysical Journal</i> , Supplement Series, 2010, 189, 270-285.	3.0	225
26	The Hubble Space Telescope Survey of BL Lacertae Objects. II. Host Galaxies. <i>Astrophysical Journal</i> , 2000, 532, 816-829.	1.6	213
27	SMARTS OPTICAL AND INFRARED MONITORING OF 12 GAMMA-RAY BRIGHT BLAZARS. <i>Astrophysical Journal</i> , 2012, 756, 13.	1.6	197
28	Spectroscopic Identification of Massive Galaxies at $z \sim 2.3$ with Strongly Suppressed Star Formation. <i>Astrophysical Journal</i> , 2006, 649, L71-L74.	1.6	190
29	Multiwavelength Observations of a Dramatic High-Energy Flare in the Blazar 3C 279. <i>Astrophysical Journal</i> , 1998, 497, 178-187.	1.6	186
30	AGN Host Galaxies at $z \sim 0.4-1.3$: Bulge-dominated and Lacking Merger-AGN Connection. <i>Astrophysical Journal</i> , 2005, 627, L97-L100.	1.6	183
31	The Physical Nature of Ly α -emitting Galaxies at $z \sim 3.1$. <i>Astrophysical Journal</i> , 2006, 642, L13-L16.	1.6	181
32	The Einstein Slew Survey Sample of BL Lacertae Objects. <i>Astrophysical Journal</i> , Supplement Series, 1996, 104, 251.	3.0	175
33	GALAXY ZOO: THE FUNDAMENTALLY DIFFERENT CO-EVOLUTION OF SUPERMASSIVE BLACK HOLES AND THEIR EARLY- AND LATE-TYPE HOST GALAXIES. <i>Astrophysical Journal</i> , 2010, 711, 284-302.	1.6	171
34	HST WFC3/IR OBSERVATIONS OF ACTIVE GALACTIC NUCLEUS HOST GALAXIES AT $z \sim 2$: SUPERMASSIVE BLACK HOLES GROW IN DISK GALAXIES. <i>Astrophysical Journal Letters</i> , 2011, 727, L31.	3.0	168
35	A Survey of Extended Radio Jets with Chandra and the Hubble Space Telescope. <i>Astrophysical Journal</i> , 2004, 608, 698-720.	1.6	153
36	RAPID VARIABILITY OF BLAZAR 3C 279 DURING FLARING STATES IN 2013-2014 WITH JOINT FERMI-LAT, NuSTAR, SWIFT, AND GROUND-BASED MULTI-WAVELENGTH OBSERVATIONS. <i>Astrophysical Journal</i> , 2015, 807, 79.	1.6	151

#	ARTICLE	IF	CITATIONS
37	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field. III. Optical Identification and Multiwavelength Properties of a Large Sample of X-Ray-Selected Sources. <i>Astrophysical Journal</i> , Supplement Series, 2007, 172, 353-367.	3.0	147
38	DO MODERATE-LUMINOSITY ACTIVE GALACTIC NUCLEI SUPPRESS STAR FORMATION?. <i>Astrophysical Journal</i> , 2009, 692, L19-L23.	1.6	143
39	MAJOR MERGERS HOST THE MOST-LUMINOUS RED QUASARS AT $z \approx 2$: A HUBBLE SPACE TELESCOPE/WFC3/IR STUDY. <i>Astrophysical Journal</i> , 2015, 806, 218.	1.6	140
40	Cold, clumpy accretion onto an active supermassive black hole. <i>Nature</i> , 2016, 534, 218-221.	13.7	137
41	Obscured Active Galactic Nuclei and the X-Ray, Optical, and Far-Infrared Number Counts of Active Galactic Nuclei in the GOODS Fields. <i>Astrophysical Journal</i> , 2004, 616, 123-135.	1.6	135
42	The Hubble Space Telescope Survey of BL Lacertae Objects. I. Surface Brightness Profiles, Magnitudes, and Radii of Host Galaxies. <i>Astrophysical Journal</i> , 2000, 532, 740-815.	1.6	134
43	The Evolution of Obscuration in Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2006, 652, L79-L82.	1.6	128
44	Multiepoch Multiwavelength Spectra and Models for Blazar 3C 279. <i>Astrophysical Journal</i> , 2001, 553, 683-694.	1.6	126
45	A PUBLIC, K-SELECTED, OPTICAL-TO-NEAR-INFRARED CATALOG OF THE EXTENDED CHANDRA DEEP FIELD SOUTH (ECDFS) FROM THE MULTI-WAVELENGTH SURVEY BY YALE-CHILE (MUSYC). <i>Astrophysical Journal</i> , Supplement Series, 2009, 183, 295-319.	3.0	125
46	Heavily obscured quasar host galaxies at $z \approx 2$ are discs, not major mergers. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 425, L61-L65.	1.2	124
47	Luminosity functions, relativistic beaming, and unified theories of high-luminosity radio sources. <i>Astrophysical Journal</i> , 1992, 387, 449.	1.6	122
48	Active Galactic Nuclei Unification and the X-Ray Background. <i>Astrophysical Journal</i> , 2005, 630, 115-121.	1.6	120
49	<i>NuSTAR</i> SPECTROSCOPY OF MULTI-COMPONENT X-RAY REFLECTION FROM NGC 1068. <i>Astrophysical Journal</i> , 2015, 812, 116.	1.6	117
50	ACCRETION RATE AND THE PHYSICAL NATURE OF UNOBSCURED ACTIVE GALAXIES. <i>Astrophysical Journal</i> , 2011, 733, 60.	1.6	116
51	Variability Pattern and the Spectral Evolution of the BL Lacertae Object PKS 2155-304. <i>Astrophysical Journal</i> , 2000, 528, 243-253.	1.6	114
52	SIMILARITY OF THE OPTICAL-INFRARED AND γ -RAY TIME VARIABILITY OF <i>FERMI</i> BLAZARS. <i>Astrophysical Journal</i> , 2012, 749, 191.	1.6	111
53	[ITAL]Chandra[/ITAL] Observations of the X-Ray Jet of 3C 273. <i>Astrophysical Journal</i> , 2001, 549, L161-L165.	1.6	110
54	THE 2-79 keV X-RAY SPECTRUM OF THE CIRCINUS GALAXY WITH <i>NuSTAR</i> , <i>XMM-Newton</i> , AND <i>CHANDRA</i> : A FULLY COMPTON-THICK ACTIVE GALACTIC NUCLEUS. <i>Astrophysical Journal</i> , 2014, 791, 81.	1.6	109

#	ARTICLE	IF	CITATIONS
55	Simultaneous X-Ray and T[CLC]e[/CLC]V Observations of a Rapid Flare from Markarian 421. <i>Astrophysical Journal</i> , 1999, 526, L81-L84.	1.6	104
56	A Survey of Extended Radio Jets in Active Galactic Nuclei with Chandra and the Hubble Space Telescope: First Results. <i>Astrophysical Journal</i> , 2002, 571, 206-217.	1.6	104
57	Theoretical Implications from the Spectral Evolution of Markarian 501 Observed with BeppoSAX. <i>Astrophysical Journal</i> , 2001, 554, 725-733.	1.6	103
58	Black Hole Masses and Host Galaxy Evolution of Radio-Loud Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2005, 631, 762-772.	1.6	102
59	A NEW POPULATION OF COMPTON-THICK AGNs IDENTIFIED USING THE SPECTRAL CURVATURE ABOVE 10 keV. <i>Astrophysical Journal</i> , 2016, 825, 85.	1.6	101
60	Complex Spectral Variability from Intensive Multiwavelength Monitoring of Markarian 421 in 1998. <i>Astrophysical Journal</i> , 2000, 542, L105-L109.	1.6	100
61	Ultraviolet and Multiwavelength Variability of the Blazar 3C 279: Evidence for Thermal Emission. <i>Astrophysical Journal</i> , 1999, 521, 112-120.	1.6	98
62	Multiwavelength Monitoring of the BL Lacertae Object PKS 2155-304 in 1994 May. III. Probing the Inner Jet through Multiwavelength Correlations. <i>Astrophysical Journal</i> , 1997, 486, 799-809.	1.6	96
63	Correlated hard X-ray and ultraviolet variability in NGC 5548. <i>Astrophysical Journal</i> , 1992, 393, 113.	1.6	96
64	<i>NuSTAR</i> AND <i>XMM-NEWTON</i> OBSERVATIONS OF LUMINOUS, HEAVILY OBSCURED, <i>WISE</i>-SELECTED QUASARS AT $z \approx 2$. <i>Astrophysical Journal</i> , 2014, 794, 102.	1.6	93
65	THE CHANDRA COSMOS-LEGACY SURVEY: SOURCE X-RAY SPECTRAL PROPERTIES. <i>Astrophysical Journal</i> , 2016, 830, 100.	1.6	93
66	The Accretion History of AGNs. I. Supermassive Black Hole Population Synthesis Model. <i>Astrophysical Journal</i> , 2019, 871, 240.	1.6	92
67	OPTICAL SPECTROSCOPY OF X-RAY SOURCES IN THE EXTENDED CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal</i> , 2009, 693, 1713-1727.	1.6	91
68	MULTIWAVELENGTH STUDY OF QUIESCENT STATES OF Mrk 421 WITH UNPRECEDENTED HARD X-RAY COVERAGE PROVIDED BY NuSTAR IN 2013. <i>Astrophysical Journal</i> , 2016, 819, 156.	1.6	90
69	The Multiwavelength Survey by Yale-Chile (MUSYC): Deep Near-Infrared Imaging and the Selection of Distant Galaxies. <i>Astronomical Journal</i> , 2007, 134, 1103-1117.	1.9	88
70	Fanaroff-Riley I galaxies as the parent populations of BL Lacertae objects. III - Radio constraints. <i>Astrophysical Journal</i> , 1991, 382, 501.	1.6	88
71	The 1993 multiwavelength campaign on 3C 279: The radio to gamma-ray energy distribution in low state. <i>Astrophysical Journal</i> , 1994, 435, L91.	1.6	88
72	A Galaxy-scale Fountain of Cold Molecular Gas Pumped by a Black Hole. <i>Astrophysical Journal</i> , 2018, 865, 13.	1.6	85

#	ARTICLE	IF	CITATIONS
73	Luminosity enhancement in relativistic jets and altered luminosity functions for beamed objects. <i>Astrophysical Journal</i> , 1984, 280, 569.	1.6	85
74	Ten new BL Lacertae objects discovered by an efficient X-ray/radio/optical technique. <i>Astrophysical Journal</i> , 1993, 412, 541.	1.6	85
75	MAPPING THE DARK MATTER FROM UV LIGHT AT HIGH REDSHIFT: AN EMPIRICAL APPROACH TO UNDERSTAND GALAXY STATISTICS. <i>Astrophysical Journal</i> , 2009, 695, 368-390.	1.6	83
76	MULTIWAVELENGTH MONITORING OF THE ENIGMATIC NARROW-LINE SEYFERT 1 PMN J0948+0022 IN 2009 MARCH-JULY. <i>Astrophysical Journal</i> , 2009, 707, 727-737.	1.6	81
77	Shedding New Light on the 3C 273 Jet with the Spitzer Space Telescope. <i>Astrophysical Journal</i> , 2006, 648, 910-921.	1.6	79
78	CORRELATED VARIABILITY IN THE BLAZAR 3C 454.3. <i>Astrophysical Journal</i> , 2009, 697, L81-L85.	1.6	79
79	DUST-CORRECTED COLORS REVEAL BIMODALITY IN THE HOST-GALAXY COLORS OF ACTIVE GALACTIC NUCLEI AT $z \sim 1$. <i>Astrophysical Journal Letters</i> , 2010, 721, L38-L42.	3.0	78
80	Major Galaxy Mergers and the Growth of Supermassive Black Holes in Quasars. <i>Science</i> , 2010, 328, 600-602.	6.0	78
81	Soft X-Ray Properties of a Complete Sample of Radio-selected BL Lacertae Objects. <i>Astrophysical Journal</i> , 1996, 463, 424.	1.6	78
82	Rapid X-ray Variability of the BL Lacertae Object PKS 2155-304. <i>Astrophysical Journal</i> , 1999, 527, 719-732.	1.6	77
83	The Independence of Active Galactic Nucleus Black Hole Mass and Radio Loudness. <i>Astrophysical Journal</i> , 2002, 581, L5-L7.	1.6	76
84	The UV colours of high-redshift early-type galaxies: evidence for recent star formation and stellar mass assembly over the last 8 billion years. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 388, 67-79.	1.6	76
85	THE ROLE OF MERGERS IN EARLY-TYPE GALAXY EVOLUTION AND BLACK HOLE GROWTH. <i>Astrophysical Journal Letters</i> , 2010, 714, L108-L112.	3.0	75
86	Spitzer Number Counts of Active Galactic Nuclei in the GOODS Fields. <i>Astrophysical Journal</i> , 2006, 640, 603-611.	1.6	74
87	Multiwavelength monitoring of the BL Lacertae object PKS 2155-304. I - The IUE campaign. <i>Astrophysical Journal</i> , 1993, 411, 614.	1.6	74
88	The Origin of Line Emission in Massive $z \sim 2.3$ Galaxies: Evidence for Cosmic Downsizing of AGN Host Galaxies. <i>Astrophysical Journal</i> , 2007, 669, 776-790.	1.6	73
89	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEY: A FIRST SENSITIVE LOOK AT THE HIGH-ENERGY COSMIC X-RAY BACKGROUND POPULATION. <i>Astrophysical Journal</i> , 2013, 773, 125.	1.6	73
90	PKS 2155-304 - Relativistically beamed synchrotron radiation from a BL Lacertae object. <i>Astrophysical Journal</i> , 1982, 253, 38.	1.6	73

#	ARTICLE	IF	CITATIONS
91	Mid-Infrared Properties and Color Selection for X-Ray-Detected Active Galactic Nuclei in the MUSYC Extended Chandra Deep Field "South. <i>Astrophysical Journal</i> , 2008, 680, 130-142.	1.6	72
92	The Chandra COSMOS Legacy Survey: Energy Spectrum of the Cosmic X-Ray Background and Constraints on Undetected Populations. <i>Astrophysical Journal</i> , 2017, 837, 19.	1.6	71
93	HEAVILY OBSCURED AGN IN STAR-FORMING GALAXIES AT $z < 2$. <i>Astrophysical Journal</i> , 2009, 706, 535-552.	1.6	70
94	THE 31 DEGREE ² RELEASE OF THE STRIPE 82 X-RAY SURVEY: THE POINT SOURCE CATALOG. <i>Astrophysical Journal</i> , 2016, 817, 172.	1.6	69
95	Variability Timescales of TeV Blazars Observed in the ASCA Continuous Long-Look X-Ray Monitoring. <i>Astrophysical Journal</i> , 2001, 563, 569-581.	1.6	68
96	THE RISE OF MASSIVE RED GALAXIES: THE COLOR-MAGNITUDE AND COLOR-STELLAR MASS DIAGRAMS FOR $z < 2$ FROM THE MULTI-WAVELENGTH SURVEY BY YALE-CHILE. <i>Astrophysical Journal</i> , 2009, 694, 1171-1199.	1.6	67
97	SPECTRAL ENERGY DISTRIBUTIONS OF TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. I. THE XMM-COSMOS SAMPLE. <i>Astrophysical Journal</i> , 2012, 759, 6.	1.6	67
98	The systematic search for $z < 3$ active galactic nuclei in the Chandra Deep Field South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 448, 3167-3195.	1.6	67
99	HST IMAGING OF FADING AGN CANDIDATES. I. HOST-GALAXY PROPERTIES AND ORIGIN OF THE EXTENDED GAS. <i>Astronomical Journal</i> , 2015, 149, 155.	1.9	67
100	THE SUDDEN DEATH OF THE NEAREST QUASAR. <i>Astrophysical Journal Letters</i> , 2010, 724, L30-L33.	3.0	66
101	NuSTAR UNVEILS A COMPTON-THICK TYPE 2 QUASAR IN Mrk 34. <i>Astrophysical Journal</i> , 2014, 792, 117.	1.6	66
102	Fanaroff-Riley I galaxies as the parent population of BL Lacertae objects. I - X-ray constraints. <i>Astrophysical Journal</i> , 1990, 356, 75.	1.6	65
103	Correlated Intense X-Ray and TeV Activity of Markarian 501 in 1998 June. <i>Astrophysical Journal</i> , 2000, 538, 127-133.	1.6	65
104	Galaxy Zoo: bulgeless galaxies with growing black holes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 429, 2199-2211.	1.6	64
105	The X-ray spectral variability of the BL Lacertae type object PKS 2155-304. <i>Astrophysical Journal</i> , 1993, 404, 112.	1.6	64
106	A Possible New Population of Sources with Extreme X-Ray/Optical Ratios. <i>Astrophysical Journal</i> , 2004, 600, L123-L126.	1.6	63
107	Fading AGN Candidates: AGN Histories and Outflow Signatures. <i>Astrophysical Journal</i> , 2017, 835, 256.	1.6	63
108	THE FIRM REDSHIFT LOWER LIMIT OF THE MOST DISTANT TeV-DETECTED BLAZAR PKS 1424+240. <i>Astrophysical Journal Letters</i> , 2013, 768, L31.	3.0	62

#	ARTICLE	IF	CITATIONS
109	Multiwavelength monitoring of the BL Lacertae object PKS 2155-304. 4: Multiwavelength analysis. <i>Astrophysical Journal</i> , 1995, 438, 120.	1.6	61
110	Conditions for Optimal Growth of Black Hole Seeds. <i>Astrophysical Journal Letters</i> , 2017, 850, L42.	3.0	60
111	Spectral Evolution of PKS 2155~304 Observed with BeppoSAX during an Active Gamma-Ray Phase. <i>Astrophysical Journal</i> , 1999, 521, 552-560.	1.6	60
112	<i>NuSTAR</i> OBSERVATIONS OF HEAVILY OBSCURED QUASARS AT <i>z</i> $\hat{=}$ 0.5. <i>Astrophysical Journal</i> , 2014, 785, 17.	1.6	58
113	Star Formation Rates in Lyman Break Galaxies: Radio Stacking of LBGs in the COSMOS Field and the Submillijy Radio Source Population. <i>Astrophysical Journal</i> , 2008, 689, 883-888.	1.6	57
114	Atmospheric gas dynamics in the Perseus cluster observed with Hitomi. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	1.0	57
115	The Space Density of High-Redshift QSOs in the Great Observatories Origins Deep Survey. <i>Astrophysical Journal</i> , 2004, 600, L119-L122.	1.6	55
116	MULTI-WAVELENGTH OBSERVATIONS OF BLAZAR AO 0235+164 IN THE 2008-2009 FLARING STATE. <i>Astrophysical Journal</i> , 2012, 751, 159.	1.6	54
117	The Extended Chandra Deep Field-South Survey: X-Ray Point-Source Catalog. <i>Astronomical Journal</i> , 2006, 131, 2373-2382.	1.9	53
118	Finding rare AGN: XMM-Newton and Chandra observations of SDSS Stripe 82. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 436, 3581-3601.	1.6	53
119	An over-massive black hole in a typical star-forming galaxy, 2 billion years after the Big Bang. <i>Science</i> , 2015, 349, 168-171.	6.0	52
120	BAT AGN Spectroscopic Survey. XX. Molecular Gas in Nearby Hard-X-Ray-selected AGN Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2021, 252, 29.	3.0	52
121	Multiwavelength Observations of 3C 273 in 1993~1995. <i>Astrophysical Journal</i> , 1997, 483, 161-177.	1.6	51
122	Chandra and Hubble Space Telescope Observations of Gamma-Ray Blazars: Comparing Jet Emission at Small and Large Scales. <i>Astrophysical Journal</i> , 2007, 662, 900-908.	1.6	51
123	The Accuracy of Morphological Decomposition of Active Galactic Nucleus Host Galaxies. <i>Astrophysical Journal</i> , 2008, 683, 644-658.	1.6	51
124	H 0323 + 022 - A new BL Lacertae object with extremely rapid variability. <i>Astrophysical Journal</i> , 1986, 302, 337.	1.6	51
125	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEY: FIRST DIRECT MEASUREMENTS OF THE $\hat{=}$ 10 keV X-RAY LUMINOSITY FUNCTION FOR ACTIVE GALACTIC NUCLEI AT <i>z</i> $\hat{=}$ 0.1. <i>Astrophysical Journal</i> , 2015, 815, 66.	1.6	50
126	SHOCKED POSTSTARBURST GALAXY SURVEY. II. THE MOLECULAR GAS CONTENT AND PROPERTIES OF A SUBSET OF SPOGs. <i>Astrophysical Journal</i> , 2016, 827, 106.	1.6	50

#	ARTICLE	IF	CITATIONS
127	AGN Populations in Large-volume X-Ray Surveys: Photometric Redshifts and Population Types Found in the Stripe 82X Survey. <i>Astrophysical Journal</i> , 2017, 850, 66.	1.6	50
128	The Swift/BAT AGN Spectroscopic Survey. IX. The Clustering Environments of an Unbiased Sample of Local AGNs. <i>Astrophysical Journal</i> , 2018, 858, 110.	1.6	50
129	The eROSITA Final Equatorial-Depth Survey (eFEDS). <i>Astronomy and Astrophysics</i> , 2022, 661, A3.	2.1	50
130	Altered luminosity functions for relativistically beamed objects. II - Distribution of Lorentz factors and parent populations with complex luminosity functions. <i>Astrophysical Journal</i> , 1991, 371, 60.	1.6	48
131	DeepChandraand MulticolorHSTFollow-up of the Jets in Two Powerful Radio Quasars. <i>Astrophysical Journal</i> , 2006, 641, 717-731.	1.6	46
132	Atomic data and spectral modeling constraints from high-resolution X-ray observations of the Perseus cluster with Hitomi. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	1.0	46
133	TheHubble Space TelescopeSurvey of BL Lacertae Objects. III. Morphological Properties of Low-Redshift Host Galaxies. <i>Astrophysical Journal</i> , 2000, 542, 731-739.	1.6	46
134	Detection of an X-Ray Jet in 3C 371 with [ITAL]Chandra[/ITAL]. <i>Astrophysical Journal</i> , 2001, 556, L79-L82.	1.6	44
135	SpIES: THE SPITZER IRAC EQUATORIAL SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2016, 225, 1.	3.0	43
136	AN OPTICAL-NEAR-INFRARED OUTBURST WITH NO ACCOMPANYING γ -RAYS IN THE BLAZAR PKS 0208+512. <i>Astrophysical Journal Letters</i> , 2013, 763, L11.	3.0	41
137	Chandraobservations of nuclear X-ray emission from a sample of radio sources. <i>Astronomy and Astrophysics</i> , 2003, 401, 505-517.	2.1	41
138	ASCAand Contemporaneous Ground-based Observations of the BL Lacertae Objects 1749+096 and 2200+420 (BL Lac). <i>Astrophysical Journal</i> , 1999, 515, 140-152.	1.6	41
139	Fanaroff-Riley I galaxies as the parent population of BL Lacertae objects. II - Optical constraints. <i>Astrophysical Journal</i> , 1991, 368, 373.	1.6	40
140	TheHubble Space TelescopeSurvey of BL Lacertae Objects. IV. Infrared Imaging of Host Galaxies. <i>Astrophysical Journal</i> , 2000, 544, 258-268.	1.6	40
141	NuSTAR Survey of Obscured Swift/BAT-selected Active Galactic Nuclei. II. Median High-energy Cutoff in Seyfert II Hard X-Ray Spectra. <i>Astrophysical Journal</i> , 2020, 905, 41.	1.6	40
142	The High-Energy Continuum Emission of the Gamma-Ray Blazar PKS 0528+134. <i>Astrophysical Journal</i> , 1997, 474, 639-649.	1.6	39
143	HEAVILY OBSCURED ACTIVE GALACTIC NUCLEI IN HIGH-REDSHIFT LUMINOUS INFRARED GALAXIES. <i>Astrophysical Journal Letters</i> , 2010, 722, L238-L243.	3.0	39
144	Hard X-ray emission of the luminous infrared galaxy NGC 6240 as observed by NuSTAR. <i>Astronomy and Astrophysics</i> , 2016, 585, A157.	2.1	39

#	ARTICLE	IF	CITATIONS
145	Soft X-ray properties of Seyfert galaxies. I - Spectra. <i>Astrophysical Journal, Supplement Series</i> , 1990, 74, 347.	3.0	39
146	The Hubble Space Telescope Survey of BL Lacertae Objects: Gravitational Lens Candidates and Other Unusual Sources. <i>Astrophysical Journal</i> , 1999, 521, 134-144.	1.6	38
147	Hubble Space Telescope Observations of the Optical Jets of PKS 0521+365, 3C 371, and PKS 2201+044. <i>Astrophysical Journal</i> , 1999, 526, 643-648.	1.6	38
148	ON THE STAR FORMATION-AGN CONNECTION AT $z \approx 0.3$. <i>Astrophysical Journal Letters</i> , 2013, 765, L33.3.0	3.0	38
149	Luminous WISE-selected Obscured, Unobscured, and Red Quasars in Stripe 82. <i>Astrophysical Journal</i> , 2018, 861, 37.	1.6	38
150	MODERATE-LUMINOSITY GROWING BLACK HOLES FROM 1.25 z ≤ 2.7: VARIED ACCRETION IN DISK-DOMINATED HOSTS. <i>Astrophysical Journal</i> , 2012, 761, 75.	1.6	37
151	A TIME-RESOLVED STUDY OF THE BROAD-LINE REGION IN BLAZAR 3C 454.3. <i>Astrophysical Journal</i> , 2013, 779, 100.	1.6	37
152	A COMPREHENSIVE STATISTICAL DESCRIPTION OF RADIO-THROUGH- γ -RAY SPECTRAL ENERGY DISTRIBUTIONS OF ALL KNOWN BLAZARS. <i>Astrophysical Journal, Supplement Series</i> , 2016, 224, 26.	3.0	37
153	CHANDRA OBSERVATIONS OF GALAXY ZOO MERGERS: FREQUENCY OF BINARY ACTIVE NUCLEI IN MASSIVE MERGERS. <i>Astrophysical Journal</i> , 2012, 753, 165.	1.6	35
154	THE NuSTAR EXTRAGALACTIC SURVEYS: INITIAL RESULTS AND CATALOG FROM THE EXTENDED CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal</i> , 2015, 808, 184.	1.6	35
155	THE CHANDRA COSMOS-LEGACY SURVEY: THE $z \approx 3$ SAMPLE. <i>Astrophysical Journal</i> , 2016, 827, 150.	1.6	35
156	Exploring AGN and star formation activity of massive galaxies at cosmic noon. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 497, 3273-3296.	1.6	35
157	A Consolidated Framework of the Color Variability in Blazars: Long-term Optical/Near-infrared Observations of 3C 279. <i>Astrophysical Journal</i> , 2017, 844, 107.	1.6	34
158	A model for AGN variability on multiple time-scales. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 476, L34-L38.	1.2	34
159	Simultaneous multifrequency observations of the BL Lacertae object Markarian 421. <i>Astrophysical Journal</i> , 1987, 313, 662.	1.6	34
160	Hubble Space Telescope Observations of the Host Galaxies of BL Lacertae Objects. <i>Astrophysical Journal</i> , 1999, 512, 88-99.	1.6	34
161	Finding rare AGN: X-ray number counts of Chandra sources in Stripe 82. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 432, 1351-1360.	1.6	33
162	FIRST NuSTAR OBSERVATIONS OF THE BL LAC-TYPE BLAZAR PKS 2155-304: CONSTRAINTS ON THE JET CONTENT AND DISTRIBUTION OF RADIATING PARTICLES. <i>Astrophysical Journal</i> , 2016, 831, 142.	1.6	33

#	ARTICLE	IF	CITATIONS
163	Galaxy Morphology Network: A Convolutional Neural Network Used to Study Morphology and Quenching in $\sim 100,000$ SDSS and $\sim 20,000$ CANDELS Galaxies. <i>Astrophysical Journal</i> , 2020, 895, 112.	1.6	33
164	A ubiquitous absorption feature in the X-ray spectra of BL Lacertae objects. <i>Astrophysical Journal</i> , 1991, 370, 198.	1.6	33
165	Jets from Subparsec to Kiloparsec Scales: A Physical Connection. <i>Astrophysical Journal</i> , 2004, 614, 64-68.	1.6	32
166	Deep Chandra and Multicolor HST Observations of the Jets of 3C 371 and PKS 2201+044. <i>Astrophysical Journal</i> , 2007, 670, 74-91.	1.6	32
167	NuSTAR DETECTION OF THE BLAZAR B2 1023+25 AT REDSHIFT 5.3. <i>Astrophysical Journal</i> , 2013, 777, 147.	1.6	32
168	SDSS-IV eBOSS Spectroscopy of X-Ray and WISE AGNs in Stripe 82X: Overview of the Demographics of X-Ray- and Mid-infrared-selected Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2019, 876, 50.	1.6	32
169	The Fundamental Plane Evolution of Active Galactic Nucleus Host Galaxies. <i>Astrophysical Journal</i> , 2004, 617, 903-914.	1.6	32
170	BASS. XXII. The BASS DR2 AGN Catalog and Data. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 2.	3.0	32
171	ROSAT, ASCA, and OSSE Observations of the Broad-Line Radio Galaxy 3C 120. <i>Astrophysical Journal</i> , 1997, 487, 636-643.	1.6	31
172	The far emission region of the Γ -ray blazar PKS B1424-418. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 435, L24-L28.	1.2	31
173	DELVING INTO X-RAY OBSCURATION OF TYPE 2 AGN, NEAR AND FAR. <i>Astrophysical Journal</i> , 2014, 787, 61.	1.6	31
174	BAT AGN spectroscopic survey - XV: the high frequency radio cores of ultra-hard X-ray selected AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 4216-4234.	1.6	31
175	Broad-band continuum and line emission of the Γ -ray blazar PKS 0537-441. <i>Astronomy and Astrophysics</i> , 2002, 392, 407-415.	2.1	30
176	The Host Galaxies of Radio-loud Active Galactic Nuclei: The Black Hole-Galaxy Connection. <i>Astrophysical Journal</i> , 2002, 580, 96-103.	1.6	30
177	Spectral Energy Distributions of 3C 279 Revisited: BeppoSAX Observations and Variability Models. <i>Astrophysical Journal</i> , 2002, 567, 50-57.	1.6	29
178	Spectral energy distributions of type 1 AGN in XMM-COSMOS - II. Shape evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 438, 1288-1304.	1.6	29
179	Galaxy Zoo: evidence for rapid, recent quenching within a population of AGN host galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 2986-2996.	1.6	29
180	Extended X-ray emission in the IC 2497 - Hanny's Voorwerp system: energy injection in the gas around a fading AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 457, 3629-3636.	1.6	29

#	ARTICLE	IF	CITATIONS
181	Measurements of resonant scattering in the Perseus Cluster core with Hitomi SXS. Publication of the Astronomical Society of Japan, 2018, 70, .	1.0	29
182	Position Sensitive Proportional Counter Soft X-Ray Observations of Seyfert 2 Galaxies. Astrophysical Journal, 1993, 418, 653.	1.6	29
183	Multiwavelength Monitoring of the BL Lacertae Object PKS 2155~304 in 1994 May. II. The IUE Campaign. Astrophysical Journal, 1997, 486, 784-798.	1.6	28
184	Are All Post-starbursts Mergers? HST Reveals Hidden Disturbances in the Majority of PSBs. Astrophysical Journal, 2021, 919, 134.	1.6	28
185	An X-Ray Absorption Feature in the BL Lacertae Object H1426+428. Astrophysical Journal, 1997, 483, 774-782.	1.6	27
186	HST Observations of Host Galaxies in Three Radio-selected BL Lacertae Objects. Astrophysical Journal, 1997, 476, 113-119.	1.6	27
187	Multiwavelength properties of blazars. Astroparticle Physics, 1999, 11, 159-167.	1.9	27
188	The Calan~Yale Deep Extragalactic Research (CYDER) Survey: Optical Properties and Deep Spectroscopy of Serendipitous X-Ray Sources. Astrophysical Journal, 2005, 621, 104-122.	1.6	27
189	A FLARE IN THE JET OF PICTOR A. Astrophysical Journal Letters, 2010, 714, L213-L216.	3.0	27
190	OBSCURED GOODS ACTIVE GALACTIC NUCLEI AND THEIR HOST GALAXIES AT $z < 1.25$: THE SLOW BLACK HOLE GROWTH PHASE. Astrophysical Journal, 2011, 734, 121.	1.6	27
191	Hitomi observation of radio galaxy NGC 1275: The first X-ray microcalorimeter spectroscopy of Fe-K \pm line emission from an active galactic nucleus. Publication of the Astronomical Society of Japan, 2018, 70, .	1.0	27
192	Inverse Compton X-ray emission from the superluminal quasar 3C 345. Astrophysical Journal, 1994, 432, 103.	1.6	27
193	BAT AGN Spectroscopic Survey. XVI. General Physical Characteristics of BAT Blazars. Astrophysical Journal, 2019, 881, 154.	1.6	27
194	BeppoSAX observations of 1-Jy BL Lacertae objects - I. Monthly Notices of the Royal Astronomical Society, 2001, 328, 931-943.	1.6	26
195	Multiwavelength monitoring of the BL Lacertae object PKS 2155-304. 3: Ground-based observations in 1991 November. Astrophysical Journal, 1995, 438, 108.	1.6	26
196	Multiwavelength Monitoring of the BL Lacertae Object PKS 2155~304 in 1994 May. I. The Ground-based Campaign. Astrophysical Journal, 1997, 486, 770-783.	1.6	26
197	BASS. XXI. The Data Release 2 Overview. Astrophysical Journal, Supplement Series, 2022, 261, 1.	3.0	26
198	X-Ray and Optical Emission from Radio Hot Spots of Powerful Quasars. Astrophysical Journal, 2005, 630, 721-728.	1.6	25

#	ARTICLE	IF	CITATIONS
199	Deceleration from Entrainment in the Jet of the Quasar 1136 ⁺ 135?. <i>Astrophysical Journal</i> , 2006, 641, 732-739.	1.6	25
200	X-ray spectroscopy of five BL Lacertae objects. <i>Astrophysical Journal</i> , 1986, 305, 369.	1.6	24
201	BASS. XXV. DR2 Broad-line-based Black Hole Mass Estimates and Biases from Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 5.	3.0	24
202	Clustering of Intermediate-Luminosity X-Ray-Selected Active Galactic Nuclei at $\langle i \rangle z \langle /i \rangle \sim 3$. <i>Astrophysical Journal</i> , 2008, 673, L13-L16.	1.6	23
203	A quasar ⁺ galaxy mixing diagram: quasar spectral energy distribution shapes in the optical to near-infrared. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 3104-3121.	1.6	23
204	X-Ray Coronal Properties of Swift/BAT-selected Seyfert 1 Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2022, 927, 42.	1.6	23
205	The Speed and Orientation of the Parsec ⁺ Scale Jet in 3C 279. <i>Astrophysical Journal</i> , 2003, 588, 716-730.	1.6	22
206	BeppoSAX Observations of Centaurus A: The Hard Continuum and the Iron ⁺ Line Feature. <i>Astrophysical Journal</i> , 2003, 593, 160-168.	1.6	22
207	Probing Large-scale Coherence between Spitzer IR and Chandra X-Ray Source-subtracted Cosmic Backgrounds. <i>Astrophysical Journal Letters</i> , 2017, 847, L11.	3.0	22
208	3C 279 Multiwavelength Monitoring. II. The Ground-based Campaign. <i>Astrophysical Journal</i> , 1996, 459, 73.	1.6	22
209	Monitoring Ly ⁺ Emission from the Blazar 3C 279. <i>Astrophysical Journal</i> , 1998, 492, 173-178.	1.6	22
210	BASS. XXX. Distribution Functions of DR2 Eddington Ratios, Black Hole Masses, and X-Ray Luminosities. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 9.	3.0	22
211	Host Galaxy Evolution in Radio ⁺ Loud Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2005, 627, 97-124.	1.6	21
212	PEERING THROUGH THE DUST: NuSTAR OBSERVATIONS OF TWO FIRST-2MASS RED QUASARS. <i>Astrophysical Journal</i> , 2016, 820, 70.	1.6	21
213	MORPHOLOGY AND THE COLOR ⁺ MASS DIAGRAM AS CLUES TO GALAXY EVOLUTION AT $z \hat{=} 1/4 \hat{=} 1$. <i>Astrophysical Journal</i> , 2017, 835, 22.	1.6	21
214	Detection of polarized gamma-ray emission from the Crab nebula with the Hitomi Soft Gamma-ray Detector. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	1.0	21
215	Spectral Variability of the X-Ray ⁺ bright BL Lacertae Object PKS 2005-489. <i>Astrophysical Journal</i> , 1995, 449, 567.	1.6	21
216	Weak Reprocessed Features in the Broad ⁺ Line Radio Galaxy 3C 382. <i>Astrophysical Journal</i> , 2001, 556, 35-41.	1.6	21

#	ARTICLE	IF	CITATIONS
217	On the physical conditions in AGN optical jets. <i>New Astronomy Reviews</i> , 2002, 46, 405-409.	5.2	20
218	Near-Infrared Observations of BL Lacertae Host Galaxies. <i>Astrophysical Journal</i> , 2003, 599, 155-163.	1.6	20
219	The Cosmic History of Black Hole Growth from Deep Multiwavelength Surveys. <i>Advances in Astronomy</i> , 2012, 2012, 1-21.	0.5	20
220	THE SMARTS MULTI-EPOCH OPTICAL SPECTROSCOPY ATLAS (SaMOSA): AN ANALYSIS OF EMISSION LINE VARIABILITY IN SOUTHERN HEMISPHERE FERMI BLAZARS. <i>Astrophysical Journal</i> , 2015, 804, 7.	1.6	20
221	Temperature structure in the Perseus cluster core observed with Hitomi. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	1.0	20
222	The Molecular Gas in the NGC 6240 Merging Galaxy System at the Highest Spatial Resolution. <i>Astrophysical Journal</i> , 2020, 890, 149.	1.6	20
223	BAT AGN Spectroscopic Survey XXVII: scattered X-Ray radiation in obscured active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 504, 428-443.	1.6	20
224	Coordinated multifrequency observations of the BL Lacertae objects MRK 180 and MRK 501. <i>Astrophysical Journal</i> , 1984, 285, 571.	1.6	20
225	Spitzer IRAC Imaging of the Relativistic Jet from Superluminal Quasar PKS 0637-752. <i>Astrophysical Journal</i> , 2005, 631, L113-L116.	1.6	19
226	Simultaneous X-ray and infrared variability in the quasar 3C273 - II. Confirmation of the correlation and X-ray lag. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007, 375, 1521-1527.	1.6	19
227	Compton-thick AGN in the NuSTAR Era VI: The Observed Compton-thick Fraction in the Local Universe. <i>Astrophysical Journal</i> , 2021, 922, 252.	1.6	19
228	BASS. XXVI. DR2 Host Galaxy Stellar Velocity Dispersions. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 6.	3.0	19
229	BASS. XXIV. The BASS DR2 Spectroscopic Line Measurements and AGN Demographics. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 4.	3.0	19
230	Welcome to the Twilight Zone: The Mid-infrared Properties of Post-starburst Galaxies. <i>Astrophysical Journal</i> , 2017, 843, 9.	1.6	18
231	BASS XXXI: Outflow scaling relations in low redshift X-ray AGN host galaxies with MUSE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 511, 2105-2124.	1.6	18
232	An Infrared Study of the Large-Scale Jet in Quasar PKS 1136-135. <i>Astrophysical Journal</i> , 2007, 661, 719-727.	1.6	17
233	BASS. XXIX. The Near-infrared View of the Broad-line Region (BLR): The Effects of Obscuration in BLR Characterization*. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 8.	3.0	17
234	FAINT COSMOS AGNs AT $z \sim 3.3$. I. BLACK HOLE PROPERTIES AND CONSTRAINTS ON EARLY BLACK HOLE GROWTH. <i>Astrophysical Journal</i> , 2016, 825, 4.	1.6	16

#	ARTICLE	IF	CITATIONS
235	Radio Luminosity Function of Flat-spectrum Radio Quasars. <i>Astrophysical Journal</i> , 2017, 842, 87.	1.6	16
236	Accretion disk emission from a BL Lacertae object. <i>Astrophysical Journal</i> , 1991, 367, 78.	1.6	16
237	On The Parent Population of Radio Galaxies and the FR Iâ€“FR II Dichotomy. <i>Astrophysical Journal</i> , 2001, 556, 749-755.	1.6	16
238	Accretion History of AGNs. II. Constraints on AGN Spectral Parameters Using the Cosmic X-Ray Background. <i>Astrophysical Journal</i> , 2020, 889, 17.	1.6	16
239	Peering Through the Dust. II. XMM-Newton Observations of Two Additional FIRST-2MASS Red Quasars. <i>Astrophysical Journal</i> , 2017, 847, 116.	1.6	15
240	The Hunt for Red Quasars: Luminous Obscured Black Hole Growth Unveiled in the Stripe 82 X-Ray Survey. <i>Astrophysical Journal</i> , 2017, 847, 100.	1.6	15
241	Photometric redshifts for X-ray-selected active galactic nuclei in the eROSITA era. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 489, 663-680.	1.6	15
242	X-rays from radio-galaxies: BeppoSAX observations. <i>New Astronomy Reviews</i> , 2002, 46, 221-224.	5.2	14
243	Testing the Blazar Paradigm: ASCA Observations of Flatâ€“spectrum Radio Quasars with Steep Soft Xâ€“ray Spectra. <i>Astrophysical Journal</i> , 2000, 533, 650-657.	1.6	14
244	The Accretion History of AGN: A Newly Defined Population of Cold Quasars. <i>Astrophysical Journal</i> , 2020, 900, 5.	1.6	14
245	Optical, Near-IR, and Sub-mm IFU Observations of the Nearby Dual Active Galactic Nuclei MRK 463. <i>Astrophysical Journal</i> , 2018, 854, 83.	1.6	13
246	BASS. XXVIII. Near-infrared Data Release 2: High-ionization and Broad Lines in Active Galactic Nuclei*. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 7.	3.0	13
247	Properties of the Obscuring Torus in NGC 1052 from Multiepoch Broadband X-Ray Spectroscopy. <i>Astrophysical Journal</i> , 2021, 916, 90.	1.6	12
248	The Galactic halo and local intergalactic medium toward PKS 2155-304. <i>Astrophysical Journal</i> , 1993, 409, 199.	1.6	12
249	The Clustering of X-Ray Luminous Quasars. <i>Astrophysical Journal</i> , 2020, 891, 41.	1.6	12
250	The Nature of Close Companions of the BL Lacertae Objects 1ES 0502+675 and 1ES 1440+122. <i>Astrophysical Journal</i> , 2004, 613, 747-751.	1.6	11
251	A Multi-band Study of the Remarkable Jet in Quasar 4C+19.44. <i>Astrophysical Journal</i> , 2017, 846, 119.	1.6	11
252	BAT AGN Spectroscopic Survey â€“ XIII. The nature of the most luminous obscured AGN in the low-redshift universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 489, 3073-3092.	1.6	11

#	ARTICLE	IF	CITATIONS
253	The BAT AGN Spectroscopic Survey. XVIII. Searching for Supermassive Black Hole Binaries in X-Rays. <i>Astrophysical Journal</i> , 2020, 896, 122.	1.6	11
254	Accretion History of AGNs. III. Radiative Efficiency and AGN Contribution to Reionization. <i>Astrophysical Journal</i> , 2020, 903, 85.	1.6	11
255	Long term variability of 3C279. <i>Advances in Space Research</i> , 1995, 15, 23-26.	1.2	10
256	Rapid ultraviolet variability in the BL Lacertae object PKS 2155 - 304. <i>Astrophysical Journal</i> , 1991, 372, L9.	1.6	10
257	High-Energy Break and Reflection Features in the Seyfert Galaxy MCG +8-11-1. <i>Astrophysical Journal</i> , 1998, 498, 220-225.	1.6	10
258	EUVE Observations of PKS 2155 \sim 304: Variability, Spectra, and a Polarization Measurement Attempt. <i>Astrophysical Journal</i> , 2001, 549, 938-947.	1.6	10
259	BASS. XXIII. A New Mid-infrared Diagnostic for Absorption in Active Galactic Nuclei. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 3.	3.0	10
260	OPTICAL DETECTION OF THE PICTOR A JET AND TIDAL TAIL: EVIDENCE AGAINST AN IC/CMB JET. <i>Astrophysical Journal</i> , 2015, 808, 92.	1.6	9
261	CHANDRA REVEALS HEAVY OBSCURATION AND CIRCUMNUCLEAR STAR FORMATION IN SEYFERT 2 GALAXY NGC 4968. <i>Astrophysical Journal</i> , 2017, 835, 91.	1.6	9
262	Physical inference from the $\hat{\gamma}$ -ray, X-ray, and optical time variability of a large sample of Fermi blazars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 490, 124-134.	1.6	9
263	Blazars. <i>Astrophysics and Space Science Library</i> , 1987, , 685-702.	1.0	9
264	Ultraviolet and X-ray observations of the BL Lacertae PKS 0458-322. <i>Astrophysical Journal</i> , 1982, 261, 12.	1.6	9
265	Search for thermal X-ray features from the Crab nebula with the Hitomi soft X-ray spectrometer. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	1.0	8
266	Hitomi X-ray studies of giant radio pulses from the Crab pulsar. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	1.0	8
267	Hitomi X-ray observation of the pulsar wind nebula G21.5 \sim 0.9. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	1.0	8
268	An evolving relativistic jet model for the BL Lacertae object Markarian 421. <i>Astrophysical Journal</i> , 1990, 354, 116.	1.6	8
269	Radio positions and optical identifications for radio sources selected at 966 MHz - II. <i>Monthly Notices of the Royal Astronomical Society</i> , 1980, 191, 607-614.	1.6	7
270	The X-ray jet and lobes of PKS 1354+195 (=4C19.44). <i>Astrophysics and Space Science</i> , 2007, 311, 341-345.	0.5	7

#	ARTICLE	IF	CITATIONS
271	Misalignment between cold gas and stellar components in early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2015, 447, 3311-3321.	1.6	7
272	Shocked POststarburst Galaxy Survey. III. The Ultraviolet Properties of SPOGs. Astrophysical Journal, 2018, 863, 28.	1.6	7
273	Simultaneous observations of the blazar PKS 2155-304 from ultra-violet to TeV energies. Astronomy and Astrophysics, 2020, 639, A42.	2.1	7
274	Dying of the Light: An X-Ray Fading Cold Quasar at $z \approx 0.405$. Astrophysical Journal, 2020, 903, 106.	1.6	7
275	Eight years of ultraviolet spectra of the variable BL Lacertae object PKS 2155-304. Astrophysical Journal, 1988, 330, 791.	1.6	6
276	Hitomi observations of the LMC SNR N132D: Highly redshifted X-ray emission from iron ejecta. Publication of the Astronomical Society of Japan, 2018, 70, .	1.0	5
277	BL Lacertae objects: Accretion, jets, and winds. , 1986, , 357-375.		5
278	The effect of anisotropic emission from thick accretion disks on the luminosity functions of active galactic nuclei. Astrophysical Journal, 1991, 371, 510.	1.6	5
279	BeppoSAX observations of the radio galaxy centaurus A. Advances in Space Research, 2000, 25, 485-488.	1.2	4
280	Host galaxies and the unification of radio-loud AGN. New Astronomy Reviews, 2002, 46, 349-351.	5.2	4
281	First Results from <i>NuSTAR</i> Observations of Mkn 421. EPJ Web of Conferences, 2013, 61, 04013.	0.1	4
282	An Investigation of Blazars without Redshifts: Not a Missing Population at High Redshift. Astrophysical Journal, 2017, 841, 113.	1.6	4
283	Glimpse of the highly obscured HMXB IGR J16318-4848 with Hitomi. Publication of the Astronomical Society of Japan, 2018, 70, .	1.0	4
284	A numerical study of long-term multiwavelength blazar variability. Monthly Notices of the Royal Astronomical Society, 2021, 505, 6103-6120.	1.6	4
285	Accretion history of AGN: Estimating the host galaxy properties in X-ray luminous AGN from $z \approx 3$. Monthly Notices of the Royal Astronomical Society, 2022, 515, 82-98.	1.6	4
286	Blazars, jets, and the unification of AGN. AIP Conference Proceedings, 2000, , .	0.3	3
287	Hubble space telescope observations of BL Lacertae environments. New Astronomy Reviews, 2002, 46, 159-162.	5.2	3
288	X-ray timing of active galactic nuclei. , 1988, , 257-274.		3

#	ARTICLE	IF	CITATIONS
289	EUV Observations of AGN. , 1992, , 52-58.		3
290	<title>Electronic submission of HST Phase I proposals</title>. , 1998, , .		2
291	H1517+656: The Birth of a BL Lacertae Object?. Astrophysical Journal, 2005, 627, 125-133.	1.6	2
292	Luminosity Functions, Relativistic Beaming, and Unified Theories of AGN. , 1992, , 642-648.		2
293	The HST Imaging Survey of BL Lac Objects. Astrophysics and Space Science, 1999, 269/270, 647-648.	0.5	1
294	<title>Multiwavelength time allocation: the wave of the future</title>. , 2000, 4010, 118.		1
295	GOODS Discovery of a Significant Population of Obscured AGN. , 0, , 432-440.		1
296	What drives the star formation in early-type galaxies at late epochs? - the case for minor mergers. Proceedings of the International Astronomical Union, 2009, 5, 168-171.	0.0	1
297	The Nucleus-Host Galaxy Connection in Radio-Loud AGN. , 2001, , 13-20.		1
298	PREDICTIONS FOR THE INFRARED OBSERVATIONS OF GOODS AGN. , 2004, , .		1
299	JETS in Active Galactic Nuclei. Astrophysics and Space Science Library, 1994, , 335-346.	1.0	1
300	Nonthermal pair models reflection and X-ray spectral variability of active galaxies. Astrophysical Journal, 1994, 428, 599.	1.6	1
301	X-Ray Observations of Active Galactic Nuclei. Symposium - International Astronomical Union, 1983, 104, 347-347.	0.1	0
302	Unification of radio-loud AGN. AIP Conference Proceedings, 1992, , .	0.3	0
303	Time-dependent inhomogeneous jet models for BL Lac objects. AIP Conference Proceedings, 1992, , .	0.3	0
304	Multiwavelength monitoring of active galactic nuclei. Advances in Space Research, 1993, 13, 573-586.	1.2	0
305	Unified Theories of Active Galactic Nuclei. Annals of the New York Academy of Sciences, 1993, 688, 699-704.	1.8	0
306	X-rays and relativistic beaming in radio-selected BL Lacertae objects. AIP Conference Proceedings, 1994, , .	0.3	0

#	ARTICLE	IF	CITATIONS
307	Detection of a high energy break in the Seyfert galaxy MCG+8-11-11. , 1997, , .		0
308	What can BeppoSAX tell us about X-ray spectra of BL Lacs?. Nuclear Physics, Section B, Proceedings Supplements, 1999, 69, 411-414.	0.5	0
309	<title>Evolution of the HST proposal selection process</title>. , 2000, 4010, 98.		0
310	Broad band properties of radio-loud emission line AGNs. AIP Conference Proceedings, 2000, , .	0.3	0
311	TeV/X-ray observations of Mkn 501 during 1997 and 1998. AIP Conference Proceedings, 2000, , .	0.3	0
312	BeppoSAX observations of markarian 501 in June 1999. AIP Conference Proceedings, 2001, , .	0.3	0
313	An X-ray survey of extragalactic radio jets with Chandra. AIP Conference Proceedings, 2001, , .	0.3	0
314	High-Redshift QSOs in the GOODS. Globular Clusters - Guides To Galaxies, 2006, , 145-150.	0.1	0
315	Host galaxy evolution in radio-loud AGN. New Astronomy Reviews, 2006, 50, 789-791.	5.2	0
316	Polarimetry and the High-Energy Emission Mechanisms in Quasar Jets. , 2009, , .		0
317	Black Hole Growth and Host Galaxy Morphology. Proceedings of the International Astronomical Union, 2009, 5, 438-441.	0.0	0
318	Probing quasar shutdown timescales with Hanny's Voorwerp. , 2012, , .		0
319	X-ray Surveys of the Hot and Energetic Cosmos. Proceedings of the International Astronomical Union, 2015, 11, 67-69.	0.0	0
320	Vera Cooper Rubin (1928â€”2016). Science, 2017, 355, 462-462.	6.0	0
321	On the Parent Population of Radio Galaxies and the FR Iâ€”II Dichotomy. , 2001, , 55-58.		0
322	X-RAY AND OPTICAL NUMBER COUNTS OF AGN IN THE GOODS FIELDS. , 2004, , .		0
323	The Unification of Radio-Loud AGN. , 1996, , 379-380.		0
324	HST Imaging of BL Lac Objects. Globular Clusters - Guides To Galaxies, 1997, , 194-199.	0.1	0

#	ARTICLE	IF	CITATIONS
325	X-Ray Observations of Active Galactic Nuclei. , 1983, , 347-347.		0