

# Abner Soffer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2753518/publications.pdf>

Version: 2024-02-01

765  
papers

40,849  
citations

4120

87  
h-index

6113

159  
g-index

794  
all docs

794  
docs citations

794  
times ranked

12925  
citing authors

#	ARTICLE	IF	CITATIONS
1	Search for Darkonium in $e^+e^- \rightarrow \mu^+\mu^- + \text{Darkonium}$ Collisions. Physical Review Letters, 2022, 128, 021802.	1.4	6
2	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	1.4	6
3	Measurement of the c-jet mistagging efficiency in $\sqrt{s} = 13$ TeV events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
4	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
5	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
6	Combined analysis of Belle and Belle II data to determine the CKM angle $\arg(-V_{cb}V_{cd}^*)$ using $B \rightarrow \pi^0 \ell^+ \ell^-$ decays. Physical Review D, 2022, 105, .	1.6	10
7	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
8	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
9	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^+ \rightarrow \mu^+ \nu_\mu$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
10	The ATLAS inner detector trigger performance in pp collisions at $\sqrt{s} = 13$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
11	Search for Lepton Flavor Violation in $e^+e^- \rightarrow \mu^+\mu^- + \text{LFV}$ Collisions. Physical Review Letters, 2022, 128, 021802.	1.4	6
12	B-flavor tagging at Belle II. European Physical Journal C, 2022, 82, 1.	1.4	11
13	Search for an Axionlike Particle in $B \rightarrow \mu^+\mu^- + \text{ALP}$ Meson Decays. Physical Review Letters, 2022, 128, 131802.	2.9	11
14	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
15	Heavy QCD axion at Belle II: Displaced and prompt signals. Physical Review D, 2022, 105, .	1.6	12
16	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
17	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13$ TeV. European Physical Journal C, 2022, 82, 1.	1.4	12
18	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4

#	ARTICLE	IF	CITATIONS
19	Long-lived light neutralinos at Belle II. Journal of High Energy Physics, 2021, 2021, 1.	1.6	13
20	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
21	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
22	Measurements of WH and ZH production in the $H \rightarrow \bar{b}b$ decay channel in pp collisions at $\sqrt{s} = 13, \sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
23	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
24	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13, \sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
25	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb <sup>-1</sup> of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
26	Averages of b-hadron, c-hadron, and $\tau$ -lepton properties as of 2018. European Physical Journal C, 2021, 81, 1.	1.4	248
27	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
28	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
29	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
30	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
31	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
32	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- Z \gamma$ final states using 139 fb <sup>-1</sup> of proton-proton collisions at $\sqrt{s} = 13, \sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
33	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
34	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow e^+e^- H H$ and $e^+e^- \rightarrow e^+e^- H W$ final states in pp collisions at $\sqrt{s} = 13, \sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
35	Probing the $\hat{\Gamma}U = 0$ rule in three body charm decays. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
36	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23

#	ARTICLE	IF	CITATIONS
37	Measurements of $W+W\hat{a}^{\sim}+ \hat{a}^{\sim} \rightarrow 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
38	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
39	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	14
40	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tau$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
41	Search for supersymmetry in events with four or more charged leptons in $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
42	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\hat{A}\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
43	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
44	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
45	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82
46	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
47	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
48	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
49	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
50	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
51	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
52	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
53	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
54	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7

#	ARTICLE	IF	CITATIONS
55	Probing charged lepton flavor violation with axion-like particles at Belle II. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
56	Measurement of the $t\bar{t}\gamma\gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
57	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
58	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
59	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
60	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
61	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
62	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
63	Searching for a sterile neutrino that mixes predominantly with $\nu_{\tau}$ at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
64	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and $t\bar{t}W^{\pm}$ production in the $e^{\pm}\gamma$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
65	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
66	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
67	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
68	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
69	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
70	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
71	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
72	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11



#	ARTICLE	IF	CITATIONS
91	Measurement of the $Z(\hat{+}\hat{+}, \hat{+}\hat{+})^3$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
92	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
93	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{mathrm}}=8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
94	Measurement of $J/\psi$ production in association with a $W\pm$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
95	Search for new resonances in mass distributions of jet pairs using $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
96	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
97	Reconstruction and identification of boosted $d\bar{t}$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
98	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
99	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
100	Search for top squarks in events with a Higgs or Z boson using $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
101	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
102	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
103	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
104	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
105	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
106	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
107	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
108	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28

#	ARTICLE	IF	CITATIONS
109	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
110	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
111	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
112	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
113	Search for scalar resonances decaying into $\tau^+\tau^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
114	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
115	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
116	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21
117	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
118	Extraction of form Factors from a Four-Dimensional Angular Analysis of $B \rightarrow \tau^+ \tau^-$ . Physical Review Letters, 2019, 123, 091801.	2.9	24
119	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
120	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
121	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
122	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
123	Search for top-quark decays $t \rightarrow Hq$ with $36 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
124	Measurement of $VH$ , $\text{H} \rightarrow \text{b}\bar{\text{b}}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
125	Collider searches for long-lived particles beyond the Standard Model. Progress in Particle and Nuclear Physics, 2019, 106, 210-255.	5.6	85
126	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17



#	ARTICLE	IF	CITATIONS
127	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
128	Measurements of inclusive and differential fiducial cross-sections of $\gamma$ production in leptonic final states at $\sqrt{s}=13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
129	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
130	Observation of the Decay $D^0 \rightarrow K^+ K^- \pi^+ \pi^-$ . Physical Review Letters, 2019, 122, 081802.	2.9	7
131	Search for doubly charged scalar bosons decaying into same-sign $W$ boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
132	Search for heavy Majorana or Dirac neutrinos and right-handed $W$ gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
133	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
134	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
135	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
136	Measurement of the top quark mass in the $t \rightarrow t \bar{t}$ . European Physical Journal C, 2019, 79, 1.	1.4	47
137	Search for a Stable Six-Quark State at BABAR. Physical Review Letters, 2019, 122, 072002.	2.9	10
138	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
139	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
140	Measurement of the top-quark mass in $t + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
141	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
142	Measurement of ZZ production in the $\mu\mu\gamma$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
143	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
144	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9



#	ARTICLE	IF	CITATIONS
163	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
164	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
165	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow e^+e^- \gamma \gamma$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
166	Direct top-quark decay width measurement in the $t \rightarrow b \tau^+ \nu_\tau$ lepton+jets channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
167	Search for WW/Z resonance production in $e^+e^- \rightarrow e^+e^- \gamma \gamma$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
168	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\tau$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
169	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
170	Measurement of the $Z \rightarrow \mu^+\mu^- \gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
171	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
172	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
173	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
174	Angular analysis of $B^0 \rightarrow K^* \mu^+ \mu^-$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
175	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 401.	1.4	50
176	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
177	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
178	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
179	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
180	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51

#	ARTICLE	IF	CITATIONS
181	Search for the decay mode $B_0 \rightarrow \tau^+ \nu_{\tau} \mu^+ \mu^-$ . Physical Review D, 2018, 98, .	1.6	4
182	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
183	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
184	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
185	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
186	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
187	Measurement of the spectral function for the $\tau \rightarrow \mu \nu_{\tau} \nu_{\mu}$ decay. Physical Review D, 2018, 98, 094004.	1.6	22
188	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
189	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
190	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
191	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
192	Search for charged Higgs bosons decaying via $H_{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$ , in the $\tau^{\pm} + \text{jets}$ and $\tau^{\pm} + \text{lepton}$ final states with 36 fb <sup>-1</sup> of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
193	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
194	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
195	Search for exclusive Higgs and Z boson decays to $\tau^+ \tau^-$ and $\tau^+ \tau^- \nu_{\tau}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
196	Measurements of b-jet tagging efficiency with the ATLAS detector using $t \rightarrow b \bar{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
197	Search for flavour-changing neutral current top-quark decays $t \rightarrow q Z$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
198	Measurement of the inclusive and fiducial $t \bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10

#	ARTICLE	IF	CITATIONS
199	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
200	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
201	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
202	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
203	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
204	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
205	Measurement of $\sigma_{\text{pol}}$ , polarisation in $Z/\gamma \rightarrow \mu\mu$ . European Physical Journal C, 2018, 78, 163.	1.4	7
206	Searches for heavy ZZ and ZW resonances in the $\mu\mu$ , $\mu\tau$ , $\tau\tau$ and $\tau\tau/2$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
207	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
208	Measuring $C/P$ violation in $b$ production cross-section ratios for W boson production in association with jets at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
209	Measurement of differential cross sections and $W^+W^-$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
210	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of ( $\sqrt{s} = 13$ ) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
211	Measurement of the W-boson mass in pp collisions at ( $\sqrt{s} = 7$ , $\sqrt{s} = 13$ ) TeV with the ATLAS detector. , 2018, 78, 1.		1
212	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s} = 13$ , $\sqrt{s} = 13$ ) TeV. , 2018, 78, 1.		1
213	Measurement of the $\sigma_{\text{pol}}$ $t\bar{t}Z$ and $\sigma_{\text{pol}}$ $t\bar{t}W$ production cross sections in multilepton final states using $3.2 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
214	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
215	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
216	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11

#	ARTICLE	IF	CITATIONS
217	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+ $\bar{A}$ jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
218	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
219	Measurements of top-quark pair differential cross-sections in the $e\bar{e}$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
220	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
221	Search for $B \rightarrow K^* \ell^+ \ell^-$ at the BaBar Experiment. Physical Review Letters, 2017, 118, 031802.	2.9	35
222	Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
223	Search for triboson $W^+W^-W$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
224	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
225	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
226	Measurements of electroweak $Wjj$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
227	Search for Invisible Decays of a Dark Photon Produced in $e^+e^-$ Collisions at BaBar. Physical Review Letters, 2017, 119, 131804.	2.9	272
228	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
229	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
230	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
231	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	1.4	28
232	Measurement of the inclusive electron spectrum from meson decays and determination of $B \rightarrow V^* u \bar{u}$ . Physical Review D, 2017, 95, .	1.6	15
233	Measurement of the $\overline{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
234	Measurement of the $D^*(2010)^+ \rightarrow D^+ \pi^0$ Mass Difference. Physical Review Letters, 2017, 119, 202003.	2.9	2

#	ARTICLE	IF	CITATIONS
235	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
236	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
237	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
238	Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ZZ $\rightarrow \gamma\gamma$ , $\gamma Z$ , $Z\gamma$ , $ZZ$ and $ZZ \rightarrow \gamma\gamma$ , $\gamma Z$ , $Z\gamma$ , $ZZ$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
239	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
240	Measurements of $\Upsilon(2S)$ and $X(3872)$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
241	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
242	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
243	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
244	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
245	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
246	Precision measurement and interpretation of inclusive $W^+W^-$ production. European Physical Journal C, 2017, 77, 367.	1.4	145
247	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51
248	Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
249	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
250	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
251	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
252	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19

#	ARTICLE	IF	CITATIONS
253	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
254	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
255	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
256	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
257	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
258	Measurement of $WW/WZ \rightarrow \ell u q q^{\prime}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
259	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
260	Searches for the $Z\tilde{\chi}^0_3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
261	Studies of $Z\tilde{\chi}^0_3$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
262	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
263	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \tilde{\chi}^0_3\tilde{\chi}^0_3$ , in $s = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
264	Study of $WW\gamma$ and $WZ\gamma$ production. European Physical Journal C, 2017, 77, 646.	1.4	30
265	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
266	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
267	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
268	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
269	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
270	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb $^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31



#	ARTICLE	IF	CITATIONS
271	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
272	Measurement of the k t splitting scales in Z $\hat{\nu} \hat{\nu}^*$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
273	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
274	Evidence for the H $\hat{t}^* \hat{b} \hat{b}^*$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
275	Search for new high-mass phenomena in the dilepton final state using 36 fb $^{-1}$ of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
276	Determination of the strong coupling constant $\alpha_s$ from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
277	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
278	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
279	Measurement of event-shape observables in Z $\rightarrow \ell^+ \ell^- \nu \bar{\nu}^*$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
280	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
281	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
282	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
283	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a $Z^{\prime}$ boson in the $\tau^+ \tau^- \ell^+ \ell^-$ final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
284	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
285	Measurement of the $\sigma(b\bar{b})$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
286	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
287	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
288	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24

#	ARTICLE	IF	CITATIONS
289	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.	1.4	453
290	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
291	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
292	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
293	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
294	Search for flavour-changing neutral current top-quark decays to $\bar{q} Z$ in $pp$ collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12.	1.4	39
295	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87.	1.4	39
296	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
297	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ tb decay channel in pp collisions at $s = 8 \sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
298	Study of the rare decays of $B^0 \rightarrow B^0 s$ and $B^0 \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
299	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV $pp$ collisions. European Physical Journal C, 2016, 76, 517.	1.4	24
300	Search for resonances in diphoton events at $s = 13 \sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
301	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
302	Measurement of the relative width difference of the $B^0 \rightarrow B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
303	Time-dependent analysis of $B^0 \rightarrow K^0 S^0$ and studies of the $B^0 \rightarrow K^0 S^0$ system with the ATLAS detector. Physical Review D, 2016, 93, 072002.	1.6	29
304	Measurement of angular asymmetries in the decays $B^0 \rightarrow K^0 S^0$ and $B^0 \rightarrow K^0 \pi^0$ with the ATLAS detector. Physical Review D, 2016, 93, 072002.	1.6	29
305	Measurement of the neutral D meson mixing parameters in a time-dependent amplitude analysis of the $D^0 \rightarrow \pi^+ \pi^-$ decay. Physical Review D, 2016, 93, 072002.	1.6	9
306	Observation of $B^0 \rightarrow D^0 \pi^0$ and $B^0 \rightarrow D^0 \pi^+$ decays with the ATLAS detector. Physical Review D, 2016, 93, 072002.	2.9	14

#	ARTICLE	IF	CITATIONS
307	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
308	Performance of pile-up mitigation techniques for jets in $pp$ collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 581.	1.4	298
309	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
310	Measurement of jet activity in top quark events using the $e^+e^-$ final state with two b-tagged jets in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
311	Measurement of the transverse momentum and $\phi_{\tau^+\tau^-}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
312	Measurement of the $B \rightarrow D^* \ell^+ \ell^-$ branching fraction. Physical Review D, 2016, 94, .	1.6	6
313	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \mu^+\mu^-$ with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
314	Search for new phenomena in events with a photon and missing transverse momentum in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
315	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
316	Identification of high transverse momentum top quarks in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
317	A search for an excited muon decaying to a muon and two jets in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
318	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
319	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in $pp$ collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
320	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in $pp$ collisions at $\sqrt{s}=7$ and $8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
321	Luminosity determination in $pp$ collisions at $\sqrt{s}=8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
322	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
323	Addendum to Measurement of the $t\bar{t}\tilde{\chi}^0$ production cross-section using $e^+e^-$ events with b-tagged jets in $pp$ collisions at $\sqrt{s}=7$ and $8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 1.	1.4	19
324	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33

#	ARTICLE	IF	CITATIONS
325	Searches for heavy diboson resonances in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
326	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
327	Search for the Standard Model Higgs boson decaying into $b \bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
328	Measurement of the CP-violating phase $\arg(\lambda)$ and the $B_s^0$ meson decay width difference with $B_s^0 \rightarrow \mu^+ \mu^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
329	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
330	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
331	A search for prompt lepton-jets in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
332	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
333	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
334	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
335	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
336	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
337	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 154.	1.4	62
338	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
339	Probing lepton flavour violation via neutrinoless $\tau \rightarrow 3\mu$ , $\tau \rightarrow 3e$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
340	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
341	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
342	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49

#	ARTICLE	IF	CITATIONS
343	Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	1.6	13
344	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5.	1.4	109
345	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and $8 \text{ TeV}$ in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	1.4	274
346	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	1.4	54
347	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{t}^+ J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{t}^+ J/\psi D_s^+$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4.	1.4	40
348	Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	1.4	43
349	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s} = 8, \text{ TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
350	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	4
351	A search for high-mass resonances decaying to $\bar{l}, l, \hat{t}, \hat{b}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	23
352	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	55
353	Search for lepton-flavour-violating $H \rightarrow \tau \mu$ , decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	52
354	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	1.6	11
355	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	66
356	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	28
357	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	67
358	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	33
359	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	108
360	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	1.6	78

#	ARTICLE	IF	CITATIONS
361	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
362	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
363	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
364	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
365	Summary of the searches for squarks and gluinos using $s = 8 \sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
366	Determination of the top-quark pole mass using $t \bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
367	Measurement of the $t \bar{t} W$ and $t \bar{t} Z$ production cross sections in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
368	Search for flavour-changing neutral current top quark decays $t \rightarrow q \gamma$ in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
369	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
370	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
371	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
372	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
373	Search for $W' \rightarrow tb$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
374	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2015, 75, 158.	1.4	17
375	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
376	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
377	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
378	Measurement of the production and lepton charge asymmetry of $W$ bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41

#	ARTICLE	IF	CITATIONS
379	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
380	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
381	Search for resonant diboson production in the $q\bar{q} \rightarrow \gamma^* \rightarrow q\bar{q}$ final state in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
382	Measurements of the $WW$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
383	Search for dark matter in events with heavy quarks and missing transverse momentum in $pp$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
384	Measurement of the $t\bar{t}\gamma$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
385	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
386	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
387	Search for the $b\bar{b}\gamma$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
388	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
389	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s}=8$ TeV $pp$ collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
390	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ , $H \rightarrow \tau^+ \tau^- \nu_\tau$ in fully hadronic final states using $pp$ collision data at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
391	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
392	Performance of the ATLAS muon trigger in $pp$ collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
393	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
394	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
395	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
396	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $ell\bar{ell}/ell u/\bar{u}u + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60

#	ARTICLE	IF	CITATIONS
397	Measurement of three-jet production cross-sections in $pp$ collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
398	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
399	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
400	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
401	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
402	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
403	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
404	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
405	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
406	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
407	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. , 2015, 2015, 1.		3
408	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.		1
409	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
410	B-meson decays into final states with a $\bar{l}$ , lepton. Modern Physics Letters A, 2014, 29, 1430007.	0.5	11
411	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
412	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
413	The Physics of the B Factories. European Physical Journal C, 2014, 74, 1.	1.4	292
414	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40



#	ARTICLE	IF	CITATIONS
415	A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
416	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
417	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
418	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
419	Measurement of the $t\bar{t}$ production cross-section using $e^+e^-$ events with $b$ -tagged jets in $pp$ collisions at $\sqrt{s} = 7$ and $8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
420	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
421	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58
422	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
423	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
424	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
425	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
426	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
427	Measurement of the production cross-section of $\tilde{t}(2S) \rightarrow J/\psi(\tilde{t} \rightarrow \frac{1}{2} + \frac{1}{2} \tilde{a}^0) \tilde{\chi} + \tilde{\chi} \tilde{a}^0$ in $pp$ collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	21
428	Measurement of the $Z/\tilde{\chi}^0$ boson transverse momentum distribution in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
429	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
430	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
431	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
432	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35

#	ARTICLE	IF	CITATIONS
433	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
434	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
435	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
436	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
437	Measurement of the underlying event in jet events from $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
438	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
439	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
440	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
441	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
442	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^{\pm}$ boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
443	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
444	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
445	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
446	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
447	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
448	Search for direct top-quark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
449	Measurement of $\tilde{c}_1$ and $\tilde{c}_2$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
450	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10

#	ARTICLE	IF	CITATIONS
451	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
452	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
453	Measurement of the $t\bar{t}$ production cross-section using (em) events with (b)-tagged jets in (pp) collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
454	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
455	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
456	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
457	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
458	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and ZZ $\chi^2$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
459	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
460	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
461	Measurement of $k_T$ splitting scales in $W\bar{t}\bar{a}, \tau^{1/2}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
462	Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119
463	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	102
464	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
465	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
466	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
467	Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
468	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105

#	ARTICLE	IF	CITATIONS
469	Multi-channel search for squarks and gluinos in $\sqrt{s}=7\text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34

470

#	ARTICLE	IF	CITATIONS
487	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
488	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
489	A search for $\overline{t}t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
490	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+\tau^-$ , $H \rightarrow \tau\nu$ decay mode in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
491	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
492	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
493	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
494	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
495	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
496	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
497	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
498	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
499	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	100
500	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	13
501	Measurement of $\text{Star}^{\text{t}}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109
502	A search for $\text{Star}^{\text{t}}$ resonances with the ATLAS detector in $2.05 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 2083.	1.4	25
503	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
504	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16

#	ARTICLE	IF	CITATIONS
505	Measurement of $W \hat{\pm} Z$ production in proton-proton collisions at $\sqrt{s}=7\text{-TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
506	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
507	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7\text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	22
508	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
509	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
510	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7\text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	36

511

#	ARTICLE	IF	CITATIONS
523	Search for heavy neutrinos and right-handed $W$ bosons in events with two leptons and jets in $pp$ collisions at $\sqrt{s} = 7\text{-}\mathrm{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 2056.	1.4	101
524	Measurement of $\tilde{I},$ polarization in $W\hat{+}\tilde{I},\hat{I}/2$ decays with the ATLAS detector in $pp$ collisions at $\sqrt{s} = 7\text{-}\mathrm{TeV}$ . European Physical Journal C, 2012, 72, 2062.	1.4	21
525	Measurement of inclusive jet and dijet cross sections in $\hat{A}$ proton-proton collisions at $7\hat{A}$ TeV centre-of-mass energy with $\hat{A}$ the $\hat{A}$ ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	114
526	Measurement of the top quark-pair production cross section with $\hat{A}$ ATLAS in $pp$ collisions at $\sqrt{s} = 7\hat{A}$ TeV. European Physical Journal C, 2011, 71, 1.	1.4	146
527	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	1.4	17
528	Luminosity determination in $pp$ collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	179
529	Measurements of underlying-event properties using neutral and charged particles in $pp$ collisions at $\sqrt{s} = 900\text{ GeV}$ and $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
530	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7\text{ TeV}$ proton $\hat{+}$ proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	18
531	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7\text{-}\mathrm{TeV}$ proton $\hat{+}$ proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
532	Limits on the production of the standard model Higgs boson in $pp$ collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
533	Search for diphoton events with large missing transverse energy with $36\text{ pb}^{-1}$ of $7\text{ TeV}$ proton $\hat{+}$ proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15
534	Measurement of multi-jet cross sections in proton $\hat{+}$ proton collisions at a $7\text{ TeV}$ center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
535	Measurement of the jet fragmentation function and transverse profile in proton $\hat{+}$ proton collisions at a center-of-mass energy of $7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
536	Search for a heavy neutral particle decaying into an electron and a muon using $1\text{ fb}^{-1}$ of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
537	Search for massive colored scalars in four-jet final states in $\sqrt{s} = 7\text{-}\mathrm{TeV}$ proton $\hat{+}$ proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
538	Measurement of the inclusive and dijet cross-sections of $b$ -jets in $pp$ collisions at $\sqrt{s} = 7\text{-}\mathrm{TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
539	Measurement of $W\hat{I}^3$ and $Z\hat{I}^3$ production in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
540	Inclusive search for same-sign dilepton signatures in $pp$ collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33

#	ARTICLE	IF	CITATIONS
541	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
542	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
543	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	1.6	18
544	Measurement of the $W \rightarrow \bar{\nu}_e, \nu_e$ and $Z \rightarrow \nu \bar{\nu}$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	64
545	Measurement and interpretation of moments in inclusive semileptonic decays $B \rightarrow \bar{\nu}_e \ell \nu_e$ . Physical Review D, 2010, 81, .	1.6	52
546	Measurement of Semileptonic Decays into Orbitally Excited Charmed Mesons. Physical Review Letters, 2009, 103, 051803.	2.9	29
547	Measurements of time-dependent CP asymmetries in $B \rightarrow D^* \ell \bar{\nu}_\ell$ decays. Physical Review Letters, 2009, 102, 141802.	2.9	27
548	Improved Limits on Lepton-Flavor-Violating Decays to $\tau \nu$ , $\tau \mu$ , $\tau e$ , $\tau \nu$ , $\tau \mu$ , and $\tau e$ . Physical Review Letters, 2009, 103, 021801.	2.9	11
549	Determination of the Quark-Mixing Phase Angle $\beta$ . Physical Review Letters, 2009, 102, 141802.	2.9	27
550	Improved Limits on Lepton-Flavor-Violating Decays to $\tau \nu$ , $\tau \mu$ , $\tau e$ , $\tau \nu$ , $\tau \mu$ , and $\tau e$ . Physical Review Letters, 2009, 103, 021801.	2.9	11
551	Direct CP Asymmetries in the Decays $B \rightarrow \bar{K}^* \ell \nu$ . Physical Review Letters, 2009, 103, 021801.	2.9	173
552	Dalitz plot analysis of $B \rightarrow \bar{K}^* \ell \nu$ . Physical Review Letters, 2009, 103, 021801.	2.9	70
553	Measurement of $B \rightarrow \bar{K}^* \ell \nu$ . Physical Review Letters, 2009, 103, 021801.	2.9	70
554	Observation of $B \rightarrow \bar{K}^* \ell \nu$ meson decays to $B \rightarrow \bar{K}^* \ell \nu$ . Physical Review Letters, 2009, 103, 021801.	1.6	49
555	Improved measurements for $B \rightarrow \bar{K}^* \ell \nu$ and $B \rightarrow \bar{K}^* \ell \nu$ . Physical Review Letters, 2009, 103, 021801.	1.6	7
556	Branching fractions and CP-violating asymmetries in radiative decays to $B \rightarrow \bar{K}^* \ell \nu$ . Physical Review D, 2009, 79, .	1.6	7
557	Constraints on the CKM angle $\beta$ from a Dalitz analysis of $B \rightarrow \bar{K}^* \ell \nu$ and $B \rightarrow \bar{K}^* \ell \nu$ . Physical Review D, 2009, 79, .	1.6	13



#	ARTICLE	IF	CITATIONS
559	Measurement of the $B \rightarrow \bar{c}l + \bar{l} \nu$ and $B \rightarrow \bar{c}l + \bar{l} \nu$ branching fractions. Physical Review D, 2009, 79, .	1.6	12
560	Search for the decay $B \rightarrow \bar{c} K_s^0 K^0 \bar{l} \nu$ . Physical Review D, 2009, 79, .	1.6	13
561	Time-dependent amplitude analysis of $B \rightarrow \bar{c} l \nu$ . Physical Review D, 2009, 80, .	1.6	12
562	Search for Lepton Flavor Violating Decays $\bar{l} \nu \bar{l} \nu K_s^0$ with the BABAR Experiment. Physical Review D, 2009, 79, .	1.6	11
563	Evidence for $B \rightarrow \bar{c} K^* K^* +$ . Physical Review D, 2009, 79, .	1.6	7
564	Search for $b \rightarrow \bar{c} u$ transitions in $B \rightarrow \bar{c} l \nu$ . Physical Review D, 2009, 80, .	1.6	17
565	Search for the rare leptonic decays $B \rightarrow \tau \nu$ and $B \rightarrow \mu \nu$ . Physical Review D, 2009, 79, .	1.6	10
566	Search for the rare leptonic decays $B \rightarrow \tau \nu$ and $B \rightarrow \mu \nu$ . Physical Review D, 2009, 79, .	1.6	16
567	An estimate of the branching fraction of $B \rightarrow \bar{c} l \nu$ . Physical Review D, 2009, 79, .	1.6	21
568	Measurement of time-dependent $B \rightarrow \bar{c} l \nu$ asymmetry in $B \rightarrow \bar{c} l \nu$ . Physical Review D, 2009, 79, .	1.6	10

#	ARTICLE	IF	CITATIONS
577	Search for the rare charmless hadronic decay $B \rightarrow a_1^0 \pi^0$ . Physical Review D, 2008, 77, . Study of $B \rightarrow a_1^0 \pi^0$ branching fraction	1.6	5
578	$B \rightarrow a_1^0 \pi^0$ branching fraction	1.6	89
579	the $B \rightarrow a_1^0 \pi^0$ branching fraction		



#	ARTICLE	IF	CITATIONS
595	Search for the highly suppressed decays $B \rightarrow K^* \ell^+ \ell^-$ . Physical Review D, 2008, 78, .	1.6	13
596	Search for the highly suppressed decays $B \rightarrow K^* \ell^+ \ell^-$ and $B \rightarrow K^* \ell^+ \ell^-$ . Physical Review D, 2008, 78, .	1.6	11
597	Observation of $B \rightarrow \ell^+ \ell^-$ and search for $B \rightarrow \ell^+ \ell^-$ decays to $\ell^+ \ell^- \ell^+ \ell^-$ , $\ell^+ \ell^- \ell^+ \ell^-$ , and $\ell^+ \ell^- \ell^+ \ell^-$ . Physical Review D, 2008, 78, .	1.6	11
598	Exclusive Branching-Fraction Measurements of Semileptonic $B \rightarrow K^* \ell^+ \ell^-$ Decays into Three Charged Hadrons, $B \rightarrow K^* \ell^+ \ell^-$ , and $B \rightarrow K^* \ell^+ \ell^-$ . Physical Review Letters, 2008, 100, 011801.	2.9	64
599	Measurement of the Decay $B \rightarrow K^* \ell^+ \ell^-$ . Physical Review Letters, 2008, 100, 021801.	2.9	34
600	Observation of the Semileptonic Decays $B \rightarrow K^* \ell^+ \ell^-$ and $B \rightarrow K^* \ell^+ \ell^-$ . Physical Review Letters, 2008, 100, 021801.	2.9	85
601	Evidence for $B \rightarrow K^* \ell^+ \ell^-$ . Physical Review Letters, 2008, 100, 021801.	2.9	58
602	Measurement of the Absolute Branching Fraction of $D \rightarrow K^* \ell^+ \ell^-$ . Physical Review Letters, 2008, 100, 051802.	2.9	9
603	Search for CP Violation in the Decays $D \rightarrow K^* K^+$ and $D \rightarrow K^* \ell^+ \ell^-$ . Physical Review Letters, 2008, 100, 061803.	2.9	65
604	Observation of $B \rightarrow a_1(1260) K^0$ and $B \rightarrow a_1(1260) K^+$ . Physical Review Letters, 2008, 100, 051803.	2.9	16
605	Publisher's Note: Erratum: Measurement of Branching Fractions and Mass Spectra of $B \rightarrow K^* \ell^+ \ell^-$ [Phys. Rev. Lett. 98, 211804 (2007)] [Phys. Rev. Lett. 100, 189903 (2008)]. Physical Review Letters, 2008, 100, .	2.9	3
606	Measurement of ratios of branching fractions and CP-violating asymmetries of $B \rightarrow K^* D^* K^*$ decays. Physical Review D, 2008, 78, .	1.6	11
607	Evidence for CP Violation in $B \rightarrow \ell^+ \ell^-$ Decays. Physical Review Letters, 2008, 101, 021801.	2.9	22
608	Measurement of the Branching Fractions of Exclusive $B \rightarrow K^* \ell^+ \ell^-$ Decays. Physical Review Letters, 2008, 100, 021801.	2.9	28
609	Evidence for CP Violation in $B \rightarrow K^* \ell^+ \ell^-$ Decays. Physical Review Letters, 2008, 100, 021801.	1.6	69
610	Measurements of $B \rightarrow K^* \ell^+ \ell^-$ and $B \rightarrow K^* \ell^+ \ell^-$ . Physical Review Letters, 2008, 101, 161801.	1.6	58
611	Observation and Polarization Measurements of $B \rightarrow K^* \ell^+ \ell^-$ . Physical Review Letters, 2008, 101, 161801.	2.9	30
612	Searches for B Meson Decays to $\ell^+ \ell^- \ell^+ \ell^-$ ( $980$ ), and $f_0(980) f_0(980)$ Final States. Physical Review Letters, 2008, 101, 201801.	2.9	13

#	ARTICLE	IF	CITATIONS
613	Observation of Tree-Level $B \rightarrow s \gamma$ Decays with Production from Gluon Radiation. <i>Physical Review Letters</i> , 2008, 100, 171802.	2.9	20
614	Observation of $B \rightarrow K^* K^0$ and Search for $B \rightarrow K^* K^0$ . <i>Physical Review Letters</i> , 2008, 100, 081801.	2.9	25
615	Measurements of $B \rightarrow \tau \nu$ Branching Fractions and Determination of $ V_{ub} $ with Semileptonically Tagged $B$ Mesons. <i>Physical Review Letters</i> , 2008, 101, 081801.	2.9	25
616	Measurement of the Branching Fractions of $B \rightarrow \tau \nu$ and constraints on the CKM angle $\beta$ . <i>Physical Review Letters</i> , 2008, 101, 261802.	2.9	36
617	Search for Lepton Flavor Violating Decays $B \rightarrow \tau \mu \nu$ . <i>Physical Review Letters</i> , 2008, 100, 071802.	2.9	18
618	Study of $B$ Meson Decays with Excited $D$ and $F^*$ Mesons. <i>Physical Review Letters</i> , 2008, 101, 091801.	2.9	11
619	Study of $B \rightarrow \tau \nu$ and constraints on the CKM angle $\beta$ . <i>Physical Review D</i> , 2007, 76, .	1.6	31
620	Amplitude Analysis of the $B \rightarrow \tau^+ \tau^- K^*(892) \rightarrow \tau^+ \tau^- \pi^0$ Decay. <i>Physical Review Letters</i> , 2007, 99, 201802.	2.9	28
621	Observation of the Decay $B \rightarrow \tau^+ \tau^- \pi^0$ . <i>Physical Review Letters</i> , 2007, 99, 221801.	2.9	17
622	Measurements of $B \rightarrow C P$ -Violating Asymmetries in the Decay $B \rightarrow \tau^+ \tau^- \pi^0$ . <i>Physical Review Letters</i> , 2007, 99, 161802.	2.9	39
623	Measurement of $B \rightarrow \tau^+ \tau^- \pi^0$ Meson Decays to $B \rightarrow \tau^+ \tau^- \pi^0$ . <i>Physical Review Letters</i> , 2007, 99, 161802.	2.9	16
624	Measurement of $B \rightarrow \tau^+ \tau^- \pi^0$ -violating asymmetries in $B \rightarrow \tau^+ \tau^- \pi^0$ . <i>Physical Review Letters</i> , 2007, 99, 161802.	1.6	30
625	Observation of a Charmed Baryon Decaying to $D^0 p$ at a Mass Near $2.94 \text{ GeV}/c^2$ . <i>Physical Review Letters</i> , 2007, 98, 012001.	2.9	114
626	Evidence for the Rare Decay $B \rightarrow D_s^+ \bar{K}^0$ . <i>Physical Review Letters</i> , 2007, 98, .	2.9	6
627	Search for Lepton Flavor Violating Decays $B \rightarrow \tau^+ \tau^- \nu$ , $B \rightarrow \tau^+ \tau^- \nu$ , $B \rightarrow \tau^+ \tau^- \nu$ . <i>Physical Review Letters</i> , 2007, 98, 061803.	2.9	42
628	Search for the Rare Decay $B \rightarrow \tau^+ \tau^- \bar{K}^0$ . <i>Physical Review Letters</i> , 2007, 99, 051801.	2.9	10
629	Measurement of $\cos \delta$ in $B \rightarrow D^* h^0$ Decays with a Time-Dependent Dalitz Plot Analysis of $D \rightarrow K^0 \bar{K}^0$ . <i>Physical Review Letters</i> , 2007, 99, 231802.	2.9	20
630	Measurement of CP Violation Parameters with a Dalitz Plot Analysis of $B \rightarrow D^* \bar{K}^0 \bar{K}^0$ . <i>Physical Review Letters</i> , 2007, 99, 251801.	2.9	39

#	ARTICLE	IF	CITATIONS
631	Evidence for $D^0 \rightarrow D^0$ Mixing. Physical Review Letters, 2007, 98, 211802.	2.9	205
632	Measurement of CP-Violating Asymmetries in $B^0 \rightarrow D^*(\pm) \bar{K}^0$ . Physical Review Letters, 2007, 99, 071801.	2.9	22
633	Measurements of CP-Violating Asymmetries in $B^0 \rightarrow a_1 \bar{K}^0(1260) \pi^0$ Decays. Physical Review Letters, 2007, 98, 181803.	2.9	32
634	Observation of B Meson Decays to $b_1$ and $K$ . Physical Review Letters, 2007, 99, 241803.	2.9	18
635	Evidence for the $B^0 \rightarrow \rho^+ K^0$ and $B^+ \rightarrow \rho^+ K^0$ decays and study of the decay dynamics of B meson decays into $\rho$ final states. Physical Review D, 2007, 76, .	1.6	30
636	Measurement of the hadronic form factor in $B \rightarrow D^* K^0$ . Physical Review D, 2007, 76, .	1.6	52
637	Measurement of the hadronic form factor in $B \rightarrow D^* K^0$ and $B \rightarrow D^* K^+$ decays. Physical Review D, 2007, 76, .	1.6	37
638	Observation of $B^+ \rightarrow \rho^+ K^0$ and measurement of its branching fraction and charge asymmetry. Physical Review D, 2007, 76, .	1.6	8
639	Study of $B \rightarrow D^* K^0$ and $B \rightarrow D^* K^+$ decays. Physical Review D, 2007, 76, .	1.6	49
640	Measurement of the $B^0 \rightarrow D^* K^0$ branching fraction. Physical Review D, 2007, 76, .	1.6	45
641	Measurement of the $B^0 \rightarrow D^* K^0$ branching fraction. Physical Review D, 2007, 76, .	1.6	13
642	Search for neutral B-meson decays to $a_0 K^0$ , $\rho^0$ , and $f_0$ . Physical Review D, 2007, 75, .	1.6	11
643	Measurement of CP asymmetry in $B^0 \rightarrow K_S^0 \pi^0$ decays. Physical Review D, 2007, 76, .	1.6	12
644	Search for $D^0 \rightarrow D^0$ mixing using doubly flavor tagged semileptonic decay modes. Physical Review D, 2007, 76, .	1.6	29
645	Measurements of the branching fractions of $B^0 \rightarrow K^0 K^+$ , $B^0 \rightarrow K^0 \bar{K}^+$ , $B^0 \rightarrow K^0 K^0$ , and $B^0 \rightarrow K^0 \bar{K}^0$ . Physical Review D, 2007, 76, .	1.6	12
646	Search for $B^0 \rightarrow \rho^0 (K^+ \bar{K}^0)$ decays with large $K^+ \bar{K}^0$ invariant mass. Physical Review D, 2007, 76, .	1.6	14
647	Measurement of the $B^0 \rightarrow D^* K^0$ branching fraction and direct CP asymmetry. Physical Review D, 2007, 75, .	1.6	13
648	Branching fraction measurement of $B^0 \rightarrow D^* K^0$ and $B^+ \rightarrow D^* K^+$ and isospin analysis of $B^0 \rightarrow D^* K^0$ decays. Physical Review D, 2007, 75, .	1.6	14

#	ARTICLE	IF	CITATIONS
649	Improved measurements of the branching fractions for $B \rightarrow \pi^+ \pi^-$ and $B \rightarrow \pi^+ K^0$ , and a search for $B \rightarrow \pi^+ K^+ K^-$ . Physical Review D, 2007, 75, .	1.6	39
650	Branching fraction and charge asymmetry measurements in $B \rightarrow \pi^+ \pi^-$ decays. Physical Review D, 2007, 76, .	1.6	13
651	Measurement of $B$ decays to $\pi^+ K^0$ . Physical Review D, 2007, 75, .	1.6	9
652	Branching fraction and CP-violation charge asymmetry measurements for B-meson decays to $\pi^+ K^+ K^-$ , $\pi^+ K^0 K^0$ , $\pi^+ K^+ K^0$ , and $\pi^+ K^+ K^+$ . Physical Review D, 2007, 76, .	1.6	15
653	Measurement of branching fractions and CP-violating charge asymmetries for B-meson decays to $D^*(*) D^*(*)$ , and implications for the Cabibbo-Kobayashi-Maskawa angle $\beta$ . Physical Review D, 2006, 73, .	1.6	22
654	Study of the decay $B \rightarrow \pi^+ D^+ \pi^-$ . Physical Review D, 2006, 74, .	1.6	14
655	Search for the decay $B \rightarrow K^+ K^0 K^0$ . Physical Review D, 2006, 74, .	1.6	4
656	Measurement of the $B \rightarrow \pi^+ D^+ K^0$ branching fraction. Physical Review D, 2006, 73, .	1.6	8
657	Branching fraction measurements of charged B decays to $K^+ K^+ K^-$ , $K^+ \pi^+ K^-$ , $K^+ K^+ \pi^-$ and $K^+ \pi^+ \pi^-$ final states. Physical Review D, 2006, 74, .	1.6	12
658	Study of the $X(3872)$ and $Y(4260)$ in $B \rightarrow \pi^+ \pi^- K^0$ and $B \rightarrow \pi^+ \pi^- K^+ K^-$ decays. Physical Review D, 2006, 73, .	1.6	84
659	Measurement of the branching fraction and time-dependent CP asymmetry in the decay $B \rightarrow D^+ D^+ K^0$ . Physical Review D, 2006, 74, .	1.6	22
660	Search for rare quark-annihilation decays, $B \rightarrow \pi^+ D_s^*(*) \pi^-$ . Physical Review D, 2006, 73, .	1.6	8
661	Study of the $D_s^*(2317)^+$ and $D_s(2460)^+$ mesons in inclusive $e^+ e^-$ production near $\sqrt{s} = 10.6$ GeV. Physical Review D, 2006, 74, .	1.6	48
662	Search for the rare decays $B \rightarrow \pi^+ D_s^*(*) a_0(2)^+$ . Physical Review D, 2006, 73, .	1.6	6
663	Search for the decay of a $B^0$ meson to $K^+ K^0$ or $K^+ K^+ \pi^-$ . Physical Review D, 2006, 74, .	1.6	9
664	Measurement of $B \rightarrow \pi^+ D^*(*) K^0$ branching fractions. Physical Review D, 2006, 74, .	1.6	17
665	Measurement of branching fractions in radiative B decays to $\pi^+ K^0$ and search for B decays to $\pi^+ K^0$ . Physical Review D, 2006, 74, .	1.6	11
666	Measurement of time-dependent CP asymmetries in $B \rightarrow \pi^+ D^*(*) \pi^-$ and $B \rightarrow \pi^+ D^*(*) \pi^+$ decays. Physical Review D, 2006, 73, .	1.6	20

#	ARTICLE	IF	CITATIONS
667	Search for $B \rightarrow \tau^+ \bar{\nu}_\tau + B_0 \rightarrow \tau^+ \bar{\nu}_\tau$ decays. Physical Review D, 2006, 74, .	1.6	15
668	Study of $B \rightarrow D^{(*)} D_s(J)^{(*)}$ decays and measurement of $D_s \rightarrow \pi^0$ and $D_s \rightarrow (2460) \pi^0$ branching fractions. Physical Review D, 2006, 74, .	1.6	30
669	Search for B meson decays to $1 \rightarrow \rho^0 \pi^0 K$ . Physical Review D, 2006, 74, .	1.6	4
670	Search for $B \rightarrow X(3872) K^+, X(3872) \pi^+ J/\psi$ . Physical Review D, 2006, 74, .	1.6	113
671	Search for the decay $B_0 \rightarrow a_1 \pi^0$ . Physical Review D, 2006, 74, .	1.6	13
672	Measurement of Branching Fractions and Resonance Contributions for $B_0 \rightarrow D^0 K^+ \bar{\nu}_\tau$ and Search for $B_0 \rightarrow D^0 K^+ \bar{\nu}_\tau$ Decays. Physical Review Letters, 2006, 96, 011803.	2.9	15
673	Observation of $B \rightarrow \pi^+ K^0$ and $B_0 \rightarrow K^0 K^0$ . Physical Review Letters, 2006, 97, 171805.	2.9	58
674	Measurement of the inclusive electron spectrum in charmless semileptonic B decays near the kinematic end point and determination of $ V_{ub} $ . Physical Review D, 2006, 73, .	1.6	44
675	Measurements of the Absolute Branching Fractions of $B \rightarrow K^* K^0$ . Physical Review Letters, 2006, 96, 052002.	2.9	71
676	Measurement of Branching Fractions and Charge Asymmetries in B Decays to an $\eta$ -Meson and a $K^*$ -Meson. Physical Review Letters, 2006, 97, 201802.	2.9	22
677	Measurement of the $B^0$ lifetime and the $B_0 B^0$ oscillation frequency using partially reconstructed $B^0 \rightarrow D^{*+} \pi^-, \pi^0$ decays. Physical Review D, 2006, 73, .	1.6	16
678	Measurements of Branching Fractions, Polarizations, and Direct CP-Violation Asymmetries in $B \rightarrow K^* K^0$ and $B \rightarrow \rho(980) K^*$ Decays. Physical Review Letters, 2006, 97, 201801.	2.9	46
679	Observation of $\eta(4S)$ Decays to $\tau^+ \bar{\nu}_\tau \eta(1S)$ and $\tau^+ \bar{\nu}_\tau \eta(2S)$ . Physical Review Letters, 2006, 96, 232001.	2.9	42
680	Observation of an Excited Charm Baryon $\Lambda_c^*$ Decaying to $\Lambda_c^0 \pi^+$ . Physical Review Letters, 2006, 97, 232001.	2.9	102
681	Dalitz plot analysis of the decay $B \rightarrow K^* K^* K^0$ . Physical Review D, 2006, 74, .	1.6	63
682	Measurements of branching fractions, rate asymmetries, and angular distributions in the rare decays $B \rightarrow K^* \pi^0, \pi^+$ and $B \rightarrow K^* \pi^0, \pi^+$ . Physical Review D, 2006, 73, .	1.6	137
683	Measurement of the absolute branching fractions $B \rightarrow D^* \bar{\nu}_\tau, D^{*0} \bar{\nu}_\tau$ with a missing mass method. Physical Review D, 2006, 74, .	1.6	13
684	Measurement of the Branching Fraction and Photon Energy Moments of $B \rightarrow X_s \gamma$ and $ACP(B \rightarrow X_s + d\gamma)$ . Physical Review Letters, 2006, 97, 171803.	2.9	58

#	ARTICLE	IF	CITATIONS
685	Observation of a New $D_s$ Meson Decaying to $D K$ at a Mass of $2.86 \pm 0.04 \text{ GeV}/c^2$ . Physical Review Letters, 2006, 97, 222001.	2.9	139
686	Search for the Rare Decay $B_0 \rightarrow \tau^+ \tau^-$ at BABAR. Physical Review Letters, 2006, 96, 241802.	2.9	34
687	Observation of $B^0$ Meson Decay to $\Lambda^0(1260) \pi^+$ . Physical Review Letters, 2006, 97, 051802.	2.9	42
688	Search for $T$ , $CP$ , and $CPT$ Violation in $B_0 \rightarrow \pi^0$ Mixing with Inclusive Dilepton Events. Physical Review Letters, 2006, 96, 251802.	2.9	71
689	Precision measurement of the $\Lambda_c^+$ baryon mass. Physical Review D, 2005, 72, .	1.6	34
690	Determination of $ V_{ub} $ from Measurements of the Electron and Neutrino Momenta in Inclusive Semileptonic $B$ Decays. Physical Review Letters, 2005, 95, 111801.	2.9	27
691	Measurement of the Branching Fraction of $\Upsilon(4S) \rightarrow B_0 B^0$ . Physical Review Letters, 2005, 95, 042001.	2.9	15
692	Measurements of the $B \rightarrow X s \ell^3$ branching fraction and photon spectrum from a sum of exclusive final states. Physical Review D, 2005, 72, .	1.6	93
693	Measurement of time-dependent $CP$ -violating asymmetries and constraints on $\sin 2\beta$ with partial reconstruction of $B \rightarrow D^* \pi^0$ decays. Physical Review D, 2005, 71, .	1.6	24
694	Search for Lepton-Flavor and Lepton-Number Violation in the Decay $\tilde{\nu}_\tau \rightarrow \tau \tilde{\nu}_\tau$ . Physical Review Letters, 2005, 95, 191801.	2.9	36
695	Measurement of Branching Fractions and Charge Asymmetries for Exclusive $B$ Decays to Charmonium. Physical Review Letters, 2005, 94, 141801.	2.9	36
696	Measurements of Branching Fractions and Dalitz Distributions for $B_0 \rightarrow D^{(*)} K_0^* \pi^0$ Decays. Physical Review Letters, 2005, 95, 171802.	2.9	6
697	Search for Factorization-Suppressed $B \rightarrow \tau^+ \tau^- K^0$ Decays. Physical Review Letters, 2005, 94, 171801.	2.9	13
698	Search for the Decay $B \rightarrow \tau^+ K^0 \pi^0$ . Physical Review Letters, 2005, 94, 101801.	2.9	43
699	Time-integrated and time-dependent angular analyses of $B \rightarrow J/\psi K^0$ : A measurement of $\cos^2 \beta$ with no sign ambiguity from strong phases. Physical Review D, 2005, 71, .	1.6	77
700	Amplitude analysis of the decay $B \rightarrow \tau^+ \tau^- K^0$ . Physical Review D, 2005, 72, .	1.6	37
701	Search for the rare decays $B \rightarrow \tau^+ D^{(*)} K S^0$ . Physical Review D, 2005, 72, .	1.6	7
702	Search for the radiative decay $B_0 \rightarrow \tau^+ \pi^0$ . Physical Review D, 2005, 72, .	1.6	7





#	ARTICLE	IF	CITATIONS
721	Search for Flavor-Changing Neutral Current and Lepton-Flavor Violating Decays of $D^0 \rightarrow l^+ l^-$ . Physical Review Letters, 2004, 93, 191801.	2.9	18
722	Study of $B \rightarrow D_s l^+ D_s^-$ Decays. Physical Review Letters, 2004, 93, 181801.	2.9	56
723	Branching fraction measurements of $B \rightarrow c K$ decays. Physical Review D, 2004, 70, .	1.6	11
724	Measurement of the Branching Fraction and Polarization for the Decay $B \rightarrow D^* K^*$ . Physical Review Letters, 2004, 92, 141801.	2.9	11
725	Measurement of $\sin 2\beta$ with hadronic and previously unused muonic $J/\psi$ decays. Physical Review D, 2004, 69, .	1.6	3
726	Measurement of the electron energy spectrum and its moments in inclusive $B \rightarrow X e^+ e^-$ decays. Physical Review D, 2004, 69, .	1.6	63
727	Measurement of the $B \rightarrow K^*(1430) 0^+ \pi^+$ and $B \rightarrow K^*(1430) \pi^+$ branching fractions. Physical Review D, 2004, 70, .	1.6	27
728	Search for the decay $B \rightarrow J/\psi \pi^+$ . Physical Review D, 2004, 70, .	1.6	10
729	Measurement of the Branching Fractions and CP Asymmetry of $B \rightarrow D^*(CP) 0 K^*$ Decays with the BABAR Detector. Physical Review Letters, 2004, 92, 202002.	2.9	13
730	Search for the decay $B \rightarrow p p \bar{\Lambda}^-$ . Physical Review D, 2004, 69, .	1.6	26
731	Using untagged $B \rightarrow DK$ to determine $\beta$ . Physical Review D, 2004, 69, .	1.6	24
732	Measuring $\beta$ in $B \rightarrow K^* K^*$ Decays. Physical Review D, 2003, 67, .	1.6	51
733	Measuring the weak phase $\beta$ in color allowed $B \rightarrow D K^* \pi$ decays. Physical Review D, 2003, 67, .	1.6	28
734	Observation of a Narrow Meson State Decaying to $D_s + \bar{l} 0$ at a Mass of $2.32 \pm 0.02 \text{ GeV}/c^2$ . Physical Review Letters, 2003, 90, 242001.	2.9	603
735	Measurements of Branching Fractions and CP-Violating Asymmetries in $B \rightarrow \bar{l} \pi^+ h^+$ Decays. Physical Review Letters, 2003, 91, 201802.	2.9	51
736	Measurement of the $B^0$ meson lifetime with partial reconstruction of $B \rightarrow D^* \bar{l}^+ \pi^+$ and $B \rightarrow D^* \bar{l}^+ \pi^0$ decays. Physical Review D, 2003, 67, .	1.6	6
737	Measurement of $B \rightarrow D_s^* D^* \bar{l}^+$ branching fractions and $B \rightarrow D_s^* D^* \bar{l}^+$ polarization with a partial reconstruction technique. Physical Review D, 2003, 67, .	1.6	15
738	Simultaneous measurement of the $B^0$ meson lifetime and mixing frequency with $B \rightarrow D^* \bar{l}^+ \pi^0$ decays. Physical Review D, 2003, 67, .	1.6	11

#	ARTICLE	IF	CITATIONS
739	Rare B Decays into States Containing a $J/\psi$ Meson and a Meson with s $\bar{s}$ Quark Content. Physical Review Letters, 2003, 91, 071801.	2.9	22
740	Determining $\Gamma^3$ using $B^{\pm} \rightarrow DK^{\pm}$ with multibody D decays. Physical Review D, 2003, 68, .	1.6	261
741	Evidence for $B^+ \rightarrow J/\psi p^+$ and Search for $B^0 \rightarrow J/\psi p^+$ . Physical Review Letters, 2003, 90, 231801.	2.9	16
742	Measurement of $B^0 \rightarrow B^0$ Flavor Oscillations in Hadronic B Decays. Physical Review Letters, 2002, 88, 221802.	2.9	29
743	Publisher's Note: Measurement of the B $\bar{0}$ Lifetime with Partially Reconstructed $B^0 \rightarrow D^* \bar{a}^+$ , " $\Gamma_{1/2}$ ", "Decays [Phys. Rev. Lett. PRLT00031-900789, 011802 (2002)]. Physical Review Letters, 2002, 89, .	2.9	2
744	Study of time-dependent CP-violating asymmetries and flavor oscillations in neutral B decays at the $\Upsilon(4S)$ . Physical Review D, 2002, 66, .	1.6	134
745	Measurement of the $B^0 \rightarrow B^0$ Oscillation Frequency with Inclusive Dilepton Events. Physical Review Letters, 2002, 88, 221803.	2.9	22
746	The BABAR detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 479, 1-116.	0.7	1,216
747	Measurement of CP-Violating Asymmetries in B Decays to CP Eigenstates. Physical Review Letters, 2001, 86, 2515-2522.	2.9	125
748	Measurement of the $B^0$ and $B^+$ Meson Lifetimes with Fully Reconstructed Hadronic Final States. Physical Review Letters, 2001, 87, 201803.	2.9	21
749	Impact of $D^0 \rightarrow D^0$ mixing on the experimental determination of $\Gamma^3$ . Physical Review D, 2000, 61, .	1.6	46
750	Study of 3-prong hadronic $B^0$ decays with charged kaons. Physical Review D, 1999, 60, .	1.6	18
751	First Observation of the Decay $B^0 \rightarrow K^* \bar{K}^0 \Gamma_{1/2}$ . Physical Review Letters, 1999, 82, 281-285.	2.9	17
752	Measurement of the $B^0 \rightarrow D^0$ , " $\Gamma_{1/2}$ " Branching Fractions and Form Factor. Physical Review Letters, 1999, 82, 3746-3750.	2.9	46
753	Investigation of Semileptonic B Meson Decays to $\psi$ -Wave Charm Mesons. Physical Review Letters, 1998, 80, 4127-4131.	2.9	34
754	Observation of High Momentum $\Upsilon(4S)$ Production in B Decays. Physical Review Letters, 1998, 81, 1786-1790.	2.9	50
755	Measurement of $B^0 \rightarrow D^0 K^+ K^-$ Using Partial Reconstruction of $B^0 \rightarrow D^* K^+$ , " $\Gamma_{1/2}$ ". Physical Review Letters, 1998, 80, 3193-3197.	2.9	9
756	Flavor-Specific Inclusive B Decays to Charm. Physical Review Letters, 1998, 80, 1150-1155.	2.9	59

#	ARTICLE	IF	CITATIONS
757	Radiative decay modes of the $D^0$ meson. <i>Physical Review D</i> , 1998, 58, .	1.6	15
758	Limits on Flavor Changing Neutral Currents in $D^0$ Meson Decays. <i>Physical Review Letters</i> , 1996, 76, 3065-3069.	2.9	40
759	Measurement of the $B$ Semileptonic Branching Fraction with Lepton Tags. <i>Physical Review Letters</i> , 1996, 76, 1570-1574.	2.9	84
760	First Observation of the Decay $\bar{D}^0 \rightarrow \bar{K}^0 \pi^+ \pi^-$ . <i>Physical Review Letters</i> , 1996, 76, 4119-4123.	2.9	53
761	A Search for Nonresonant $B \rightarrow \pi^+ \pi^- \pi^0$ Decays. <i>Physical Review Letters</i> , 1996, 77, 4503-4507.	2.9	16
762	Decays of $B_c$ leptons to final states containing $K_S^0$ mesons. <i>Physical Review D</i> , 1996, 53, 6037-6053.	1.6	35
763	Measurements of the Decays $\bar{D}^0 \rightarrow \bar{K}^0 \pi^+ \pi^-$ , and $\bar{D}^0 \rightarrow \bar{K}^0 \pi^+ \pi^-$ . <i>Physical Review Letters</i> , 1995, 75, 3809-3813.	2.9	32
764	Completeness of wave operators in relativistic quantum mechanics. <i>Letters in Mathematical Physics</i> , 1984, 8, 517-527.	0.5	6
765	A perturbation theory for long-range interactions of the coulomb type. <i>Letters in Mathematical Physics</i> , 1983, 7, 163-169.	0.5	6