

Gui-Ding Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2756831/publications.pdf>

Version: 2024-02-01

37

papers

349

citations

933447

10

h-index

1058476

14

g-index

38

all docs

38

docs citations

38

times ranked

267

citing authors

#	ARTICLE	IF	CITATIONS
1	Exploration of Diverse Secondary Metabolites From <i>Streptomyces</i> sp. YINM00001, Using Genome Mining and One Strain Many Compounds Approach. <i>Frontiers in Microbiology</i> , 2022, 13, 831174.	3.5	10
2	<i>Nakamurella leprariae</i> sp. nov., isolated from a lichen sample. <i>Archives of Microbiology</i> , 2022, 204, 19.	2.2	8
3	The discovery of germacradienol synthase: construction of genetically-engineered strain, glycosylated modification, bioactive evaluation of germacradienol. <i>Bioorganic Chemistry</i> , 2022, 124, 105819.	4.1	0
4	<i>Paracoccus lichenicola</i> sp. nov., Isolated from Lichen. <i>Current Microbiology</i> , 2021, 78, 816-821.	2.2	4
5	<i>Glaciibacter flavus</i> sp. nov., isolated from a lichen sample. <i>Archives of Microbiology</i> , 2021, 203, 2439-2444.	2.2	5
6	<i>Glycomyces terrestris</i> sp. nov., isolated from extremely arid soil from Yuanmou Earth Forest. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	4
7	Oxazolomycins produced by <i>Streptomyces glaucus</i> and their cytotoxic activity. <i>RSC Advances</i> , 2021, 11, 35011-35019.	3.6	0
8	<i>Aureimonas leprariae</i> sp. nov., Isolated from a <i>Lepraria</i> sp. Lichen. <i>Current Microbiology</i> , 2020, 77, 313-319.	2.2	9
9	<i>Falsigemmobacter faecalis</i> gen. nov. sp. nov., isolated from faeces of <i>Rhinopithecus roxellanae</i> , and reclassification of <i>Gemmobacter intermedius</i> Åas Å <i>Falsigemmobacter intermedius</i> Åcomb. nov. <i>Archives of Microbiology</i> , 2020, 202, 2599-2606.	2.2	1
10	<i>Nakamurella albus</i> sp. nov.: A Novel Actinobacterium Isolated from a Lichen Sample. <i>Current Microbiology</i> , 2020, 77, 1896-1901.	2.2	9
11	<i>Methylobacterium planium</i> sp. nov., isolated from a lichen sample. <i>Archives of Microbiology</i> , 2020, 202, 1709-1715.	2.2	12
12	<i>Prauserella flavalba</i> sp. nov., a novel species of the genus <i>Prauserella</i> , isolated from alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 380-387.	1.7	6
13	<i>Faecalibacter macacae</i> gen. nov., sp. nov., isolated from the faeces of <i>Macaca assamensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 751-758.	1.7	10
14	<i>Gulosibacter macacae</i> sp. nov., a novel actinobacterium isolated from <i>Macaca mulatta</i> faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5115-5122.	1.7	12
15	<i>Flavobacterium macacae</i> sp. nov., isolated from <i>Macaca mulatta</i> faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 51-57.	1.7	6
16	<i>Naasia lichenicola</i> sp. nov., an actinobacterium isolated from lichen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1026-1030.	1.7	5
17	<i>Nocardioides flavescent</i> sp. nov., isolated from soil of Gaoligong Mountain, PR China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5740-5746.	1.7	6
18	New metabolites produced by <i>< i> Streptomyces badius </i></i> isolated from <i>< i> Giraffa camelopardalis </i></i> feces. <i>Magnetic Resonance in Chemistry</i> , 2019, 57, 1150-1157.	1.9	3

#	ARTICLE	IF	CITATIONS
19	Rubellimicrobium rubrum sp. nov., a novel bright reddish bacterium isolated from a lichen sample. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1739-1745.	1.7	13
20	The antiproliferative effect of spectinabilins from <i>Streptomyces spectabilis</i> on hepatocellular carcinoma cells in vitro and in vivo. <i>Bioorganic Chemistry</i> , 2019, 93, 103311.	4.1	3
21	Ottowia flava sp. nov., isolated from fish intestines. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1567-1575.	1.7	13
22	Flavobacterium viscosus sp. nov. and Flavobacterium tangerina sp. nov., from Primates Feces. <i>Current Microbiology</i> , 2019, 76, 818-823.	2.2	19
23	Falsibacillus albus sp. nov., isolated from mangrove soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1411-1416.	1.7	6
24	Sesquiterpenoids from <i>< i> Streptomyces anulatus</i></i> isolated from <i>< i> Giraffa camelopardalis</i></i> feces. <i>Magnetic Resonance in Chemistry</i> , 2018, 56, 352-359.	1.9	9
25	The Distal Gut Bacterial Community of Some Primates and Carnivora. <i>Current Microbiology</i> , 2018, 75, 213-222.	2.2	18
26	Heronamides C, polyene macrolactams from <i>< i> Streptomyces niveus</i></i> . <i>RSC Advances</i> , 2018, 8, 17121-17131.	3.6	13
27	Enterovirga rhinocerotis gen. nov., sp. nov., isolated from Rhinoceros unicornis faeces. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 553-562.	1.7	18
28	The complete genome sequence of <i>Streptomyces albolongus</i> YIM 101047, the producer of novel bafilomycins and odoriferous sesquiterpenoids. <i>Journal of Biotechnology</i> , 2017, 262, 89-93.	3.8	5
29	Mobilicoccus caccae sp. nov., isolated from the faeces of the primate <i>Rhinopithecus roxellanae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2253-2257.	1.7	7
30	Kineococcus terrestris sp. nov. and Kineococcus aureolus sp. nov., isolated from saline sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4801-4807.	1.7	17
31	Microbacterium gilvum sp. nov., isolated from civet faeces. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1177-1183.	1.7	11
32	Tessaracoccus rhinocerotis sp. nov., isolated from the faeces of Rhinoceros unicornis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 922-927.	1.7	22
33	Corynebacterium faecale sp. nov., isolated from the faeces of Assamese macaque. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2478-2483.	1.7	10
34	Microbacterium faecale sp. nov., isolated from the faeces of <i>Columba livia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4445-4450.	1.7	14
35	Enteractinococcus lamae sp. nov. and Enteractinococcus viverrae sp. nov., isolated from animal faeces. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1477-1483.	1.7	15
36	Sphingobacterium rhinocerotis sp. nov., isolated from the faeces of Rhinoceros unicornis. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1099-1105.	1.7	7

ARTICLE

IF CITATIONS

- 37 *Kineococcus gypseus* sp. nov., isolated from saline sediment. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3703-3708. 1.7 18