
Yoram Cohen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2756974/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Fouling resistant and performance tunable ultrafiltration membranes via surface graft polymerization induced by atmospheric pressure air plasma. Separation and Purification Technology, 2022, 286, 120490.	7.9	17
2	Supramolecular catalysis in confined space: making the pyrogallol[4]arene capsule catalytically active in non-competitive solvent. Organic Chemistry Frontiers, 2022, 9, 2453-2463.	4.5	2
3	Scale up of polyamide reverse osmosis membranes surface modification with tethered poly(acrylic) Tj ETQq1 1 0.7	784314 rg 8.2	BT /Overloci
4	Desupersaturation of RO concentrate and gypsum removal via seeded precipitation in a fluidized bed crystallizer. Water Research, 2021, 190, 116766.	11.3	6
5	Hydraulic Resistance and Protein Fouling Resistance of a Zirconia Membrane with a Tethered PVP Layer. Water (Switzerland), 2021, 13, 951.	2.7	6
6	Design Guidelines for Cationic Pillar[n]arenes that Prevent Biofilm Formation by Gram-Positive Pathogens. ACS Infectious Diseases, 2021, 7, 579-585.	3.8	14
7	Tuning the hydraulic permeability and molecular weight cutoff (MWCO) of surface nano-structured ultrafiltration membranes. Journal of Membrane Science, 2021, 629, 119180.	8.2	18
8	Machine Learning Modeling of Water Use Patterns in Small Disadvantaged Communities. Water (Switzerland), 2021, 13, 2312.	2.7	0
9	Modeling UF fouling and backwash in seawater RO feedwater treatment using neural networks with evolutionary algorithm and Bayesian binary classification. Desalination, 2021, 513, 115129.	8.2	11
10	Solution NMR of synthetic cavity containing supramolecular systems: what have we learned on and from?. Chemical Communications, 2021, 57, 8856-8884.	4.1	14
11	Aggregation Mode, Hostâ€Guest Chemistry in Water, and Extraction Capability of an Uncharged, Waterâ€Soluble, Liquid Pillar[5]arene Derivative. ChemistryOpen, 2021, 10, 1111-1115.	1.9	1
12	Constant gradient FEXSY: A time-efficient method for measuring exchange. Journal of Magnetic Resonance, 2020, 311, 106667.	2.1	7
13	Upgrading polyamide TFC BWRO and SWRO membranes to higher SWRO membrane performance via surface nano-structuring with tethered poly(acrylic acid). Journal of Membrane Science, 2020, 597, 117736.	8.2	13
14	Kinetic Stabilities and Exchange Dynamics of Waterâ€Soluble Bisâ€Formamide Caviplexes Studied Using Diffusionâ€Ordered NMR Spectroscopy (DOSY). Chemistry - A European Journal, 2020, 26, 8220-8225.	3.3	10
15	NanoSolveIT Project: Driving nanoinformatics research to develop innovative and integrated tools for in silico nanosafety assessment. Computational and Structural Biotechnology Journal, 2020, 18, 583-602.	4.1	74
16	QSAR without borders. Chemical Society Reviews, 2020, 49, 3525-3564.	38.1	427
17	Temperatureâ€Dependent and pHâ€Responsive Pillar[5]areneâ€Based Complexes and Hydrogenâ€Bondâ€Based Supramolecular Pentagonal Boxes in Water. Chemistry - A European Journal, 2020, 26, 11250-11255.	3.3	7
18	High Exchange Rate Complexes of ¹²⁹ Xe with Waterâ€Soluble Pillar[5]arenes for Adjustable Magnetization Transfer MRI. ChemPhysChem, 2019, 20, 246-251.	2.1	20

#	Article	IF	CITATIONS
19	Shape induced sorting <i>via</i> rim-to-rim complementarity in the formation of pillar[5, 6]arene-based supramolecular organogels. Organic Chemistry Frontiers, 2019, 6, 3348-3354.	4.5	12
20	Toxicity Models: Bayesian Network Resource for Metaâ€Analysis: Cellular Toxicity of Quantum Dots (Small 34/2019). Small, 2019, 15, 1970181.	10.0	2
21	Single―and doubleâ€Diffusion encoding MRI for studying ex vivo apparent axon diameter distribution in spinal cord white matter. NMR in Biomedicine, 2019, 32, e4170.	2.8	12
22	On the feasibility of small communities wellhead RO treatment for nitrate removal and salinity reduction. Journal of Environmental Management, 2019, 250, 109487.	7.8	10
23	Relative hydrophilicities of <i>cis</i> and <i>trans</i> formamides. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 19815-19820.	7.1	11
24	Bayesian Network Resource for Metaâ€Analysis: Cellular Toxicity of Quantum Dots. Small, 2019, 15, e1900510.	10.0	35
25	Gypsum scaling propensity in semi-batch RO (SBRO) and steady-state RO with partial recycle (SSRO-PR). Journal of Membrane Science, 2019, 588, 117106.	8.2	23
26	Multi-cycle operation of semi-batch reverse osmosis (SBRO) desalination. Journal of Membrane Science, 2019, 588, 117090.	8.2	30
27	Diffusion NMR for the characterization, in solution, of supramolecular systems based on calixarenes, resorcinarenes, and other macrocyclic arenes. Organic Chemistry Frontiers, 2019, 6, 1705-1718.	4.5	30
28	Surface characterization data for tethered polyacrylic acid layers synthesized on polysulfone surfaces. Data in Brief, 2019, 23, 103747.	1.0	2
29	pHâ€Responsive Pillar[6]areneâ€based Waterâ€Soluble Supramolecular Hexagonal Boxes. Angewandte Chemie - International Edition, 2019, 58, 5302-5306.	13.8	33
30	Observed Crystallization Induction Time in Seeded Gypsum Crystallization. Industrial & Engineering Chemistry Research, 2019, 58, 23359-23365.	3.7	26
31	Flexible reverse osmosis (FLERO) desalination. Desalination, 2019, 452, 123-131.	8.2	13
32	Polysulfone surface nano-structured with tethered polyacrylic acid. Applied Surface Science, 2019, 470, 411-422.	6.1	10
33	Role of CB ₂ Receptor in the Recovery of Mice after Traumatic Brain Injury. Journal of Neurotrauma, 2019, 36, 1836-1846.	3.4	25
34	Fouling indicators for field monitoring the effectiveness of operational strategies of ultrafiltration as pretreatment for seawater desalination. Desalination, 2018, 431, 86-99.	8.2	21
35	Assessment of information availability for environmental impact assessment of engineered nanomaterials. Journal of Nanoparticle Research, 2018, 20, 1.	1.9	1
36	Pillarareneâ€Based Twoâ€Component Thixotropic Supramolecular Organogels: Complementarity and Multivalency as Prominent Motifs. Chemistry - A European Journal, 2018, 24, 15695-15695.	3.3	1

#	Article	IF	CITATIONS
37	Pillarareneâ€Based Twoâ€Component Thixotropic Supramolecular Organogels: Complementarity and Multivalency as Prominent Motifs. Chemistry - A European Journal, 2018, 24, 15750-15755.	3.3	14
38	Tethered hydrophilic polymers layers on a polyamide surface. Journal of Applied Polymer Science, 2018, 135, 46843.	2.6	8
39	Bis-resorcin[4]arene Selectively Forms Hexameric Capsules in Apolar Solvents: Evidence from Diffusion NMR. Organic Letters, 2018, 20, 3958-3961.	4.6	9
40	Real-time direct detection of silica scaling on RO membranes. Journal of Membrane Science, 2017, 528, 346-358.	8.2	43
41	Bayesian network as a support tool for rapid query of the environmental multimedia distribution of nanomaterials. Nanoscale, 2017, 9, 4162-4174.	5.6	8
42	A perspective on reverse osmosis water desalination: Quest for sustainability. AICHE Journal, 2017, 63, 1771-1784.	3.6	70
43	Calix[4, 5]tetrolarenes: A New Family of Macrocycles. Organic Letters, 2017, 19, 3719-3722.	4.6	15
44	Diffusion MRI of the spinal cord: from structural studies to pathology. NMR in Biomedicine, 2017, 30, e3592.	2.8	32
45	Evaluation of osmotic energy extraction via FEM modeling and exploration of PRO operational parameter space. Desalination, 2017, 401, 120-133.	8.2	4
46	Self-adaptive cycle-to-cycle control of in-line coagulant dosing in ultrafiltration for pre-treatment of reverse osmosis feed water. Desalination, 2017, 401, 22-31.	8.2	23
47	Needs and challenges for assessing the environmental impacts of engineered nanomaterials (ENMs). Beilstein Journal of Nanotechnology, 2017, 8, 989-1014.	2.8	34
48	Considerations of Environmentally Relevant Test Conditions for Improved Evaluation of Ecological Hazards of Engineered Nanomaterials. Environmental Science & Technology, 2016, 50, 6124-6145.	10.0	191
49	Phosphonium pillar[5]arenes as a new class of efficient biofilm inhibitors: importance of charge cooperativity and the pillar platform. Chemical Communications, 2016, 52, 10656-10659.	4.1	51
50	Conventions and nomenclature for double diffusion encoding NMR and MRI. Magnetic Resonance in Medicine, 2016, 75, 82-87.	3.0	154
51	Ultrafiltration with self-generated RO concentrate pulse backwash in a novel integrated seawater desalination UF-RO system. Journal of Membrane Science, 2016, 520, 111-119.	8.2	19
52	Performance and Economic Evaluation of a Semibatch Verticalâ€Flow Wetland for Onsite Residential Bathroom Graywater Treatment. Journal - American Water Works Association, 2016, 108, E392.	0.3	2
53	Hexameric Capsules Studied by Magic Angle Spinning Solidâ€State NMR Spectroscopy: Identifying Solvent Molecules in Pyrogallol[4]arene Capsules. Angewandte Chemie - International Edition, 2016, 55, 904-907.	13.8	16
54	Novel design and operational control of integrated ultrafiltration — Reverse osmosis system with RO concentrate backwash. Desalination, 2016, 382, 43-52.	8.2	36

#	Article	IF	CITATIONS
55	Cationic Pillararenes Potently Inhibit Biofilm Formation without Affecting Bacterial Growth and Viability. Journal of the American Chemical Society, 2016, 138, 754-757.	13.7	180
56	Encapsulated or Not Encapsulated? Ammonium Salts Can Be Encapsulated in Hexameric Capsules of Pyrogallol[4]arene. Organic Letters, 2016, 18, 936-939.	4.6	18
57	Pore sizes and directionality in microcapillaries from angular double-pulsed-field-gradient NMR. Microporous and Mesoporous Materials, 2016, 225, 105-115.	4.4	2
58	Meta-analysis of cellular toxicity for cadmium-containing quantum dots. Nature Nanotechnology, 2016, 11, 479-486.	31.5	393
59	An Integrated approach for characterization of polyamide reverse osmosis membrane degradation due to exposure to free chlorine. Journal of Membrane Science, 2016, 510, 164-173.	8.2	56
60	Cost–Benefit Analysis of Onsite Residential Graywater Recycling: A Case Study on the City of Los Angeles. Journal - American Water Works Association, 2015, 107, E436.	0.3	16
61	Microstructural information from angular doubleâ€pulsedâ€fieldâ€gradient NMR: From model systems to nerves. Magnetic Resonance in Medicine, 2015, 74, 25-32.	3.0	11
62	Analysis of soil bacteria susceptibility to manufactured nanoparticles via data visualization. Beilstein Journal of Nanotechnology, 2015, 6, 1635-1651.	2.8	7
63	Nanoinformatics for environmental health and biomedicine. Beilstein Journal of Nanotechnology, 2015, 6, 2449-2451.	2.8	7
64	Simulation tool for assessing the release and environmental distribution of nanomaterials. Beilstein Journal of Nanotechnology, 2015, 6, 938-951.	2.8	35
65	Effect of hydration repulsion on nanoparticle agglomeration evaluated via a constant number Monte–Carlo simulation. Nanotechnology, 2015, 26, 045708.	2.6	18
66	Toxicity of Metal Oxide Nanoparticles in <i>Escherichia coli</i> Correlates with Conduction Band and Hydration Energies. Environmental Science & Technology, 2015, 49, 1105-1112.	10.0	127
67	Pulsed marker method for real-time detection of reverse osmosis membrane integrity loss. Desalination, 2015, 370, 25-32.	8.2	16
68	Cu Nanoparticles Have Different Impacts in <i>Escherichia coli</i> and <i>Lactobacillus brevis</i> than Their Microsized and Ionic Analogues. ACS Nano, 2015, 9, 7215-7225.	14.6	120
69	Feasibility of a semi-batch vertical-flow wetland for onsite residential graywater treatment. Ecological Engineering, 2015, 82, 311-322.	3.6	16
70	Early brain magnetic resonance imaging can predict short and long-term outcomes after organophosphate poisoning in a rat model. NeuroToxicology, 2015, 48, 206-216.	3.0	16
71	Nanomaterial Categorization for Assessing Risk Potential To Facilitate Regulatory Decision-Making. ACS Nano, 2015, 9, 3409-3417.	14.6	129
72	Prediction of nanoparticles-cell association based on corona proteins and physicochemical properties. Nanoscale, 2015, 7, 9664-9675.	5.6	118

#	Article	IF	CITATIONS
73	On the analysis of FO mass transfer resistances via CFD analysis and film theory. Journal of Membrane Science, 2015, 495, 198-205.	8.2	24
74	Evaluation of Toxicity Ranking for Metal Oxide Nanoparticles <i>via</i> an <i>in Vitro</i> Dosimetry Model. ACS Nano, 2015, 9, 9303-9313.	14.6	65
75	Quantitative Structure-Activity Relationships for Cellular Uptake of Surface-Modified Nanoparticles. Combinatorial Chemistry and High Throughput Screening, 2015, 18, 365-375.	1.1	10
76	Wettability of terminally anchored polymer brush layers on a polyamide surface. Journal of Colloid and Interface Science, 2014, 436, 286-295.	9.4	19
77	Visual data exploration of soil bacteria susceptible to engineered nanomaterials. , 2014, , .		0
78	Protein Corona Fingerprinting Predicts the Cellular Interaction of Gold and Silver Nanoparticles. ACS Nano, 2014, 8, 2439-2455.	14.6	693
79	Toxicity Mechanisms in Escherichia coli Vary for Silver Nanoparticles and Differ from Ionic Silver. ACS Nano, 2014, 8, 374-386.	14.6	458
80	Removal of Metal Oxide Nanoparticles from Aqueous Suspensions. Separation Science and Technology, 2014, 49, 161-170.	2.5	13
81	Association rule mining of cellular responses induced by metal and metal oxide nanoparticles. Analyst, The, 2014, 139, 943-953.	3.5	26
82	Fault Detection and Isolation in a Spiral-Wound Reverse Osmosis (RO) Desalination Plant. Industrial & Engineering Chemistry Research, 2014, 53, 3257-3271.	3.7	3
83	Multimedia Environmental Distribution of Engineered Nanomaterials. Environmental Science & Technology, 2014, 48, 3281-3292.	10.0	192
84	Energy-Optimal Control of RO Desalination. Industrial & Engineering Chemistry Research, 2014, 53, 7409-7420.	3.7	25
85	Analysis of forward osmosis desalination via two-dimensional FEM model. Journal of Membrane Science, 2014, 464, 161-172.	8.2	57
86	Regional multimedia distribution of nanomaterials and associated exposures: A software platform. , 2014, , .		2
87	Membrane Desalination of Agricultural Drainage Water. Global Issues in Water Policy, 2014, , 303-341.	0.1	3
88	Biofouling and cleaning effectiveness of surface nanostructured reverse osmosis membranes. Journal of Membrane Science, 2013, 446, 472-481.	8.2	58
89	Data-driven models of steady state and transient operations of spiral-wound RO plant. Desalination, 2013, 316, 154-161.	8.2	16
90	Evaluation of chemically-enhanced seeded precipitation of RO concentrate for high recovery desalting of high salinity brackish water. Desalination, 2013, 317, 116-126.	8.2	41

#	Article	IF	CITATIONS
91	Quantitative Structure-Activity-Relationships for cellular uptake of nanoparticles. , 2013, , .		1
92	HDAT: web-based high-throughput screening data analysis tools. Computational Science & Discovery, 2013, 6, 014006.	1.5	12
93	<i>In Silico</i> Analysis of Nanomaterials Hazard and Risk. Accounts of Chemical Research, 2013, 46, 802-812.	15.6	73
94	Rapid field assessment of RO desalination of brackish agricultural drainage water. Water Research, 2013, 47, 2649-2660.	11.3	25
95	Magnetic nanoparticles-based diagnostics and theranostics. Current Opinion in Biotechnology, 2013, 24, 672-681.	6.6	44
96	Nano‣AR Development for Bioactivity of Nanoparticles with Considerations of Decision Boundaries. Small, 2013, 9, 1842-1852.	10.0	75
97	Implementation of a Multidisciplinary Approach to Solve Complex Nano EHS Problems by the UC Center for the Environmental Implications of Nanotechnology. Small, 2013, 9, 1428-1443.	10.0	32
98	Development of structure–activity relationship for metal oxide nanoparticles. Nanoscale, 2013, 5, 5644.	5.6	120
99	Self-adaptive feed flow reversal operation of reverse osmosis desalination. Desalination, 2013, 308, 63-72.	8.2	53
100	Nanoinformatics workshop report: current resources, community needs and the proposal of a collaborative framework for data sharing and information integration. Computational Science & Discovery, 2013, 6, 014008.	1.5	9
101	Critical Review: Regulatory Incentives and Impediments for Onsite Graywater Reuse in the United States. Water Environment Research, 2013, 85, 650-662.	2.7	52
102	Shemesh, Westin, and Cohen Reply:. Physical Review Letters, 2013, 110, 109802.	7.8	1
103	Pilotâ€ŧesting of electrolysis for bromide removal from drinking water. Journal - American Water Works Association, 2013, 105, E299.	0.3	1
104	Magnetic Resonance Imaging by Synergistic Diffusion-Diffraction Patterns. Physical Review Letters, 2012, 108, 058103.	7.8	36
105	Antiscalant removal in accelerated desupersaturation of RO concentrate via chemically-enhanced seeded precipitation (CESP). Water Research, 2012, 46, 4261-4271.	11.3	37
106	RO membrane mineral scaling in the presence of a biofilm. Journal of Membrane Science, 2012, 415-416, 181-191.	8.2	57
107	Mapping apparent eccentricity and residual ensemble anisotropy in the gray matter using angular double-pulsed-field-gradient MRI. Magnetic Resonance in Medicine, 2012, 68, spcone-spcone.	3.0	0
108	Automated Phenotype Recognition for Zebrafish Embryo Based In Vivo High Throughput Toxicity Screening of Engineered Nano-Materials. PLoS ONE, 2012, 7, e35014.	2.5	50

#	Article	IF	CITATIONS
109	Use of Metal Oxide Nanoparticle Band Gap To Develop a Predictive Paradigm for Oxidative Stress and Acute Pulmonary Inflammation. ACS Nano, 2012, 6, 4349-4368.	14.6	718
110	Enhancement of reverse osmosis water recovery using interstage calcium precipitation. Desalination, 2012, 295, 43-52.	8.2	36
111	Probing Microscopic Architecture of Opaque Heterogeneous Systems Using Double-Pulsed-Field-Gradient NMR. Journal of the American Chemical Society, 2011, 133, 6028-6035.	13.7	50
112	Differential Expression of Syndecan-1 Mediates Cationic Nanoparticle Toxicity in Undifferentiated versus Differentiated Normal Human Bronchial Epithelial Cells. ACS Nano, 2011, 5, 2756-2769.	14.6	86
113	No time to lose—high throughput screening to assess nanomaterial safety. Nanoscale, 2011, 3, 1345.	5.6	153
114	Self-Organizing Map Analysis of Toxicity-Related Cell Signaling Pathways for Metal and Metal Oxide Nanoparticles. Environmental Science & Technology, 2011, 45, 1695-1702.	10.0	80
115	Analysis of Nanoparticle Agglomeration in Aqueous Suspensions via Constant-Number Monte Carlo Simulation. Environmental Science & Technology, 2011, 45, 9284-9292.	10.0	112
116	Use of a High-Throughput Screening Approach Coupled with <i>In Vivo</i> Zebrafish Embryo Screening To Develop Hazard Ranking for Engineered Nanomaterials. ACS Nano, 2011, 5, 1805-1817.	14.6	306
117	Classification NanoSAR Development for Cytotoxicity of Metal Oxide Nanoparticles. Small, 2011, 7, 1118-1126.	10.0	156
118	Anionâ€Assisted Supramolecular Polymerization: From Achiral ABâ€Type Monomers to Chiral Assemblies. Angewandte Chemie - International Edition, 2011, 50, 11956-11961.	13.8	60
119	Mineral scale monitoring for reverse osmosis desalination via real-time membrane surface image analysis. Desalination, 2011, 273, 64-71.	8.2	61
120	Process evaluation of intermediate chemical demineralization for water recovery enhancement in production-scale brackish water desalting. Desalination, 2011, 272, 36-45.	8.2	62
121	David Hasson special issue of desalination. Desalination, 2011, 273, 1.	8.2	0
122	QCM study of mineral surface crystallization on aromatic polyamide membrane surfaces. Journal of Membrane Science, 2011, 379, 426-433.	8.2	31
123	Crystallization of calcium sulfate on polymeric surfaces. Journal of Colloid and Interface Science, 2011, 356, 790-797.	9.4	61
124	UNSUPERVISED FEATURE SELECTION USING INCREMENTAL LEAST SQUARES. International Journal of Information Technology and Decision Making, 2011, 10, 967-987.	3.9	19
125	A method for evaluating antiscalant retardation of crystal nucleation and growth on RO membranes. Journal of Membrane Science, 2010, 364, 122-131.	8.2	65
126	Encapsulated or Not Encapsulated? Mapping Alcohol Sites in Hexameric Capsules of Resorcin[4]arenes in Solution by Diffusion NMR Spectroscopy. Angewandte Chemie - International Edition, 2010, 49, 428-431.	13.8	52

#	Article	IF	CITATIONS
127	Surface nano-structuring of reverse osmosis membranes via atmospheric pressure plasma-induced graft polymerization for reduction of mineral scaling propensity. Journal of Membrane Science, 2010, 354, 142-149.	8.2	78
128	Minimizing energy consumption in reverse osmosis membrane desalination using optimization-based control. Journal of Process Control, 2010, 20, 1261-1269.	3.3	74
129	Feasibility of reverse osmosis desalination of brackish agricultural drainage water in the San Joaquin Valley. Desalination, 2010, 261, 240-250.	8.2	53
130	Accelerated desupersaturation of reverse osmosis concentrate by chemically-enhanced seeded precipitation. Desalination, 2010, 264, 256-267.	8.2	79
131	Effect of Stream Mixing on RO Energy Cost Minimization. Desalination, 2010, 261, 232-239.	8.2	15
132	In–out interactions of different guests with the hexameric capsule of resorcin[4]arene. Supramolecular Chemistry, 2010, 22, 803-807.	1.2	21
133	Minimizing energy consumption in reverse osmosis membrane desalination using optimization-based control. , 2010, , .		2
134	A tribute to Sidney Loeb —The pioneer of reverse osmosis desalination research. Desalination and Water Treatment, 2010, 15, 222-227.	1.0	7
135	Detecting diffusion-diffraction patterns in size distribution phantoms using double-pulsed field gradient NMR: Theory and experiments. Journal of Chemical Physics, 2010, 132, 034703.	3.0	65
136	Noninvasive bipolar double-pulsed-field-gradient NMR reveals signatures for pore size and shape in polydisperse, randomly oriented, inhomogeneous porous media. Journal of Chemical Physics, 2010, 133, 044705.	3.0	71
137	Reverse osmosis desalination with high permeability membranes — Cost optimization and research needs. Desalination and Water Treatment, 2010, 15, 256-266.	1.0	84
138	Polymer surface nano-structuring of reverse osmosis membranes for fouling resistance and improved flux performance. Journal of Materials Chemistry, 2010, 20, 4642.	6.7	116
139	Chapter 10 Concentrate Treatment for Inland Desalting. Sustainability Science and Engineering, 2010, 2, 295-326.	0.6	26
140	Model predictive control of feed flow reversal in a reverse osmosis desalination process. , 2009, , .		8
141	Possible neuroprotective effect of brimonidine in a mouse model of ischaemic optic neuropathy. Clinical and Experimental Ophthalmology, 2009, 37, 718-729.	2.6	27
142	UCLA develops â€~smart' water desalination system. Membrane Technology, 2009, 2009, 8.	0.1	4
143	Reverse atom transfer radical graft polymerization of 4â€vinylpyridine onto inorganic oxide surfaces. Journal of Applied Polymer Science, 2009, 113, 437-449.	2.6	8
144	Coupled 3-D hydrodynamics and mass transfer analysis of mineral scaling-induced flux decline in a laboratory plate-and-frame reverse osmosis membrane module. Journal of Membrane Science, 2009, 339, 39-48.	8.2	45

#	Article	IF	CITATIONS
145	Brackish water reverse osmosis (BWRO) operation in feed flow reversal mode using an ex situ scale observation detector (EXSOD). Journal of Membrane Science, 2009, 341, 60-66.	8.2	54
146	Neural network approach for modeling the performance of reverse osmosis membrane desalting. Journal of Membrane Science, 2009, 326, 408-419.	8.2	61
147	Minimization of energy consumption for a two-pass membrane desalination: Effect of energy recovery, membrane rejection and retentate recycling. Journal of Membrane Science, 2009, 339, 126-137.	8.2	95
148	On RO membrane and energy costs and associated incentives for future enhancements of membrane permeability. Journal of Membrane Science, 2009, 344, 1-5.	8.2	101
149	Model-predictive control of feed flow reversal in a reverse osmosis desalination process. Journal of Process Control, 2009, 19, 433-442.	3.3	61
150	The University of California Center for the Environmental Implications of Nanotechnology. Environmental Science & Technology, 2009, 43, 6453-6457.	10.0	67
151	Effect of Thermodynamic Restriction on Energy Cost Optimization of RO Membrane Water Desalination. Industrial & Engineering Chemistry Research, 2009, 48, 6010-6021.	3.7	190
152	Impact of Conventional Water Treatment Coagulants on Mineral Scaling in RO Desalting of Brackish Water. Industrial & Engineering Chemistry Research, 2009, 48, 3126-3135.	3.7	23
153	Energy Consumption Optimization of Reverse Osmosis Membrane Water Desalination Subject to Feed Salinity Fluctuation. Industrial & Engineering Chemistry Research, 2009, 48, 9581-9589.	3.7	102
154	Nonlinear Model-Based Control of an Experimental Reverse-Osmosis Water Desalination System. Industrial & Engineering Chemistry Research, 2009, 48, 6126-6136.	3.7	62
155	Nonlinear Model-Based Control of an Experimental Reverse Osmosis Water Desalination System. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 892-897.	0.4	2
156	Energy Consumption Optimization of RO Membrane Desalination Subject to Feed Salinity Fluctuation. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 255-260.	0.4	6
157	The effect of the diffusion time and pulse gradient duration ratio on the diffraction pattern and the structural information estimated from q-space diffusion MR: Experiments and simulations. Journal of Magnetic Resonance, 2008, 194, 230-236.	2.1	65
158	Threeâ€dimensional water diffusion in impermeable cylindrical tubes: theory versus experiments. NMR in Biomedicine, 2008, 21, 888-898.	2.8	44
159	Organic compounds passage through RO membranes. Journal of Membrane Science, 2008, 313, 23-43.	8.2	35
160	Kinetics of gypsum crystal growth on a reverse osmosis membrane. Journal of Membrane Science, 2008, 314, 163-172.	8.2	106
161	The effect of experimental parameters on the signal decay in double-PGSE experiments: Negative diffractions and enhancement of structural information. Journal of Magnetic Resonance, 2008, 195, 153-161.	2.1	28
162	Diagnostic analysis of RO desalting treated wastewater. Desalination, 2008, 230, 239-247.	8.2	26

#	Article	IF	CITATIONS
163	Self-Assembly Dynamics of Modular Homoditopic Bis-calix[5]arenes and Long-Chain α,ï‰-Alkanediyldiammonium Components. Journal of Organic Chemistry, 2008, 73, 7280-7289.	3.2	57
164	Controlled Nitroxide-Mediated Styrene Surface Graft Polymerization with Atmospheric Plasma Surface Activation. Langmuir, 2008, 24, 13102-13112.	3.5	13
165	Reverse Osmosis Desalting of Inland Brackish Water of High Gypsum Scaling Propensity: Kinetics and Mitigation of Membrane Mineral Scaling. Environmental Science & Technology, 2008, 42, 4292-4297.	10.0	105
166	Control and Monitoring of a High Recovery Reverse Osmosis Desalination Process. Industrial & Engineering Chemistry Research, 2008, 47, 6698-6710.	3.7	35
167	Control of a reverse osmosis desalination process at high recovery. , 2008, , .		10
168	Self-Assembly of Resorcin[4]arene in the Presence of Small Alkylammonium Guests in Solution. Organic Letters, 2008, 10, 1505-1508.	4.6	48
169	Inorganic Surface Nanostructuring by Atmospheric Pressure Plasma-Induced Graft Polymerization. Langmuir, 2007, 23, 10756-10764.	3.5	38
170	Self-Assembled Ionophores from Isoguanosine: Diffusion NMR Spectroscopy Clarifies Cation's and Anion's Influence on Supramolecular Structure. Chemistry - A European Journal, 2007, 13, 1969-1977.	3.3	27
171	Counterionâ€Dependent Protonâ€Driven Selfâ€Assembly of Linear Supramolecular Oligomers Based on Aminoâ€Calix[5]arene Building Blocks. Chemistry - A European Journal, 2007, 13, 8164-8173.	3.3	84
172	High recovery membrane desalting of low-salinity brackish water: Integration of accelerated precipitation softening with membrane RO. Journal of Membrane Science, 2007, 289, 123-137.	8.2	197
173	A novel RO ex situ scale observation detector (EXSOD) for mineral scale characterization and early detection. Journal of Membrane Science, 2007, 291, 86-95.	8.2	76
174	High-recovery reverse osmosis desalination using intermediate chemical demineralization. Journal of Membrane Science, 2007, 301, 131-141.	8.2	150
175	Synthesis of poly(4â€vinylpyridine) by reverse atom transfer radical polymerization. Journal of Polymer Science Part A, 2007, 45, 5748-5758.	2.3	26
176	Synthesis, binding affinity, and relaxivity of target-specific MRI contrast agents. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2007, 59, 323-329.	1.6	10
177	Numerical study of concentration polarization in a rectangular reverse osmosis membrane channel: Permeate flux variation and hydrodynamic end effects. Journal of Membrane Science, 2007, 303, 140-153.	8.2	113
178	Resorcinarenes are hexameric capsules in solution. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 12296-12300.	7.1	141
179	Ranking of antiscalant performance for gypsum scale suppression in the presence of residual aluminum. Desalination, 2006, 196, 280-292.	8.2	55
180	Diagnostic characterization of gypsum scale formation and control in RO membrane desalination of brackish water. Journal of Membrane Science, 2006, 279, 655-668.	8.2	146

#	Article	IF	CITATIONS
181	Chronic cholinergic imbalances promote brain diffusion and transport abnormalities. FASEB Journal, 2006, 20, 2425-2425.	0.5	1
182	Morphometric characterization of calcium sulfate dihydrate (gypsum) scale on reverse osmosis membranes. Journal of Membrane Science, 2005, 252, 253-263.	8.2	183
183	Numerical model of non-isothermal pervaporation in a rectangular channel. Journal of Membrane Science, 2005, 260, 119-130.	8.2	22
184	Diffusion NMR Spectroscopy in Supramolecular and Combinatorial Chemistry: An Old Parameter?New Insights. Angewandte Chemie - International Edition, 2005, 44, 520-554.	13.8	1,029
185	Non-isothermal soil water transport and evaporation. Advances in Water Resources, 2005, 28, 1254-1266.	3.8	97
186	Oligodendrocyte Dysfunction after Induction of Experimental Anterior Optic Nerve Ischemia. , 2005, 46, 2716.		100
187	Estimation of infinite dilution activity coefficients of organic compounds in water with neural classifiers. AICHE Journal, 2004, 50, 1315-1343.	3.6	26
188	Removal of methyl tert-butyl ether from water by pervaporation using ceramic-supported polymer membranes. Journal of Membrane Science, 2004, 229, 27-32.	8.2	49
189	Self-Recognition, Structure, Stability, and Guest Affinity of Pyrogallol[4]arene and Resorcin[4]arene Capsules in Solution. Journal of the American Chemical Society, 2004, 126, 11556-11563.	13.7	185
190	A dual-probe approach for evaluation of gypsum crystallization in response to antiscalant treatment. Desalination, 2004, 169, 213-221.	8.2	29
191	A Fuzzy ARTMAP-Based Quantitative Structure—Property Relationship (QSPR) for the Henry′s Law Constant of Organic Compounds ChemInform, 2003, 34, no.	0.0	0
192	Graft polymerization of vinyl acetate onto silica. Journal of Applied Polymer Science, 2003, 87, 300-310.	2.6	53
193	Low-pressure RO membrane desalination of agricultural drainage water. Desalination, 2003, 155, 109-120.	8.2	47
194	Ceramic-supported polymer membranes for pervaporation of binary organic/organic mixtures. Journal of Membrane Science, 2003, 213, 145-157.	8.2	93
195	Topological AFM characterization of graft polymerized silica membranes. Journal of Membrane Science, 2003, 215, 249-264.	8.2	51
196	A Fuzzy ARTMAP-Based Quantitative Structureâ^'Property Relationship (QSPR) for the Henry's Law Constant of Organic Compounds. Journal of Chemical Information and Computer Sciences, 2003, 43, 85-112.	2.8	53
197	Multimedia Environmental Distribution of Toxics (Mend-Tox). II: Software Implementation and Case Studies. Practice Periodical of Hazardous, Toxic and Radioactive Waste Management, 2002, 6, 87-101.	0.4	11
198	Multimedia Environmental Distribution of Toxics (Mend-Tox). I: Hybrid Compartmental-Spatial Modeling Framework. Practice Periodical of Hazardous, Toxic and Radioactive Waste Management, 2002, 6, 70-86.	0.4	21

#	Article	IF	CITATIONS
199	Tropylium cation capsule of hydrogen-bonded tetraurea calix[4]arene dimers. Perkin Transactions II RSC, 2002, , 88-93.	1.1	3
200	A Fuzzy ARTMAP Based Quantitative Structureâ^'Property Relationship (QSPR) for Predicting Aqueous Solubility of Organic Compounds J. Chem. Inf. Comput. Sci. 41, 1177â^'1207 (2001). Journal of Chemical Information and Computer Sciences, 2002, 42, 768-768.	2.8	1
201	Estimation of internodal permeabilities for numerical simulation of unsaturated flows. Water Resources Research, 2002, 38, 62-1-62-10.	4.2	24
202	Fuzzy ARTMAP and Back-Propagation Neural Networks Based Quantitative Structureâ^'Property Relationships (QSPRs) for Octanolâ''Water Partition Coefficient of Organic Compounds. Journal of Chemical Information and Computer Sciences, 2002, 42, 162-183.	2.8	41
203	Contact Angle Study on Polymer-Grafted Silicon Wafers. Journal of Colloid and Interface Science, 2002, 256, 341-350.	9.4	131
204	Highb-value q-space analyzed diffusion-weighted MRS and MRI in neuronal tissues - a technical review. NMR in Biomedicine, 2002, 15, 516-542.	2.8	257
205	Kinetics of free-radical graft polymerization of 1-vinyl-2-pyrrolidone onto silica. Journal of Polymer Science Part A, 2002, 40, 26-42.	2.3	45
206	Multilayer Alkoxysilane Silylation of Oxide Surfaces. Langmuir, 2001, 17, 5882-5888.	3.5	139
207	A Fuzzy ARTMAP-Based Quantitative Structureâ^ Property Relationship (QSPR) for Predicting Physical Properties of Organic Compounds. Industrial & Engineering Chemistry Research, 2001, 40, 2757-2766.	3.7	39
208	A Fuzzy ARTMAP Based on Quantitative Structureâ´'Property Relationships (QSPRs) for Predicting Aqueous Solubility of Organic Compounds. Journal of Chemical Information and Computer Sciences, 2001, 41, 1177-1207.	2.8	66
209	Neural Network Based Temperature-Dependent Quantitative Structure Property Relations (QSPRs) for Predicting Vapor Pressure of Hydrocarbons. Journal of Chemical Information and Computer Sciences, 2001, 41, 463-477.	2.8	44
210	Fouling-resistant ceramic-supported polymer membranes for ultrafiltration of oil-in-water microemulsions. Journal of Membrane Science, 2001, 185, 129-143.	8.2	123
211	Fouling and rejection behavior of ceramic and polymer-modified ceramic membranes for ultrafiltration of oil-in-water emulsions and microemulsions. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2001, 191, 27-40.	4.7	121
212	Protein Adsorption onto Zirconia Modified with Terminally Grafted Polyvinylpyrrolidone. Journal of Colloid and Interface Science, 2001, 235, 70-79.	9.4	73
213	Title is missing!. Water, Air and Soil Pollution, 2001, 1, 285-294.	0.8	2
214	Multimedia Analysis of PAHs and Nitro-PAH Daughter Products in the Los Angeles Basin. Risk Analysis, 2001, 21, 275-294.	2.7	66
215	Surface Modification of Inorganic Oxide Surfaces by Graft Polymerization. Surfactant Science, 2001, , 321-353.	0.0	3
216	Model Evaluation of Dry Deposition to Vegetation for Volatile and Semi-Volatile Organic Compounds in a Multimedia Environment. , 2001, , 285-294.		1

#	Article	IF	CITATIONS
217	Assignment of the water slow-diffusing component in the central nervous system using q-space diffusion MRS: Implications for fiber tract imaging. Magnetic Resonance in Medicine, 2000, 43, 191-199.	3.0	177
218	Displacement imaging of spinal cord using q-space diffusion-weighted MRI. Magnetic Resonance in Medicine, 2000, 44, 713-722.	3.0	193
219	Shear-induced permeability changes in a polymer grafted silica membrane. Journal of Membrane Science, 2000, 179, 207-220.	8.2	52
220	Neural Network Based Quantitative Structural Property Relations (QSPRs) for Predicting Boiling Points of Aliphatic Hydrocarbons. Journal of Chemical Information and Computer Sciences, 2000, 40, 859-879.	2.8	47
221	NMR diffusion spectroscopy for the characterization of multicomponent hydrogen-bonded assemblies in solution. Perkin Transactions II RSC, 2000, , 2077-2089.	1.1	82
222	Complexation of a Peptidocalix[4]arene, a Vancomycin Mimic, with Alanine-Containing Guests by NMR Diffusion Measurements. Journal of Organic Chemistry, 2000, 65, 5026-5030.	3.2	80
223	A novel ceramic-supported polymer membrane for pervaporation of dilute volatile organic compounds. Journal of Membrane Science, 1999, 162, 269-284.	8.2	79
224	Air–water mass transfer of organics from shallow ponds under laminar recirculation. International Journal of Heat and Mass Transfer, 1999, 42, 165-179.	4.8	1
225	Structural information in neuronal tissue as revealed byq-space diffusion NMR spectroscopy of metabolites in bovine optic nerve. , 1999, 12, 335-344.		94
226	A Critical Assessment of Chromium in the Environment. Critical Reviews in Environmental Science and Technology, 1999, 29, 1-46.	12.8	682
227	A front-tracking numerical algorithm for liquid infiltration into nearly dry soils. Water Resources Research, 1999, 35, 2579-2585.	4.2	11
228	Effect of Interparticle Electrostatic Double Layer Interactions on Permeate Flux Decline in Crossflow Membrane Filtration of Colloidal Suspensions: An Experimental Investigation. Journal of Colloid and Interface Science, 1998, 204, 77-86.	9.4	152
229	In vivo andin vitro bi-exponential diffusion ofN -acetyl aspartate (NAA) in rat brain: a potential structural probe?. , 1998, 11, 67-74.		56
230	In vivo observation of anisotropic motion of brain water using2H double quantum filtered NMR spectroscopy. Magnetic Resonance in Medicine, 1997, 37, 197-203.	3.0	21
231	Environmental distribution and transformation of mercury compounds. Critical Reviews in Environmental Science and Technology, 1996, 26, 1-43.	12.8	296
232	Contaminant migration in the unsaturated soil zone: the effect of rainfall and evapotranspiration. Journal of Contaminant Hydrology, 1996, 23, 185-211.	3.3	28
233	On the Loss of Hydraulic Permeability in Ceramic Membranes. Journal of Colloid and Interface Science, 1996, 181, 347-350.	9.4	19
234	Silica-suported polyvinylpyrrolidone filtration membranes. Journal of Membrane Science, 1996, 115, 179-190.	8.2	43

Yoram Cohen

#	Article	IF	CITATIONS
235	Selbstdiffusion von geladenen polycyclischen Arenen und ihren Stammverbindungen: eine PCSEâ€NMRâ€Studie. Angewandte Chemie, 1995, 107, 888-891.	2.0	7
236	Self-Diffusion of Charged Polycyclic Systems and Their Parent Compounds: A PGSE NMR Study. Angewandte Chemie International Edition in English, 1995, 34, 816-818.	4.4	46
237	Multimedia partitioning of particle-bound organics. Journal of Hazardous Materials, 1994, 37, 507-526.	12.4	10
238	A terminally anchored polymer chain in shear flow: Self-consistent velocity and segment density profiles. Rheologica Acta, 1994, 33, 485-505.	2.4	37
239	Kinetic modeling of free-radical graft polymerization. AICHE Journal, 1994, 40, 294-311.	3.6	21
240	Chemical volatilization from the soil matrix: Transport through the air and water phases. Journal of Hazardous Materials, 1994, 37, 445-457.	12.4	14
241	Intermedia transfer factors for modeling the enviromental impact of air pollution from industrial sources. Journal of Hazardous Materials, 1994, 37, 15-25.	12.4	4
242	Equilibrium Swelling of Highly Cross-Linked Polymeric Resins. Industrial & Engineering Chemistry Research, 1994, 33, 2345-2357.	3.7	45
243	The permeability behavior of polyvinylpyrrolidone-modified porous silica membranes. Journal of Membrane Science, 1993, 84, 151-160.	8.2	39
244	Polymer-grafted silica: a screening system for polymeric adsorption resin development. Industrial & Engineering Chemistry Research, 1993, 32, 716-725.	3.7	14
245	Sorption of organics from aqueous solution onto polymeric resins. Industrial & Engineering Chemistry Research, 1993, 32, 2727-2735.	3.7	88
246	Polyvinylpyrrolidone-Grafted Silica Resin. ACS Symposium Series, 1992, , 254-268.	0.5	1
247	Review of mathematical models for health risk assessment: I. Overview. Environmental Software, 1992, 7, 3-7.	0.3	10
248	An integrated approach to process waste minimization research. Journal of Hazardous Materials, 1992, 29, 237-253.	12.4	12
249	Permeability of graft-polymerized polyvinylpyrrolidone-silica resin in packed columns. Journal of Colloid and Interface Science, 1992, 148, 579-586.	9.4	12
250	Graft polymerization of vinyl acetate onto silica. Journal of Applied Polymer Science, 1992, 44, 671-677.	2.6	24
251	Dynamic partitioning of semivolatile organics in gas/particle/rain phases during rain scavenging. Environmental Science & Technology, 1991, 25, 2012-2023.	10.0	63
252	Response of a terminally anchored polymer chain to simple shear flow. Macromolecules, 1991, 24, 4646-4656.	4.8	29

#	Article	IF	CITATIONS
253	Free-radical graft polymerization of vinylpyrrolidone onto silica. Industrial & Engineering Chemistry Research, 1991, 30, 2534-2542.	3.7	30
254	One-dimensional subsurface transport of a nonaqueous phase liquid containing sparingly water soluble organics: A front-tracking model. Water Resources Research, 1991, 27, 1487-1500.	4.2	11
255	Hydrogen peroxide levels in Los Angeles: A screening-level evaluation. Atmospheric Environment Part B Urban Atmosphere, 1991, 25, 67-78.	0.5	4
256	Note on the silylation of inorganic oxide supports. Journal of Colloid and Interface Science, 1990, 134, 576-579.	9.4	37
257	Aqueous-phase adsorption of trichloroethene and chloroform onto polymeric resins and activated carbon. Industrial & Engineering Chemistry Research, 1990, 29, 1338-1345.	3.7	43
258	Dynamic partitioning of organic chemicals in regional environments: a multimedia screening-level modeling approach. Environmental Science & amp; Technology, 1990, 24, 1549-1558.	10.0	48
259	Kinetic modeling of free-radical polymerization: a conservational polymerization and molecular weight distribution model. Industrial & Engineering Chemistry Research, 1990, 29, 1152-1160.	3.7	20
260	Atmospheric hydrogen peroxide. Environmental Science & Technology, 1990, 24, 1452-1462.	10.0	167
261	Factors controlling the photochemical generation of gaseous H2O2in the Los Angeles atmosphere. Geophysical Research Letters, 1990, 17, 93-96.	4.0	20
262	Historic trend of the levels of atmospheric H ₂ O ₂ during 1960's – 1980's in Los Angeles. Geophysical Research Letters, 1990, 17, 937-940.	4.0	0
263	Diffusion of Sorbed Solutes in Gas and Liquid Phases of Low-Moisture Soils. Soil Science Society of America Journal, 1990, 54, 341-346.	2.2	14
264	Brownian dynamics of freely jointed chains: Chain conformation with excluded volume effects. Journal of Chemical Physics, 1989, 90, 6680-6690.	3.0	5
265	Chemical transport in the top soil zone — the role of moisture and temperature gradients. Journal of Hazardous Materials, 1989, 22, 283-304.	12.4	21
266	Graft polymerization of polyvinylpyrrolidone onto silica. Journal of Applied Polymer Science, 1989, 37, 2921-2931.	2.6	54
267	The adsorption of polyvinylpyrrolidone and polyethylene oxide onto chemically modified silica. Journal of Colloid and Interface Science, 1989, 129, 441-450.	9.4	39
268	Multimedia and Intermedia Transport Modeling Concepts in Environmental Monitoring. , 1989, , 3-16.		1
269	Multiphase Chemical Transport in Porous Media. , 1989, , 93-103.		5
270	Hydrodynamic thickness of adsorbed polymers in steady shear flow. Macromolecules, 1988, 21, 494-499.	4.8	48

#	Article	IF	CITATIONS
271	Chemical Volatilization in Nearly Dry Soils under Nonâ€Isothermal Conditions. Journal of Environmental Quality, 1988, 17, 198-204.	2.0	19
272	POWER-LAW FLUIDS IN POROUS MEDIA. Chemical Engineering Communications, 1987, 53, 3-22.	2.6	23
273	Organic pollutant transport. Environmental Science & Technology, 1986, 20, 538-544.	10.0	33
274	An analysis of apparent slip flow of polymer solutions. Rheologica Acta, 1986, 25, 28-35.	2.4	36
275	DIFFUSION OF MACROMOLECULES: A CONSTITUTIVE THEORY. Chemical Engineering Communications, 1986, 41, 73-99.	2.6	6
276	Polymer Retention and Adsorption in the Flow of Polymer Solutions Through Porous Media. SPE Reservoir Engineering, 1986, 1, 113-118.	0.5	63
277	Intermedia Transport Modeling in Multimedia Systems. , 1986, , 7-48.		4
278	Mass transfer across wind-sheared interfaces. International Communications in Heat and Mass Transfer, 1985, 12, 139-148.	5.6	5
279	The effect of polymer adsorption on particle settling in polymer solutions. AICHE Journal, 1985, 31, 695-696.	3.6	2
280	Apparent Slip Flow of Polymer Solutions. Journal of Rheology, 1985, 29, 67-102.	2.6	200
281	Multimedia modeling of environmental transport: trichloroethylene test case. Environmental Science & Technology, 1985, 19, 412-417.	10.0	66
282	THE FLOW OF MICROEMULSIONS THROUGH PACKED BEDS AND CAPILLARY TUBES. Chemical Engineering Communications, 1984, 28, 73-84.	2.6	9
283	Mass transfer across a sheared, wavy air-water interface. International Journal of Heat and Mass Transfer, 1983, 26, 1289-1297.	4.8	21
284	Adsorption effects in the flow of polymer solutions through capillaries. Macromolecules, 1982, 15, 1425-1429.	4.8	65
284 285		4.8 3.6	65 182
	1425-1429.		
285	1425-1429.Wall effects in laminar flow of fluids through packed beds. AICHE Journal, 1981, 27, 705-715.Mass transfer rates between oil slicks and water. Canadian Journal of Chemical Engineering, 1980, 58,	3.6	182

#	Article	IF	CITATIONS
289	Diffusion NMR in Supramolecular Chemistry. , 0, , 163-219.		8