

Per Odin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2757117/publications.pdf>

Version: 2024-02-01

86
papers

6,984
citations

109321

35
h-index

60623

81
g-index

88
all docs

88
docs citations

88
times ranked

4703
citing authors

#	ARTICLE	IF	CITATIONS
1	Caregiver Burden in Late-Stage Parkinsonism and Its Associations. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2022, 35, 110-120.	2.3	18
2	Diagnostic work up: Laboratory and biomarkers. <i>International Review of Neurobiology</i> , 2022, 162, 53-96.	2.0	0
3	Does the 5â€“2-1 criteria identify patients with advanced Parkinson's disease? Real-world screening accuracy and burden of 5â€“2-1-positive patients in 7 countries. <i>BMC Neurology</i> , 2022, 22, 35.	1.8	12
4	Caregiver Burden and Quality of Life in Late Stage Parkinsonâ€™s Disease. <i>Brain Sciences</i> , 2022, 12, 111.	2.3	13
5	Impact of age at onset on symptom profiles, treatment characteristics and health-related quality of life in Parkinsonâ€™s disease. <i>Scientific Reports</i> , 2022, 12, 526.	3.3	18
6	Psychometric Properties of Clinical Indicators for Identification and Management of Advanced Parkinsonâ€™s Disease: Real-World Evidence From G7 Countries. <i>Neurology and Therapy</i> , 2022, 11, 303-318.	3.2	6
7	Safinamide in the treatment pathway of Parkinsonâ€™s Disease: a European Delphi Consensus. <i>Npj Parkinson's Disease</i> , 2022, 8, 17.	5.3	7
8	Quality of life and resource utilizationâ€“Swedish data from the Care of Lateâ€“Stage Parkinsonism (CLaSP) study. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 743-752.	2.1	4
9	Opicapone versus placebo in the treatment of Parkinsonâ€™s disease patients with end-of-dose motor fluctuation-associated pain: rationale and design of the randomised, double-blind OCEAN (OpiCapone) Tj ETQq1 1 0.784314sgBT /Ov		
10	Validation of the PD home diary for assessment of motor fluctuations in advanced Parkinsonâ€™s disease. <i>Npj Parkinson's Disease</i> , 2022, 8, .	5.3	9
11	Characteristics of Patients with Late-Stage Parkinsonism Who are Nursing Home Residents Compared with those Living at Home. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 440-445.e2.	2.5	18
12	Longitudinal prediction of falls and near falls frequencies in Parkinsonâ€™s disease: a prospective cohort study. <i>Journal of Neurology</i> , 2021, 268, 997-1005.	3.6	6
13	The Nonâ€“Motor Symptoms Scale in Parkinsonâ€™s disease: Validation and use. <i>Acta Neurologica Scandinavica</i> , 2021, 143, 3-12.	2.1	49
14	Perspectives on Care for Late-Stage Parkinsonâ€™s Disease. <i>Parkinson's Disease</i> , 2021, 2021, 1-11.	1.1	13
15	Factors Associated with Healthâ€“Related Quality of Life in Lateâ€“Stage Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2021, 8, 563-570.	1.5	16
16	Swedish guidelines for deviceâ€“aided therapies in Parkinson's disease â€“Economic evaluation and implementation. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 170-178.	2.1	7
17	Cost-Effectiveness of Device-Aided Therapies in Parkinsonâ€™s Disease: A Structured Review. <i>Journal of Parkinson's Disease</i> , 2021, 11, 475-489.	2.8	11
18	Parkinson's Disease and <sc>Postâ€“COVID</sc>â€“19 Syndrome: The Parkinson's <sc>Longâ€“COVID</sc> Spectrum. <i>Movement Disorders</i> , 2021, 36, 1287-1289.	3.9	51

#	ARTICLE	IF	CITATIONS
19	Close relationships in Parkinson's disease patients with device-aided therapy. <i>Brain and Behavior</i> , 2021, 11, e02102.	2.2	5
20	The Long-Term Impact of Levodopa/Carbidopa Intestinal Gel on "Off"-time in Patients with Advanced Parkinson's Disease: A Systematic Review. <i>Advances in Therapy</i> , 2021, 38, 2854-2890.	2.9	41
21	Parkinson's disease in Sweden—resource use and costs by severity. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 592-599.	2.1	11
22	Patient Utilities in Health States Based on Hoehn and Yahr and Off-Time in Parkinson's Disease: A Swedish Register-Based Study in 1823 Observations. <i>Pharmacoeconomics</i> , 2021, 39, 1141-1149.	3.3	1
23	Digital health technology for non-motor symptoms in people with Parkinson's disease: Futile or future?. <i>Parkinsonism and Related Disorders</i> , 2021, 89, 186-194.	2.2	26
24	Personalised Advanced Therapies in Parkinson's Disease: The Role of Non-Motor Symptoms Profile. <i>Journal of Personalized Medicine</i> , 2021, 11, 773.	2.5	20
25	Advance Care Planning and Care Coordination for People With Parkinson's Disease and Their Family Caregivers—Study Protocol for a Multicentre, Randomized Controlled Trial. <i>Frontiers in Neurology</i> , 2021, 12, 673893.	2.4	7
26	Effects of safinamide on pain in patients with fluctuating Parkinson's disease. <i>Brain and Behavior</i> , 2021, 11, e2336.	2.2	18
27	Gastrointestinal dysfunction in Parkinson's disease. <i>International Review of Movement Disorders</i> , 2021, 1, 179-208.	0.1	0
28	Validation and clinical value of the MANAGE-PD tool: A clinician-reported tool to identify Parkinson's disease patients inadequately controlled on oral medications. <i>Parkinsonism and Related Disorders</i> , 2021, 92, 59-66.	2.2	23
29	Clinical Usefulness of Retropulsion Tests in Persons with Mild to Moderate Parkinson's Disease. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12325.	2.6	1
30	Everyday Occupations and Other Factors in Relation to Mental Well-Being among Persons with Advanced Parkinson's Disease. <i>Occupational Therapy in Health Care</i> , 2020, 34, 1-18.	0.3	0
31	Lack of Accredited Clinical Training in Movement Disorders in Europe, Egypt, and Tunisia. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1833-1843.	2.8	3
32	Levodopa infusion in Parkinson's disease: Individual quality of life. <i>Acta Neurologica Scandinavica</i> , 2020, 142, 248-254.	2.1	4
33	Optimizing Treatment in Undertreated Late-Stage Parkinsonism: A Pragmatic Randomized Trial. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1171-1184.	2.8	6
34	The Prevalence and Determinants of Neuropsychiatric Symptoms in Late-Stage Parkinsonism. <i>Movement Disorders Clinical Practice</i> , 2020, 7, 531-542.	1.5	24
35	A Phase 2a Trial Investigating the Safety and Tolerability of the Novel Cortical Enhancer IRL752 in Parkinson's Disease Dementia. <i>Movement Disorders</i> , 2020, 35, 1046-1054.	3.9	12
36	Management of Advanced Therapies in Parkinson's Disease Patients in Times of Humanitarian Crisis: The COVID-19 Experience. <i>Movement Disorders Clinical Practice</i> , 2020, 7, 361-372.	1.5	91

#	ARTICLE	IF	CITATIONS
37	The late stage of Parkinson's "results of a large multinational study on motor and non-motor complications. <i>Parkinsonism and Related Disorders</i> , 2020, 75, 91-96.	2.2	25
38	Low prevalence of known pathogenic mutations in dominant PD genes: A Swedish multicenter study. <i>Parkinsonism and Related Disorders</i> , 2019, 66, 158-165.	2.2	12
39	Satisfaction with Care in Late Stage Parkinson's Disease. <i>Parkinson's Disease</i> , 2019, 2019, 1-10.	1.1	8
40	EuroInf 2: Subthalamic stimulation, apomorphine, and levodopa infusion in Parkinson's disease. <i>Movement Disorders</i> , 2019, 34, 353-365.	3.9	126
41	Disease stage dependency of motor and non-motor fluctuations in Parkinson's disease. <i>Journal of Neural Transmission</i> , 2019, 126, 841-851.	2.8	9
42	Levodopa Effect and Motor Function in Late Stage Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2018, 8, 59-70.	2.8	28
43	Mobility device use in people with Parkinson's disease: A 3-year follow-up study. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 70-77.	2.1	14
44	Workforce participation and activities in Parkinson's disease patients receiving device-aided therapy. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 78-84.	2.1	5
45	Study protocol: Care of Late-Stage Parkinsonism (CLaSP): a longitudinal cohort study. <i>BMC Neurology</i> , 2018, 18, 185.	1.8	27
46	Continuous Drug Delivery Aiming Continuous Dopaminergic Stimulation in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2018, 8, S65-S72.	2.8	32
47	Dopaminergic Effect on Non-Motor Symptoms in Late Stage Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2018, 8, 409-420.	2.8	18
48	Workforce unavailability in Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 2017, 135, 332-338.	2.1	10
49	Algorithms for the treatment of motor problems in Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 2017, 136, 378-385.	2.1	43
50	Factors Contributing to Perceived Walking Difficulties in People with Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2017, 7, 397-407.	2.8	27
51	Device-Aided Treatment Strategies in Advanced Parkinson's Disease. <i>International Review of Neurobiology</i> , 2017, 132, 453-474.	2.0	29
52	Levodopa-carbidopa intestinal gel in advanced Parkinson's: Final results of the GLORIA registry. <i>Parkinsonism and Related Disorders</i> , 2017, 45, 13-20.	2.2	149
53	Can suitable candidates for levodopa/carbidopa intestinal gel therapy be identified using current evidence?. <i>ENeurologicalSci</i> , 2017, 8, 44-53.	1.3	10
54	Infusional Therapies, Continuous Dopaminergic Stimulation, and Nonmotor Symptoms. <i>International Review of Neurobiology</i> , 2017, 134, 1019-1044.	2.0	6

#	ARTICLE	IF	CITATIONS
55	Factors associated with life satisfaction in Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 2017, 136, 64-71.	2.1	38
56	A Consensus Set of Outcomes for Parkinson's Disease from the International Consortium for Health Outcomes Measurement. <i>Journal of Parkinson's Disease</i> , 2017, 7, 533-543.	2.8	45
57	Non-oral Continuous Drug Delivery Techniques in Parkinson's Disease: For Whom, When, and How?. <i>Movement Disorders Clinical Practice</i> , 2016, 3, 221-229.	1.5	10
58	Non-oral dopaminergic therapies for Parkinson's disease: current treatments and the future. <i>Npj Parkinson's Disease</i> , 2016, 2, 16023.	5.3	43
59	Continuous dopaminergic stimulation therapy for Parkinson's disease – recent advances. <i>Current Opinion in Neurology</i> , 2016, 29, 474-479.	3.6	13
60	Levodopa/Carbidopa Intestinal Gel in Patients with Parkinson's Disease: A Systematic Review. <i>CNS Drugs</i> , 2016, 30, 381-404.	5.9	81
61	Integrated safety of levodopa/carbidopa intestinal gel from prospective clinical trials. <i>Movement Disorders</i> , 2016, 31, 538-546.	3.9	91
62	Authors' Reply to Lambarth: Levodopa-Carbidopa Intestinal Gel in Patients with Parkinson's Disease: A Systematic Review. <i>CNS Drugs</i> , 2016, 30, 1009-1010.	5.9	1
63	Euroleval: A Multicenter Comparative Observational Study of Apomorphine and Levodopa Infusion in Parkinson's Disease. <i>Movement Disorders</i> , 2015, 30, 510-516.	3.9	203
64	Collective physician perspectives on non-oral medication approaches for the management of clinically relevant unresolved issues in Parkinson's disease: Consensus from an international survey and discussion program. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 1133-1144.	2.2	156
65	The burden of non-motor symptoms in Parkinson's disease using a self-completed non-motor questionnaire: A simple grading system. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 287-291.	2.2	93
66	The role of pallidal serotonergic function in Parkinson's disease dyskinesias: a positron emission tomography study. <i>Neurobiology of Aging</i> , 2015, 36, 1736-1742.	3.1	42
67	Levodopa/carbidopa intestinal gel in advanced Parkinson's disease: Final 12-month, open-label results. <i>Movement Disorders</i> , 2015, 30, 500-509.	3.9	199
68	Cost-effectiveness of continuous subcutaneous apomorphine in the treatment of Parkinson's disease in the UK and Germany. <i>Journal of Medical Economics</i> , 2015, 18, 155-165.	2.1	37
69	Continuous intrajejunal infusion of levodopa-carbidopa intestinal gel for patients with advanced Parkinson's disease: a randomised, controlled, double-blind, double-dummy study. <i>Lancet Neurology</i> , 2014, 13, 141-149.	10.2	547
70	Selecting deep brain stimulation or infusion therapies in advanced Parkinson's disease: an evidence-based review. <i>Journal of Neurology</i> , 2013, 260, 2701-2714.	3.6	128
71	Effect and safety of duodenal levodopa infusion in advanced Parkinson's disease: a retrospective multicenter outcome assessment in patient routine care. <i>Journal of Neural Transmission</i> , 2013, 120, 1553-1558.	2.8	59
72	Summary of the recommendations of the EFNS/MDS – ES review on therapeutic management of Parkinson's disease. <i>European Journal of Neurology</i> , 2013, 20, 5-15.	3.3	290

#	ARTICLE	IF	CITATIONS
73	Levodopa-carbidopa intestinal gel in advanced Parkinson's disease open-label study: Interim results. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 339-345.	2.2	95
74	Nonmotor fluctuations in Parkinson disease. <i>Neurology</i> , 2013, 80, 800-809.	1.1	284
75	A Proposal for a Comprehensive Grading of Parkinson's Disease Severity Combining Motor and Non-Motor Assessments: Meeting an Unmet Need. <i>PLoS ONE</i> , 2013, 8, e57221.	2.5	95
76	Intrajejunal Levodopa Versus Conventional Therapy in Parkinson Disease. <i>Clinical Neuropharmacology</i> , 2012, 35, 205-207.	0.7	51
77	Gender-related differences in the burden of non-motor symptoms in Parkinson's disease. <i>Journal of Neurology</i> , 2012, 259, 1639-1647.	3.6	211
78	Chronic Subcutaneous Infusion Therapy with Apomorphine in Advanced Parkinson's Disease Compared to Conventional Therapy: A Real Life Study of Non Motor Effect. <i>Journal of Parkinson's Disease</i> , 2011, 1, 197-203.	2.8	107
79	The nondeclaration of nonmotor symptoms of Parkinson's disease to health care professionals: An international study using the nonmotor symptoms questionnaire. <i>Movement Disorders</i> , 2010, 25, 704-709.	3.9	342
80	Intrajejunal levodopa infusion in Parkinson's disease: A pilot multicenter study of effects on nonmotor symptoms and quality of life. <i>Movement Disorders</i> , 2009, 24, 1468-1474.	3.9	233
81	Continuous Jejunal Levodopa Infusion in Patients With Advanced Parkinson Disease. <i>Clinical Neuropharmacology</i> , 2008, 31, 151-166.	0.7	105
82	The metric properties of a novel non-motor symptoms scale for Parkinson's disease: Results from an international pilot study. <i>Movement Disorders</i> , 2007, 22, 1901-1911.	3.9	838
83	Continuous Intra-intestinal Infusion of Levodopa/Carbidopa in Advanced Parkinson's Disease. <i>European Neurological Review</i> , 2007, , 45.	0.5	4
84	International multicenter pilot study of the first comprehensive self-completed nonmotor symptoms questionnaire for Parkinson's disease: The NMSQuest study. <i>Movement Disorders</i> , 2006, 21, 916-923.	3.9	865
85	Subcutaneous apomorphine in late stage Parkinson's disease: a long term follow up. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 65, 709-716.	1.9	166
86	Short- and long-term survival and function of unilateral intrastriatal dopaminergic grafts in Parkinson's disease. <i>Annals of Neurology</i> , 1997, 42, 95-107.	5.3	331