

# Weidong Xu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2762276/publications.pdf>

Version: 2024-02-01

73  
papers

5,878  
citations

117625

34  
h-index

98798

67  
g-index

77  
all docs

77  
docs citations

77  
times ranked

7849  
citing authors

#	ARTICLE	IF	CITATIONS
1	Homologous Bromides Treatment for Improving the Open-Circuit Voltage of Perovskite Solar Cells. <i>Advanced Materials</i> , 2022, 34, e2106280.	21.0	26
2	A Comparison of Charge Carrier Dynamics in Organic and Perovskite Solar Cells. <i>Advanced Materials</i> , 2022, 34, e2101833.	21.0	55
3	Overcoming Nanoscale Inhomogeneities in Thin-Film Perovskites via Exceptional Post-annealing Grain Growth for Enhanced Photodetection. <i>Nano Letters</i> , 2022, 22, 979-988.	9.1	9
4	Additive-Free, Low-Temperature Crystallization of Stable $\text{FAPbI}_3$ Perovskite. <i>Advanced Materials</i> , 2022, 34, e2107850.	21.0	71
5	Generation of long-lived charges in organic semiconductor heterojunction nanoparticles for efficient photocatalytic hydrogen evolution. <i>Nature Energy</i> , 2022, 7, 340-351.	39.5	164
6	Asymmetric charge carrier transfer and transport in planar lead halide perovskite solar cells. <i>Cell Reports Physical Science</i> , 2022, 3, 100890.	5.6	9
7	Metal halide perovskites for light-emitting diodes. <i>Nature Materials</i> , 2021, 20, 10-21.	27.5	800
8	Mixed halide perovskites for spectrally stable and high-efficiency blue light-emitting diodes. <i>Nature Communications</i> , 2021, 12, 361.	12.8	268
9	Critical role of additive-induced molecular interaction on the operational stability of perovskite light-emitting diodes. <i>Joule</i> , 2021, 5, 618-630.	24.0	99
10	2D Phase Purity Determines Charge-Transfer Yield at 3D/2D Lead Halide Perovskite Heterojunctions. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 3312-3320.	4.6	13
11	Impact of Amine Additives on Perovskite Precursor Aging: A Case Study of Light-Emitting Diodes. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 5836-5843.	4.6	6
12	Aerosol Assisted Solvent Treatment: A Universal Method for Performance and Stability Enhancements in Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2021, 11, 2101420.	19.5	21
13	Lewis Base Passivation Mediates Charge Transfer at Perovskite Heterojunctions. <i>Journal of the American Chemical Society</i> , 2021, 143, 12230-12243.	13.7	36
14	Manipulating crystallization dynamics through chelating molecules for bright perovskite emitters. <i>Nature Communications</i> , 2021, 12, 4831.	12.8	56
15	Correlating the Active Layer Structure and Composition with the Device Performance and Lifetime of Amino-Acid-Modified Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 43505-43515.	8.0	17
16	Multipulse Terahertz Spectroscopy Unveils Hot Polaron Photoconductivity Dynamics in Metal-Halide Perovskites. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 8732-8739.	4.6	8
17	Degradation and self-repairing in perovskite light-emitting diodes. <i>Matter</i> , 2021, 4, 3710-3724.	10.0	51
18	Combined Precursor Engineering and Grain Anchoring Leading to MA-Free, Phase-Pure, and Stable Formamidinium Lead Iodide Perovskites for Efficient Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 27299-27306.	13.8	46

#	ARTICLE	IF	CITATIONS
19	Phosphorene Nanoribbon-Augmented Optoelectronics for Enhanced Hole Extraction. <i>Journal of the American Chemical Society</i> , 2021, 143, 21549-21559.	13.7	44
20	Room Temperature Synthesis of Phosphine-Capped Lead Bromide Perovskite Nanocrystals without Coordinating Solvents. <i>Particle and Particle Systems Characterization</i> , 2020, 37, 1900391.	2.3	27
21	Origin of Open-Circuit Voltage Enhancements in Planar Perovskite Solar Cells Induced by Addition of Bulky Organic Cations. <i>Advanced Functional Materials</i> , 2020, 30, 1906763.	14.9	47
22	A solvent-based surface cleaning and passivation technique for suppressing ionic defects in high-mobility perovskite field-effect transistors. <i>Nature Electronics</i> , 2020, 3, 694-703.	26.0	99
23	Thermal-induced interface degradation in perovskite light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2020, 8, 15079-15085.	5.5	30
24	Light-intensity and thickness dependent efficiency of planar perovskite solar cells: charge recombination versus extraction. <i>Journal of Materials Chemistry C</i> , 2020, 8, 12648-12655.	5.5	70
25	Dimensional Tailoring of Ultrahigh Vacuum Annealing-Assisted Quantum Wells for the Efficiency Enhancement of Perovskite Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 24965-24970.	8.0	2
26	Bidirectional optical signal transmission between two identical devices using perovskite diodes. <i>Nature Electronics</i> , 2020, 3, 156-164.	26.0	126
27	p-Doping of organic hole transport layers in perovskite solar cells: correlating open-circuit voltage and photoluminescence quenching. <i>Journal of Materials Chemistry A</i> , 2019, 7, 18971-18979.	10.3	55
28	Stacking Distance and Phase Separation Controlled Efficiency in Stable All-Polymer Solar Cells. <i>Polymers</i> , 2019, 11, 1665.	4.5	17
29	Efficient and Tunable Electroluminescence from In Situ Synthesized Perovskite Quantum Dots. <i>Small</i> , 2019, 15, e1804947.	10.0	23
30	Unveiling the synergistic effect of precursor stoichiometry and interfacial reactions for perovskite light-emitting diodes. <i>Nature Communications</i> , 2019, 10, 2818.	12.8	129
31	Rational molecular passivation for high-performance perovskite light-emitting diodes. <i>Nature Photonics</i> , 2019, 13, 418-424.	31.4	970
32	The progress and prospects of non-fullerene acceptors in ternary blend organic solar cells. <i>Materials Horizons</i> , 2018, 5, 206-221.	12.2	122
33	Photodetectors: High Performance and Stable All-Inorganic Metal Halide Perovskite-Based Photodetectors for Optical Communication Applications ( <i>Adv. Mater.</i> 38/2018). <i>Advanced Materials</i> , 2018, 30, 1870288.	21.0	8
34	Precisely Controlling the Grain Sizes with an Ammonium Hypophosphite Additive for High-Performance Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2018, 28, 1802320.	14.9	65
35	High Performance and Stable All-Inorganic Metal Halide Perovskite-Based Photodetectors for Optical Communication Applications. <i>Advanced Materials</i> , 2018, 30, e1803422.	21.0	342
36	Wide-Bandgap Small Molecular Acceptors Based on a Weak Electron-Withdrawing Moiety for Efficient Polymer Solar Cells. <i>Solar Rrl</i> , 2018, 2, 1800120.	5.8	30

#	ARTICLE	IF	CITATIONS
37	Improving the exciton dissociation of polymer/fullerene interfaces with a minimal loading amount of energy cascading molecular dopant. <i>Journal of Materials Chemistry A</i> , 2018, 6, 15977-15984.	10.3	17
38	Efficient perovskite light-emitting diodes based on a solution-processed tin dioxide electron transport layer. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6996-7002.	5.5	25
39	Fully Solution-Processed $\text{CH}_3\text{NH}_3\text{PbI}_3$ -Like Perovskite Solar Cells with Planar Junction: How the Charge Extracting Layer Determines the Open-Circuit Voltage. <i>Advanced Materials</i> , 2017, 29, 1604493.	21.0	50
40	The Light-Induced Field-Effect Solar Cell Concept $\text{CH}_3\text{NH}_3\text{PbI}_3$ Perovskite Nanoparticle Coating Introduces Polarization Enhancing Silicon Cell Efficiency. <i>Advanced Materials</i> , 2017, 29, 1606370.	21.0	35
41	Annealing Induced Re-crystallization in $\text{CH}_3\text{NH}_3\text{PbI}_3$ for High Performance Perovskite Solar Cells. <i>Scientific Reports</i> , 2017, 7, 46724.	3.3	53
42	Enhanced Crystalline Phase Purity of $\text{CH}_3\text{NH}_3\text{PbI}_3$ Film for High-Efficiency Hysteresis-Free Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 23141-23151.	8.0	41
43	A small molecule/fullerene binary acceptor system for high-performance polymer solar cells with enhanced light-harvesting properties and balanced carrier mobility. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2460-2465.	10.3	33
44	Significant Lowering Optical Loss of Electrodes via using Conjugated Polyelectrolytes Interlayer for Organic Laser in Electrically Driven Device Configuration. <i>Scientific Reports</i> , 2016, 6, 25810.	3.3	8
45	Efficient phosphorescent polymer light-emitting devices using a conjugated starburst macromolecule as a cathode interlayer. <i>RSC Advances</i> , 2016, 6, 10326-10333.	3.6	8
46	High Efficiency Inverted Organic Solar Cells with a Neutral Fullerypyrrolidine Electron-Collecting Interlayer. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 14293-14300.	8.0	40
47	Understanding the Light Soaking Effects in Inverted Organic Solar Cells Functionalized with Conjugated Macroelectrolyte Electron-Collecting Interlayers. <i>Advanced Science</i> , 2016, 3, 1500245.	11.2	35
48	Inverted polymer light-emitting devices using a conjugated starburst macromolecule as an interlayer. <i>RSC Advances</i> , 2016, 6, 84342-84347.	3.6	3
49	Iodomethane-Mediated Organometal Halide Perovskite with Record Photoluminescence Lifetime. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 23181-23189.	8.0	35
50	Approximately 800-nm-Thick Pinhole-Free Perovskite Films via Facile Solvent Retarding Process for Efficient Planar Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 34446-34454.	8.0	36
51	Self-powered textile for wearable electronics by hybridizing fiber-shaped nanogenerators, solar cells, and supercapacitors. <i>Science Advances</i> , 2016, 2, e1600097.	10.3	705
52	Dissociation of Methylammonium Cations in Hybrid Organic-Inorganic Perovskite Solar Cells. <i>Nano Letters</i> , 2016, 16, 4720-4725.	9.1	49
53	Pyrene-capped starburst emitters as gain media for organic lasers: design, synthesis, and stabilized lasing properties. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7546-7553.	5.5	17
54	Efficient blue organic light-emitting devices based on solution-processed starburst macromolecular electron injection layer. <i>Journal of Luminescence</i> , 2016, 170, 50-55.	3.1	14

#	ARTICLE	IF	CITATIONS
55	Pyrene-Capped Conjugated Amorphous Starbursts: Synthesis, Characterization, and Stable Lasing Properties in Ambient Atmosphere. <i>Advanced Functional Materials</i> , 2015, 25, 4617-4625.	14.9	51
56	White Electroluminescence with Simultaneous Three-Color Emission from a Four-Armed Star-Shaped Single-Polymer System. <i>Chinese Journal of Chemistry</i> , 2015, 33, 873-880.	4.9	11
57	Donor-Acceptor Star-Shaped Conjugated Macroelectrolytes: Synthesis, Light-Harvesting Properties, and Self-Assembly-Induced Förster Resonance Energy Transfer. <i>Journal of Physical Chemistry B</i> , 2015, 119, 6730-6739.	2.6	8
58	Solution-Processed Highly Conductive PEDOT:PSS/AgNW/GO Transparent Film for Efficient Organic-Si Hybrid Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 3272-3279.	8.0	107
59	Solution-processed anthracene-based molecular glasses as stable blue-light-emission laser gain media. <i>Organic Electronics</i> , 2015, 18, 95-100.	2.6	26
60	Hot-Electron Injection in a Sandwiched TiO <sub>2</sub> /Au/TiO <sub>2</sub> Structure for High-Performance Planar Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2015, 5, 1500038.	19.5	119
61	Hybrid Graphene-Perovskite Phototransistors with Ultrahigh Responsivity and Gain. <i>Advanced Optical Materials</i> , 2015, 3, 1389-1396.	7.3	240
62	Efficient amplified spontaneous emission from oligofluorene-pyrene starbursts with improved electron affinity property. <i>Optics Express</i> , 2015, 23, A465.	3.4	14
63	Saturated and stabilized white electroluminescence with simultaneous three-color emission from a six-armed star-shaped single-polymer system. <i>Polymer Chemistry</i> , 2015, 6, 8019-8028.	3.9	25
64	Well-Defined Star-Shaped Conjugated Macroelectrolytes as Efficient Electron-Collecting Interlayer for Inverted Polymer Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 452-459.	8.0	38
65	Fluorene-based cathode interlayer polymers for high performance solution processed organic optoelectronic devices. <i>Organic Electronics</i> , 2014, 15, 1244-1253.	2.6	33
66	A hydrophilic monodisperse conjugated starburst macromolecule with multidimensional topology as electron transport/injection layer for organic electronics. <i>Polymer Chemistry</i> , 2014, 5, 2942-2950.	3.9	29
67	High-Performance Organic-Inorganic Hybrid Solar Cells Based on Crystalline Silicon. <i>Current Organic Chemistry</i> , 2014, 18, 2430-2441.	1.6	0
68	Asymmetric Charge Carrier Transfer and Transport in Planar Lead Halide Perovskite Solar Cells. , 0, , .		0
69	Mixed Halide Perovskites for Spectrally Stable and High-Efficiency Blue Light-Emitting Diodes. , 0, , .		0
70	Manipulating crystallization dynamics through chelating molecules for bright perovskite emitters. , 0, , .		0
71	Combined precursor engineering and grain anchoring leading to MA-free, phase-pure and stable formamidinium lead iodide perovskites for efficient solar cells. <i>Angewandte Chemie</i> , 0, , .	2.0	11
72	Charge Carrier Behaviour in Organic Planar Heterojunctions by Long-range Exciton Diffusion in Non-fullerene Acceptors. , 0, , .		0

#	ARTICLE	IF	CITATIONS
73	Operando-photoluminescence spectroscopy for accessing radiative and non-radiative losses in perovskite solar cells. , 0, , .		0