
## Amber Bhayana

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2763835/publications.pdf Version: 2024-02-01



ΔΜΒΕΟ ΒΗΛΥΛΝΛ

#	Article	IF	CITATIONS
1	Headlight in Disappearing Fog during Vitrectomy. Ophthalmology Retina, 2022, 6, 606.	2.4	Ο
2	"Thumb Print―Sign in Foveal Hypoplasia. Ophthalmology Retina, 2022, 6, 547.	2.4	0
3	Finesse Loop-Assisted Levitation of Posteriorly Dislocated Intraocular Lens. Ophthalmology Retina, 2022, 6, 619.	2.4	0
4	Phakochronology: using fossilised lenticular scar to calculate rate of lens growth. BMJ Case Reports, 2021, 14, e241041.	0.5	1
5	Simple technique to avoid inadvertent upside-down implantation of multipiece IOL with injector. BMJ Case Reports, 2021, 14, e241364.	0.5	0
6	Intraoperative iris transillumination in paediatric eyes undergoing cataract surgeries: report of two cases. BMJ Case Reports, 2021, 14, e241624.	0.5	1
7	Optic capture: a management option for intraocular lens tilts in postopen globe injury cataract surgeries. BMJ Case Reports, 2021, 14, e241828.	0.5	0
8	Using smartphones for documenting bedside retinal findings during COVID-19 times. BMJ Case Reports, 2021, 14, e245377.	0.5	1
9	LASIK excimer misfire on fluence test mode: induced refractive error quantification and corneal ablation profile. BMJ Case Reports, 2021, 14, e244397.	0.5	0
10	Technique for posterior segment evaluation in paediatric cases undergoing cataract surgeries. BMJ Case Reports, 2021, 14, e240931.	0.5	3
11	Utility of distant indirect ophthalmoscopy as screening tool in a case of pellucid marginal degeneration. BMJ Case Reports, 2020, 13, e238787.	0.5	2
12	Focal choroidal excavation in Stargardt's dystrophy. BMJ Case Reports, 2020, 13, e237584.	0.5	4
13	Raised intraocular pressure postmaxillectomy and orbital floor reconstruction surgery. BMJ Case Reports, 2020, 13, e239121.	0.5	0
14	In situ flip of a glistened upside down multipiece IOL to relieve pupillary block. BMJ Case Reports, 2020, 13, e239451.	0.5	2
15	Novel sign to check wound leak intraoperatively: â€~Bloody Seidel's'. BMJ Case Reports, 2020, 13, e2394	8 <b>6</b> 0.5	0
16	Using ORA to measure refractive status of air-filled eye. BMJ Case Reports, 2020, 13, e240926.	0.5	0