

Hiroshi Inoue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2766306/publications.pdf>

Version: 2024-02-01

90
papers

2,261
citations

279798

23
h-index

233421

45
g-index

93
all docs

93
docs citations

93
times ranked

2073
citing authors

#	ARTICLE	IF	CITATIONS
1	Two-year outcomes of more than 30,000 elderly patients with atrial fibrillation: results from the All Nippon AF In the Elderly (ANAFIE) Registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 202-213.	4.0	47
2	Effect of Cancer on Clinical Outcomes in Elderly Patients With Non-Valvular Atrial Fibrillation—Substudy of the ANAFIE Registry. <i>Circulation Journal</i> , 2022, 86, 202-210.	1.6	3
3	Echocardiographic Structure and Function in Elderly Patients With Atrial Fibrillation in Japan—The ANAFIE Echocardiographic Substudy. <i>Circulation Journal</i> , 2022, 86, 222-232.	1.6	4
4	JCS/JHRS 2020 Guideline on Pharmacotherapy of Cardiac Arrhythmias. <i>Circulation Journal</i> , 2022, 86, 1790-1924.	1.6	49
5	Frailty and outcomes in older adults with non-valvular atrial fibrillation from the ANAFIE registry. <i>Archives of Gerontology and Geriatrics</i> , 2022, 101, 104661.	3.0	11
6	Impact of Previous Stroke on Clinical Outcome in Elderly Patients With Nonvalvular Atrial Fibrillation: ANAFIE Registry. <i>Stroke</i> , 2022, 53, 2549-2558.	2.0	4
7	Treatment strategy of dabigatran etexilate following the availability of idarucizumab in Japanese patients with non-valvular atrial fibrillation: J-Dabigatran Surveillance 2. <i>Journal of Cardiology</i> , 2022, 80, 255-260.	1.9	6
8	High prevalence of masked uncontrolled morning hypertension in elderly non-valvular atrial fibrillation patients: Home blood pressure substudy of the ANAFIE Registry. <i>Journal of Clinical Hypertension</i> , 2021, 23, 73-82.	2.0	10
9	Impact of Blood Pressure Visit-to-Visit Variability on Adverse Events in Patients With Nonvalvular Atrial Fibrillation: Subanalysis of the J-RHYTHM Registry. <i>Journal of the American Heart Association</i> , 2021, 10, e018585.	3.7	11
10	Background characteristics and anticoagulant usage patterns of elderly non-valvular atrial fibrillation patients in the ANAFIE registry: a prospective, multicentre, observational cohort study in Japan. <i>BMJ Open</i> , 2021, 11, e044501.	1.9	3
11	Safety and effectiveness of reduced-dose apixaban in Japanese patients with nonvalvular atrial fibrillation in clinical practice: A sub-analysis of the STANDARD study. <i>Journal of Cardiology</i> , 2020, 75, 208-215.	1.9	21
12	Impact of hemoglobin concentration and platelet count on outcomes of patients with non-valvular atrial fibrillation: A subanalysis of the J-RHYTHM Registry. <i>International Journal of Cardiology</i> , 2020, 302, 81-87.	1.7	23
13	Secondary stroke prevention with apixaban in nonvalvular atrial fibrillation: A subgroup analysis of the STANDARD study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 105034.	1.6	1
14	Characteristics and anticoagulant treatment status of elderly non-valvular atrial fibrillation patients with a history of catheter ablation in Japan: Subanalysis of the ANAFIE registry. <i>Journal of Cardiology</i> , 2020, 76, 446-452.	1.9	4
15	Predictive ability of creatinine clearance versus estimated glomerular filtration rate for outcomes in patients with non-valvular atrial fibrillation: Subanalysis of the J-RHYTHM Registry. <i>IJC Heart and Vasculature</i> , 2020, 29, 100559.	1.1	4
16	Rhythm versus rate control strategies regarding anticoagulant use in elderly non-valvular atrial fibrillation patients: Subanalysis of the ANAFIE (All Nippon AF In the Elderly) Registry. <i>Journal of Cardiology</i> , 2020, 76, 87-93.	1.9	6
17	Dabigatran for Japanese Patients with Atrial Fibrillation and Prior Stroke: A Subgroup Analysis of the J-Dabigatran Surveillance Program. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104717.	1.6	3
18	Baseline Characteristics of Elderly Japanese Patients Aged ≥75 Years With Non-Valvular Atrial Fibrillation and a History of Stroke—ANAFIE Registry. <i>Circulation Journal</i> , 2020, 84, 516-523.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Age-Related Differences in the Clinical Characteristics and Treatment of Elderly Patients With Atrial Fibrillation in Japan—Insight From the ANAFIE (All Nippon AF In Elderly) Registry. <i>Circulation Journal</i> , 2020, 84, 388-396.	1.6	8
20	Oral Anticoagulant Use in Elderly Japanese Patients With Non-Valvular Atrial Fibrillation—Subanalysis of the ANAFIE Registry. <i>Circulation Reports</i> , 2020, 2, 552-559.	1.0	16
21	Current status of proton pump inhibitor use in Japanese elderly patients with non-valvular atrial fibrillation: A subanalysis of the ANAFIE Registry. <i>PLoS ONE</i> , 2020, 15, e0240859.	2.5	4
22	Safety and effectiveness of apixaban in Japanese patients with nonvalvular atrial fibrillation in clinical practice: A regulatory postmarketing surveillance, the <sc>STANDARD</sc> study. <i>Journal of Arrhythmia</i> , 2019, 35, 506-514.	1.2	21
23	Baseline Demographics and Clinical Characteristics in the All Nippon AF in the Elderly (ANAFIE) Registry. <i>Circulation Journal</i> , 2019, 83, 1538-1545.	1.6	42
24	Impact of Digitalis Use on Mortality in Japanese Patients With Non-Valvular Atrial Fibrillation—A Subanalysis of the J-RHYTHM Registry. <i>Circulation Journal</i> , 2019, 83, 1644-1652.	1.6	5
25	Effectiveness and safety of long-term dabigatran among patients with non-valvular atrial fibrillation in clinical practice: J-dabigatran surveillance. <i>Journal of Cardiology</i> , 2019, 73, 507-514.	1.9	26
26	Characteristics of Japanese Patients with Nonvalvular Atrial Fibrillation on Anticoagulant Treatment: A Descriptive Analysis of J-dabigatran Surveillance and JAPAF Study. <i>Cardiology and Therapy</i> , 2019, 8, 43-54.	2.6	1
27	Prospective observational study in elderly patients with non-valvular atrial fibrillation: Rationale and design of the All Nippon AF In the Elderly (ANAFIE) Registry. <i>Journal of Cardiology</i> , 2018, 72, 300-306.	1.9	29
28	The EXPAND study: Efficacy and safety of rivaroxaban in Japanese patients with non-valvular atrial fibrillation. <i>International Journal of Cardiology</i> , 2018, 258, 126-132.	1.7	40
29	Latent pathogenicity of the G38S polymorphism of KCNE1 ⁺ channel modulator. <i>Heart and Vessels</i> , 2017, 32, 186-192.	1.2	6
30	Heart rate control by carvedilol in Japanese patients with chronic atrial fibrillation: The AF Carvedilol study. <i>Journal of Cardiology</i> , 2017, 69, 293-301.	1.9	13
31	Effect of Addition of a Statin to Warfarin on Thromboembolic Events in Japanese Patients With Nonvalvular Atrial Fibrillation and Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2017, 120, 230-235.	1.6	9
32	Nicorandil Attenuates Ischemia-Reperfusion Injury Via Inhibition of Norepinephrine Release From Cardiac Sympathetic Nerve Terminals. <i>International Heart Journal</i> , 2017, 58, 787-793.	1.0	11
33	Impact of Blood Pressure Control on Thromboembolism and Major Hemorrhage in Patients With Nonvalvular Atrial Fibrillation: A Subanalysis of the J-RHYTHM Registry. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	49
34	Post-marketing surveillance on the long-term use of dabigatran in Japanese patients with nonvalvular atrial fibrillation: Preliminary report of the J-dabigatran surveillance. <i>Journal of Arrhythmia</i> , 2016, 32, 145-150.	1.2	23
35	Secondary Prevention of Stroke with Warfarin in Patients with Nonvalvular Atrial Fibrillation: Subanalysis of the J-RHYTHM Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 585-599.	1.6	23
36	Impact of Body Mass Index on the Prognosis of Japanese Patients With Non-Valvular Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2016, 118, 215-221.	1.6	40

#	ARTICLE	IF	CITATIONS
37	Beneficial Effect of Non-Vitamin K Antagonist Oral Anticoagulants in Patients With Nonvalvular Atrial Fibrillation—Results of the J-RHYTHM Registry 2. <i>Circulation Journal</i> , 2016, 80, 843-851.	1.6	42
38	Differentiation of Slow-Slow Form of AVNRT from AVRT through a Posteroseptal Accessory Pathway by Retrograde P-Wave Amplitude. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 241-249.	1.2	3
39	Waon therapy attenuates cardiac hypertrophy and promotes myocardial capillary growth in hypertensive rats: a comparative study with fluvastatin. <i>Heart and Vessels</i> , 2016, 31, 1361-1369.	1.2	9
40	Abnormal repolarization dynamics in a patient with KCNE1(G38S) who presented with torsades de pointes. <i>Journal of Electrocardiology</i> , 2016, 49, 94-98.	0.9	4
41	Recurrent syncope in two patients with a sigmoid-shaped interventricular septum and no left ventricular hypertrophy. <i>Journal of Arrhythmia</i> , 2015, 31, 391-394.	1.2	11
42	Use of Warfarin in Elderly Patients With Non-Valvular Atrial Fibrillation—Subanalysis of the J-RHYTHM Registry. <i>Circulation Journal</i> , 2015, 79, 2345-2352.	1.6	31
43	Pubertal administration of antiserum against nerve growth factor regresses renal vascular remodeling in spontaneously hypertensive rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015, 42, 687-694.	1.9	3
44	Time-Dependent Changes in QT Dynamics after Initiation and Termination of Paroxysmal Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1418-1424.	1.2	5
45	Impact of persistent smoking on long-term outcomes in patients with nonvalvular atrial fibrillation. <i>Journal of Cardiology</i> , 2015, 65, 429-433.	1.9	15
46	Antiplatelet therapy in Japanese patients with atrial fibrillation without oral anticoagulants: Pooled analysis of Shinken Database, J-RHYTHM registry and Fushimi AF registry. <i>International Journal of Cardiology</i> , 2015, 190, 344-346.	1.7	3
47	Bepridil enhances aprindine-induced prolongation of atrial effective refractory period in a canine atrial rapid pacing model. <i>Journal of Cardiology</i> , 2015, 66, 445-450.	1.9	2
48	Location of epicardial adipose tissue affects the efficacy of a combined dominant frequency and complex fractionated atrial electrogram ablation of atrial fibrillation. <i>Heart Rhythm</i> , 2015, 12, 257-265.	0.7	28
49	A590T mutation in KCNQ1 C-terminal helix D decreases IKs channel trafficking and function but not Yotiao interaction. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 72, 273-280.	1.9	8
50	Impaired macrophage production of anti-atherosclerotic interleukin-10 induced by coronary intraplaque hemorrhage in patients with acute coronary syndrome and hyperglycemia. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 196-202.	2.3	3
51	Increased levels of small dense low-density lipoprotein cholesterol associated with hemorheological abnormalities in untreated, early-stage essential hypertensives. <i>Hypertension Research</i> , 2014, 37, 1008-1013.	2.7	15
52	Impact of Gender on the Prognosis of Patients With Nonvalvular Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2014, 113, 957-962.	1.6	57
53	Association of reduced levels of serum 1,5-Anhydro-d-glucitol with carotid atherosclerosis in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 348-352.	2.3	9
54	Heart rate-reducing effects of bisoprolol in Japanese patients with chronic atrial fibrillation: Results of the MAIN-AF study. <i>Journal of Cardiology</i> , 2013, 62, 50-57.	1.9	15

#	ARTICLE	IF	CITATIONS
55	A rare case of heparin-induced thrombocytopenia following long-term chronic hemodialysis. Nihon Toseki Igakkai Zasshi, 2013, 46, 1169-1173.	0.1	0
56	Present Status of Anticoagulation Treatment in Japanese Patients With Atrial Fibrillation - A Report From the J-RHYTHM Registry -. Circulation Journal, 2011, 75, 1328-1333.	1.6	188
57	Investigation of optimal anticoagulation strategy for stroke prevention in Japanese patients with atrial fibrillation—The J-RHYTHM Registry study design. Journal of Cardiology, 2011, 57, 95-99.	1.9	69
58	Sex-Related Differences in the Risk Factor Profile and Medications of Patients With Atrial Fibrillation Recruited in J-TRACE. Circulation Journal, 2010, 74, 650-654.	1.6	22
59	Prevalence of atrial fibrillation in the general population of Japan: An analysis based on periodic health examination. International Journal of Cardiology, 2009, 137, 102-107.	1.7	358
60	Optimal Treatment Strategy for Patients With Paroxysmal Atrial Fibrillation J-RHYTHM Study. Circulation Journal, 2009, 73, 242-248.	1.6	198
61	The Risk Factors for Thromboembolism in Nonvalvular Atrial Fibrillation and CHADS2 Scoring in Japan. Circulation Journal, 2007, 71, 2000.	1.6	0
62	Accumulation of Risk Factors Increases Risk of Thromboembolic Events in Patients With Nonvalvular Atrial Fibrillation. Circulation Journal, 2006, 70, 651-656.	1.6	61
63	Circadian Dynamics of Heart Rate and Physical Activity in Patients with Heart Failure. Clinical and Experimental Hypertension, 2005, 27, 241-249.	1.3	3
64	BEPRIDIL REGULARIZES VENTRICULAR RESPONSE DURING ATRIAL FIBRILLATION IN ACCORDANCE WITH PROLONGATION OF FIBRILLATION CYCLE LENGTH. , 2005, , .		0
65	New Therapeutic Strategies for Atrial Fibrillation: 2. Principles of Medical Management of Atrial Fibrillation: Rhythm Control Versus Rate Control. Internal Medicine, 2004, 43, 162-163.	0.7	0
66	Successful treatment with continuous hemodiafiltration in a patient of multiple organ failure due to severe acute gastric dilatation. Nihon Toseki Igakkai Zasshi, 2004, 37, 1339-1343.	0.1	1
67	Mechanisms of Postural Tachycardia Syndrome. Internal Medicine, 2001, 40, 983-984.	0.7	1
68	Spectral Characteristics of Human Atrial Fibrillation Waves of the Right Atrial Free Wall With Respect to the Duration of Atrial Fibrillation and Effect of Class I Antiarrhythmic Drugs.. Japanese Circulation Journal, 2001, 65, 1047-1051.	1.0	37
69	Spontaneous Onset of Torsade de Pointes in Long-QT Syndrome and the Role of Sympathovagal Imbalance.. Japanese Circulation Journal, 2001, 65, 1087-1090.	1.0	20
70	Relation of Fibrillatory Wave Amplitude With Hemostatic Abnormality and Left Atrial Appendage Dysfunction in Patients With Chronic Nonrheumatic Atrial Fibrillation.. Japanese Circulation Journal, 2001, 65, 375-380.	1.0	23
71	Instability of Anticoagulation Intensity Contributes to Occurrence of Ischemic Stroke in Patients With Non-Rheumatic Atrial Fibrillation.. Japanese Circulation Journal, 2001, 65, 404-408.	1.0	18
72	Radiofrequency Ablation at the Coronary Sinus Ostium Interrupts the Vagal Efferent Input to the Atrioventricular Node in the Canine Heart. Japanese Circulation Journal, 2001, 65, 667-672.	1.0	4

#	ARTICLE	IF	CITATIONS
73	Detection of the "midband" lipoprotein in patients with coronary artery spasm. <i>Clinical Cardiology</i> , 2001, 24, 219-224.	1.8	10
74	Modulation of Ventricular Repolarization and R-R Interval Is Altered in Patients with Globally Impaired Cardiac ¹²³ I-MIBG Uptake. <i>Annals of Noninvasive Electrocardiology</i> , 2001, 6, 55-63.	1.1	3
75	Relation of transesophageal echocardiographic findings to subtypes of cerebral infarction in patients with atrial fibrillation. <i>Clinical Cardiology</i> , 2000, 23, 517-522.	1.8	10
76	Oita International Electrocardiology Symposium 2000 "Electrophysiology and Management of Lethal Arrhythmias in the New Millennium: From Genes to Bedside". <i>Japanese Journal of Electrocardiology</i> , 2000, 20, 55-56.	0.0	0
77	Angiotensin-Converting Enzyme Gene Polymorphism and Geometric Patterns of Hypertensive Left Ventricular Hypertrophy.. <i>International Heart Journal</i> , 1999, 40, 589-598.	0.6	7
78	ST Segment Elevation in the Right Precordial Leads Induced with Class IC Antiarrhythmic Drugs.. <i>Journal of Cardiovascular Electrophysiology</i> , 1999, 10, 214-218.	1.7	158
79	Alteration in QT-RR Relationship in Diabetic Patients with Autonomic Dysfunction. <i>Annals of Noninvasive Electrocardiology</i> , 1999, 4, 176-181.	1.1	5
80	Electrophysiological Mechanisms of Conversion of Typical to Atypical Atrioventricular Nodal Reentrant Tachycardia Occurring After Radiofrequency Catheter Ablation of the Slow Pathway. <i>Japanese Circulation Journal</i> , 1999, 63, 999-1001.	1.0	2
81	Changes in Autonomic Nervous Activity After Catheter Ablation of Right Ventricular Outflow Tract Tachycardia. <i>Japanese Circulation Journal</i> , 1999, 63, 697-703.	1.0	11
82	Effects of Unilateral Stellate Ganglion Block on the Spectral Characteristics of Heart Rate Variability. <i>Japanese Circulation Journal</i> , 1999, 63, 854-858.	1.0	50
83	Successful Radiofrequency Catheter Ablation of Incessant Ventricular Tachycardia with a Delta Wave-like Beginning of the QRS Complex.. <i>International Heart Journal</i> , 1999, 40, 671-675.	0.6	4
84	Different Effects of Temocapril and Cadralazine on Electrocardiographic Voltages and Left Ventricular Mass in Patients with Essential Hypertension.. <i>International Heart Journal</i> , 1999, 40, 55-63.	0.6	0
85	Relation Between Autonomic Nerve Activity and QT Interval in Patients with Congenital Long QT Syndrome: Analysis Using 24-Hour Holter ECG Monitoring. <i>Annals of Noninvasive Electrocardiology</i> , 1998, 3, 12-19.	1.1	4
86	Role of Sympathovagal Balance in the Initiation of Idiopathic Ventricular Tachycardia Originating from Right Ventricular Outflow Tract. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997, 20, 2371-2377.	1.2	55
87	Positive Inotropic Agents: A Double-Edged Sword for Chronic Heart Failure.. <i>Internal Medicine</i> , 1996, 35, 63-64.	0.7	1
88	Energetically Optimal Left Ventricular Pressure for the Failing Human Heart. <i>Circulation</i> , 1996, 93, 67-73.	1.6	24
89	High-density lipoprotein cholesterol level and smoking modify the prognosis of patients with coronary vasospasm. <i>Clinical Cardiology</i> , 1995, 18, 267-272.	1.8	22
90	Loading Sequence Plays an Important Role in Enhanced Load Sensitivity of Left Ventricular Relaxation in Conscious Dogs With Tachycardia-Induced Cardiomyopathy. <i>Circulation</i> , 1995, 92, 3560-3567.	1.6	42