

Uta E HÃ¶pken

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2766596/publications.pdf>

Version: 2024-02-01

48
papers

2,887
citations

279798

23
h-index

214800

47
g-index

49
all docs

49
docs citations

49
times ranked

4483
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of Dendritic Cell Migration to the Draining Lymph Node. <i>Journal of Experimental Medicine</i> , 2003, 198, 615-621.	8.5	806
2	The impact of CCR7 and CXCR5 on lymphoid organ development and systemic immunity. <i>Immunological Reviews</i> , 2003, 195, 117-135.	6.0	234
3	Role for CCR7 Ligands in the Emigration of Newly Generated T Lymphocytes from the Neonatal Thymus. <i>Immunity</i> , 2002, 16, 205-218.	14.3	216
4	Distinctive role of CCR7 in migration and functional activity of naive and effector/memory-like Treg subsets. <i>European Journal of Immunology</i> , 2007, 37, 1575-1583.	2.9	142
5	<i>Mycobacterium tuberculosis</i> Triggers Formation of Lymphoid Structure in Murine Lungs. <i>Journal of Infectious Diseases</i> , 2007, 195, 46-54.	4.0	132
6	Brain antigens in functionally distinct antigen-presenting cell populations in cervical lymph nodes in MS and EAE. <i>Journal of Molecular Medicine</i> , 2009, 87, 273-286.	3.9	111
7	Up-regulation of the chemokine receptor CCR7 in classical but not in lymphocyte-predominant Hodgkin disease correlates with distinct dissemination of neoplastic cells in lymphoid organs. <i>Blood</i> , 2002, 99, 1109-1116.	1.4	98
8	CXCR5 and CCR7-dependent lymphoid neogenesis in a murine model of chronic antigen-induced arthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 3271-3283.	6.7	97
9	Targeting the Tumor Microenvironment of Leukemia and Lymphoma. <i>Trends in Cancer</i> , 2019, 5, 351-364.	7.4	67
10	Differential requirements for the chemokine receptor CCR7 in T cell activation during <i>Listeria monocytogenes</i> infection. <i>Journal of Experimental Medicine</i> , 2005, 201, 1447-1457.	8.5	60
11	Access to Follicular Dendritic Cells Is a Pivotal Step in Murine Chronic Lymphocytic Leukemia B-cell Activation and Proliferation. <i>Cancer Discovery</i> , 2014, 4, 1448-1465.	9.4	60
12	Systemic immunoregulatory and pathogenic functions of homeostatic chemokine receptors. <i>Journal of Leukocyte Biology</i> , 2002, 72, 1-8.	3.3	60
13	The chemokine receptor CXCR5 is pivotal for ectopic mucosa-associated lymphoid tissue neogenesis in chronic <i>Helicobacter pylori</i> -induced inflammation. <i>Journal of Molecular Medicine</i> , 2010, 88, 1169-1180.	3.9	57
14	Cooperative function of CCR7 and lymphotoxin in the formation of a lymphoma-permissive niche within murine secondary lymphoid organs. <i>Blood</i> , 2011, 118, 1020-1033.	1.4	57
15	CCR7 deficiency causes ectopic lymphoid neogenesis and disturbed mucosal tissue integrity. <i>Blood</i> , 2007, 109, 886-895.	1.4	54
16	The chemokine receptor CCR7 controls lymph node-dependent cytotoxic T cell priming in alloimmune responses. <i>European Journal of Immunology</i> , 2004, 34, 461-470.	2.9	51
17	Distinct and overlapping roles of CXCR5 and CCR7 in B-1 cell homing and early immunity against bacterial pathogens. <i>Journal of Leukocyte Biology</i> , 2004, 76, 709-718.	3.3	43
18	CAR T Cells with Enhanced Sensitivity to B Cell Maturation Antigen for the Targeting of B Cell Non-Hodgkin's Lymphoma and Multiple Myeloma. <i>Molecular Therapy</i> , 2018, 26, 1906-1920.	8.2	38

#	ARTICLE	IF	CITATIONS
19	Transcriptional repression of χ NFKBIA triggers constitutive IKK and proteasome-independent p65/RelA activation in senescence. <i>EMBO Journal</i> , 2021, 40, e104296.	7.8	34
20	Pharmacological interventions enhance virus-free generation of TRAC-replaced CAR T cells. <i>Molecular Therapy - Methods and Clinical Development</i> , 2022, 25, 311-330.	4.1	33
21	CCR7 regulates lymphocyte egress and recirculation through body cavities. <i>Journal of Leukocyte Biology</i> , 2009, 87, 671-682.	3.3	32
22	Splenic Marginal Zone Granulocytes Acquire an Accentuated Neutrophil B-Cell Helper Phenotype in Chronic Lymphocytic Leukemia. <i>Cancer Research</i> , 2016, 76, 5253-5265.	0.9	29
23	CXCR5 CAR-T cells simultaneously target B cell non-Hodgkin's lymphoma and tumor-supportive follicular T helper cells. <i>Nature Communications</i> , 2021, 12, 240.	12.8	28
24	Potent anti-tumor response by targeting B cell maturation antigen (BCMA) in a mouse model of multiple myeloma. <i>Molecular Oncology</i> , 2015, 9, 1348-1358.	4.6	27
25	Age-Related Gliosis Promotes Central Nervous System Lymphoma through CCL19-Mediated Tumor Cell Retention. <i>Cancer Cell</i> , 2019, 36, 250-267.e9.	16.8	25
26	Homeostatic chemokines guide lymphoma cells to tumor growth-promoting niches within secondary lymphoid organs. <i>Journal of Molecular Medicine</i> , 2012, 90, 1237-1245.	3.9	24
27	Dysregulated development of IL17 and IL21-expressing follicular helper T cells and increased germinal center formation in the absence of ROR γ t. <i>FASEB Journal</i> , 2016, 30, 761-774.	0.5	24
28	Manifestation of Spontaneous and Early Autoimmune Gastritis in CCR7-Deficient Mice. <i>American Journal of Pathology</i> , 2011, 179, 754-765.	3.8	20
29	FT576: A Novel Multiplexed Engineered Off-the-Shelf Natural Killer Cell Immunotherapy for the Dual-Targeting of CD38 and Bcma for the Treatment of Multiple Myeloma. <i>Blood</i> , 2019, 134, 3214-3214.	1.4	20
30	Identification of a chemokine receptor profile characteristic for mediastinal large B cell lymphoma. <i>International Journal of Cancer</i> , 2009, 125, 2367-2374.	5.1	19
31	FT576: Multi-Specific Off-the-Shelf CAR-NK Cell Therapy Engineered for Enhanced Persistence, Avoidance of Self-Fratricide and Optimized Mab Combination Therapy to Prevent Antigenic Escape and Elicit a Deep and Durable Response in Multiple Myeloma. <i>Blood</i> , 2020, 136, 4-5.	1.4	19
32	Angiogenesis in Lymph Nodes Is a Critical Regulator of Immune Response and Lymphoma Growth. <i>Frontiers in Immunology</i> , 2020, 11, 591741.	4.8	18
33	All Roads Lead to Rome. <i>Immunity</i> , 2004, 20, 244-246.	14.3	17
34	Dendritic cell-mediated survival signals in χ 4-Myc B-cell lymphoma depend on the transcription factor C/EBP β . <i>Nature Communications</i> , 2014, 5, 5057.	12.8	17
35	Deficiency in χ B μ in the intestinal epithelium leads to spontaneous inflammation and mediates apoptosis in the gut. <i>Journal of Pathology</i> , 2020, 251, 160-174.	4.5	14
36	Accelerating clinical-scale production of BCMA CAR T cells with defined maturation stages. <i>Molecular Therapy - Methods and Clinical Development</i> , 2022, 24, 181-198.	4.1	14

#	ARTICLE	IF	CITATIONS
37	Transition from an autoimmune-prone state to fatal autoimmune disease in CCR7 and ROR1 ^{3t} double-deficient mice is dependent on gut microbiota. <i>Journal of Autoimmunity</i> , 2013, 47, 58-72.	6.5	13
38	The transcription factor C/EBP1 ² orchestrates dendritic cell maturation and functionality under homeostatic and malignant conditions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 26328-26339.	7.1	13
39	Lymphoma Angiogenesis Is Orchestrated by Noncanonical Signaling Pathways. <i>Cancer Research</i> , 2020, 80, 1316-1329.	0.9	12
40	Lymphocyte access to lymphoma is impaired by high endothelial venule regression. <i>Cell Reports</i> , 2021, 37, 109878.	6.4	9
41	Targeting HDAC3 in CREBBP-Mutant Lymphomas Counterstrikes Unopposed Enhancer Deacetylation of B-cell Signaling and Immune Response Genes. <i>Cancer Discovery</i> , 2017, 7, 14-16.	9.4	7
42	The splenic marginal zone shapes the phenotype of leukemia B cells and facilitates their niche-specific retention and survival. <i>Onc Immunology</i> , 2017, 6, e1323155.	4.6	7
43	Comparison of FACS and PCR for Detection of BCMA-CAR-T Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 903.	4.1	7
44	<scp>CXCR4</scp> mediates leukemic cell migration and survival in the testicular microenvironment. <i>Journal of Pathology</i> , 2022, 258, 12-25.	4.5	7
45	CCR7-deficient mice develop atypically persistent germinal centers in response to thymus-independent type 2 antigens. <i>Journal of Leukocyte Biology</i> , 2009, 85, 409-417.	3.3	6
46	Dual Chimeric Antigen Receptor Approach Combining Novel Tumor Targeting Strategies Circumvents Antigen Escape in Multiple Myeloma. <i>Blood</i> , 2021, 138, 1718-1718.	1.4	5
47	B Cell Localization and Migration in Health and Disease. , 2015, , 187-214.		1
48	Generation of Redirected Engineered Human Chimeric Antigen Receptor (CAR) T Cells. <i>Methods in Molecular Biology</i> , 2022, , 67-83.	0.9	1