

# Jona Bortfeldt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2767310/publications.pdf>

Version: 2024-02-01

546  
papers

24,893  
citations

8755  
75  
h-index

19749  
117  
g-index

566  
all docs

566  
docs citations

566  
times ranked

10123  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
2	Muon reconstruction performance of the ATLAS detector in protonâ€“proton collision data at $\sqrt{s} = 13\text{ TeV}$ . European Physical Journal C, 2016, 76, 292.	3.9	453
3	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
4	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s}=8\text{ TeV}$ . European Physical Journal C, 2016, 76, 581.	3.9	298
5	Luminosity determination in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
6	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7\text{ TeV}$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
7	Jet energy measurement and its systematic uncertainty in protonâ€“proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
8	Combined measurements of Higgs boson production and decay using up to $80\text{ fb}^{-1}$ of proton-proton collision data at $\sqrt{s}=7\text{ TeV}$ and 8 TeV in the ATLAS experiment. Physical Review D, 2020, 101, 092001.	3.9	241
9	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
10	Measurement of the W-boson mass in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
11	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC protonâ€“proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
12	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC protonâ€“proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
13	Search for an additional, heavy Higgs boson in the ZZ H â†’ Z Z decay channel at $\sqrt{s} = 8\text{ TeV}$ in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
14	Search for high-mass dilepton resonances using 139 $\text{fb}^{-1}$ of pp collision data collected at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 796, 68-87.	4.1	196
15	Performance of missing transverse momentum reconstruction with the ATLAS detector using protonâ€“proton collisions at $\sqrt{s}=13\text{ TeV}$ . European Physical Journal C, 2018, 78, 903.	3.9	181
16	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
17	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
18	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172

#	ARTICLE	IF	CITATIONS
19	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
20	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at s = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
21	Measurement of the transverse momentum and $\phi^*_{\eta}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at s = 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
22	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at s = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
23	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
24	Precision measurement and interpretation of inclusive W <sup>+</sup> W <sup>-</sup> . European Physical Journal C, 2017, 77, 367.	3.9	145
25	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at the ATLAS Experiment. Physical Review Letters, 2018, 121, 211801.	1.45	145
26	Measurement of the t <sup>+</sup> t <sup>-</sup> production cross-section using e <sup>+</sup> e <sup>-</sup> events with b-tagged jets in pp collisions at s = 7 and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
27	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
28	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 2013, 1.	4.1	138
29	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
30	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
31	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	7.8	133
32	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at s = 13 TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
33	Measurement of the Z $\bar{Z}$ boson transverse momentum distribution in pp collisions at s = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
34	ATLAS b-jet identification performance and efficiency measurement with t <sup>+</sup> t <sup>-</sup> events in pp collisions at s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	130
35	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using s = 8 TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
36	Search for electroweak production of supersymmetric particles in final states with two or three leptons at s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125

#	ARTICLE	IF	CITATIONS
37	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P12006-P12006.	1.2	124
38	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	124
39	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 349.	3.9	123
40	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2465.	3.9	119
41	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
42	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
43	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
44	Measurements of Higgs boson properties in the diphoton decay channel with $\text{H} \rightarrow \gamma\gamma$ . <i>Physical Review D</i> , 2018, 98, 092003.	4.7	115
45			

#	ARTICLE	IF	CITATIONS
55	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
56	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
57	Measurements of the $W$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
58	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
59	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated ( $W/Z$ )H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
60	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
61	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
62	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
63	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
64	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
65	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
66	Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
67	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
68	Searches for electroweak production of supersymmetric particles with compressed mass spectra in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. Physical Review D, 2020, 101.	4.7	80
69	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
70	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
71	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
72	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78

#	ARTICLE	IF	CITATIONS
73	Light-quark and gluon jet discrimination in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
74	Search for dark matter in events with heavy quarks and missing transverse momentum in $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
75	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 1.	3.9	77
76	Angular analysis of $B_0 \rightarrow K^- \pi^+ \eta'$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
77	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
78	Measurement of quarkonium production in proton-proton and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
79	Observation of Light-by-Light Scattering in Ultraperipheral $\text{Pb} + \text{Pb}$ Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
80	Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
81	Measurement of the nuclear modification factor for inclusive jets in $\text{Pb} + \text{Pb}$ collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 108-128.	4.1	74
82	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
83	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
84	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
85	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
86	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
87	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
88	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
89	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
90	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 303.	3.9	70

#	ARTICLE	IF	CITATIONS
91	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
92	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $\text{H} \rightarrow \text{A}^+ \text{A}^-$ Decay Channel in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ . Physical Review Letters, 2018, 121, 191801.	7.8	70
93	Search for charged Higgs bosons decaying via $\text{H} \rightarrow \text{A}^\pm \text{A}^\mp$ in fully hadronic final states using $\text{pp}$ collision data at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
94	Measurement of flow harmonics with multi-particle cumulants in $\text{Pb+Pb}$ collisions at $s = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
95	ATLAS data quality operations and performance for 2015–2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68
96	Search for new resonances in mass distributions of jet pairs using $139 \text{ fb}^{-1}$ of $\text{pp}$ collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
97	Measurement of charged-particle spectra in $\text{Pb+Pb}$ collisions at $s = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
98	Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{ GeV}$ Higgs boson in $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
99	Search for long-lived charginos based on a disappearing-track signature in $\text{pp}$ collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
100	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\text{pp}$ collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
101	A search for $t\bar{t}$ and $t\bar{t} \rightarrow \text{H} \rightarrow \text{bb}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
102	A search for pair-produced resonances in four-jet final states at $s = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
103	Measurement of isolated-photon pair production in $\text{pp}$ collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
104	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a $Z$ boson in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
105	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
106	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $s = 8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2018, 97, 147.	4.7	64
107	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in $\text{pp}$ collisions at $s = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
108	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2018, 97, 1.	4.7	63

#	ARTICLE	IF	CITATIONS
109	Measurement of the Higgs boson mass in the $H \rightarrow ZZ \rightarrow 4\ell$ and $H \rightarrow \ell^+\ell^-$ channels with $\sqrt{s} = 7$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2013, 723, 13.	4.7	63
110	Cross-section measurements of the Higgs boson decaying into a pair of $\ell^+\ell^-$ leptons in proton-proton collisions at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2013, 723, 13.	4.7	63
111	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
112	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	3.9	62
113	Study of the rare decays of $B_0$ s and $B_0$ mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, .	4.7	62
114	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	1.2	62
115	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{\chi}^0_1$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
116	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
117	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton- $\pi$ collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
118	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s} = 5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
119	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
120	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
121	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
122	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e^+e^- \rightarrow b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
123	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton- $\text{Pb}$ lead collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
124	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
125	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
126	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59



#	ARTICLE	IF	CITATIONS
145	Implementation of searches for Higgs boson pairs in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	53
146	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
147	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
148	Search for lepton-flavour-violating $H \rightarrow t\bar{t}\ell\bar{\ell}$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
149	Measurement of the top quark mass in the $t\bar{t} \rightarrow \text{lepton+jets}$ and $t\bar{t} \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7\text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
150	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
151	Search for minimal supersymmetric standard model Higgs Bosons $H \rightarrow \text{AA}$ and for a $Z^{\prime}$ boson in the $t\bar{t} \rightarrow \ell\bar{\ell}$ final state produced in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
152	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
153	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{ TeV}$ . European Physical Journal C, 2017, 77, 379.	3.9	51
154	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	51
155	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02\text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
156	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
157	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
158	Search for High-Mass Resonances Decaying to $\ell\ell\ell\ell$ . European Physical Journal C, 2018, 78, 997.	7.8	50
159	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36\text{ fb}^{-1}$ pp collisions at $\sqrt{s} = 13\text{ TeV}$ . European Physical Journal C, 2018, 78, 401.	3.9	50
160	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
161	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
162	Search for the standard model Higgs boson produced in association with top quarks and decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s} = 13\text{ TeV}$ . European Physical Journal C, 2018, 78, 401.	4.7	49

#	ARTICLE	IF	CITATIONS
163	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	49
164	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	48
165	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}\sim 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134.	3.9	48
166	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658.	3.9	48
167	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	48
168	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	47
169	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47
170	Measurement of the top quark mass in the $t\bar{t}$ decay channel. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	47
171	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195.	3.9	46
172	Study of the rare decays of $B^0 \rightarrow B^- \nu \bar{\nu}$ and $B^0 \rightarrow B^- \mu^+ \mu^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 513. Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 513.	3.9	46
173	Measurement of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2018, 97, 054905.	4.1	46
174	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	46
175	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1. Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	46
176	Measurement of differential production cross-sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters B</i> , 2019, 789, 508-529. Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2013, 73, 1.	4.1	46
177	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2328.	3.9	45
178	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
179	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
180	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45

#	ARTICLE	IF	CITATIONS
181	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
182	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
183	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
184	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $a_1^0$ , "bb" final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 783, 392-414.	4.7	45
185	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	44
186	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	43
187	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 442.	3.9	43
188	Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	3.9	43
189	Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ \rightarrow 4\ell$ and $ZZ \rightarrow 2\ell 2\nu$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244. Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	43
190	Measurements of differential cross sections in the $t\bar{t} \rightarrow ZZ \rightarrow 2\ell 2\nu$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 100, 1.	4.7	43
191	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
192	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
193	Two-particle Bose-Einstein correlations in pp collisions at $s = 0.9$ and $7 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 466.	3.9	42
194	Combined measurement of differential and total cross sections in the $t\bar{t} \rightarrow ZZ \rightarrow 2\ell 2\nu$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 114-133.	4.7	41
195	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
196	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	41
197	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 23.	3.9	41
198	Measurement of the t t-bar Z and t t-bar W production cross sections in multilepton final states using 3.2 fb^-1 of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40.	3.9	41

#	ARTICLE	IF	CITATIONS
199	Search for the production of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in $\text{Pb} + \text{Pb}$ collisions at $\sqrt{s} = 200 \text{ GeV}$ with the ATLAS detector. <i>Nature Physics</i> , 2013, 9, 78.	7.8	41
200	Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2013, 88, 1.	4.7	41
201	Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2013, 88, 1.	7.8	41
202	Measurement of $W^{\pm}$ production cross sections and gauge boson polarisation in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	41
203	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
204	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3117.	3.9	40
205	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
206	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
207	Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow \tau^+ \tau^-$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4.	3.9	40
208	Search for heavy resonances decaying into a $W$ or $Z$ boson and a Higgs boson in final states with leptons and $b$ -jets in $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ $\text{pp}$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
209	Measurements of $b$ -jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
210	Search for flavour-changing neutral current top-quark decays to $\varphi Z$ in $\text{pp}$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
211	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $\text{pp}$ collision data at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39
212	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using $\text{pp}$ collision data at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physical Review D</i> , 2018, 98, 1.	4.7	39
213	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 202007.	4.7	39
214	Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in $\text{pp}$ collisions with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2019, 79, 134942.	4.1	39
215	Search for heavy Majorana or Dirac neutrinos and right-handed $W$ gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	39
216	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three $b$ -jets at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38

#	ARTICLE	IF	CITATIONS
217	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
218	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
219	Measurement of the exclusive $t\bar{t} + t\bar{t} + b\bar{b}$ process in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 777, 323-333.	3.8	38
220	Search for Higgs boson pair production in the upgamma upgamma boverline{b} final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. <i>Observation of electroweak W/A<sub>Z</sub> boson pair production in association with two jets in pp collisions at <math>\sqrt{s} = 13 \text{ TeV}</math> with the ATLAS detector</i> . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 793, 469-492.	4.7	38
221	Search for bottom squark pair production in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	4.1	38
223	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	3.9	37
224	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
225	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
226	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
227	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
228	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36
229	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
230	Measurement of flow harmonics correlations with mean transverse momentum in lead+lead and proton+lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
231	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
232	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
233	Measurement of the production cross section of prompt J/ $\psi$ mesons in association with a W $\pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
234	Search for $W' \rightarrow tb \rightarrow q\bar{q}bb$ W $\pm$ t b $\pm$ q q b b decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35

#	ARTICLE	IF	CITATIONS
235	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
236	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
237	Search for diboson resonances with boson-tagged jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 777, 91-113.	3.9	35
238	Search for long-lived particles produced in pp collisions at $s = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , 2019, 99, .	4.7	35
239	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.	3.9	34
240	Measurements of top-quark pair differential and double-differential cross-sections in the $e\bar{e} + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
241	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34
242	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2676.	3.9	33
243	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
244	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
245	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
246	Measurements of $\tilde{\chi}_1^0$ and $X(3872)$ $\rightarrow J/\psi + \ell^\pm \ell^\mp$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
247	Measurement of the Soft-Drop Jet Mass in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 092001.	7.8	33
248	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	33
249	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 780, 104-119.	4.7	33
250	Search for direct stau production in events with two hadronic $\tau$ -leptons in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2020, 101, 1.	4.7	33
251	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
252	Measurement of $c_1$ and $c_2$ production with $\sqrt{s} = 7 \text{ TeV}$ pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	32

#	ARTICLE	IF	CITATIONS
253	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 371.	3.9	32
254	<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\text{Search for pair and single production of vectorlike quarks in final states with at least one boson decaying into a pair of electrons or muons in collision data collected with the ATLAS detector at } \sqrt{s} = 13 \text{ TeV.}	4.7	32
255	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2020, 80, 1.	3.9	32
256	Measurement of the differential cross-section of $B +$ meson production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
257	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
258	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
259	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
260	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 $\text{fb}^{-1}$ of $\sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
261	Search for $WW/WZ$ resonance production in $\ell\ell qq$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
262	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
263	<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><math>\text{Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at } \sqrt{s} = 13 \text{ TeV.}	4.1	31
264	<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.svg" linebreak="goodbreak" linebreakstyle="after"><math>\text{Search for the Higgs boson decays } H \rightarrow \tau\tau \text{ and } H \rightarrow \ell\ell \text{ in pp collisions at } \sqrt{s} = 13 \text{ TeV.}	4.1	31
265	<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.svg" linebreak="goodbreak" linebreakstyle="after"><math>\text{Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at } \sqrt{s}=8 \text{ TeV with the ATLAS detector.}	3.9	30
266	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
267	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
268	Charged-particle distributions in pp interactions at $\sqrt{s}=8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
269	Searches for the $Z\tilde{\chi}_1^0$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
270	Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s}=13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 646.	3.9	30

#	ARTICLE	IF	CITATIONS
271	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
272	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
273	Searches for lepton-flavour-violating decays of the Higgs boson in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 800, 135069.	4.1	30
274	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
275	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
276	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
277	Search for heavy vector-like quarks decaying into hadronic final states in $\sqrt{s}=13$ TeV pp collisions at the ATLAS detector. <i>Physical Review D</i> , 2018, 98, 033009.	4.7	29
278	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $t\bar{t}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
279	Measurement of the azimuthal anisotropy of charged-particle production in $\sqrt{s}=13$ TeV pp collisions at the ATLAS detector. <i>Physical Review C</i> , 2020, 101, 054905.	2.9	29
280	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
281	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	28
282	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . <i>European Physical Journal C</i> , 2017, 77, 804.	3.9	28
283	Measurement of WW/WZ ightarrow ell u q q' production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
284	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
285	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	28
286	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
287	Measurement of the $t\bar{t}$ cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	4.7	28
288	In situ calibration of large-radius jet energy and mass in $13$ TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28

#	ARTICLE	IF	CITATIONS
289	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 167-190.	4.1	28
290	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
291	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
292	Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2020, 101, 1.	4.7	28
293	Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	7.8	28
294	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
295	Measurement of the WW + WZ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
296	Measurements of top-quark pair differential cross-sections in the $e\bar{e}$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
297	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
298	Towards a novel small animal proton irradiation platform: the SIRMIO project. Acta Oncologica, 2019, 58, 1470-1475.	1.8	27
299	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
300	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
301	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
302	Searches for exclusive Higgs and Z boson decays into $J/\psi$ , $(2S)$ , and $(nS)$ at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.	4.7	26
303	Search for Higgs boson pair production in the $b\bar{b}$ decay mode at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.	4.7	26
304	Search for Higgs boson pair production in the $b\bar{b}$ decay mode at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	26
305	Search for Higgs boson decays into a pair of light bosons in the $b\bar{b}\rightarrow 4l$ final state in pp collision at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 1-12.	4.7	26
306	Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in dilepton events from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	26

#	ARTICLE	IF	CITATIONS
307	Measurement of the low-mass Drell-Yan differential cross section at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25
308	Determination of the top-quark pole mass using $t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in $7 \text{ TeV}$ pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
309	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
310	Search for triboson $W^{\pm}W^{\pm}W^{\pm}$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 141.	3.9	25
311	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
312	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 789, 444-471.	4.1	25
313	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
314	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in $13 \text{ TeV}$ Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 031802.	7.8	25
315	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at $13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
316	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\var{sqrt}{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
317	Measurement of jet fragmentation in Pb+Pb and collisions at $\var{sqrt}{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2018, 98, 014908.	2.9	24
318	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\var{sqrt}{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
319	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\var{sqrt}{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
320	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
321	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3168.	3.9	23
322	Measurement of the underlying event in jet events from $7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
323	A search for high-mass resonances decaying to $\tilde{l}, \tilde{l}, \tilde{\nu}$ in pp collisions at $\var{sqrt}{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	23
324	Measurement of three-jet production cross-sections in pp collisions at $7 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228.	3.9	23

#	ARTICLE	IF	CITATIONS
325	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
326	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
327	Comparison of Fragmentation Functions for Jets Generated by Light Quarks and Gluons from Collisions in the ATLAS Experiment. Physics Review Letters, 2001, 87, 092001.	7.8	23
328	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead+lead collisions at $\sqrt{s_{NN}} = 2.76$ s NN = 2.76 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
329	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
330	Measurement of the $t\bar{t}\rightarrow W\bar{W}$ and $t\bar{t}\rightarrow Z\bar{Z}$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
331	Study of $(W/Z)H$ production and Higgs boson couplings using $H\rightarrow WW^*$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
332	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
333	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 701, 57-75.	4.7	22
334	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton+proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	22
335	Measurements of top-quark pair spin correlations in the $t\bar{t} \rightarrow b\bar{b}$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	4.1	22
336	Search for heavy neutral Higgs bosons produced in association with $b\bar{b}$ -quarks and decaying into $b\bar{b}$ -quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 701, 57-75.	4.7	22
337	Test of CP invariance in vector-boson fusion production of the Higgs boson in the $H\rightarrow\tau^+\tau^-$ channel in proton+proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 805, 135426.	3.9	22
338	Measurement of the production cross-section of $\chi(2S)\rightarrow J/\psi(\rightarrow l^+l^- + l^+l^-)$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.1	22
339	Determination of spin and parity of the Higgs boson in the $WW^*$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
340	Determination of spin and parity of the Higgs boson in the $WW^*$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	4.1	21
341	Determination of spin and parity of the Higgs boson in the $WW^*$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	4.1	21
342	Determination of spin and parity of the Higgs boson in the $WW^*$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21

#	ARTICLE	IF	CITATIONS
343	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
344	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
345	Search for supersymmetry in events with four or more leptons in $s=13$ TeV pp collisions with ATLAS. Physical Review D, 2018, 98, .	4.7	21
346	Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the $\ell^+\ell^-jj$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 782, 750-767.	4.7	21
347	Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector. Nuclear Physics A, 2018, 978, 65-106.	1.5	21
348	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 100, .	4.7	21
349	Search for Higgs boson pair production in the $WW(*)WW(*)$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
350	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	3.9	21
351	Measurement of soft-drop jet observables in $\sqrt{s} = 13$ TeV collisions with the ATLAS detector at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 101.	4.7	21
352	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
353	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
354	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
355	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
356	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
357	Search for pair production of Higgsinos in final states with at least three jets in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 98, .	4.7	20
358	Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	20
359	Search for $W\rightarrow\tau^+\tau^-$ decays in the hadronic final state using pp collisions at $s = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.	4.1	20
360	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
361	Search for long-lived particles in final states with displaced dimuon vertices in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 96-116.	4.7	20
362	Search for heavy charged long-lived particles in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 96-116.	4.1	20
363	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
364	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
365	Measurement of k T splitting scales in $W\rightarrow t\bar{t}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
366	Search for flavour-changing neutral current top quark decays $t \rightarrow b H$ in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
367	A Compton camera prototype for prompt gamma medical imaging. EPJ Web of Conferences, 2016, 117, 05005.	0.3	19
368	Addendum to "Measurement of the $t\bar{t}$ production cross-section using events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	3.9	19
369	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
370	Probing lepton flavour violation via neutrinoless $\nu \rightarrow 3\nu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
371	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
372	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19
373	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
374	Search for top-quark decays $t \rightarrow b H$ with $36 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
375	Search for squarks and gluinos in final states with same-sign leptons and jets using $139 \text{ fb}^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
376	Search for top quark decays $t \rightarrow b H$ , with $H \rightarrow \ell^+\ell^-$ , in $s = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
377	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 787, 68-88.	4.1	18

#	ARTICLE	IF	CITATIONS
379	Measurement of resonances in the mass distribution of jet pairs with one or two jets identified as $b$ -jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 98.	4.7	18
380	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	18
381	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	17
382	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7\text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
383	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7\text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
384	Identification of high transverse momentum top quarks in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
385	Probing the $Wtb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
386	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
387	Measurement of the cross-section for producing a $W$ boson in association with a single top quark in pp collisions at $s = 13\text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
388	Direct top-quark decay width measurement in the $t\bar{t}\ell^+\ell^-$ lepton+jets channel at $\sqrt{s}=8\text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
389	Search for flavor-changing neutral currents in top quark decays $t\rightarrow H^+H^-$ and $t\rightarrow H^0H^0$ in multilepton final states in proton-proton collisions at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2018, 98, .	4.7	17
390	Search for flavour-changing neutral current top-quark decays $t\rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
391	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in $p\bar{p}$ collisions at $\sqrt{s}=13\text{ TeV}$ using the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 795, 134559.	4.1	17
392	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
393	Measurements of $W$ and $Z$ boson production in pp collisions at $\sqrt{s}=5.02\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
394	Measurement of $W^{\pm}W^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. <small>Measurement of azimuthal anisotropy of photons from charm and bottom hadrons in Pb+Pb collisions at <math>\sqrt{s_{NN}} = 5.02\text{ TeV}</math> with the ATLAS detector.</small>	3.9	17
395	Measurement of azimuthal anisotropy of photons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 795, 134560.	4.1	17
396	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
397	Search for the $HH \rightarrow b\bar{b} b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
398	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $\text{t}\bar{\text{t}}$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 082301.	7.8	17
399	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
400	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
401	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow t\bar{t}$ decay channel at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
402	Measurement of colour flow using jet-pull observables in $t\bar{t} \rightarrow t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16
403	Probing the Quantum Interference between Single and Doubly Resonant Top-Quark Production in $t\bar{t}$ Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	7.8	16
404	Search for exclusive Higgs and Z boson decays to $\ell^+\ell^-$ and $\nu\bar{\nu}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
405	Measurement of differential cross sections and $W^+/W^{\prime -}$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
406	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 595-614.	4.7	16
407	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
408	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	15
409	Measurement of event-shape observables in $Z \rightarrow ee$ and $Z \rightarrow \mu\mu$ events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
410	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^-/\tau^+\tau^-$ with the ATLAS detector at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
411	Search for strong gravity in multijet final states produced in pp collisions at $s = 13$ TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
412	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
413	Search for scalar resonances decaying into $\tau^+\tau^-/\ell^+\ell^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
414	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in $\text{t}\bar{\text{t}}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019, 100, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
415	Determination of jet calibration and energy resolution in proton- $\bar{\text{p}}\text{t}$ proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
416	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
417	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
418	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
419	Studies of $Z^{\prime 3}$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
420	Measurement of the cross section for isolated-photon plus jet production in pp collisions at 13 TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 780, 578-602.	4.7	14
421	Measurements of VH, $H\rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
422	Measurements of inclusive and differential fiducial cross-sections of $\gamma\gamma$ production in leptonic final states at $\sqrt{s}=13$ TeV in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
423	Dijet azimuthal correlations and conditional yields in $\gamma\gamma$ collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 801, 135114.	4.7	14
424	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
425	Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 801, 135114.	4.7	14
426	Timing performance of a Micro-Channel-Plate Photomultiplier Tube. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020, 960, 163592.	4.1	14
427	Optimization and performance study of a proton CT system for pre-clinical small animal imaging. <i>Physics in Medicine and Biology</i> , 2020, 65, 155008.	3.0	14
428	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
429	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
430	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
431	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13

#	ARTICLE	IF	CITATIONS
433	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7\text{TeV}$ $p\bar{p}$ collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
434	Measurement of the CP-violating phase $\Gamma_s$ and the $B_s^0 \rightarrow J/\psi \pi^+$ decay width difference with $B_s^0 \rightarrow J/\psi \pi^+$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
435	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
436	Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
437	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13\text{TeV}$ , 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
438	Search for new phenomena in high-mass final states with a photon and a jet from $p\bar{p}$ collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2018, 78, 102.	3.9	13
439	Measurement of the production cross section of three isolated photons in $p\bar{p}$ collisions at $\sqrt{s} = 13\text{TeV}$ . Search for heavy resonances decaying to a photon and a hadronically decaying $\tau$ neutrino. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 115-125.	4.7	13
440	Search for new phenomena in high-mass final states with a photon and a jet from $p\bar{p}$ collisions at $\sqrt{s} = 13\text{TeV}$ . Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13\text{TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 115-125.	4.7	13
441	Search for new phenomena in high-mass final states with a photon and a jet from $p\bar{p}$ collisions at $\sqrt{s} = 13\text{TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 115-125.	4.1	13
442	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
443	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20\text{fb}^{-1}$ of $\sqrt{s} = 8\text{TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	13
444	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20\text{fb}^{-1}$ of $\sqrt{s} = 8\text{TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	13
445	Search for non-resonant $t\bar{t}gg$ production in the $t\bar{t}aa$ , $t\bar{t}2a$ , $t\bar{t}2$ final state with the ATLAS detector in $p\bar{p}$ collisions at $\sqrt{s} = 13\text{TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 801, 135145.	4.1	13
446	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20\text{fb}^{-1}$ of $\sqrt{s} = 8\text{TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
447	Measurement of the $b\bar{b}$ dijet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
448	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ $p\bar{p}$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
449	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13\text{TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
450	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in $p\bar{p}$ collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 295-317.	4.7	12

#	ARTICLE	IF	CITATIONS
451	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2018, 98, 1.	2.9	12
452	Search for R-parity-violating top squarks in $s = 13 \text{ TeV}$ pp collisions with the ATLAS experiment. <i>Physical Review D</i> , 2018, 97, 1.	4.7	12
453	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	12
454	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13 \text{ TeV}$ . <i>Physical Review Letters</i> , 2019, 122, 151801.	7.8	12
455	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
456	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s_{\text{NN}}} = 8.16 \text{ TeV}$ p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
457	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11
458	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
459	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
460	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
461	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
462	Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 1.	4.7	11
463	and $\sqrt{s} = 13 \text{ TeV}$ measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 800, 1.	2.9	11
464	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	11
465	measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 800, 1.	4.1	11
466	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	10
467	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
468	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10

#	ARTICLE	IF	CITATIONS
469	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	10
470	Measurement of the inclusive and fiducial $t\bar{t}\gamma$ production cross-sections in the European Physical Journal C, 2018, 78, 487.	3.9	10
471	$\text{Search for top quark decays to two jets in proton-proton collisions at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector.}$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 798, 134913.	4.1	10
472	Evidence for the production of three massive vector bosons with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 798, 134913.	4.1	10
473	Search for pairs of highly collimated photon-jets in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019, 99, .	4.7	10
474	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 $\text{fb}^{-1}$ of pp collisions at $s = 13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 800, 135082.	4.1	10
475	Measurement of $J/\psi$ production in association with a $W^\pm$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10
476	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
477	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
478	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
479	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ $\rightarrow \ell^+\ell^-\ell^+\ell^-$ and ZZ $\rightarrow \ell^+\ell^-\ell^+\ell^-$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
480	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
481	$\text{Search for top quarks decaying to tau leptons in proton-proton collisions at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector.}$ <i>Properties of jet fragmentation using charged particles measured with the ATLAS detector in proton-proton collisions at } \sqrt{s} = 13 \text{ TeV}</i> . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
482	$\text{Search for top quarks decaying to tau leptons in proton-proton collisions at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector.}$ <i>Properties of jet fragmentation using charged particles measured with the ATLAS detector in proton-proton collisions at } \sqrt{s} = 13 \text{ TeV}</i> . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
483	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 788, 347-370.	4.1	9
484	Combinations of single-top-quark production cross-section measurements and $ f_{WWtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
485	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
486	Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9

#	ARTICLE	IF	CITATIONS
487	Measurement of the $Z(\bar{\ell}^+ \ell^-, \bar{\nu}^+ \nu^-) \bar{b}^3$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
488	Evidence for electroweak production of two jets in association with a $Z\bar{b}^3$ pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 2016, 1.	4.1	9
489	Measurement of the relative width difference of the $B_0 \rightarrow B \bar{B}$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
490	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
491	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
492	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
493	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\bar{\ell}^+ q\bar{q}bb$ final state with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 779, 24-45.	4.1	8
494	Measurement of dijet azimuthal decorrelations in $\langle \text{mml:math} \rangle$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and determination of the strong coupling. <i>Physical Review D</i> , 2018, 98.	4.7	8
495	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
496	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
497	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
498	Reconstruction and identification of boosted di- $\tilde{\ell}_R$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
499	Search for lepton-flavor-violating decays of the $\langle \text{mml:math} \rangle$ boson into a $\langle \text{mml:math} \rangle$ lepton and a light lepton with the ATLAS detector. <i>Physical Review D</i> , 2018, 98.	4.7	7
500	Measurement of $\text{au} \rightarrow \tilde{\ell}_R$ polarisation in $Z/\gamma \rightarrow \text{au au}$ . <i>European Physical Journal C</i> , 2018, 78, 163.	3.9	7
501	Combination of inclusive and differential $\text{charge asymmetry}$ measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	7
502	Modelling radiation damage to pixel sensors in the ATLAS detector. <i>Journal of Instrumentation</i> , 2019, 14, P06012-P06012.	1.2	7
503	Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2. <i>Journal of Instrumentation</i> , 2019, 14, P09011-P09011.	1.2	7
504	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7

#	ARTICLE	IF	CITATIONS
505	as of <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>g</mml:mi><mml:mo stretchy="false">â†’</mml:mo><mml:mi>b</mml:mi><mml:mo accent="true">b</mml:mi><mml:mo stretchy="false">Â¬</mml:mo></mml:mover></mml:math> at small opening angles in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block"><mml:math>p_{\text{t}}</mml:math><mml:math>p_{\text{t}}</mml:math></mml:math> collisions with the ATLAS detector.	4.7	6
506	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
507	Measurement of ZZ production in the $\pi^{\pm}\pi^{\pm}$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
508	Construction techniques and performances of a full-size prototype Micromegas chamber for the ATLAS muon spectrometer upgrade. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 955, 162086.	1.6	6
509	Timing performance of a multi-pad PICOSEC-Micromegas detector prototype. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2021, 993, 165076.	1.6	6
510	The Floating Strip Micromegas Detector. Springer Theses, 2015, .	0.1	5
511	Single photoelectron time resolution studies of the PICOSEC-Micromegas detector. Journal of Instrumentation, 2020, 15, C04053-C04053.	1.2	5
512	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	3.9	5
513	X-ray imaging with gaseous detectors using the VMM3a and the SRS. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2021, 1011, 165576.	1.6	5
514	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb $^{-1}$ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
515	High-resolution Micromegas telescope for pion- and muon-tracking. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 718, 406-408.	1.6	4
516	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
517	Measurement of jet activity in top quark events using the $e\bar{e}$ final state with two b-tagged jets in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
518	Low material budget floating strip Micromegas for ion transmission radiography. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 845, 210-214.	1.6	4
519	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \approx 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4
520	Progress on the PICOSEC-Micromegas Detector Development: Towards a precise timing, radiation hard, large-scale particle detector with segmented readout. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 958, 162877.	1.6	4
521	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
522	Modeling the timing characteristics of the PICOSEC Micromegas detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2021, 993, 165049.	1.6	4

#	ARTICLE	IF	CITATIONS
523	Measurement of $K^-_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	4
524	Measurement of the $k_t$ splitting scales in $Z \rightarrow e^+e^-$ events in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
525	Improving the modelling of susceptibility-induced spatial distortions in MRI-guided extra-cranial radiotherapy. Physics in Medicine and Biology, 2019, 64, 205006.	3.0	3
526	Measurement of distributions sensitive to the underlying event in inclusive $Z$ boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
527	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
528	Measurement of single top-quark production in association with a $W$ boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
529	Development of a High-Resolution Muon Tracking System Based on Micropattern Detectors. IEEE Transactions on Nuclear Science, 2012, 59, 1252-1258.	2.0	2
530	High-Rate Capable Floating Strip Micromegas. Nuclear and Particle Physics Proceedings, 2016, 273-275, 1173-1179.	0.5	2
531	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
532	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\langle E \rangle_{beam} = 4$ TeV. Journal of Instrumentation, 2018, 13, P12006-P12006.	1.2	2
533	PICOSEC-Micromegas: Robustness measurements and study of different photocathode materials. Journal of Physics: Conference Series, 2019, 1312, 012012.	0.4	2
534	Precise charged particle timing with the PICOSEC detector. AIP Conference Proceedings, 2019, , .	0.4	2
535	Charged particle timing at sub-25 picosecond precision: The PICOSEC detection concept. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 936, 515-518.	1.6	2
536	Recent Developments on Precise Timing with the PICOSEC Micromegas Detector. Journal of Physics: Conference Series, 2020, 1498, 012014.	0.4	2
537	Optimization of the backing material of a low frequency PVDF detector for ion beam monitoring during small animal proton irradiation. , 2021, , .	2	
538	Functional Principle of Micromegas. Springer Theses, 2015, , 19-39.	0.1	1
539	Characterization of Micromegas with elongated pillars. Journal of Instrumentation, 2017, 12, C02076-C02076.	1.2	1
540	ATLAS Collaboration. Nuclear Physics A, 2019, 982, 985-1009.	1.5	1

#	ARTICLE	IF	CITATIONS
541	Integration of spatial distortion effects in a 4D computational phantom for simulation studies in extra-cranial MRI-guided radiation therapy: Initial results. <i>Medical Physics</i> , 2021, 48, 1646-1660.	3.0	1
542	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
543	Proton Radiography for a Small-Animal Irradiation Platform Based on a Miniaturized Timepix Detector. , 2020, , .		1
544	Development of high-resolution muon tracking systems based on micropattern detectors. , 2011, , .		0
545	Construction and Test of Full-Size Micromegas Modules for the ATLAS New Small Wheel Upgrade. <i>EPJ Web of Conferences</i> , 2018, 174, 01003.	0.3	0
546	Floating Strip Micromegas Characterization Measurements. <i>Springer Theses</i> , 2015, , 103-160.	0.1	0