

Jenefer Blackwell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2770478/publications.pdf>

Version: 2024-02-01

213
papers

18,118
citations

18436

62
h-index

15218

126
g-index

219
all docs

219
docs citations

219
times ranked

21655
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. <i>Nature</i> , 2011, 476, 214-219.	13.7	2,400
2	The Genome of the Kinetoplastid Parasite, <i>Leishmania major</i> . <i>Science</i> , 2005, 309, 436-442.	6.0	1,237
3	A genome-wide association study identifies new psoriasis susceptibility loci and an interaction between HLA-C and ERAP1. <i>Nature Genetics</i> , 2010, 42, 985-990.	9.4	918
4	Interaction between ERAP1 and HLA-B27 in ankylosing spondylitis implicates peptide handling in the mechanism for HLA-B27 in disease susceptibility. <i>Nature Genetics</i> , 2011, 43, 761-767.	9.4	778
5	Genome-wide association study of ulcerative colitis identifies three new susceptibility loci, including the HNF4A region. <i>Nature Genetics</i> , 2009, 41, 1330-1334.	9.4	483
6	Polymorphism in tumor necrosis factor genes associated with mucocutaneous leishmaniasis. <i>Journal of Experimental Medicine</i> , 1995, 182, 1259-1264.	4.2	449
7	Common variants near ATM are associated with glycemic response to metformin in type 2 diabetes. <i>Nature Genetics</i> , 2011, 43, 117-120.	9.4	390
8	Genome-wide association study identifies a variant in HDAC9 associated with large vessel ischemic stroke. <i>Nature Genetics</i> , 2012, 44, 328-333.	9.4	375
9	Macrophage complement and lectin-like receptors bind <i>Leishmania</i> in the absence of serum. <i>Journal of Experimental Medicine</i> , 1985, 162, 324-331.	4.2	309
10	HLA and Infectious Diseases. <i>Clinical Microbiology Reviews</i> , 2009, 22, 370-385.	5.7	305
11	BCG-induced increase in interferon-gamma response to mycobacterial antigens and efficacy of BCG vaccination in Malawi and the UK: two randomised controlled studies. <i>Lancet</i> , The, 2002, 359, 1393-1401.	6.3	279
12	SLC11A1 (formerly NRAMP1) and disease resistance. Microreview. <i>Cellular Microbiology</i> , 2001, 3, 773-784.	1.1	231
13	Influence of H2 complex on acquired resistance to <i>Leishmania donovani</i> infection in mice. <i>Nature</i> , 1980, 283, 72-74.	13.7	195
14	Genetic susceptibility to infectious diseases: big is beautiful, but will bigger be even better?. <i>Lancet Infectious Diseases</i> , The, 2006, 6, 653-663.	4.6	195
15	Developmental changes in the glycosylated phosphatidylinositols of <i>Leishmania donovani</i> . Characterization of the promastigote and amastigote glycolipids. <i>Journal of Biological Chemistry</i> , 1991, 266, 15170-9.	1.6	188
16	Differential production of Th1- and Th2-derived cytokines does not determine the genetically controlled or vaccine-induced rate of cure in murine visceral leishmaniasis. <i>Journal of Immunology</i> , 1991, 146, 2763-70.	0.4	184
17	Macrophage activation: lipoarabinomannan from avirulent and virulent strains of <i>Mycobacterium tuberculosis</i> differentially induces the early genes c-fos, KC, JE, and tumor necrosis factor-alpha. <i>Journal of Immunology</i> , 1993, 150, 1886-96.	0.4	163
18	Common variants at the MHC locus and at chromosome 16q24.1 predispose to Barrett's esophagus. <i>Nature Genetics</i> , 2012, 44, 1131-1136.	9.4	162

#	ARTICLE	IF	CITATIONS
19	Are the Lsh and lty disease resistance genes at one locus on mouse chromosome 1?. <i>Nature</i> , 1982, 297, 510-511.	13.7	161
20	Expression of the natural resistance gene Lsh in resident liver macrophages. <i>Infection and Immunity</i> , 1984, 43, 1033-1040.	1.0	145
21	A study of the differential respiratory burst activity elicited by promastigotes and amastigotes of <i>Leishmania donovani</i> in murine resident peritoneal macrophages. <i>Immunology</i> , 1984, 53, 345-55.	2.0	144
22	Evidence for a functional repeat polymorphism in the promoter of the human NRAMP1 gene that correlates with autoimmune versus infectious disease susceptibility. <i>Journal of Medical Genetics</i> , 1999, 36, 295-9.	1.5	144
23	IL-10 from Regulatory T Cells Determines Vaccine Efficacy in Murine <i>Leishmania major</i> . <i>Infection. Journal of Immunology</i> , 2005, 175, 2517-2524.	0.4	143
24	Role of inorganic nitrogen oxides and tumor necrosis factor alpha in killing <i>Leishmania donovani</i> amastigotes in gamma interferon-lipopolysaccharide-activated macrophages from Lshs and Lshr congenic mouse strains. <i>Infection and Immunity</i> , 1991, 59, 3935-3944.	1.0	140
25	IL-13 Is a Susceptibility Factor for <i>Leishmania major</i> . <i>Infection. Journal of Immunology</i> , 2000, 164, 1458-1462.	0.4	138
26	Evidence for a cluster of genes on chromosome 17q11-q21 controlling susceptibility to tuberculosis and leprosy in Brazilians. <i>Genes and Immunity</i> , 2004, 5, 46-57.	2.2	135
27	Immunostimulatory DNA as an Adjuvant in Vaccination against <i>Leishmania major</i> . <i>Infection and Immunity</i> , 1999, 67, 3719-3726.	1.0	134
28	Divalent cation transport and susceptibility to infectious and autoimmune disease: continuation of the lty/Lsh/Bcg/Nramp1/Slc11a1 gene story. <i>Immunology Letters</i> , 2003, 85, 197-203.	1.1	132
29	Genetic susceptibility to leishmanial infections: studies in mice and man. <i>Parasitology</i> , 1996, 112, S67-S74.	0.7	129
30	Evidence that genetic susceptibility to <i>Mycobacterium tuberculosis</i> in a Brazilian population is under oligogenic control: Linkage study of the candidate genes NRAMP1 and TBFA. <i>Tubercle and Lung Disease</i> , 1997, 78, 35-45.	2.1	128
31	Understanding the multiple functions of Nramp1. <i>Microbes and Infection</i> , 2000, 2, 317-321.	1.0	128
32	P2X7 Receptor-Mediated Killing of an Intracellular Parasite, <i>Toxoplasma gondii</i> , by Human and Murine Macrophages. <i>Journal of Immunology</i> , 2010, 184, 7040-7046.	0.4	124
33	Comparison of Methods to Account for Relatedness in Genome-Wide Association Studies with Family-Based Data. <i>PLoS Genetics</i> , 2014, 10, e1004445.	1.5	122
34	Atopy in children in relation to BCG vaccination and genetic polymorphisms at SLC11A1 (formerly) Tj ETQq0 0 0 rgBT ₁ /Overlock ₁₀ Tf 50	2.2	111
35	The molecular karyotype of the megabase chromosomes of <i>Trypanosoma brucei</i> and the assignment of chromosome markers. <i>Molecular and Biochemical Parasitology</i> , 1998, 94, 155-173.	0.5	109
36	Identification and characterisation of a functional peroxidoxin from <i>Leishmania major</i> 1Note: Nucleotide sequence data reported in this paper are available in the EMBL, GenBank, and DDJB databases under the accession number AF069386.1. <i>Molecular and Biochemical Parasitology</i> , 1998, 96, 125-137.	0.5	105

#	ARTICLE	IF	CITATIONS
37	NH2-terminal sequence of macrophage-expressed natural resistance-associated macrophage protein (Nramp) encodes a proline/serine-rich putative Src homology 3-binding domain.. Journal of Experimental Medicine, 1994, 179, 1683-1687.	4.2	104
38	Genetic regulation of macrophage activation: understanding the function of Nramp1 (=Ity/Lsh/Bcg). Immunology Letters, 1999, 65, 73-80.	1.1	103
39	Genetic and Epigenetic Factors at COL2A1 and ABCA4 Influence Clinical Outcome in Congenital Toxoplasmosis. PLoS ONE, 2008, 3, e2285.	1.1	102
40	Genetic regulation of leishmanial and mycobacterial infections: the Lsh / Ity / Bcg gene story continues. Immunology Letters, 1994, 43, 99-107.	1.1	100
41	Toxoplasma Modulates Signature Pathways of Human Epilepsy, Neurodegeneration & Cancer. Scientific Reports, 2017, 7, 11496.	1.6	97
42	Evidence for associations between the purinergic receptor P2X7 (P2RX7) and toxoplasmosis. Genes and Immunity, 2010, 11, 374-383.	2.2	95
43	Genome-wide scans for leprosy and tuberculosis susceptibility genes in Brazilians. Genes and Immunity, 2004, 5, 63-67.	2.2	94
44	Genetics and visceral leishmaniasis: of mice and man. Parasite Immunology, 2009, 31, 254-266.	0.7	94
45	Structure and function of the natural-resistance-associated macrophage protein (Nramp1), a candidate protein for infectious and autoimmune disease susceptibility. Trends in Molecular Medicine, 1996, 2, 205-211.	2.6	93
46	Association and linkage of leprosy phenotypes with HLA class II and tumour necrosis factor genes. Genes and Immunity, 2001, 2, 196-204.	2.2	92
47	Immunogenetics of leishmanial and mycobacterial infections: the Belem Family Study. Philosophical Transactions of the Royal Society B: Biological Sciences, 1997, 352, 1331-1345.	1.8	88
48	IL6~174 G/C Promoter Polymorphism Influences Susceptibility to Mucosal but Not Localized Cutaneous Leishmaniasis in Brazil. Journal of Infectious Diseases, 2006, 194, 519-527.	1.9	87
49	Common variants in the HLA-DRB1~HLA-DQA1 HLA class II region are associated with susceptibility to visceral leishmaniasis. Nature Genetics, 2013, 45, 208-213.	9.4	86
50	Influence of genes within the MHC on mortality and brain cyst development in mice infected with Toxoplasma gondii: kinetics of immune regulation in BALB C congenic mice. Parasite Immunology, 1993, 15, 317-324.	0.7	83
51	Genetic nomenclature for Trypanosoma and Leishmania. Molecular and Biochemical Parasitology, 1998, 97, 221-224.	0.5	83
52	Genetic regulation of macrophage priming/activation: the Lsh gene story. Immunology Letters, 1991, 30, 241-248.	1.1	82
53	Induction of early-response genes KC and JE by mycobacterial lipoarabinomannans: regulation of KC expression in murine macrophages by Lsh/Ity/Bcg (candidate Nramp). Infection and Immunity, 1994, 62, 1176-1184.	1.0	81
54	Genetic susceptibility to visceral leishmaniasis in The Sudan: linkage and association with IL4 and IFNGR1. Genes and Immunity, 2003, 4, 351-355.	2.2	79

#	ARTICLE	IF	CITATIONS
55	Linkage of rheumatoid arthritis to the candidate gene NRAMP1 on 2q35.. Journal of Medical Genetics, 1996, 33, 672-677.	1.5	78
56	Expression profiling of the Leishmania life cycle: cDNA arrays identify developmentally regulated genes present but not annotated in the genome. Molecular and Biochemical Parasitology, 2004, 136, 87-100.	0.5	76
57	From genome to vaccines for leishmaniasis: Screening 100 novel vaccine candidates against murine Leishmania major infection. Vaccine, 2006, 24, 2602-2616.	1.7	76
58	The correlation between reading and mathematics ability at age twelve has a substantial genetic component. Nature Communications, 2014, 5, 4204.	5.8	72
59	Nramp1 transfection transfers Ity/Lsh/Bcg-related pleiotropic effects on macrophage activation: influence on antigen processing and presentation. Infection and Immunity, 1997, 65, 380-386.	1.0	71
60	Y Chromosome Lineage- and Village-Specific Genes on Chromosomes 1p22 and 6q27 Control Visceral Leishmaniasis in Sudan. PLoS Genetics, 2007, 3, e71.	1.5	64
61	Genetic Control of Immune Response to Recombinant Antigens Carried by an Attenuated <i>Salmonella typhimurium</i> Vaccine Strain: <i>Nramp1</i> Influences T-Helper Subset Responses and Protection against Leishmanial Challenge. Infection and Immunity, 1998, 66, 1910-1917.	1.0	64
62	FBXO11, a regulator of the TGF β 2 pathway, is associated with severe otitis media in Western Australian children. Genes and Immunity, 2011, 12, 352-359.	2.2	63
63	Association between SLC11A1 (formerly NRAMP1) and the risk of sarcoidosis in Poland. European Journal of Human Genetics, 2005, 13, 829-834.	1.4	62
64	Solute carrier 11a1 (Slc11a1; formerly Nramp1) regulates metabolism and release of iron acquired by phagocytic, but not transferrin-receptor-mediated, iron uptake. Biochemical Journal, 2002, 363, 89-94.	1.7	60
65	Genome-Wide Analysis of Genetic Risk Factors for Rheumatic Heart Disease in Aboriginal Australians Provides Support for Pathogenic Molecular Mimicry. Journal of Infectious Diseases, 2017, 216, 1460-1470.	1.9	60
66	Leishmania donovani infection in heterozygous and recombinant H-2 haplotype mice. Immunogenetics, 1983, 18, 101-109.	1.2	59
67	Genetic and Physical Mapping of 2q35 in the Region of the NRAMP and IL8R Genes: Identification of a Polymorphic Repeat in Exon 2 of NRAMP. Genomics, 1994, 24, 295-302.	1.3	59
68	Toxoplasma gondii expressed sequence tags: insight into tachyzoite gene expression. Molecular and Biochemical Parasitology, 1996, 75, 179-186.	0.5	58
69	Unraveling the genetics of otitis media: from mouse to human and back again. Mammalian Genome, 2011, 22, 66-82.	1.0	58
70	Macrophage type 3 complement receptors mediate serum-independent binding of Leishmania donovani. Detection of macrophage-derived complement on the parasite surface by immunoelectron microscopy.. Journal of Experimental Medicine, 1986, 164, 1332-1337.	4.2	57
71	Slc11a1, Formerly Nramp1, Is Expressed in Dendritic Cells and Influences Major Histocompatibility Complex Class II Expression and Antigen-Presenting Cell Function. Infection and Immunity, 2007, 75, 5059-5067.	1.0	57
72	Genome-Wide Association Study to Identify the Genetic Determinants of Otitis Media Susceptibility in Childhood. PLoS ONE, 2012, 7, e48215.	1.1	57

#	ARTICLE	IF	CITATIONS
73	Cytokine Responses to Novel Antigens in an Indian Population Living in an Area Endemic for Visceral Leishmaniasis. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1874.	1.3	56
74	Relationship between IFN-gamma and skin test responsiveness to Mycobacterium tuberculosis PPD in healthy, non-BCG-vaccinated young adults in Northern Malawi. <i>International Journal of Tuberculosis and Lung Disease</i> , 2001, 5, 664-72.	0.6	56
75	Genetics of host resistance and susceptibility to intramacrophage pathogens: a study of multicasel families of tuberculosis, leprosy and leishmaniasis in north-eastern Brazil. <i>International Journal for Parasitology</i> , 1998, 28, 21-28.	1.3	55
76	SLC11A1 (NRAMP1) but not SLC11A2 (NRAMP2) polymorphisms are associated with susceptibility to tuberculosis in a high-incidence community in South Africa. <i>International Journal of Tuberculosis and Lung Disease</i> , 2004, 8, 1464-71.	0.6	55
77	Genetic Predisposition to Self-Curing Infection with the Protozoan <i>Leishmania chagasi</i> : A Genomewide Scan. <i>Journal of Infectious Diseases</i> , 2007, 196, 1261-1269.	1.9	52
78	TLR1/2 Activation during Heterologous Prime-Boost Vaccination (DNA-MVA) Enhances CD8+ T Cell Responses Providing Protection against Leishmania (Viannia). <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1204.	1.3	52
79	Influence of Lsh, H-2, and an H-11-linked gene on visceralization and metastasis associated with <i>Leishmania mexicana</i> infection in mice. <i>Infection and Immunity</i> , 1989, 57, 875-881.	1.0	52
80	Genetic association between a chemokine gene CXCL-10 (IP-10, interferon gamma inducible protein 10) and susceptibility to tuberculosis. <i>Clinica Chimica Acta</i> , 2009, 406, 98-102.	0.5	51
81	Immunoregulation of genetically controlled acquired responses to <i>Leishmania donovani</i> infection in mice: the effects of parasite dose, cyclophosphamide and sublethal irradiation. <i>Parasite Immunology</i> , 1983, 5, 449-463.	0.7	50
82	From genomes to vaccines: <i>Leishmania</i> as a model. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2002, 357, 5-11.	1.8	49
83	CXCR1 and SLC11A1 polymorphisms affect susceptibility to cutaneous leishmaniasis in Brazil: a case-control and family-based study. <i>BMC Medical Genetics</i> , 2010, 11, 10.	2.1	48
84	Geographic Information Systems and Applied Spatial Statistics Are Efficient Tools to Study Hansen's Disease (Leprosy) and to Determine Areas of Greater Risk of Disease. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 82, 306-314.	0.6	48
85	The rare and undiagnosed diseases diagnostic service " application of massively parallel sequencing in a state-wide clinical service. <i>Orphanet Journal of Rare Diseases</i> , 2016, 11, 77.	1.2	48
86	Genetic susceptibility to leishmanial infections: studies in mice and man. <i>Parasitology</i> , 1996, 112 Suppl, S67-74.	0.7	48
87	Nramp1 is expressed in neurons and is associated with behavioural and immune responses to stress. <i>Neurogenetics</i> , 2001, 3, 69-78.	0.7	47
88	Genetic epidemiology of visceral leishmaniasis in northeastern Brazil. <i>Genetic Epidemiology</i> , 2001, 20, 383-396.	0.6	47
89	Slc11a1-mediated resistance to <i>Salmonella enterica</i> serovar Typhimurium and <i>Leishmania donovani</i> infections does not require functional inducible nitric oxide synthase or phagocyte oxidase activity. <i>Journal of Leukocyte Biology</i> , 2005, 77, 311-320.	1.5	47
90	Genes at human chromosome 5q31.1 regulate delayed-type hypersensitivity responses associated with <i>Leishmania chagasi</i> infection. <i>Genes and Immunity</i> , 2007, 8, 539-551.	2.2	47

#	ARTICLE	IF	CITATIONS
91	Genome-wide association study of vitamin D levels in children: replication in the Western Australian Pregnancy Cohort (Raine) study. <i>Genes and Immunity</i> , 2014, 15, 578-583.	2.2	47
92	Immunoregulation of genetically controlled acquired responses to <i>Leishmania donovani</i> infection in mice: demonstration and characterization of suppressor T cells in noncure mice. <i>Infection and Immunity</i> , 1984, 44, 97-102.	1.0	47
93	Nramp transfection transfers Ity/Lsh/Bcg-related pleiotropic effects on macrophage activation: influence on oxidative burst and nitric oxide pathways. <i>Molecular Medicine</i> , 1995, 1, 267-79.	1.9	47
94	Variable expression of the murine natural resistance gene Lsh in different macrophage populations infected in vitro with <i>Leishmania donovani</i> . <i>Parasite Immunology</i> , 1987, 9, 705-719.	0.7	46
95	An expressed sequence tag analysis of a full-length, spliced-leader cDNA library from <i>Leishmania major</i> promastigotes. <i>Molecular and Biochemical Parasitology</i> , 1996, 76, 345-348.	0.5	46
96	Intra and inter-specific microsatellite variation in the <i>Leishmania</i> subgenus <i>Viannia</i> . <i>Molecular and Biochemical Parasitology</i> , 1999, 103, 71-77.	0.5	46
97	Monoclonal antibodies that recognize distinct epitopes of the macrophage type three complement receptor differ in their ability to inhibit binding of <i>Leishmania</i> promastigotes harvested at different phases of their growth cycle. <i>Immunology</i> , 1988, 65, 511-4.	2.0	46
98	IFNG and IFNGR1 gene polymorphisms and susceptibility to post-kala-azar dermal leishmaniasis in Sudan. <i>Genes and Immunity</i> , 2007, 8, 75-78.	2.2	45
99	Candidate gene analysis of ocular toxoplasmosis in Brazil: evidence for a role for toll-like receptor 9 (TLR9). <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009, 104, 1187-1190.	0.8	45
100	Tumour Necrosis Factor alpha and Mucocutaneous Leishmaniasis. <i>Parasitology Today</i> , 1999, 15, 73-75.	3.1	43
101	A study of the sensitivity of <i>Leishmania donovani</i> promastigotes and amastigotes to hydrogen peroxide. I. Differences in sensitivity correlate with parasite-mediated removal of hydrogen peroxide. <i>Parasitology</i> , 1985, 91, 197-206.	0.7	42
102	Interleukin-4 (IL-4) and IL-10 Collude in Vaccine Failure for Novel Exacerbatory Antigens in Murine <i>Leishmania major</i> Infection. <i>Infection and Immunity</i> , 2005, 73, 7620-7628.	1.0	42
103	Genome-wide scan for visceral leishmaniasis susceptibility genes in Brazil. <i>Genes and Immunity</i> , 2007, 8, 84-90.	2.2	42
104	Genetic susceptibility to otitis media in childhood. <i>Laryngoscope</i> , 2012, 122, 665-675.	1.1	40
105	Opposing effects of interferon-gamma on iNOS and interleukin-10 expression in lipopolysaccharide- and mycobacterial lipoarabinomannan-stimulated macrophages. <i>Immunology</i> , 1995, 85, 106-13.	2.0	40
106	Polymorphism in a lincRNA Associates with a Doubled Risk of Pneumococcal Bacteremia in Kenyan Children. <i>American Journal of Human Genetics</i> , 2016, 98, 1092-1100.	2.6	39
107	Interaction with extracellular matrix proteins influences Lsh/Ity/Bcg (candidate Nramp) gene regulation of macrophage priming/activation for tumour necrosis factor-alpha and nitrite release. <i>Immunology</i> , 1994, 82, 42-50.	2.0	39
108	Altered course of visceral leishmaniasis in mice expressing transgenic I-E molecules. <i>European Journal of Immunology</i> , 1992, 22, 357-364.	1.6	38

#	ARTICLE	IF	CITATIONS
109	Multiple causes of size variation in the diploid megabase chromosomes of African trypanosomes. <i>Chromosome Research</i> , 1999, 7, 191-203.	1.0	38
110	No association between interferon- γ receptor-1 gene polymorphism and pulmonary tuberculosis in a Gambian population sample. <i>Thorax</i> , 2004, 59, 291-294.	2.7	38
111	Evolution of Differences in Transport Function in Slc11a Family Members. <i>Journal of Biological Chemistry</i> , 2007, 282, 35646-35656.	1.6	38
112	<i>Toxoplasma gondii</i> Infection Is Associated with Mitochondrial Dysfunction in-Vitro. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 512.	1.8	38
113	Immunomodulation of murine visceral leishmaniasis by administration of monoclonal anti-Ia antibodies: differential effects of anti-I-Avs. anti-I-E antibodies. <i>European Journal of Immunology</i> , 1987, 17, 1669-1672.	1.6	37
114	Meta-taxonomic analysis of prokaryotic and eukaryotic gut flora in stool samples from visceral leishmaniasis cases and endemic controls in Bihar State India. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007444.	1.3	37
115	Increased infectivity of stationary-phase promastigotes of <i>Leishmania donovani</i> : correlation with enhanced C3 binding capacity and CR3-mediated attachment to host macrophages. <i>Immunology</i> , 1987, 60, 559-63.	2.0	37
116	Role of Lsh in regulating macrophage priming/activation. <i>Research in Immunology</i> , 1989, 140, 798-805.	0.9	36
117	DNA- <i>Salmonella enterica</i> Serovar Typhimurium Primer-Booster Vaccination Biases towards T Helper 1 Responses and Enhances Protection against <i>Leishmania major</i> Infection in Mice. <i>Infection and Immunity</i> , 2004, 72, 4924-4928.	1.0	36
118	Genetics and visceral leishmaniasis in the Sudan: seeking a link. <i>Trends in Parasitology</i> , 2004, 20, 268-274.	1.5	36
119	Determinants for progression from asymptomatic infection to symptomatic visceral leishmaniasis: A cohort study. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007216.	1.3	36
120	Genomic organization and sequence of the human NRAMP gene: identification and mapping of a promoter region polymorphism. <i>Molecular Medicine</i> , 1995, 1, 194-205.	1.9	36
121	Leishmaniasis epidemiology: all down to the DNA. <i>Parasitology</i> , 1992, 104, S19-S34.	0.7	35
122	First Genome-Wide Association Study in an Australian Aboriginal Population Provides Insights into Genetic Risk Factors for Body Mass Index and Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0119333.	1.1	35
123	A study of the sensitivity of <i>Leishmania donovani</i> promastigotes and amastigotes to hydrogen peroxide. II. Possible mechanisms involved in protective H ₂ O ₂ scavenging. <i>Parasitology</i> , 1985, 91, 207-217.	0.7	34
124	The \sim 2518bp promoter polymorphism at CCL2/MCP1 influences susceptibility to mucosal but not localized cutaneous leishmaniasis in Brazil. <i>Infection, Genetics and Evolution</i> , 2010, 10, 607-613.	1.0	34
125	Role of macrophage complement and lectin-like receptors in binding <i>Leishmania</i> parasites to host macrophages. <i>Immunology Letters</i> , 1985, 11, 227-232.	1.1	33
126	Polymorphism in tumor necrosis factor genes associated with myasthenia gravis. <i>Journal of Neuroimmunology</i> , 1998, 88, 137-143.	1.1	33

#	ARTICLE	IF	CITATIONS
127	Differences in Lsh gene control over systemic Leishmania major and Leishmania donovani or Leishmania mexicana mexicana infections are caused by differential targeting to infiltrating and resident liver macrophage populations. <i>Infection and Immunity</i> , 1988, 56, 1128-1134.	1.0	33
128	Evidence for Altered Control of Hypothalamic CRF in Immune-Mediated Diseases. <i>Annals of the New York Academy of Sciences</i> , 1995, 771, 449-458.	1.8	32
129	Candidate gene association study of solute carrier family 11a members 1 (SLC11A1) and 2 (SLC11A2) genes in Alzheimer's disease. <i>Neuroscience Letters</i> , 2005, 374, 124-128.	1.0	32
130	Comparative analyses of whole genome sequences of Leishmania infantum isolates from humans and dogs in northeastern Brazil. <i>International Journal for Parasitology</i> , 2017, 47, 655-665.	1.3	32
131	Acquisition of cell-mediated immunity to Leishmania. II. LSH gene regulation of accessory cell function. <i>Immunology</i> , 1988, 65, 17-22.	2.0	32
132	T cell responses to crude and defined leishmanial antigens in patients from the Lower Amazon region of Brazil infected with different species of Leishmania of the subgenera Leishmania and Viannia. <i>Parasite Immunology</i> , 1998, 20, 19-26.	0.7	31
133	Wound healing genes and susceptibility to cutaneous leishmaniasis in Brazil. <i>Infection, Genetics and Evolution</i> , 2012, 12, 1102-1110.	1.0	31
134	An H-11-linked gene has a parallel effect on Leishmania major and L. donovani infections in mice. <i>Immunogenetics</i> , 1985, 21, 385-395.	1.2	30
135	Analysis of the BTNL2 truncating splice site mutation in tuberculosis, leprosy and Crohn's disease. <i>Tissue Antigens</i> , 2007, 69, 236-241.	1.0	30
136	Host genetic and epigenetic factors in toxoplasmosis. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009, 104, 162-169.	0.8	29
137	Genome-wide association study of intraocular pressure identifies the GLCCI1/ICA1 region as a glaucoma susceptibility locus. <i>Human Molecular Genetics</i> , 2013, 22, 4653-4660.	1.4	29
138	Classification and Regression Tree and Spatial Analyses Reveal Geographic Heterogeneity in Genome Wide Linkage Study of Indian Visceral Leishmaniasis. <i>PLoS ONE</i> , 2010, 5, e15807.	1.1	29
139	Unravelling the Leishmania genome. <i>Current Opinion in Genetics and Development</i> , 1996, 6, 704-710.	1.5	28
140	Genetic Research and Aboriginal and Torres Strait Islander Australians. <i>Journal of Bioethical Inquiry</i> , 2012, 9, 419-432.	0.9	28
141	A Genome-Wide Search for Type 2 Diabetes Susceptibility Genes in an Extended Arab Family. <i>Annals of Human Genetics</i> , 2013, 77, 488-503.	0.3	28
142	Transmission and scanning EM-immunogold labeling of Leishmania major lipophosphoglycan in the sandfly Phlebotomus papatasi. <i>European Journal of Cell Biology</i> , 1991, 55, 362-72.	1.6	28
143	The macrophage resistance gene Lsh/Ity/Bcg. <i>Research in Immunology</i> , 1989, 140, 767-9.	0.9	28
144	Cell-mediated Killing of Protozoa. <i>Advances in Parasitology</i> , 1983, 22, 43-151.	1.4	27

#	ARTICLE	IF	CITATIONS
145	An Nramp-related sequence maps to mouse Chromosome 17. <i>Mammalian Genome</i> , 1994, 5, 458-460.	1.0	27
146	Polymorphism in the Interferon-gamma Receptor-1 Gene and Susceptibility to Pulmonary Tuberculosis in The Gambia. <i>Scandinavian Journal of Immunology</i> , 2003, 58, 383-385.	1.3	27
147	Heterologous Priming-Boosting with DNA and Modified Vaccinia Virus Ankara Expressing Tryparedoxin Peroxidase Promotes Long-Term Memory against <i>Leishmania major</i> in Susceptible BALB/c Mice. <i>Infection and Immunity</i> , 2007, 75, 852-860.	1.0	27
148	FLI1 polymorphism affects susceptibility to cutaneous leishmaniasis in Brazil. <i>Genes and Immunity</i> , 2011, 12, 589-594.	2.2	27
149	Genetic analysis of multicase families of visceral leishmaniasis in northeastern Brazil: no major role for class II or class III regions of HLA. <i>Genes and Immunity</i> , 2002, 3, 350-358.	2.2	26
150	Sudanese mucosal leishmaniasis: isolation of a parasite within the <i>Leishmania donovani</i> complex that differs genotypically from <i>L. donovani</i> causing classical visceral leishmaniasis. <i>Infection, Genetics and Evolution</i> , 2005, 5, 29-33.	1.0	26
151	Influence of macrophage resistance gene <i>Lsh/Ity/Bcg</i> (candidate <i>Nramp</i>) on <i>Toxoplasma gondii</i> infection in mice. <i>Clinical and Experimental Immunology</i> , 2008, 97, 107-112.	1.1	25
152	Human genetics of leishmania infections. <i>Human Genetics</i> , 2020, 139, 813-819.	1.8	25
153	A narrow hybrid zone between two western Australian frog species <i>Ranidella Insignifera</i> and <i>R. Pseudinsignifera</i> : The extent of introgression. <i>Heredity</i> , 1978, 40, 13-25.	1.2	24
154	Genetic Admixture in Brazilians Exposed to Infection with <i>Leishmania chagasi</i> . <i>Annals of Human Genetics</i> , 2009, 73, 304-313.	0.3	21
155	Mycobacterial Purified Protein Derivatives Stimulate Innate Immunity: Malawians Show Enhanced Tumor Necrosis Factor Alpha, Interleukin-1 β (IL-1 β), and IL-10 Responses Compared to Those of Adolescents in the United Kingdom. <i>Infection and Immunity</i> , 2004, 72, 1807-1811.	1.0	20
156	Cytokine Responses to Novel Antigens in a Peri-Urban Population in Brazil Exposed to <i>Leishmania infantum chagasi</i> . <i>American Journal of Tropical Medicine and Hygiene</i> , 2012, 87, 663-670.	0.6	20
157	Genetic and functional evaluation of the role of CXCR1 and CXCR2 in susceptibility to visceral leishmaniasis in north-east India. <i>BMC Medical Genetics</i> , 2011, 12, 162.	2.1	19
158	Reference genotype and exome data from an Australian Aboriginal population for health-based research. <i>Scientific Data</i> , 2016, 3, 160023.	2.4	19
159	Genetic and functional evaluation of the role of DLL1 in susceptibility to visceral leishmaniasis in India. <i>Infection, Genetics and Evolution</i> , 2012, 12, 1195-1201.	1.0	18
160	Transfer of innate resistance and susceptibility to <i>Leishmania donovani</i> infection in mouse radiation bone marrow chimaeras. <i>Immunology</i> , 1984, 52, 417-22.	2.0	18
161	Identification of C to T mutation at position \sim 236 bp in the human NRAMP1 gene promoter. <i>Immunogenetics</i> , 1996, 44, 309-311.	1.2	17
162	Epigenetic dysregulation of host gene expression in <i>Toxoplasma</i> infection with specific reference to dopamine and amyloid pathways. <i>Infection, Genetics and Evolution</i> , 2018, 65, 159-162.	1.0	17

#	ARTICLE	IF	CITATIONS
163	Extensive polymorphism at the Gp63 locus in field isolates of <i>Leishmania peruviana</i> . <i>Molecular and Biochemical Parasitology</i> , 1995, 72, 203-213.	0.5	16
164	Allele frequency and genotype distribution of polymorphisms within disease-related genes is influenced by ethnic population sub-structuring in Sudan. <i>Genetica</i> , 2003, 119, 57-63.	0.5	16
165	Expression profiling of Sudanese visceral leishmaniasis patients pre- and post-treatment with sodium stibogluconate. <i>Parasite Immunology</i> , 2017, 39, e12431.	0.7	16
166	Transketolase and vitamin B1 influence on ROS-dependent neutrophil extracellular traps (NETs) formation. <i>PLoS ONE</i> , 2019, 14, e0221016.	1.1	16
167	Transcriptional blood signatures for active and amphotericin B treated visceral leishmaniasis in India. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007673.	1.3	16
168	Zika Virus Changes Methylation of Genes Involved in Immune Response and Neural Development in Brazilian Babies Born With Congenital Microcephaly. <i>Journal of Infectious Diseases</i> , 2021, 223, 435-440.	1.9	16
169	A Genome-wide Association Study Identifies <i>SERPINB10</i> , <i>CRLF3</i> , <i>STX7</i> , <i>LAMP3</i> , <i>IFNG-AS1</i> , and <i>KRT80</i> As Risk Loci Contributing to Cutaneous Leishmaniasis in Brazil. <i>Clinical Infectious Diseases</i> , 2021, 72, e515-e525.	2.9	16
170	T cell responses to crude and defined leishmanial antigens in patients from the Lower Amazon region of Brazil infected with different species of <i>Leishmania</i> of the subgenera <i>Leishmania</i> and <i>Viannia</i> . , 1998, 20, 19.		16
171	Genetic and Functional Evidence Implicating <i>DLL1</i> as the Gene That Influences Susceptibility to Visceral Leishmaniasis at Chromosome 6q27. <i>Journal of Infectious Diseases</i> , 2011, 204, 467-477.	1.9	15
172	Epitope-Binding Characteristics for Risk versus Protective <i>DRB1</i> Alleles for Visceral Leishmaniasis. <i>Journal of Immunology</i> , 2018, 200, 2727-2737.	0.4	15
173	Personalised analytics for rare disease diagnostics. <i>Nature Communications</i> , 2019, 10, 5274.	5.8	15
174	Roles of <i>Nramp1</i> , HLA, and a gene(s) in allelic association with IL-4, in determining T helper subset differentiation. <i>Microbes and Infection</i> , 1999, 1, 95-102.	1.0	14
175	Status of protozoan genome analysis: trypanosomatids. <i>Parasitology</i> , 1999, 118, 11-14.	0.7	13
176	Wound healing genes and susceptibility to cutaneous leishmaniasis in Brazil: Role of <i>COL1A1</i> . <i>Infection, Genetics and Evolution</i> , 2015, 30, 225-229.	1.0	13
177	Characterization of protective T cells in the acquired response to <i>Leishmania donovani</i> in genetically determined cure (H-2b) and noncure (H-2d) mouse strains. <i>Infection and Immunity</i> , 1989, 57, 2892-2899.	1.0	12
178	Myasthenia Gravis with Thymic Hyperplasia Is Associated with Polymorphisms in the Tumor Necrosis Factor Region. <i>Annals of the New York Academy of Sciences</i> , 1998, 841, 368-370.	1.8	11
179	Genome-Wide Scan for Loci Influencing Quantitative Immune Response Traits in the Belem Family Study: Comparison of Methods and Summary of Results. <i>Annals of Human Genetics</i> , 2006, 70, 78-97.	0.3	11
180	Influence of <i>Slc11a1</i> (formerly <i>Nramp1</i>) on DSS-induced colitis in mice. <i>Journal of Leukocyte Biology</i> , 2009, 85, 703-710.	1.5	11

#	ARTICLE	IF	CITATIONS
181	Modern genetics and leprosy susceptibility. <i>Leprosy Review</i> , 2001, 72, 352-6.	0.1	11
182	Candidate gene analysis supports a role for polymorphisms at TCF7L2 as risk factors for type 2 diabetes in Sudan. <i>Journal of Diabetes and Metabolic Disorders</i> , 2015, 15, 4.	0.8	10
183	Analysis of expression of FLI1 and MMP1 in American cutaneous leishmaniasis caused by <i>Leishmania braziliensis</i> infection. <i>Infection, Genetics and Evolution</i> , 2017, 49, 212-220.	1.0	9
184	Analysis of the candidate gene NRAMP1 in the first 61 ARC National Repository families for rheumatoid arthritis. <i>Journal of Rheumatology</i> , 1997, 24, 212-4.	1.0	9
185	The \sim 308 bp TNF gene polymorphism influences tumor necrosis factor expression in leprosy patients in Bahia State, Brazil. <i>Infection, Genetics and Evolution</i> , 2016, 39, 147-154.	1.0	8
186	Comprehensive candidate gene analysis for symptomatic or asymptomatic outcomes of <i>Leishmania infantum</i> infection in Brazil. <i>Annals of Human Genetics</i> , 2017, 81, 41-48.	0.3	8
187	Genetic and functional evidence for a role for SLC11A1 in susceptibility to otitis media in early childhood in a Western Australian population. <i>Infection, Genetics and Evolution</i> , 2013, 16, 411-418.	1.0	7
188	Mapping Creb-1 to chromosome 1 in the mouse. <i>Genomics</i> , 1992, 14, 790-792.	1.3	6
189	Fine mapping under linkage peaks for symptomatic or asymptomatic outcomes of <i>Leishmania infantum</i> infection in Brazil. <i>Infection, Genetics and Evolution</i> , 2016, 43, 1-5.	1.0	6
190	Genetics, Transcriptomics and Meta-Taxonomics in Visceral Leishmaniasis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 590888.	1.8	6
191	Setting up HIV serology for the Karonga leprosy vaccine trial in Malaŵi. <i>Leprosy Review</i> , 1991, 62, 87-104.	0.1	6
192	<i>Burkholderia pseudomallei</i> Evades Nramp1 (Slc11a1)- and NADPH Oxidase-Mediated Killing in Macrophages and Exhibits Nramp1-Dependent Virulence Gene Expression. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 350.	1.8	5
193	Arylsulphatase A Pseudodeficiency (ARSA-PD), hypertension and chronic renal disease in Aboriginal Australians. <i>Scientific Reports</i> , 2018, 8, 10912.	1.6	5
194	Anti-Interleukin-10 Unleashes Transcriptional Response to Leishmanial Antigens in Visceral Leishmaniasis Patients. <i>Journal of Infectious Diseases</i> , 2021, 223, 517-521.	1.9	5
195	Intra-specific divergence in the Western Australian frog <i>Ranidella insignifera</i> . <i>Heredity</i> , 1978, 40, 339-348.	1.2	4
196	EcoRV RFLP of the desmin (DES) gene and MspI RFLP of the villin (VIL1) gene on human chromosome 2. <i>Human Molecular Genetics</i> , 1992, 1, 448-448.	1.4	4
197	Insights into the possible role of IFNG and IFNGR1 in Kala-azar and Post Kala-azar Dermal Leishmaniasis in Sudanese patients. <i>BMC Infectious Diseases</i> , 2014, 14, 662.	1.3	4
198	An in silico pipeline to filter the <i>Toxoplasma gondii</i> proteome for proteins that could traffic to the host cell nucleus and influence host cell epigenetic regulation. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2018, 113, e170471.	0.8	4

#	ARTICLE	IF	CITATIONS
199	<sc>HLA</sc>â€œ<sc>DR</sc> Class <sc>II</sc> expression on myeloid and lymphoid cells in relation to <sc>HLA</sc>â€œ<sc>DRB</sc>1 as a genetic risk factor for visceral leishmaniasis. Immunology, 2019, 156, 174-186.	2.0	4
200	A flexible computational pipeline for research analyses of unsolved clinical exome cases. Npj Genomic Medicine, 2020, 5, 54.	1.7	4
201	Common and Rare Genetic Variants That Could Contribute to Severe Otitis Media in an Australian Aboriginal Population. Clinical Infectious Diseases, 2021, 73, 1860-1870.	2.9	4
202	Identification of C to T mutation at position ?236 bp in the human NRAMPI gene promoter. Immunogenetics, 1996, 44, 309-311.	1.2	4
203	Genetics and genomics in infectious disease. International Journal of Infectious Diseases, 2002, 6, S8-S9.	1.5	3
204	Genome-wide association study of IgG1 responses to the choline-binding protein PspC of Streptococcus pneumoniae. Genes and Immunity, 2015, 16, 289-296.	2.2	3
205	Genetic Susceptibility to Visceral Leishmaniasis. , 2019, , 71-85.		3
206	Regulation of Leishmania populations within the host. V. Resistance to L.donovani in wild mice. The Journal of Tropical Medicine and Hygiene, 1983, 86, 17-22.	0.2	3
207	Use of immunological manipulations in studying genetically controlled responses to<i>Leishmania donovani</i>infection in mice. Parasitology, 1984, 88, 677-679.	0.7	2
208	Corrigendum to â€œIntra and inter-specific microsatellite variation in the Leishmania subgenus Vianniaâ€œ. Molecular and Biochemical Parasitology, 2000, 107, 331.	0.5	1
209	Postgenomic research on leishmaniasis: a critical self-appraisal. Trends in Parasitology, 2008, 24, 401-405.	1.5	1
210	Immunogenetics of Host Response to Parasites in Humans. , 2014, , 483-490.		1
211	Reference exome data for Australian Aboriginal populations to support health-based research. Scientific Data, 2020, 7, 129.	2.4	0
212	Reference exome data for a Northern Brazilian population. Scientific Data, 2020, 7, 360.	2.4	0
213	Immunogenetics of Parasitic and Bacterial Disease. , 2016, , 7-15.		0