Giacomo Sguazzoni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2773623/publications.pdf

Version: 2024-02-01

604 papers 23,881 citations

72 h-index 120 g-index

626 all docs

626 docs citations

626 times ranked

10325 citing authors

#	Article	IF	Citations
1	Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
2	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
3	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
4	Search for long-lived particles decaying to leptons with large impact parameter in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2022, 82, 153.	3.9	14
5	Study of dijet events with large rapidity separation in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
6	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
7	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
8	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
9	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
10	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
11	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
12	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$\$$ sqrt $\$\$ = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
13	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
14	Measurement of the inclusive $\$ mathrm{t}-overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
15	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at \$\$ sqrt{s} \$\$= 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
16	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\$\$$ sqrt $\{\$\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
17	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1
18	Search for the lepton flavor violating decay \ddot{l} , \hat{a}^{2} \hat{a}^{3} in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3

#	Article	IF	CITATIONS
19	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
20	Evidence for Higgs boson decay to a pair of muons. Journal of High Energy Physics, 2021, 2021, 1.	4.7	54
21	Search for top squark pair production using dilepton final states in $\{p\}$ {ext $\{p\}$ } \$\$ collision data collected at $\{p\}$ = 13,ext $\{TeV\}$ \$\$. European Physical Journal C, 2021, 81, 3.	3.9	33
22	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
23	Measurements of $f^{p}} {\mathbf{p}} {\mathbf{p}$	3.9	24
24	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	15
25	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	26
26	Search for new physics in top quark production with additional leptons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV using effective field theory. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
27	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
28	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	28
29	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
30	Angular analysis of the decay B+ \hat{a} †' K \hat{a} ^-(892)+ \hat{l} 1/4+ \hat{l} 1/4 \hat{a} ^' in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = TeV. Journal of High Energy Physics, 2021, 2021, 1.	84.7	9
31	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\$$ sqrt $\{s\} = 13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2021, 81, 378.	3.9	40
32	Measurement of b jet shapes in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
33	Study of Drell-Yan dimuon production in proton-lead collisions at $\$$ sqrt{s_{mathrm{NN}}} $\$$ = 8.16 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
34	Measurements of the differential cross sections of the production of Z + jets and \hat{I}^3 + jets and of Z boson emission collinear with a jet in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	2
35	In-medium modification of dijets in PbPb collisions at $\$$ sqrt $\{s_{mathrm{NN}}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
36	Measurement of the Z boson differential production cross section using its invisible decay mode (Z â†') Tj ETQq0 (Physics, 2021, 2021, 1.	0 0 rgBT /0 4.7	Overlock 10 ' 2

Physics, 2021, 2021, 1.

#	Article	IF	CITATIONS
37	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
38	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
39	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	62
40	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	3.9	18
41	Search for a heavy vector resonance decaying to a $f(z) = 13$, where $f(z) = 13$, where $f(z) = 13$, we have $f(z) = 13$, and a Higgs boson in proton-proton collisions at $f(z) = 13$, where $f(z) = 13$, and $f(z) = 13$, where $f(z) = 13$, and $f(z) = 13$, where $f(z) = 13$, and $f(z) = 13$, an	3.9	9
42	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	3.9	19
43	Measurements of angular distance and momentum ratio distributions in three-jet and $\{z\}$ + two-jet final states in $\{z\}$ ext $\{z\}$ ext $\{z\}$ collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
44	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
45	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fbâ '1 of proton-proton collisions at \$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
46	Measurements of the pp \hat{a}^{\dagger} W $\hat{A}\pm\hat{I}^3\hat{I}^3$ and pp \hat{a}^{\dagger} Z $\hat{I}^3\hat{I}^3$ cross sections at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV and limits anomalous quartic gauge couplings. Journal of High Energy Physics, 2021, 2021, 1.	s on 4.7	7
47	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	3.9	18
48	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the ττbb final state at 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	11
49	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at \$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	36
50	Observation of tW production in the single-lepton channel in pp collisions at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	2
51	Measurement of prompt open-charm production cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	2
52	Measurement of the inclusive and differential t\$\$ overline{t} $$$\hat{i}^3$$ cross sections in the single-lepton channel and EFT interpretation at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
53	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
54	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8

#	Article	IF	CITATIONS
55	Search for a heavy resonance decaying to a top quark and a W boson at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV in the fully hadronic final state. Journal of High Energy Physics, 2021, 2021, 1.	4.7	1
56	The CMS pixel detector for the high luminosity LHC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 958, 162089.	1.6	3
57	The production of isolated photons in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
58	Investigation into the event-activity dependence of \ddot{l} (nS) relative production in proton-proton collisions at \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
59	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
60	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
61	Search for electroweak production of a vector-like T quark using fully hadronic final states. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
62	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
63	Measurement of properties of \$\$ {mathrm{B}}_{{mathrm{s}}}^0 \$\$a†' $1^{1}/4+1^{1}/4$ a^' decays and search for B0a†' $1^{1}/4+1$ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	¹ /4â^' 4.7	41
64	Search for a light pseudoscalar Higgs boson in the boosted $\hat{l}/\hat{l}/\hat{l}/\hat{l}/\hat{l}/\hat{l}/\hat{l}/\hat{l}/$	4.7	23
65	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \leq x > 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
66	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
67	Measurement of the cross section for $\$ mathrm{t}overline{mathrm{t}} \$\$ production with additional jets and b jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	5
68	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	41
69	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	37
70	Calibration of the CMS hadron calorimeters using proton-proton collision data at \hat{a} *s = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
71	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt{s} = 5.02 $\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	3.9	7
72	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\$$ sqrt $\{s\}=13,\{ext \{TeV\}\} \$$. European Physical Journal C, 2020, 80, 752.	3.9	23

#	Article	lF	CITATIONS
73	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
74	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a} \cdot \hat{s} < i > s < /i > = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	1.2	84
75	Search for decays of the 125 GeV Higgs boson into a Z boson and a ϕor ϕ meson. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
76	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, $1.$	4.7	21
77	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	66
78	Search for supersymmetry in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
79	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
80	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
81	Search for new neutral Higgs bosons through the $\$ mathrm{H}o mathrm{ZA}o {ell}^{+}{ell}^{-}mathrm{b}overline{mathrm{b}} \$\$ process in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	27
82	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}^{}\$\$ lepton in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
83	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in $\mbox{smathrm {PbPb}$$ collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 2.76$$ and 5.02$$,ext {TeV}$$. European Physical Journal C, 2020, 80, 534.$	3.9	14
84	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV and constraints on anomalous quartic couplings. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
85	Determination of the strong coupling constant $\hat{l}\pm S(mZ)$ from measurements of inclusive $W\hat{A}\pm$ and Z boson production cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 7 and 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
86	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
87	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	3.9	11
88	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	1
89	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	3.9	10
90	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78

#	Article	IF	Citations
91	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
92	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
93	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $1\frac{1}{4}$, and ei, in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	15
94	A search for the standard model Higgs boson decaying to charm quarks. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
95	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\$\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
96	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
97	A multi-dimensional search for new heavy resonances decaying to boosted $\$ ext{ W }{}{}\$\$ \$\$ext{ W }{}{}\$\$ \$\$ext{ W }{}{}\$\$. or \$\$ext{ Z }{}{}\$\$ \$\$ext{ Z }{}{}\$\$ boson pairs in the dijet final state at 13Â\$\$ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 237.	3.9	31
98	Measurement of the top quark pair production cross section in dilepton final states containing one \ddot{l} , lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
99	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	26
100	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
101	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\$\$ $ sqrt $\$\$ $ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	13
102	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
103	Measurement of differential cross sections and charge ratios for t-channel single top quark production in protonâ \in proton collisions at $\frac{1}{s}=13$, s,ext Te ext V . European Physical Journal C, 2020, 80, 370.	3.9	22
104	Measurement of f hbox f ar hbox f normalised multi-differential cross sections in f ext f shows at f collisions at f normalised multi-differential cross sections in determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	3.9	33
105	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{l} , leptons and two jets in proton-proton collisions at \$\$ q^{1} so q^{2} squared for q^{2	4.7	33
106	Search for a $W\hat{a}\in^2$ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
107	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
108	Inclusive search for supersymmetry in pp collisions at $\$\$ $ sqrt $\{s\}=13 \$\$ $ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3

#	Article	IF	Citations
109	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
110	Search for excited leptons in \hat{a} , " \hat{a} ," " \hat{a} " final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
111	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
112	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ qrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
113	Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\{\}_{}^{}\}\}\}$ $\{0\}$ \$\$\$photoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{mathrm {NN}}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	3.9	33
114	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	3.9	35
115	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s. European Physical Journal C, 2019, 79, 564.	3.9	50
116	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
117	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
118	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	3.9	8
119	Search for charged Higgs bosons in the H± â†' τ±νI, decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
120	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
121	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
122	Search for a low-mass $\ddot{\parallel}$, \hat{a} , \ddot{a} , + resonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
123	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV via Higgs boson decays to \Bar{i} , leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
124	Search for the pair production of light top squarks in the e±μâ^" final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
125	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
126	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11

#	Article	IF	CITATIONS
127	Measurements of the pp \hat{a}^{\dagger} WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
128	Measurement of the f mathrm f overline mathrm f the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68
129	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
130	Search for nonresonant Higgs boson pair production in the \$\$ mathrm{b}overline{mathrm{b}} \$\$ final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
131	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
132	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
133	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	3.9	48
134	Search for single production of vector-like quarks decaying to a top quark and a $\$$ mathrm $\{W\}$ $\$$ W boson in protonâ \in proton collisions at $\$$ qrt $\{s\} = 13$, ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
135	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$-ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
136	Search for rare decays of $\$$ mathrm {Z}\$\$ Z and Higgs bosons to $\$$ {mathrm {J}/psi } \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at $\$$ sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
137	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
138	Measurements of $\$ mathrm{t}-overline{mathrm{t}} \$\$ differential cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
139	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019. 1.	4.7	28
140	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
141	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
142	Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
143	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
144	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13TeV . Journal of High Energy Physics, $2019, 2019, 1.$	4.7	12

#	Article	IF	Citations
145	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
146	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
147	Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$a€™â,,"ν final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	10
148	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\frac{p}{mathrm{p}}$ collisions at $\frac{s}{reV}$. European Physical Journal C, 2019, 79, 969.	3.9	6
149	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
150	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
151	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $$$ sqrt ${s}=13$,ext ${TeV}$ \$\$. European Physical Journal C, 2019, 79, 893.	3.9	12
152	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
153	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $s=13,ext TeV$ \$. European Physical Journal C, 2019, 79, 886.	3.9	16
154	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
155	Search for supersymmetry using Higgs boson to diphoton decays at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	4
156	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
157	Search for anomalous triple gauge couplings in WW and WZ production in lepton $+$ jet events in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
158	Study of the $\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
159	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $$$ sqrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
160	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$$ sqrt{s_{mathrm{NN}}}= $5.02 \$$ and 8.16 TeV . Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
161	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$, " $\hat{1}$ / 2 \hat{a} ,"	4.7	36
162	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ \in "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27

#	Article	IF	CITATIONS
163	Measurements of the $\mbox{mathrm {p}ightarrow mathrm{Z}mathrm{Z}$$ p p → Z Z production cross section and the $$mathrm{Z}ightarrow 4ell $$ Z → 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.$	3.9	52
164	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
165	Measurement of the inclusive $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
166	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0
167	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{ $s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
168	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at s = $13 $ \$ sqrt{s}= $13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
169	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
170	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
171	Measurement of differential cross sections in the kinematic angular variable i* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
172	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\$$ sqrt $s_{NN}}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
173	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
174	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
175	Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}/2$ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
176	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
177	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
178	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{NN}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
179	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
180	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	19

#	Article	IF	CITATIONS
181	Search for natural and split supersymmetry in proton-proton collisions at $\$\$$ sqrt $\$\$=13$ $\$\$$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
182	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
183	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two Ï,, leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
184	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\$$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
185	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
186	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
187	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm $\{p\}$ \$\$\$mathrm $\{p\}$ \$\$ collisions at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ \$\$. European Physical Journal C, 2018, 78, 891.	3.9	34
188	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
189	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
190	Event shape variables measured using multijet final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
191	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
192	Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
193	Search for $Z^{\hat{j}_3}$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
194	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
195	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
196	Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
197	Search for the decay of a Higgs boson in the \hat{a} , \hat{a} , \hat{a} channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
198	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ quark{s}=13,ext {Te}ext {V} $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46

#	Article	IF	CITATIONS
199	Measurement of differential cross sections for $for \$ z boson production in association with jets in proton-proton collisions at $for \$ = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	3.9	39
200	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}}		

#	Article	IF	Citations
217	Search for beyond the standard model Higgs bosons decaying into a $$$ mathrm{b}overline{mathrm{b}} \$\$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
218	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
219	Measurement of prompt and nonprompt charmonium suppression in $\$$ ext {PbPb} $\$$ collisions at 5.02 $\$$,ext {Te}ext {V} $\$$. European Physical Journal C, 2018, 78, 509.	3.9	83
220	Search for lepton flavour violating decays of the Higgs boson to $\hat{l}/\!\!/\bar{l}$, and $e\bar{l}$, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
221	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying Ï,, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
222	Electroweak production of two jets in association with a Z boson in proton \hat{s} "proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
223	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
224	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
225	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
226	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
227	Search for a singly produced third-generation scalar leptoquark decaying to a \ddot{i} , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
228	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
229	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
230	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
231	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
232	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
233	Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
234	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37

#	Article	IF	CITATIONS
235	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
236	Measurement of b hadron lifetimes in pp collisions at $\$\$qrt\{s\} = 8\$\$ s = 8\$\$,ext\{Te\}ext\{V\}\$\$$ TeV. European Physical Journal C, 2018, 78, 457.	3.9	15
237	Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$) production cross section and the (mathrm $\{Z\}$ ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at $\{p\}$ = 13,ext $\{TeV\}$)., 2018, 78, 1.		3
238	Measurements of the $\mbox{mathrm{t}overline{mathrm{t}}}$ t t $\mbox{$\hat{A}^{-}$ production cross section in lepton+jets final states in pp collisions at 8 $$,ext {TeV}$$ TeV and ratio of 8 to 7Â $$,ext {TeV}$$ TeV cross sections. European Physical Journal C, 2017, 77, 15.$	3.9	34
239	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t \hat{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \hat{I} /4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
240	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$ sqrt{s}= $8 $ \$ TeV and cross section ratios to $2.76 $ and $7 $ TeV. Journal of High Energy Physics, $2017, 2017, 1$.	4.7	54
241	Search for electroweak production of charginos in final states with two \ddot{i} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
242	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$, mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
243	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$\$ s = 7 and 8 $\$$ s,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
244	Measurement of prompt and nonprompt $\$$ mathrm{J}/{psi}\$\$ J / $\ddot{\Gamma}$ production in $\$$ mathrm {p}mathrm {p}\$\$ p p and $\$$ mathrm {p}mathrm {Pb}\$\$ p Pb collisions at $\$$ sqrt{s_{mathrm {NN}}} =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
245	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$	3.9	29
246	P-Type Silicon Strip Sensors for the new CMS Tracker at HL-LHC. Journal of Instrumentation, 2017, 12, P06018-P06018.	1.2	24
247	Search for new physics in the monophoton final state in proton-proton collisions at $s=13~$ \$\$ sqrt $\{s\}=13~$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
248	Measurement of double-differential cross sections for top quark pair production in pp collisions at $s=8$ s = 8 $e=2$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
249	Measurement of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ is a sum of the jet m	3.9	23
250	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{N}}}= $5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
251	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
252	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14

#	Article	lF	CITATIONS
253	Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
254	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt $\{s\}=7$ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
255	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
256	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
257	Measurements of the pp \hat{a} †' $\hat{W}^{\hat{j}\hat{j}}$ and pp \hat{a} †' $\hat{Z}^{\hat{j}\hat{j}}$ cross sections and limits on anomalous quartic gauge couplings at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	⁶ 4.7	10
258	Search for new phenomena with the $M_{\text{mathrm }T2}$ M T 2 variable in the all-hadronic final state produced in protonâe"proton collisions at $\frac{13}{s} = 13$ s, ext TeV TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
259	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
260	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
261	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
262	Suppression and azimuthal anisotropy of prompt and nonprompt $f(s)=0$ for production in PbPb collisions at $f(s_{\max}) = 2.76$ s NN = 2.76 s, mathrm{TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 252.	3.9	82
263	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
264	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ or $s=8$ and $s=8$ are	3.9	23
265	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
266	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
267	Upgrades of the CMS Outer Tracker for HL-LHC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 845, 164-168.	1.6	2
268	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
269	Measurement of electroweak-induced production of \hat{Wl}^3 with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
270	Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8

#	Article	IF	Citations
271	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
272	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
273	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
274	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
275	Search for top squark pair production in pp collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
276	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
277	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
278	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
279	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	3.9	57
280	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
281	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
282	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
283	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ sqrt $\{s\} = 8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
284	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
285	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
286	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
287	Characterisation of irradiated thin silicon sensors for the CMS phase II pixel upgrade. European Physical Journal C, 2017, 77, 1.	3.9	4
288	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2

#	Article	IF	CITATIONS
289	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
290	Search for high-mass $Z\hat{l}^3$ resonances in e+eâ ⁻ \hat{l}^3 and $\hat{l}^1/4 + \hat{l}^1/4$ â ⁻ \hat{l}^3 final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	S _{4.7}	7
291	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l} , leptons and two jets in proton-proton collisions at $s = 13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
292	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
293	Measurement of the triple-differential dijet cross section in proton-proton collisions at $\$sqrt\{s\}=8$, ext $TeV\}$ \$\$ s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
294	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
295	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13$ \$\$ sqrt{ $s}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
296	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
297	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{$ sqrt $\{$ s $\}\}$ = 8,ext $\{$ TeV $\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
298	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
299	Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	3.9	55
300	Trapping in proton irradiated p+-n-n+silicon sensors at fluences anticipated at the HL-LHC outer tracker. Journal of Instrumentation, 2016, 11, P04023-P04023.	1.2	8
301	Measurement of the $\{\{\text{mathrm}\{W\}\}^{+}\}$ mathrm $\{W\}^{-}\}$ \$\ W + W - cross section in pp collisions at \$\\$ sqrt\{s} = 8\\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
302	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
303	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
304	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
305	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
306	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31

#	Article	IF	Citations
307	Search for anomalous single top quark production in association with a photon in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
308	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
309	Track reconstruction in CMS high luminosity environment. Nuclear and Particle Physics Proceedings, 2016, 273-275, 2497-2499.	0.5	2
310	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
311	Forwardâ€"backward asymmetry of Drellâ€"Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
312	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$\$qrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
313	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
314	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
315	Search for s channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
316	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\frac{s_{y}}{s_{y}} = 5.02$, mathrm {TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
317	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ $sqrt{s}=7$ \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
318	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
319	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
320	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
321	Evidence for exclusive $\hat{1}^3\hat{1}^3$ $\hat{1}^4$ W + W $\hat{1}^2$ production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
322	Search for supersymmetry in pp collisions at $s=13 \$\$ sqrt\{s\}=13 \$\$ TeV$ in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
323	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
324	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20

#	Article	IF	CITATIONS
325	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
326	Measurement of the mass of the top quark in decays with a J/ Γ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
327	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$, ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
328	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t \hat{A}^- production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
329	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{W\}^{p} \} + X$ p p → \mathbb{R}^2 W \mathbb{R}^2 + X production at $\{q\}^2 \} = 8$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
330	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
331	Search for Wâ \in 2 → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
332	Correlations between jets and charged particles in PbPb and pp collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{NN}}}=2.76 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
333	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
334	Search for excited leptons in proton-proton collisions at s = 8 $\$$ sqrt{s}=8 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
335	Measurement of the $\mbox{mathrm{t}}$ overline{{mathrm{t}}}\$\$ t t \mbox{A}^{-} production cross section in the all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41
336	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
337	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â,, $\hat{l}/2$ b b \hat{A} final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
338	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
339	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
340	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm + jets$ and $e\hat{A}\pm \hat{I}\sqrt{4}$ $\hat{A}\pm + jets$ events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35
341	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
342	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}$ =8,ext $\{TeV\}$ $\$$ \$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62

#	Article	IF	Citations
343	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
344	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt ${s}$ $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
345	Search for third-generation scalar leptoquarks in the $t\ddot{i}$, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
346	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
347	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
348	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
349	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
350	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
351	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
352	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
353	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
354	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015 , 2015 , 1 .	4.7	92
355	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
356	Measurement of the $Z\hat{l}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
357	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
358	Measurement of the differential cross section for top quark pair production in pp collisions at $s=8$, ext TeV $s=8$ reV. European Physical Journal C, 2015, 75, 542.	3.9	191
359	Measurements of the $\mbox{\$mathrm}{Z}$ \$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{I} 2u \$\$ 2 l 2 l 2 channel in protonâ $\mbox{\$"}$ proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	3.9	32
360	Comparison of the $Z \hat{i}^3 = -+$ jets to $\hat{i}^3 +$ jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6

#	Article	IF	Citations
361	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
362	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
363	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
364	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at $\$$ sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
365	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
366	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7 Â+	26
367	and B± â†' J Ï`K ± and â,,¬ B c ± â†' J / Ï` Ï€ ± Ï€ ± Ï€ â^" / â,,¬ B c ± â†' J / Ï` Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm}{pm} Tj ETQq1 1 0.7	'84314 rgl 4.7	BT /Overlock 17
368	2015, 1. Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
369	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt $\{s_{nathrm{NN}}\}=2.76 \$\$$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
370	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
371	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76 \$$ sqrt $\{s\}=2.76 \$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
372	Search for dark matter, extra dimensions, and unparticles in monojet events in protona \in proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
373	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\frac{s}{r} = 7$ s, ext TeV TeV. European Physical Journal C, 2015, 75, 288.	3.9	54
374	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{s_{mathrm {NN}}}{5.02}$ s NN = 5.02 $\frac{TeV}{5}$ TeV. European Physical Journal C, 2015, 75, 237.	3.9	58
375	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $\$$ sqrt $\{s\} = 7$ \$\$ s = 7 \$\$,ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6
376	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ \in proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
377	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179
378	Measurement of top quarkâ \in antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43

#	Article	IF	CITATIONS
379	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	3.9	65
380	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
381	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
382	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
383	Measurement of prompt J/ \ddot{l} pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
384	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
385	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
386	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{ s } = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
387	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
388	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
389	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	4.7	169
390	Measurement of the $\$ toverline{t} $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
391	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\frac{1}{s_{NN}}$ \$ =2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
392	Measurement of associated W + charm production in pp collisions at $q = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	55
393	First look at the physics case of TLEP. Journal of High Energy Physics, 2014, 2014, 1.	4.7	269
394	Search for new physics in events with same-sign dileptons and jets in pp collisions at sqrts = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
395	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s}{TeV}$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
396	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ \$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23

#	Article	IF	Citations
397	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.	3.9	171
398	Measurement of jet multiplicity distributions in $\frac{t}{\text{verline}}$ mathrm $t}$ to verline mathrm $t}$ to A^- production in pp collisions at $\frac{s}{\text{vert}}$ = 7,ext TeV s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	3.9	16
399	Study of double parton scattering using $W+2$ -jet events in proton-proton collisions at $q=0$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
400	Event activity dependence of $Y $ (nS) production in $q = 1.02$ sqrt($q = 1.02$ for pPb and $q = 1.02$ sqrt($q = 1.02$ for pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	56
401	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20
402	Evidence for the 125 GeV Higgs boson decaying to a pair of $\ddot{\text{l}}_{\text{n}}$ leptons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	123
403	Search for $W\hat{a}\in \hat{a}$ \hat{a} to decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
404	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
405	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
406	Measurement of the t-channel single-top-quark production cross section and of the $ V tb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
407	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt ${s}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
408	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4
409	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
410	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
411	Measurement of the top-quark mass in all-jets $\frac{1}{2}$ whose $\frac{1}{2}$ where $\frac{1}{2}$ is $\frac{1}{2}$ where $\frac{1}{2}$ is $\frac{1}{2}$ in European Physical Journal C, 2014, 74, 2758.	3.9	35
412	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt{s_{NN}} =; $\$$ s N N = 5.02 $\$$, ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85
413	Probing color coherence effects in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	3.9	17
414	Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV., 2014, 2014, 1.		3

#	Article	IF	Citations
415	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
416	Search for microscopic black holes in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
417	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
418	Searches for long-lived charged particles in pp collisions at $q=0$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
419	Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
420	Observation of a new boson with mass near 125 GeV in pp collisions at $q=7 $ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
421	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
422	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
423	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} $\mbox{production cross section in the all-jet final state in pp collisions at \mbox{qrt{s}=7 }\mbox{TeV}. Journal of High Energy Physics, 2013, 2013, 1.$	4.7	16
424	Measurement of the X(3872) production cross section via decays to J/l $\ddot{\exists}$ + $\ddot{\exists}$ $\dot{\exists}$ $\dot{\exists}$ in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
425	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
426	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
427	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=0$ sqrt $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
428	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
429	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\ \sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
430	Search for supersymmetry in pp collisions at $q=7$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
431	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
432	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ\hat{I}^3$ and $Z\hat{I}^3\hat{I}^3$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	14

#	Article	IF	CITATIONS
433	Measurement of the W-boson helicity in top-quark decays from $\$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
434	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm T$ and b-quark multiplicity in pp collisions at $\sqrt{s} = 8 \text{ mathrm}\{TeV\}$. European Physical Journal C, 2013, 73, 2568.	3.9	147
435	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
436	Measurement of masses in the $mathrm{t}$ overline{mathrm{t}}\$ system by kinematic endpoints in pp collisions at $q=0.013, 73, 2494.$	3.9	55
437	Search for physics beyond the standard model in events with \ddot{l} , leptons, jets, and large transverse momentum imbalance in pp collisions at $\frac{s}{r}$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	3.9	22
438	Measurement of the $mathrm{t}$ ar{mathrm{t}}\$ production cross section in the \ddot{l} ,+jets channel in pp collisions at $q=1$ mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	24
439	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	3.9	32
440			

#	Article	IF	Citations
451	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($sqrt\{s\}=8$) TeV. , 2013, 2013, 1.		2
452	An innovative seeding technique for photon conversion reconstruction at CMS. Journal of Physics: Conference Series, 2012, 396, 022015.	0.4	0
453	CMS reconstruction improvements for the tracking in large pile-up events. Journal of Physics: Conference Series, 2012, 396, 022044.	0.4	2
454	Inclusive b-jet production in pp collisions at $sqrt {s} = 7TeV$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
455	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt = 7 } TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
456	Suppression of non-prompt J/ $\ddot{\Gamma}$, prompt J/ $\ddot{\Gamma}$, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}\{NN\}\}\}\} = 2.76$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
457	Search for heavy bottom-like quarks in 4.9 fb \hat{a} of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
458	Measurement of the cross section for production of $\$$ boverline b X $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\} = 7$ $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
459	Measurement of the $Z \hat{l}^3*\hat{a}$ \in % + \hat{a} \in % b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
460	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $q=7$; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
461	Search for anomalous production of multilepton events in pp collisions at sqrt = 7,TeV . Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
462	Search for a light charged Higgs boson in top quark decays in pp collisions at $\$$ sqrt $\{s\} = 7$; TeV $\$$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
463	Search for leptonic decays of Wâ \in 2 bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
464	Search for stopped long-lived particles produced in pp collisions at $\$ sqrt $\{s\} = \{ext\{7TeV\}\}\$ \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
465	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at	4.7	30
466	Measurement of the underlying event activity in pp collisions at $\$$ sqrt $\{\$\}$ = 0.9 $\$$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
467	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
468	Search for dark matter and large extra dimensions in monojet events in pp collisions at $q = \{7\}$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	168

#	Article	IF	CITATIONS
469	Search for a fermiophobic Higgs boson in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
470	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
471	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ $ \sqrt{\{\{s_{mathrm{NN}\}\}\}} } = 2.76 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
472	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at $\frac{1}{s}=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
473	Search for exclusive or semi-exclusive $\hat{I}^3\hat{I}^3$ production and observation of exclusive and semi-exclusive e+eâ^ production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
474	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $q=0$ sqrt $q=0$ sqr	4.7	7
475	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
476	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\ \sqrt{s}=7 \ TeV$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
477	Search for resonant \mbox{mathrm}_{t} overline{mathrm{t}} $\mbox{production in lepton+jets events in pp collisions at \mbox{qrt}_{s}=7 \mbox{TeV}. Journal of High Energy Physics, 2012, 2012, 1.$	4.7	26
478	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
479	Measurement of the single-top-quark t-channel cross section in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
480	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $q=1,2,3$ sqrt $s=7$; TeV $q=1,2,3$.	4.7	14
481	Measurement of the top-quark mass in $\mbox{mathrm{t}}\$ events with lepton+jets final states in pp collisions at $\$ sqrt{s}=7 \mbox{TeV} . Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
482	Measurement of the underlying event in the Drellâ€"Yan process in protonâ€"proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
483	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox and 7-mbox TeV$. European Physical Journal C, 2012, 72, 1.	3.9	154
484	A search for a doubly-charged Higgs boson in pp collisions at $q=7 \mod TeV$. European Physical Journal C, 2012, 72, 1.	3.9	129
485	Measurement of the top-quark mass in $\frac{t}{\text{verline}}$ events with dilepton final states in pp collisions at $\frac{s}{t}$ mbox t mbox t European Physical Journal C, 2012, 72, 1.	3.9	42
486	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	26

#	Article	IF	CITATIONS
487			

#	Article	IF	Citations
505	Measurements of inclusive W and Z cross sections in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
506	Search for heavy stable charged particles in pp collisions at sqrt s = 7;extTeV} 5. Journal of High Energy Physics, 2011, 2011, 1.	4.7	38
507	Inclusive b-hadron production cross section with muons in pp collisions at sqrt s} = 7;extTeV} \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
508	Measurement of $\{\text{ext}\{B\}\}$ overline $\{\text{ext}\{B\}\}$ angular correlations based on secondary vertex reconstruction at $\{\text{s}\} = 7, \{\text{ext}\{\text{TeV}\}\}$ \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
509	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\$$ sqrt $\$$ = 7; $\{$ ext $\{$ TeV $\}$ $\}$ $\$$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	59
510	Measurement of Bose-Einstein correlations in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	30
511	Strange particle production in pp collisions at	4.7	139
512	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
513	Search for resonances in the dilepton mass distribution in pp collisions at	4.7	39
514	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $q=7,$ sqrt $q=$	4.7	26
515	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
516	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	10
517	Measurement of the $\{m t\}$ ar $\{m t\}$ production cross section and the top quark mass in the dilepton channel in pp collisions at sqrt $\{s\}$ = 7 TeV . Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
518	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt $\{\{s_{ext}\}\}\}$ \$ $\hat{a}\in \infty=\hat{a}\in \infty$ 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
519	Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High Energy Physics, 2011, 2011, 1.	4.7	13
520	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	29
521	Search for same-sign top-quark pair production at	4.7	40
522	Charged particle transverse momentum spectra in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	56

#	Article	IF	Citations
523	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at sqrt 5 = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	20
524	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\{\{s_{NN}\}\}\}$ = 2.76 TeV . Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
525	Search for new physics with jets and missing transverse momentum in pp collisions at sqrt sqrt and TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
526	Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
527	Measurement of the underlying event activity at the LHC with $\$ sqrt $\{s\} = 7 \$ TeV and comparison with $\$ sqrt $\{s\} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
528	Measurement of the Drell-Yan cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
529	Measurement of the inclusive W and Z production cross sections in pp collisions at \$ sqrt $\{s\} = 7$ \$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	4.7	158
530	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\{s\}$ = 0. $\{9\}$ $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
531	Enhancement of hadron–electron discrimination in calorimeters by detection of the neutron component. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 628, 332-338.	1.6	2
532	NEUCAL, an innovative neutron detector for e/h discrimination: testbeam results. Journal of Physics: Conference Series, 2011, 293, 012039.	0.4	2
533	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. , 2011, 2011, 1.		5
534	First measurement of the underlying event activity at \hat{A} the \hat{A} LHC \hat{A} with \hat{A} \hat{A} sqrt \hat{A} = 0.9\$ \hat{A} TeV. European Physical Journal C, 2010, 70, 555-572.	3.9	50
535	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
536	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
537	Search for neutral Higgs bosons decaying into four taus at LEP2. Journal of High Energy Physics, 2010, 2010, 1.	4.7	43
538	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497
539	An innovative approach to compact calorimetry in space, NEUCAL. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 617, 464-466.	1.6	3
540	NEUCAL: a prototype detector for electron/hadron discrimination through neutron measurement. , 2010, , .		0

#	Article	IF	CITATIONS
541	Performance studies of the CMS Strip Tracker before installation. Journal of Instrumentation, 2009, 4, P06009-P06009.	1.2	5
542	Alignment of the CMS silicon strip tracker during stand-alone commissioning. Journal of Instrumentation, 2009, 4, T07001-T07001.	1.2	7
543	The construction of the CMS Silicon Strip Tracker. Nuclear Physics, Section B, Proceedings Supplements, 2008, 177-178, 328-329.	0.4	1
544	The CMS tracker operation and performance at the Magnet Test and Cosmic Challenge. Journal of Instrumentation, 2008, 3, P07006-P07006.	1,2	8
545	Fermion pair production in e+e- collisions at 189–209ÂGeV and constraints on physics beyond the standard model. European Physical Journal C, 2007, 49, 411-437.	3.9	52
546	Search for Higgs bosons decaying to WW in e+e- collisions at LEP. European Physical Journal C, 2007, 49, 439.	3.9	5
547	xmins:xocs= http://www.eisevier.com/xmi/xocs/dtd xmins:xs= http://www.w3.org/2001/XMLSchema xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"	4.1	52
548	Test of colour reconnection models using three-jet events in hadronic Z decays. European Physical Journal C, 2006, 48, 685.	3.9	8
549	Search for neutral MSSM Higgs bosons at LEP. European Physical Journal C, 2006, 47, 547.	3.9	592
550	Measurement of the W boson mass and width in e+e- collisions at LEP. European Physical Journal C, 2006, 47, 309-335. production in <a href="mailto:kmml:math.altimg=" kmml:math.altimg="sil.gif" ove<="" overflow="sil.gif" sil.gif"="" td=""><td>3.9</td><td>45</td>	3.9	45
551	xmins:xocs= http://www.eisevier.com/xmi/xocs/dtd xmins:xs= http://www.w3.org/2001/XMLSchema xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" Xwo-pattidletcor/jelationssin/pp,com/xlm/athraltimgtalsia/gifl"overflow="scroll"	4.1	3
552	xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"	4.1	11
553	xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com. Boseâ€"Einstein correlations in W-pair decays with an event-mixing technique. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 606, 265-275, improved measurement of the triple gauge-boson couplings 13 WW and ZWW in <mml:math< td=""><td>4.1</td><td>26</td></mml:math<>	4.1	26
554	altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mttp://www.w3.org/1998/Math/MathML"	4.1	51
555	xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" Thereffect of highly ionising particles of the CMS silicon strip tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 543, 463-482.	1.6	7
556	CMS inner tracker detector modules. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 552, 212-215.	1.6	2
557	Branching ratios and spectral functions of Ï,, decays: Final ALEPH measurements and physics implications. Physics Reports, 2005, 421, 191-284.	25.6	288
558	Absolute mass lower limit for the lightest neutralino of the MSSM from e+eâ data at s up to 209ÂGeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 583, 247-263.	4.1	48

#	Article	IF	CITATIONS
559	Search for pentaquark states in Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 599, 1-16.	4.1	53
560	Constraints on anomalous QGCs in interactions from 183 to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 602, 31-40.	4.1	3
561	Exclusive production of pion and kaon meson pairs in two photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 569, 140-150.	4.1	15
562	A measurement of the gluon splitting rate into ccl, pairs in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 213-224.	4.1	10
563	CMS silicon tracker developments. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 477, 440-445.	1.6	1
564	Production of Dsâ^—â^—Âmesons in hadronic ZÂdecays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 526, 34-49.	4.1	14
565	Final results of the searches for neutral Higgs bosons in e+eâ^' collisions at s up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 526, 191-205.	4.1	75
566	Search for scalar leptons in e+eâ^' collisions at centre-of-mass energies up to 209ÂGeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 526, 206-220.	4.1	72
567	Leptonic decays of the Ds meson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 528, 1-18.	4.1	19
568	Inclusive production of theÂη andÂω mesons inÂZ decays, and the muonic branching ratio of theÂω. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 528, 19-33.	4.1	10
569	Search for Î ³ Î ³ â†'ηb in e+eâ [^] collisions at LEPÂ2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 530, 56-66.	4.1	34
570	Search for charginos nearly mass degenerate with the lightest neutralino in e+eâ ⁻ collisions at centre-of-mass energies up to 209ÂGeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 533, 223-236.	4.1	84
571	Search for scalar quarks in e+eâ^² collisions at up to 209ÂGeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 537, 5-20.	4.1	55
572	A flavour-independent Higgs boson search in e+eâ^' collisions at s up to 209ÂGeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 25-34.	4.1	12
573	Search for $\hat{1}^3\hat{1}^3$ decays of a Higgs boson in e+e $\hat{1}^3$ collisions at s up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 16-24.	4.1	23
574	Search for single top production in e+eâ^' collisions at s up to 209ÂGeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 543, 173-182.	4.1	40
575	Search for charged Higgs bosons in e+eâ [^] collisions at energies up to ÂGeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 543, 1-13.	4.1	60
576	Absolute lower limits on the masses of selectrons and sneutrinos in the MSSM. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 73-88.	4.1	33

#	Article	IF	CITATIONS
577	Searches for neutral Higgs bosons in e+eâ ⁻ collisions at centre-of-mass energies from 192 to 202 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 499, 53-66.	4.1	22
578	Study of the fragmentation of b quarks into B mesons at the Z peak. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 512, 30-48.	4.1	116
579	Optimization of the silicon sensors for the CMS tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 466, 300-307.	1.6	4
580	Performance of CMS silicon microstrip detectors with the APV6 readout chip. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 447, 133-141.	1.6	6
581	New results on silicon microstrip detectors of CMS tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 447, 142-150.	1.6	25
582	The CMS silicon tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 453, 121-125.	1.6	1
583	Fermi–Dirac correlations in Î> pairs in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 475, 395-406.	4.1	15
584	Measurement of W-pair production in e+eâ^' collisions at 189 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 484, 205-217.	4.1	16
585	A study of the decay width difference in the B0s– system using φφ correlations. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 486, 286-299.	4.1	23
586	Search for $\hat{1}^3\hat{1}^3$ decays of a Higgs boson produced in association with a fermion pair in e+e $\hat{1}^3$ collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 487, 241-252.	4.1	8
587	Search for charged Higgs bosons in e+eâ^ collisions at energies up to = 189 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 487, 253-263.	4.1	22
588	Search for a scalar top almost degenerate with the lightest neutralino in e+eâ ⁻ collisions at up to 202 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 488, 234-246.	4.1	15
589	Study of the CP asymmetry of B0→J/Ĩˆ KOS decays in ALEPH. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 492, 259-274.	4.1	43
590	Measurement of the and Bâ^' meson lifetimes. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 492, 275-287.	4.1	7
591	Search for the glueball candidates f0(1500) and fJ(1710) in $\hat{I}^3\hat{I}^3$ collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 472, 189-199.	4.1	34
592	Test results on heavily irradiated silicon detectors for the CMS experiment at LHC. IEEE Transactions on Nuclear Science, 2000, 47, 2092-2100.	2.0	0
593	Monitoring the stability of the ALEPH vertex detector. Nuclear Physics, Section B, Proceedings Supplements, 1999, 78, 301-306.	0.4	2
594	R&D for the CMS silicon tracker. Nuclear Physics, Section B, Proceedings Supplements, 1999, 78, 322-328.	0.4	0

#	Article	IF	CITATIONS
595	Measurement of the hadronic photon structure function at LEP 1 for ã€^Q2〉 values between 9.9 and 284 GeV2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 458, 152-166.	4.1	28
596	Test results of heavily irradiated Si detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 422, 238-241.	1.6	0
597	The CMS silicon microstrip detectors: research and development. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 426, 16-23.	1.6	2
598	The R&D program for silicon detectors in CMS. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 435, 109-117.	1.6	7
599	The CMS silicon strip tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 435, 102-108.	1.6	3
600	The silicon microstrip tracker for CMS. Nuclear Physics, Section B, Proceedings Supplements, 1999, 78, 315-321.	0.4	0
601	Construction and performance of the new ALEPH vertex detector. Nuclear Physics, Section B, Proceedings Supplements, 1998, 61, 201-206.	0.4	5
602	The new ALEPH Silicon Vertex Detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 409, 157-160.	1.6	18
603	The CMS silicon tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 419, 538-543.	1.6	3
604	Performance of the Aleph upgraded silicon vertex detector. Nuclear Physics, Section B, Proceedings Supplements, 1997, 54, 317-322.	0.4	0