

# Ya Shen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2774189/publications.pdf>

Version: 2024-02-01

127  
papers

6,686  
citations

61984

43  
h-index

69250

77  
g-index

128  
all docs

128  
docs citations

128  
times ranked

4379  
citing authors

#	ARTICLE	IF	CITATIONS
1	Antimicrobial effects of agitational irrigation on single- and multispecies biofilms in dentin canals. <i>Odontology / the Society of the Nippon Dental University</i> , 2023, 111, 49-56.	1.9	16
2	The ability of different irrigation methods to remove mixtures of calcium hydroxide and barium sulphate from isthmuses in 3D printed transparent root canal models. <i>Odontology / the Society of the Nippon Dental University</i> , 2022, 110, 27-34.	1.9	20
3	Comparison of the effects from coronal preâ€flaring and glideâ€path preparation on torque generation during root canal shaping procedure. <i>Australian Endodontic Journal</i> , 2022, 48, 131-137.	1.5	2
4	Long-term porosity and retreatability of oval-shaped canals obturated using two different methods with a novel tricalcium silicate sealer. <i>Clinical Oral Investigations</i> , 2022, 26, 1045-1052.	3.0	11
5	Palatogingival grooves associated with periodontal bone Loss of maxillary incisors in a Chinese population. <i>Australian Endodontic Journal</i> , 2022, 48, 313-321.	1.5	4
6	Biomaterial scaffolds for clinical procedures in endodontic regeneration. <i>Bioactive Materials</i> , 2022, 12, 257-277.	15.6	11
7	Characterisation of deformed or separated nickel-titanium retreatment instruments after clinical use - A multicentre experience. <i>Journal of Dentistry</i> , 2022, 117, 103939.	4.1	5
8	Torque Generation of the Endodontic Instruments: A Narrative Review. <i>Materials</i> , 2022, 15, 664.	2.9	15
9	Antibiofilm and immunomodulatory resorbable nanofibrous filing for dental pulp regenerative procedures. <i>Bioactive Materials</i> , 2022, 16, 173-186.	15.6	13
10	In vitro evaluation of the antibacterial effect of four root canal sealers on dental biofilms. <i>Clinical Oral Investigations</i> , 2022, 26, 4361-4368.	3.0	10
11	External cervical resorption â€“ Treatment outcomes and determinants: A retrospective cohort study with up to 10Years of followâ€up. <i>International Endodontic Journal</i> , 2022, 55, 441-452.	5.0	12
12	Biocompatibility of a New Calcium Silicate-Based Root Canal Sealer Mediated via the Modulation of Macrophage Polarization in a Rat Model. <i>Materials</i> , 2022, 15, 1962.	2.9	13
13	Decontamination of rough implant surfaces colonized by multispecies oral biofilm by application of leukocyteâ€and plateletâ€rich fibrin. <i>Journal of Periodontology</i> , 2021, 92, 875-885.	3.4	12
14	Effect of canal curvature location on the cyclic fatigue resistance of reciprocating files. <i>Clinical Oral Investigations</i> , 2021, 25, 169-177.	3.0	8
15	Characteristics of the Irrigant Flow in a Simulated Lateral Canal Under Two Typical Laserâ€Activated Irrigation Regimens. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 587-594.	2.1	17
16	Root dentine thickness in Câ€shaped lower second molars after instrumentation: A CBCT and microâ€CT study. <i>Australian Endodontic Journal</i> , 2021, 47, 122-129.	1.5	7
17	Geometric Analysis of the Distolingual Root and Canal in Mandibular First Molars: A Microâ€computed Tomographic Study. <i>Journal of Endodontics</i> , 2021, 47, 779-786.	3.1	3
18	Effectiveness of photon-initiated photoacoustic streaming in root canal models with different diameters or tapers. <i>BMC Oral Health</i> , 2021, 21, 307.	2.3	6

#	ARTICLE	IF	CITATIONS
19	Micro-CT Computed Tomographic Evaluation of the Quality of Root Canal Fillings in Mandibular Molars after Obturation for 54 Months. <i>Journal of Endodontics</i> , 2021, 47, 1783-1789.	3.1	12
20	Efficacy of XP-endo instruments in removing 54 month-aged root canal filling material from mandibular molars. <i>Journal of Dentistry</i> , 2021, 112, 103734.	4.1	13
21	Effects of dentine surface cleaning on bonding of a self-etch adhesive to root canal sealer-contaminated dentine. <i>Journal of Dentistry</i> , 2021, 112, 103766.	4.1	10
22	Effects of Root Canal Curvature and Mechanical Properties of Nickel-Titanium Files on Torque Generation. <i>Journal of Endodontics</i> , 2021, 47, 1501-1506.	3.1	10
23	Effect of apical size on apical pressure during syringe-needle and multisonic negative pressure irrigation. <i>Odontology / the Society of the Nippon Dental University</i> , 2021, 109, 625-631.	1.9	3
24	Antimicrobial and Antibiofilm Properties of Bioceramic Materials in Endodontics. <i>Materials</i> , 2021, 14, 7594.	2.9	11
25	Epidermal growth factor receptor signaling suppresses $\alpha_2\beta_6$ integrin and promotes periodontal inflammation and bone loss. <i>Journal of Cell Science</i> , 2020, 133, .	2.0	12
26	Removal of calcifications from distal canals of mandibular molars by a non-instrumental cleaning system: A micro-CT study. <i>Australian Endodontic Journal</i> , 2020, 46, 11-16.	1.5	11
27	Resumption of Endodontic Practices in COVID-19 Hardest-Hit Area of China: A Web-based Survey. <i>Journal of Endodontics</i> , 2020, 46, 1577-1583.e2.	3.1	11
28	Dynamics of Dissolution, Killing, and Inhibition of Dental Plaque Biofilm. <i>Frontiers in Microbiology</i> , 2020, 11, 964.	3.5	14
29	External Cervical Resorption: A Retrospective Case-Control Study. <i>Journal of Endodontics</i> , 2020, 46, 1420-1427.	3.1	30
30	Effect of Curvature Location on Fatigue Resistance of Five Nickel-titanium Files Determined at Body Temperature. <i>Journal of Endodontics</i> , 2020, 46, 1682-1688.	3.1	8
31	Cytotoxicity and the Effect of Temperature on Physical Properties and Chemical Composition of a New Calcium Silicate-based Root Canal Sealer. <i>Journal of Endodontics</i> , 2020, 46, 531-538.	3.1	58
32	Characteristics of Endodontic Emergencies during Coronavirus Disease 2019 Outbreak in Wuhan. <i>Journal of Endodontics</i> , 2020, 46, 730-735.	3.1	80
33	In vitro evaluation by quantitative real-time PCR and culturing of the effectiveness of disinfection of multispecies biofilms in root canals by two irrigation systems. <i>Clinical Oral Investigations</i> , 2019, 23, 913-920.	3.0	21
34	Effect of Long-term Exposure to Peptides on Mono- and Multispecies Biofilms in Dentinal Tubules. <i>Journal of Endodontics</i> , 2019, 45, 1522-1528.	3.1	14
35	Fatigue resistance of ProTaper gold exposed to high-concentration sodium hypochlorite in double curvature artificial canal. <i>Bioactive Materials</i> , 2019, 4, 245-248.	15.6	9
36	Modeling Oral Multispecies Biofilm Recovery After Antibacterial Treatment. <i>Scientific Reports</i> , 2019, 9, 804.	3.3	9

#	ARTICLE	IF	CITATIONS
37	Influence of Endodontic Procedure on the Adherence of Enterococcus faecalis. Journal of Endodontics, 2019, 45, 943-949.	3.1	24
38	Quality of Root Filling after Obturation with Gutta-percha and 3 Different Sealers of Minimally Instrumented Root canals of the Maxillary First Molar. Journal of Endodontics, 2019, 45, 1030-1035.	3.1	21
39	Effects of two fast-setting pulp-capping materials on cell viability and osteogenic differentiation in human dental pulp stem cells: An in vitro study. Archives of Oral Biology, 2019, 100, 100-105.	1.8	15
40	A novel hydroxyapatite-binding antimicrobial peptide against oral biofilms. Clinical Oral Investigations, 2019, 23, 2705-2712.	3.0	19
41	Doxycycline release and antibacterial activity from PMMA/PEO electrospun fiber mats. Journal of Applied Oral Science, 2019, 27, e20180663.	1.8	20
42	Evaluation of Quality and Preparation Time of Retrograde Cavities in Root Canals Filled with GuttaCore and Cold Lateral Condensation Technique. Journal of Endodontics, 2018, 44, 639-642.	3.1	12
43	Effect of Torsional and Fatigue Preloading on HyFlex EDM Files. Journal of Endodontics, 2018, 44, 643-647.	3.1	21
44	Low Environmental Temperature Influences the Fatigue Resistance of Nickel-titanium Files. Journal of Endodontics, 2018, 44, 626-629.	3.1	42
45	Root Canal Wall Dentin Structure in Uninstrumented but Cleaned Human Premolars: A Scanning Electron Microscopic Study. Journal of Endodontics, 2018, 44, 842-848.	3.1	29
46	Antimicrobial Effect of Peptide DJK-5 Used Alone or Mixed with EDTA on Mono- and Multispecies Biofilms in Dentin Canals. Journal of Endodontics, 2018, 44, 1709-1713.	3.1	20
47	Antibiofilm peptides against biofilms on titanium and hydroxyapatite surfaces. Bioactive Materials, 2018, 3, 418-425.	15.6	38
48	Chemotherapeutic decontamination of dental implants colonized by mature multispecies oral biofilm. Journal of Clinical Periodontology, 2017, 44, 403-409.	4.9	30
49	Antibiofilm peptides against oral biofilms. Journal of Oral Microbiology, 2017, 9, 1327308.	2.7	39
50	In Vitro Efficacy of XP-endo Finisher with 2 Different Protocols on Biofilm Removal from Apical Root Canals. Journal of Endodontics, 2017, 43, 321-325.	3.1	96
51	Fatigue Resistance of Nickel-titanium Instruments Exposed to High-concentration Hypochlorite. Journal of Endodontics, 2017, 43, 1847-1851.	3.1	41
52	Antibiofilm Effect of D-enantiomeric Peptide Alone and Combined with EDTA In Vitro. Journal of Endodontics, 2017, 43, 1862-1867.	3.1	22
53	Suppression of $\alpha_6\beta_1$ Integrin Expression by Polymicrobial Oral Biofilms in Gingival Epithelial Cells. Scientific Reports, 2017, 7, 4411.	3.3	20
54	Evaluation of Two Trephine Techniques for Removal of Fractured Rotary Nickel-titanium Instruments from Root Canals. Journal of Endodontics, 2017, 43, 116-120.	3.1	24

#	ARTICLE	IF	CITATIONS
55	Physicochemical and Biological Evaluation of Endodontic Filling Materials for Primary Teeth. <i>Brazilian Dental Journal</i> , 2017, 28, 578-586.	1.1	15
56	Effect of iRoot Fast Set root repair material on the proliferation, migration and differentiation of human dental pulp stem cells in vitro. <i>PLoS ONE</i> , 2017, 12, e0186848.	2.5	14
57	Antibiofilm Activity of Five Different Endodontic Filling Materials Used in Primary Teeth Using Confocal Laser Scanning Microscopy. <i>Pediatric Dentistry (discontinued)</i> , 2017, 39, 145-149.	0.4	3
58	A micro-computed tomography study of the negotiation and anatomical feature in apical root canal of mandibular molars. <i>Scanning</i> , 2016, 38, 819-824.	1.5	6
59	Fatigue Resistance of a 3-dimensional Conforming Nickel-Titanium Rotary Instrument in Double Curvatures. <i>Journal of Endodontics</i> , 2016, 42, 961-964.	3.1	24
60	Evaluation of Root Canal Dentin Erosion after Different Irrigation Methods Using Energy-dispersive X-ray Spectroscopy. <i>Journal of Endodontics</i> , 2016, 42, 1834-1839.	3.1	42
61	Experimental and Theoretical Investigation of Multispecies Oral Biofilm Resistance to Chlorhexidine Treatment. <i>Scientific Reports</i> , 2016, 6, 27537.	3.3	51
62	Evaluation of the Susceptibility of Multispecies Biofilms in Dentinal Tubules to Disinfecting Solutions. <i>Journal of Endodontics</i> , 2016, 42, 1246-1250.	3.1	35
63	A Micro-computed Tomographic Assessment of the Influence of Operator's Experience on the Quality of WaveOne Instrumentation. <i>Journal of Endodontics</i> , 2016, 42, 1258-1262.	3.1	14
64	Bifunctional bioceramics stimulating osteogenic differentiation of a gingival fibroblast and inhibiting plaque biofilm formation. <i>Biomaterials Science</i> , 2016, 4, 639-651.	5.4	4
65	A 3D numerical study of antimicrobial persistence in heterogeneous multi-species biofilms. <i>Journal of Theoretical Biology</i> , 2016, 392, 83-98.	1.7	36
66	WaveOne Rotary Instruments after Clinical Use. <i>Journal of Endodontics</i> , 2016, 42, 186-189.	3.1	35
67	Physical properties and hydration behavior of a fast-setting bioceramic endodontic material. <i>BMC Oral Health</i> , 2016, 16, 23.	2.3	68
68	Rare Root Canal Configuration of Bilateral Maxillary Second Molar Using Cone-beam Computed Tomographic Scanning. <i>Journal of Endodontics</i> , 2016, 42, 673-677.	3.1	21
69	Apical pressure created during irrigation with the GentleWave <sup>®</sup> system compared to conventional syringe irrigation. <i>Clinical Oral Investigations</i> , 2016, 20, 1525-1534.	3.0	31
70	Intraoperative application of chlorhexidine gel reduces bacterial counts in internal implant cavity. <i>European Journal of Oral Sciences</i> , 2015, 123, 425-431.	1.5	3
71	Remaining root dentin thickness in mesiobuccal canals of maxillary first molars after attempted removal of broken instrument fragments. <i>Australian Endodontic Journal</i> , 2015, 41, 122-127.	1.5	12
72	What do different tests tell about the mechanical and biological properties of bioceramic materials?. <i>Endodontic Topics</i> , 2015, 32, 47-85.	0.5	19

#	ARTICLE	IF	CITATIONS
73	Clinical use of bioceramic materials. <i>Endodontic Topics</i> , 2015, 32, 97-117.	0.5	31
74	YA SHEN, DDS, PHD, Assistant Professor, Division of Endodontics, Department of Oral Biological & Medical Sciences, Faculty of Dentistry, University of British Columbia, Vancouver, Canada. <i>Endodontic Topics</i> , 2015, 32, 127-127.	0.5	0
75	Combined Antibacterial Effect of Sodium Hypochlorite and Root Canal Sealers against <i>Enterococcus faecalis</i> Biofilms in Dentin Canals. <i>Journal of Endodontics</i> , 2015, 41, 1294-1298.	3.1	42
76	Evaluation of the Effect of Needle Position on Irrigant Flow in the C-shaped Root Canal Using a Computational Fluid Dynamics Model. <i>Journal of Endodontics</i> , 2015, 41, 931-936.	3.1	31
77	Phase Transformation Behavior and Resistance to Bending and Cyclic Fatigue of ProTaper Gold and ProTaper Universal Instruments. <i>Journal of Endodontics</i> , 2015, 41, 1134-1138.	3.1	189
78	In Vitro Study of Calcium Hydroxide Removal from Mandibular Molar Root Canals. <i>Journal of Endodontics</i> , 2015, 41, 553-558.	3.1	53
79	Antibacterial Coatings on Titanium Surfaces: A Comparison Study Between <i>in Vitro</i> Single-Species and Multispecies Biofilm. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 5992-6001.	8.0	53
80	ProFile Vortex and Vortex Blue Nickel-Titanium Rotary Instruments after Clinical Use. <i>Journal of Endodontics</i> , 2015, 41, 937-942.	3.1	42
81	The remaining dentin thickness investigation of the attempt to remove broken instrument from mesiobuccal canals of maxillary first molars with virtual simulation technique. <i>BMC Oral Health</i> , 2015, 15, 87.	2.3	10
82	Cyclic Fatigue of ProFile Vortex and Vortex Blue Nickel-Titanium Files in Single and Double Curvatures. <i>Journal of Endodontics</i> , 2015, 41, 1686-1690.	3.1	55
83	In Vitro Cytotoxicity of Calcium Silicate-containing Endodontic Sealers. <i>Journal of Endodontics</i> , 2015, 41, 56-61.	3.1	123
84	Effect of a Combination of Torsional and Cyclic Fatigue Preloading on the Fracture Behavior of K3 and K3XF Instruments. <i>Journal of Endodontics</i> , 2015, 41, 526-530.	3.1	15
85	Treatment of Oral Multispecies Biofilms by an Anti-Biofilm Peptide. <i>PLoS ONE</i> , 2015, 10, e0132512.	2.5	65
86	Root Canal Preparation of Mandibular Molars with 3 Nickel-Titanium Rotary Instruments: A Micro-Computed Tomographic Study. <i>Journal of Endodontics</i> , 2014, 40, 1860-1864.	3.1	125
87	Anti-Biofilm and Immunomodulatory Activities of Peptides That Inhibit Biofilms Formed by Pathogens Isolated from Cystic Fibrosis Patients. <i>Antibiotics</i> , 2014, 3, 509-526.	3.7	49
88	Imbalance of Interleukin-17+ T-cell and Foxp3+ Regulatory T-cell Dynamics in Rat Periapical Lesions. <i>Journal of Endodontics</i> , 2014, 40, 56-62.	3.1	41
89	Effect of Fatigue on Torsional Failure of Nickel-Titanium Controlled Memory Instruments. <i>Journal of Endodontics</i> , 2014, 40, 562-565.	3.1	35
90	Effect of Long-term Exposure to Endodontic Disinfecting Solutions on Young and Old <i>Enterococcus faecalis</i> Biofilms in Dentin Canals. <i>Journal of Endodontics</i> , 2014, 40, 509-514.	3.1	84

#	ARTICLE	IF	CITATIONS
91	Dental materials with antibiofilm properties. <i>Dental Materials</i> , 2014, 30, e1-e16.	3.5	142
92	Tissue Dissolution by a Novel Multisonic Ultracleaning System and Sodium Hypochlorite. <i>Journal of Endodontics</i> , 2014, 40, 1178-1181.	3.1	92
93	Dentin Extends the Antibacterial Effect of Endodontic Sealers against <i>Enterococcus faecalis</i> Biofilms. <i>Journal of Endodontics</i> , 2014, 40, 505-508.	3.1	89
94	Current Challenges and Concepts of the Thermomechanical Treatment of Nickel-Titanium Instruments. <i>Journal of Endodontics</i> , 2013, 39, 163-172.	3.1	380
95	Physical Properties of 5 Root Canal Sealers. <i>Journal of Endodontics</i> , 2013, 39, 1281-1286.	3.1	298
96	Phase Transformation Behavior and Mechanical Properties of Thermomechanically Treated K3XF Nickel-Titanium Instruments. <i>Journal of Endodontics</i> , 2013, 39, 919-923.	3.1	54
97	Effect of the Source of Biofilm Bacteria, Level of Biofilm Maturation, and Type of Disinfecting Agent on the Susceptibility of Biofilm Bacteria to Antibacterial Agents. <i>Journal of Endodontics</i> , 2013, 39, 473-477.	3.1	135
98	Ya Shen, DDS, PHD, Assistant Professor, Division of Endodontics, Department of Oral Biological & Medical Sciences, Faculty of Dentistry, University of British Columbia, Vancouver, Canada. <i>Endodontic Topics</i> , 2013, 29, 169-169.	0.5	0
99	Ya Shen, DDS, PHD, Assistant Professor, Division of Endodontics, Department of Oral Biological & Medical Sciences, Faculty of Dentistry, University of British Columbia, Vancouver, Canada. <i>Endodontic Topics</i> , 2012, 27, 110-110.	0.5	0
100	Mechanical Properties of Controlled Memory and Superelastic Nickel-Titanium Wires Used in the Manufacture of Rotary Endodontic Instruments. <i>Journal of Endodontics</i> , 2012, 38, 1535-1540.	3.1	96
101	Effect of Environment on Fatigue Failure of Controlled Memory Wire Nickel-Titanium Rotary Instruments. <i>Journal of Endodontics</i> , 2012, 38, 376-380.	3.1	84
102	Efficacy of ProTaper Universal Rotary Retreatment System for Gutta-percha Removal from Oval Root Canals: A Micro-Computed Tomography Study. <i>Journal of Endodontics</i> , 2012, 38, 1516-1520.	3.1	88
103	ProFile Vortex Instruments after Clinical Use: A Metallurgical Properties Study. <i>Journal of Endodontics</i> , 2012, 38, 1613-1617.	3.1	32
104	Antimicrobial Efficacy of Chlorhexidine against Bacteria in Biofilms at Different Stages of Development. <i>Journal of Endodontics</i> , 2011, 37, 657-661.	3.1	206
105	Biocompatibility of Two Novel Root Repair Materials. <i>Journal of Endodontics</i> , 2011, 37, 793-798.	3.1	156
106	Fatigue Testing of Controlled Memory Wire Nickel-Titanium Rotary Instruments. <i>Journal of Endodontics</i> , 2011, 37, 997-1001.	3.1	149
107	Mechanical Behavior of ProTaper Universal F2 Finishing File under Various Curvature Conditions: A Finite Element Analysis Study. <i>Journal of Endodontics</i> , 2011, 37, 1446-1450.	3.1	14
108	A New Noninvasive Model to Study the Effectiveness of Dentin Disinfection by Using Confocal Laser Scanning Microscopy. <i>Journal of Endodontics</i> , 2011, 37, 1380-1385.	3.1	202

#	ARTICLE	IF	CITATIONS
109	Metallurgical Characterization of Controlled Memory Wire Nickel-Titanium Rotary Instruments. <i>Journal of Endodontics</i> , 2011, 37, 1566-1571.	3.1	144
110	The Synergistic Antimicrobial Effect by Mechanical Agitation and Two Chlorhexidine Preparations on Biofilm Bacteria. <i>Journal of Endodontics</i> , 2010, 36, 100-104.	3.1	85
111	Three-dimensional Numeric Simulation of Root Canal Irrigant Flow with Different Irrigation Needles. <i>Journal of Endodontics</i> , 2010, 36, 884-889.	3.1	88
112	Bacterial Viability in Starved and Revitalized Biofilms: Comparison of Viability Staining and Direct Culture. <i>Journal of Endodontics</i> , 2010, 36, 1820-1823.	3.1	105
113	Irrigation in Endodontics. <i>Dental Clinics of North America</i> , 2010, 54, 291-312.	1.8	423
114	YA SHEN, DDS, PHD, Assistant Professor, Division of Endodontics, Department of Oral Biological & Medical Sciences, Faculty of Dentistry, University of British Columbia, Vancouver, Canada. <i>Endodontic Topics</i> , 2010, 22, 134-134.	0.5	0
115	Defects in Nickel-Titanium Instruments after Clinical Use. Part 2: Fractographic Analysis of Fractured Surface in a Cohort Study. <i>Journal of Endodontics</i> , 2009, 35, 133-136.	3.1	75
116	Defects in Nickel-Titanium Instruments after Clinical Use. Part 1: Relationship between Observed Imperfections and Factors Leading to Such Defects in a Cohort Study. <i>Journal of Endodontics</i> , 2009, 35, 129-132.	3.1	67
117	Defects in Nickel-Titanium Instruments after Clinical Use. Part 3: A 4-Year Retrospective Study from an Undergraduate Clinic. <i>Journal of Endodontics</i> , 2009, 35, 193-196.	3.1	50
118	Defects in Nickel-Titanium Instruments after Clinical Use. Part 4: An Electropolished Instrument. <i>Journal of Endodontics</i> , 2009, 35, 197-201.	3.1	23
119	Antibacterial Activity of Endodontic Sealers by Modified Direct Contact Test Against <i>Enterococcus faecalis</i> . <i>Journal of Endodontics</i> , 2009, 35, 1051-1055.	3.1	290
120	Evaluation of the Effect of Two Chlorhexidine Preparations on Biofilm Bacteria In Vitro: A Three-Dimensional Quantitative Analysis. <i>Journal of Endodontics</i> , 2009, 35, 981-985.	3.1	114
121	Defects in Nickel-Titanium Instruments after Clinical Use. Part 5: Single Use From Endodontic Specialty Practices. <i>Journal of Endodontics</i> , 2009, 35, 1363-1367.	3.1	46
122	Reasons for persistent and emerging post-treatment endodontic disease. <i>Endodontic Topics</i> , 2008, 18, 31-50.	0.5	64
123	Three-dimensional Analysis of Cutting Behavior of Nickel-Titanium Rotary Instruments by Microcomputed Tomography. <i>Journal of Endodontics</i> , 2008, 34, 606-610.	3.1	42
124	Analysis of Defects in ProTaper Hand-operated Instruments after Clinical Use. <i>Journal of Endodontics</i> , 2007, 33, 287-290.	3.1	16
125	Does Electropolishing Improve the Low-cycle Fatigue Behavior of a Nickel-Titanium Rotary Instrument in Hypochlorite?. <i>Journal of Endodontics</i> , 2007, 33, 1217-1221.	3.1	47
126	Comparison of Defects in ProFile and ProTaper Systems after Clinical Use. <i>Journal of Endodontics</i> , 2006, 32, 61-65.	3.1	169



#	ARTICLE	IF	CITATIONS
127	Factors associated with the removal of fractured NiTi instruments from root canal systems. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2004, 98, 605-610.	1.4	90