

# Gangfeng Ouyang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2776637/publications.pdf>

Version: 2024-02-01

303  
papers

12,893  
citations

24978

57  
h-index

39575

94  
g-index

312  
all docs

312  
docs citations

312  
times ranked

10258  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polystyrene-based nanospheres with controllable microstructures for exceptional solid phase microextraction of organic pollutants. <i>Chemical Engineering Journal</i> , 2022, 428, 132527.	6.6	20
2	PP2A-mTOR-p70S6K/4E-BP1 axis regulates M1 polarization of pulmonary macrophages and promotes ambient particulate matter induced mouse lung injury. <i>Journal of Hazardous Materials</i> , 2022, 424, 127624.	6.5	11
3	MOF-74/polystyrene-derived Ni-doped hierarchical porous carbon for structure-oriented extraction of polycyclic aromatic hydrocarbons and their metabolites from human biofluids. <i>Journal of Hazardous Materials</i> , 2022, 424, 127465.	6.5	22
4	PDMS-coated $^{13}\text{C}$ -MOF solid-phase microextraction fiber for BTEX analysis with boosted performances. <i>Analytica Chimica Acta</i> , 2022, 1189, 339259.	2.6	3
5	Role of Antioxidant Moieties in the Quenching of a Purine Radical by Dissolved Organic Matter. <i>Environmental Science &amp; Technology</i> , 2022, 56, 546-555.	4.6	19
6	Novel solid-phase microextraction fiber coatings: A review. <i>Journal of Separation Science</i> , 2022, 45, 282-304.	1.3	40
7	An ultrafast and facile nondestructive strategy to convert various inefficient commercial nanocarbons to highly active Fenton-like catalysts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	12
8	Crystal morphology tuning and green post-synthetic modification of metal organic framework for HPLC enantioseparation. <i>Talanta</i> , 2022, 239, 123143.	2.9	17
9	Titelbild: Coordinated Anionic Inorganic Module—An Efficient Approach Towards Highly Efficient Blue-Emitting Copper Halide Ionic Hybrid Structures ( <i>Angew. Chem.</i> 8/2022). <i>Angewandte Chemie</i> , 2022, 134, .	1.6	0
10	Biocatalytic Metal-Organic Frameworks: Promising Materials for Biosensing. <i>ChemBioChem</i> , 2022, 23, .	1.3	21
11	Boosting $\text{CH}_4$ selectivity in $\text{CO}_2$ electroreduction using a metallacycle-based porous crystal with biomimetic adaptive cavities. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11948-11954.	5.2	4
12	Removal of Cr(VI) from solution using UiO-66-NH <sub>2</sub> prepared in a green way. <i>Korean Journal of Chemical Engineering</i> , 2022, 39, 1839-1849.	1.2	10
13	Construction of Two-Dimensional Fluorescent Covalent Organic Framework Nanosheets for the Detection and Removal of Nitrophenols. <i>Analytical Chemistry</i> , 2022, 94, 2517-2526.	3.2	43
14	Effect of Sodium Dodecyl Benzenesulfonate on the Formation Kinetics of Methane Hydrate. <i>Energy &amp; Fuels</i> , 2022, 36, 1647-1653.	2.5	1
15	Efficient solid phase microextraction of organic pollutants based on graphene oxide/chitosan aerogel. <i>Analytica Chimica Acta</i> , 2022, 1195, 339462.	2.6	32
16	Water-dispersible nano-pollutions reshape microbial metabolism in type-specific manners: A metabolic and bacteriological investigation in <i>Escherichia coli</i> . <i>Frontiers of Environmental Science and Engineering</i> , 2022, 16, 1.	3.3	3
17	Synergistic Catalytic Organic Pollutants Degradation and Cr(VI) Reduction by Carbon Nanotubes through an Electron-Transfer Mechanism without External Energy or Chemical Input. <i>ACS ES&amp;T Engineering</i> , 2022, 2, 1221-1228.	3.7	8
18	Porous carbon nano-sheets as excellent carbocatalysts for organic pollutant removal via persulfate activation: the role of the $\text{sp}^2/\text{sp}^3$ carbon ratio. <i>Environmental Science: Nano</i> , 2022, 9, 1748-1758.	2.2	14

#	ARTICLE	IF	CITATIONS
19	Atomically unveiling the structure-activity relationship of biomacromolecule-metal-organic frameworks symbiotic crystal. <i>Nature Communications</i> , 2022, 13, 951.	5.8	57
20	Bromine Radical ( $\text{Br}^\bullet$ and $\text{Br}_2^\bullet$ ) Reactivity with Dissolved Organic Matter and Brominated Organic Byproduct Formation. <i>Environmental Science &amp; Technology</i> , 2022, 56, 5189-5199.	4.6	33
21	Bimetal Biomimetic Engineering Utilizing Metal-Organic Frameworks for Superoxide Dismutase Mimic. , 2022, 4, 751-757.		39
22	Applications of in vivo SPME based on mass spectrometry for environmental pollutants analysis and non-target metabolomics: A review. , 2022, 1, 100004.		7
23	Co-facial $\pi$ - $\pi$ Interaction Expedites Sensitizer-to-Catalyst Electron Transfer for High-Performance $\text{CO}_2$ Photoreduction. <i>Jacs Au</i> , 2022, 2, 1359-1374.	3.6	24
24	Superficially capped amino metal-organic framework for efficient solid-phase microextraction of perfluorinated alkyl substances. <i>Journal of Chromatography A</i> , 2022, 1669, 462959.	1.8	11
25	New insights into the photo-degraded polystyrene microplastic: Effect on the release of volatile organic compounds. <i>Journal of Hazardous Materials</i> , 2022, 431, 128523.	6.5	38
26	Nitrogen, oxygen-codoped hierarchically porous biochar for simultaneous enrichment and ultrasensitive determination of o-xylene and its hydroxyl metabolites in human urine by solid phase microextraction-gas chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2022, 178, 107384.	2.3	3
27	Coordinated Anionic Inorganic Module—An Efficient Approach Towards Highly Efficient Blue-Emitting Copper Halide Ionic Hybrid Structures. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	27
28	Coordinated Anionic Inorganic Module—An Efficient Approach Towards Highly Efficient Blue-Emitting Copper Halide Ionic Hybrid Structures. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	4
29	Multienzyme Biocatalytic Cascade Systems in Porous Organic Frameworks for Biosensing. <i>Chemistry - A European Journal</i> , 2022, 28, .	1.7	4
30	Recent advances in sampling and sample preparation for effect-directed environmental analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2022, 154, 116654.	5.8	10
31	Rapid sampling and determination of phthalate esters in indoor air using needle trap device. <i>Microchemical Journal</i> , 2022, 179, 107553.	2.3	3
32	Convenient synthesis of a hyper-cross-linked polymer via knitting strategy for high-performance solid phase microextraction of polycyclic aromatic hydrocarbons. <i>Microchemical Journal</i> , 2022, 179, 107535.	2.3	5
33	Application of in vivo solid phase microextraction in exploring dynamic metabolic alterations in living organisms under exogenous stimulation. <i>Advances in Sample Preparation</i> , 2022, 2, 100021.	1.1	2
34	Spontaneous exciton dissociation in organic photocatalyst under ambient conditions for highly efficient synthesis of hydrogen peroxide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	17
35	Facile Synthesis of a Fluorinated Squaramide Covalent Organic Framework for the Highly Efficient and Broad-Spectrum Removal of Per- and Polyfluoroalkyl Pollutants. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	19
36	From exogenous to endogenous: Advances in in vivo sampling in living systems. <i>TrAC - Trends in Analytical Chemistry</i> , 2022, 156, 116692.	5.8	6

#	ARTICLE	IF	CITATIONS
37	Unique On-Site Spinning Sampling of Highly Water-Soluble Organics Using Functionalized Monolithic Sorbents. <i>Environmental Science &amp; Technology</i> , 2022, 56, 8094-8102.	4.6	2
38	Application of the NU-1000 coated SPME fiber on analysis of trace organochlorine pesticides in water. <i>Analytica Chimica Acta</i> , 2022, 1218, 339982.	2.6	11
39	Amino-functionalized metal-organic frameworks for efficient solid-phase microextraction of perfluoroalkyl acids in environmental water. <i>Microchemical Journal</i> , 2022, 179, 107661.	2.3	8
40	High-surface $\beta$ -Ketoenamine linked covalent organic framework driving broad-spectrum solid phase microextraction on multi-polar aromatic esters. <i>Analytica Chimica Acta</i> , 2022, 1220, 340040.	2.6	8
41	Carboxyl-Based CPMP Tag for Ultrasensitive Analysis of Disaccharides by Negative Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2022, 94, 9557-9563.	3.2	5
42	Hollow Covalent Organic Framework with "Shell-Confined" Environment for the Effective Removal of Anionic Per- and Polyfluoroalkyl Substances. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	18
43	In vivo environmental metabolomic profiling via a novel microextraction fiber unravels sublethal effects of environmental norfloxacin in gut bacteria. <i>Science of the Total Environment</i> , 2022, 845, 157335.	3.9	10
44	Impact of different modes of adsorption of natural organic matter on the environmental fate of nanoplastics. <i>Chemosphere</i> , 2021, 263, 127967.	4.2	20
45	Visible-Light Driven Efficient Overall H <sub>2</sub> O <sub>2</sub> Production on Modified Graphitic Carbon Nitride under Ambient Conditions. <i>Applied Catalysis B: Environmental</i> , 2021, 285, 119726.	10.8	45
46	Combined effect of microplastics and DDT on microbial growth: A bacteriological and metabolomics investigation in <i>Escherichia coli</i> . <i>Journal of Hazardous Materials</i> , 2021, 407, 124849.	6.5	32
47	In vivo tracing of endogenous salicylic acids as the biomarkers for evaluating the toxicity of nano-TiO <sub>2</sub> to plants. <i>Analytica Chimica Acta</i> , 2021, 1145, 79-86.	2.6	2
48	Decorated traditional cellulose with nanoscale chiral metal-organic frameworks for enhanced enantioselective capture. <i>Chemical Communications</i> , 2021, 57, 10343-10346.	2.2	7
49	Recent advances of covalent organic frameworks and their application in sample preparation of biological analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 136, 116182.	5.8	47
50	Sample preparation and instrumental methods for illicit drugs in environmental and biological samples: A review. <i>Journal of Chromatography A</i> , 2021, 1640, 461961.	1.8	37
51	Highly efficient photosynthesis of hydrogen peroxide in ambient conditions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	80
52	Sample bottle coated with sorbent as a novel solid-phase extraction device for rapid on-site detection of BTEX in water. <i>Analytica Chimica Acta</i> , 2021, 1152, 338226.	2.6	12
53	Morphology-maintaining synthesis of copper hydroxy phosphate@metal-organic framework composite for extraction and determination of trace mercury in rice. <i>Food Chemistry</i> , 2021, 343, 128508.	4.2	25
54	Facile fabrication of composited solid phase microextraction thin membranes for sensitive detections of trace hydroxylated polycyclic aromatic hydrocarbons in human urine. <i>Analytica Chimica Acta</i> , 2021, 1158, 338422.	2.6	8

#	ARTICLE	IF	CITATIONS
55	Polymer Ligand-Sensitized Lanthanide Metal-Organic Frameworks for an On-Site Analysis of a Radionuclide. <i>Analytical Chemistry</i> , 2021, 93, 9226-9234.	3.2	16
56	When vector control and organic farming intersect: Pesticide residues on rice plants from aerial mosquito sprays. <i>Science of the Total Environment</i> , 2021, 773, 144708.	3.9	2
57	Enhanced fluoride adsorption from aqueous solution by zirconium (IV)-impregnated magnetic chitosan graphene oxide. <i>International Journal of Biological Macromolecules</i> , 2021, 182, 1759-1768.	3.6	31
58	Rate Constants and Mechanisms for Reactions of Bromine Radicals with Trace Organic Contaminants. <i>Environmental Science &amp; Technology</i> , 2021, 55, 10502-10513.	4.6	51
59	Rapid electron transfer via dynamic coordinative interaction boosts quantum efficiency for photocatalytic CO <sub>2</sub> reduction. <i>Nature Communications</i> , 2021, 12, 4276.	5.8	69
60	LC-MS/MS-based non-isotopically paired labeling (NIPL) strategy for the qualification and quantification of monosaccharides. <i>Talanta</i> , 2021, 231, 122336.	2.9	11
61	Protein-directed, hydrogen-bonded biohybrid framework. <i>CheM</i> , 2021, 7, 2722-2742.	5.8	83
62	Targeting Enrichment and Correlation Studies of Glutathione and Homocysteine in IgAVN Patient Urine Based on a Core-Shell Zr-Based Metal-Organic Framework. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 40070-40078.	4.0	9
63	Sheathed in-situ room-temperature growth covalent organic framework solid-phase microextraction fiber for detecting ultratrace polybrominated diphenyl ethers from environmental samples. <i>Analytica Chimica Acta</i> , 2021, 1176, 338772.	2.6	27
64	In Vivo Contaminant Monitoring and Metabolomic Profiling in Plants Exposed to Carbamates via a Novel Microextraction Fiber. <i>Environmental Science &amp; Technology</i> , 2021, 55, 12449-12458.	4.6	22
65	A Biocatalytic Cascade in an Ultrastable Mesoporous Hydrogen-Bonded Organic Framework for Point-of-Care Biosensing. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 23608-23613.	7.2	71
66	Recent advances in sample preparation techniques for quantitative detection of pharmaceuticals in biological samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 142, 116318.	5.8	33
67	A Biocatalytic Cascade in an Ultrastable Mesoporous Hydrogen-Bonded Organic Framework for Point-of-Care Biosensing. <i>Angewandte Chemie</i> , 2021, 133, 23800-23805.	1.6	15
68	Ratiometric fluorescent probe for the on-site monitoring of coexisted Hg <sup>2+</sup> and F <sup>-</sup> in sequence. <i>Analytica Chimica Acta</i> , 2021, 1183, 338967.	2.6	8
69	In situ solid phase microextraction sampling of analytes from living human objects for mass spectrometry analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 143, 116368.	5.8	34
70	Stress symptoms and plant hormone-modulated defense response induced by the uptake of carbamazepine and ibuprofen in Malabar spinach ( <i>Basella alba</i> L.). <i>Science of the Total Environment</i> , 2021, 793, 148628.	3.9	11
71	Unprecedented Nonphotomediated Hole ( <i>h<sup>+</sup></i> ) Oxidation System Constructed from Defective Carbon Nanotubes and Superoxides. <i>ACS Central Science</i> , 2021, 7, 355-364.	5.3	20
72	Hydrogen-Bonded Biohybrid Framework-Derived Highly Specific Nanozymes for Biomarker Sensing. <i>Analytical Chemistry</i> , 2021, 93, 13981-13989.	3.2	31

#	ARTICLE	IF	CITATIONS
73	Redox-Active Moieties in Dissolved Organic Matter Accelerate the Degradation of Nitroimidazoles in SO <sub>4</sub> <sup>2-</sup> -Based Oxidation. <i>Environmental Science &amp; Technology</i> , 2021, 55, 14844-14853.	4.6	35
74	A solar-to-chemical conversion efficiency up to 0.26% achieved in ambient conditions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	37
75	Noncovalently Tagged Gas Phase Complex Ions for Screening Unknown Contaminant Metabolites in Plants. <i>Analytical Chemistry</i> , 2021, 93, 14929-14933.	3.2	1
76	Silencing of Pyruvate Kinase M2 <i>in vivo</i> via a Metal-Organic Framework Based Theranostic Gene Nanomedicine for Triple-Negative Breast Cancer Therapy. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 56972-56987.	4.0	13
77	Effects of mesoporous silica particle size and pore structure on the performance of polymer-mesoporous silica mixed matrix membranes. <i>RSC Advances</i> , 2021, 11, 36577-36586.	1.7	9
78	CH <sub>4</sub> interaction boosts photocatalytic CO <sub>2</sub> reduction activity of a molecular cobalt catalyst anchored on carbon nitride. <i>Cell Reports Physical Science</i> , 2021, 2, 100681.	2.8	8
79	Polydopamine modified ordered mesoporous carbon for synergistic enhancement of enrichment efficiency and mass transfer towards phenols. <i>Analytica Chimica Acta</i> , 2020, 1095, 109-117.	2.6	18
80	Hollow carbon nanobubbles-coated solid-phase microextraction fibers for the sensitive detection of organic pollutants. <i>Analytica Chimica Acta</i> , 2020, 1097, 85-93.	2.6	28
81	Enrichment and determination of sixteen trace polycyclic aromatic hydrocarbons in barbecue smoke by using a continuous magnetic solid-phase extraction and gas chromatography-mass spectrometry. <i>Separation Science Plus</i> , 2020, 3, 28-36.	0.3	4
82	Polydopamine decorated ordered mesoporous carbon for efficient removal of bilirubin under albumin-rich conditions. <i>Journal of Materials Chemistry B</i> , 2020, 8, 290-297.	2.9	26
83	Modulating the Biofunctionality of Metal-Organic Framework-Encapsulated Enzymes through Controllable Embedding Patterns. <i>Angewandte Chemie</i> , 2020, 132, 2889-2896.	1.6	25
84	„Panzerung“ von Enzymen mit Metall-organischen Gerüsten. <i>Angewandte Chemie</i> , 2020, 132, 8868-8881.	1.6	27
85	Modulating the Biofunctionality of Metal-Organic Framework-Encapsulated Enzymes through Controllable Embedding Patterns. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 2867-2874.	7.2	190
86	„Armor-Plating“ Enzymes with Metal-Organic Frameworks (MOFs). <i>Angewandte Chemie - International Edition</i> , 2020, 59, 8786-8798.	7.2	244
87	In-situ layer-by-layer synthesized TpPa-1 COF solid-phase microextraction fiber for detecting sex hormones in serum. <i>Analytica Chimica Acta</i> , 2020, 1137, 28-36.	2.6	31
88	The effect of different binders on the comprehensive performance of solid phase microextraction fiber. <i>Analytica Chimica Acta</i> , 2020, 1140, 50-59.	2.6	16
89	Iron-Mineralization-Induced Mesoporous Metal-Organic Frameworks Enable High-Efficiency Synergistic Catalysis of Natural/Nanomimic Enzymes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 57343-57351.	4.0	33
90	Graphene Oxide-Supported Lanthanide Metal-Organic Frameworks with Boosted Stabilities and Detection Sensitivities. <i>Analytical Chemistry</i> , 2020, 92, 15550-15557.	3.2	38

#	ARTICLE	IF	CITATIONS
91	Embedding Functional Biomacromolecules within Peptide-Directed Metal-Organic Framework (MOF) Nanoarchitectures Enables Activity Enhancement. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 13947-13954.	7.2	86
92	Flower-like architecture magnesia-carbon composite material for highly sensitive solid-phase microextraction. <i>Talanta</i> , 2020, 217, 121088.	2.9	5
93	Embedding Functional Biomacromolecules within Peptide-Directed Metal-Organic Framework (MOF) Nanoarchitectures Enables Activity Enhancement. <i>Angewandte Chemie</i> , 2020, 132, 14051-14058.	1.6	19
94	A heterogeneous pore decoration strategy on a hydrophobic microporous polymer for high-coverage capture of metabolites. <i>Chemical Communications</i> , 2020, 56, 7167-7170.	2.2	19
95	Carbon dots based solid phase microextraction of 2-nitroaniline followed by fluorescence sensing for selective early screening and sensitive gas chromatography-mass spectrometry determination. <i>Analytica Chimica Acta</i> , 2020, 1111, 147-154.	2.6	23
96	In vivo monitoring and exposure potency assessment of phase I metabolism of fenthion in vegetables. <i>Journal of Hazardous Materials</i> , 2020, 399, 123013.	6.5	8
97	Smartphone-assisted robust enzymes@MOFs-based paper biosensor for point-of-care detection. <i>Biosensors and Bioelectronics</i> , 2020, 156, 112095.	5.3	92
98	Joint effect of nanoplastics and humic acid on the uptake of PAHs for <i>Daphnia magna</i> : A model study. <i>Journal of Hazardous Materials</i> , 2020, 391, 122195.	6.5	38
99	Trends in sensitive detection and rapid removal of sulfonamides: A review. <i>Journal of Separation Science</i> , 2020, 43, 1634-1652.	1.3	29
100	Determination of the mass transfer coefficients in direct immersion solid-phase microextraction. <i>Journal of Separation Science</i> , 2020, 43, 1847-1853.	1.3	7
101	Facile construction of superhydrophobic hybrids of metal-organic framework grown on nanosheet for high-performance extraction of benzene homologues. <i>Talanta</i> , 2020, 211, 120706.	2.9	13
102	Dual-fiber solid-phase microextraction coupled with gas chromatography-mass spectrometry for the analysis of volatile compounds in traditional Chinese dry-cured ham. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1140, 121994.	1.2	7
103	Valence-dependent catalytic activities of iron terpyridine complexes for pollutant degradation. <i>Chemical Communications</i> , 2020, 56, 5476-5479.	2.2	4
104	Sheathed in situ heteroepitaxial growth metal-organic framework probe for detection of polycyclic aromatic hydrocarbons in river water and living fish. <i>Science of the Total Environment</i> , 2020, 729, 138971.	3.9	20
105	Metal-Organic Frameworks: A New Platform for Enzyme Immobilization. <i>ChemBioChem</i> , 2020, 21, 2585-2590.	1.3	54
106	A polymeric solid-phase microextraction fiber for the detection of pharmaceuticals in water samples. <i>Journal of Chromatography A</i> , 2020, 1623, 461171.	1.8	15
107	Headspace solid-phase microextraction of semi-volatile ultraviolet filters based on a superhydrophobic metal-organic framework stable in high-temperature steam. <i>Talanta</i> , 2020, 219, 121175.	2.9	24
108	Physical assistive technologies of solid-phase microextraction: Recent trends and future perspectives. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 128, 115916.	5.8	26

#	ARTICLE	IF	CITATIONS
109	A Novel Water-Swelling Sampling Probe for in Vivo Detection of Neonicotinoids in Plants. <i>Environmental Science &amp; Technology</i> , 2019, 53, 9686-9694.	4.6	27
110	Sorption properties of hydrophobic organic chemicals to micro-sized polystyrene particles. <i>Science of the Total Environment</i> , 2019, 690, 565-572.	3.9	47
111	Energy-efficient construction of thermally stable superhydrophobic nanoscale stacked lamellae based solid-phase microextraction coating for the determination of non-polar compounds. <i>Analytica Chimica Acta</i> , 2019, 1092, 17-23.	2.6	6
112	A label-free IFN- $\gamma$ aptasensor based on target-triggered allosteric switching of aptamer beacon and streptavidin-inorganic hybrid composites. <i>Analytica Chimica Acta</i> , 2019, 1087, 29-35.	2.6	18
113	Uptake of pharmaceuticals acts as an abiotic stress and triggers variation of jasmonates in Malabar spinach ( <i>Basella alba</i> L). <i>Chemosphere</i> , 2019, 236, 124711.	4.2	7
114	High pseudocapacitance boosts the performance of monolithic porous carbon cloth/closely packed TiO <sub>2</sub> nanodots as an anode of an all-flexible sodium-ion battery. <i>Journal of Materials Chemistry A</i> , 2019, 7, 2626-2635.	5.2	52
115	Investigating the toxicities of different functionalized polystyrene nanoplastics on <i>Daphnia magna</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019, 180, 509-516.	2.9	101
116	Solid-phase microextraction: An appealing alternative for the determination of endogenous substances - A review. <i>Analytica Chimica Acta</i> , 2019, 1077, 67-86.	2.6	83
117	Boosting loading capacities of shapeable metal-organic framework coatings by closing the interparticle spaces of stacked nanocrystals. <i>Chemical Communications</i> , 2019, 55, 7223-7226.	2.2	11
118	Carbon and Tin-Based Polyacrylonitrile Hybrid Architecture Solid Phase Microextraction Fiber for the Detection and Quantification of Antibiotic Compounds in Aqueous Environmental Systems. <i>Molecules</i> , 2019, 24, 1670.	1.7	9
119	Meso-/microporous carbon as an adsorbent for enhanced performance in solid-phase microextraction of chlorobenzenes. <i>Science of the Total Environment</i> , 2019, 681, 392-399.	3.9	21
120	Simple fabrication of zirconium and nitrogen co-doped ordered mesoporous carbon for enhanced adsorption performance towards polar pollutants. <i>Analytica Chimica Acta</i> , 2019, 1070, 43-50.	2.6	15
121	Peanut shell-derived biochar materials for effective solid-phase microextraction of polycyclic aromatic hydrocarbons in environmental waters. <i>Talanta</i> , 2019, 202, 90-95.	2.9	35
122	Hybrid implanted hybrid hollow nanocube electrocatalyst facilitates efficient hydrogen evolution activity. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11150-11159.	5.2	48
123	In Vivo Sampling: A Promising Technique for Detecting and Profiling Endogenous Substances in Living Systems. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 2120-2126.	2.4	18
124	Recent development in sample preparation techniques for plant hormone analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 113, 224-233.	5.8	39
125	Determination and elimination of hazardous pollutants by exploitation of a Prussian blue nanoparticles-graphene oxide composite. <i>Analytica Chimica Acta</i> , 2019, 1054, 17-25.	2.6	14
126	Development of an on-site detection approach for rapid and highly sensitive determination of persistent organic pollutants in real aquatic environment. <i>Analytica Chimica Acta</i> , 2019, 1050, 88-94.	2.6	21



#	ARTICLE	IF	CITATIONS
127	Enhancing enrichment ability of a nanoporous carbon based solid-phase microextraction device by a morphological modulation strategy. <i>Analytica Chimica Acta</i> , 2019, 1047, 1-8.	2.6	25
128	A robust and homogeneous porous poly(3,4-ethylenedioxythiophene)/graphene thin film for high-efficiency laser desorption/ionization analysis of estrogens in biological samples. <i>Talanta</i> , 2019, 195, 290-297.	2.9	12
129	Effect of salinity and humic acid on the aggregation and toxicity of polystyrene nanoplastics with different functional groups and charges. <i>Environmental Pollution</i> , 2019, 245, 836-843.	3.7	185
130	Development of a novel solid phase microextraction calibration method for semi-solid tissue sampling. <i>Science of the Total Environment</i> , 2019, 655, 174-180.	3.9	6
131	Interface charges redistribution enhanced monolithic etched copper foam-based Cu <sub>2</sub> O layer/TiO <sub>2</sub> nanodots heterojunction with high hydrogen evolution electrocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2019, 243, 365-372.	10.8	56
132	Quantification of the combined toxic effect of polychlorinated biphenyls and nano-sized polystyrene on <i>Daphnia magna</i> . <i>Journal of Hazardous Materials</i> , 2019, 364, 531-536.	6.5	84
133	A Convenient and Versatile Amino Acid Boosted Biomimetic Strategy for the Nondestructive Encapsulation of Biomacromolecules within Metal Organic Frameworks. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 1463-1467.	7.2	231
134	Solid-phase microextraction of antibiotics from fish muscle by using MIL-101(Cr)NH <sub>2</sub> -polyacrylonitrile fiber and their identification by liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2019, 1047, 62-70.	2.6	62
135	A graphene oxide-based polymer composite coating for highly-efficient solid phase microextraction of phenols. <i>Analytica Chimica Acta</i> , 2018, 1015, 20-26.	2.6	49
136	Hollow carbon nanospheres with high surface areas for fast, broad-spectrum and sensitive adsorption of pollutants. <i>Nanoscale</i> , 2018, 10, 5725-5730.	2.8	27
137	Microwave-assisted solid-phase synthesis of highly fluorescent carbon nanoparticles and its application in intracellular pH sensing. <i>Talanta</i> , 2018, 186, 80-87.	2.9	7
138	Graphene-based metal and nitrogen-doped carbon composites as adsorbents for highly sensitive solid phase microextraction of polycyclic aromatic hydrocarbons. <i>Nanoscale</i> , 2018, 10, 10073-10078.	2.8	41
139	PLGA-based nanofibers with a biomimetic polynoradrenaline sheath for rapid <i>in vivo</i> sampling of tetrodotoxin and sulfonamides in pufferfish. <i>Journal of Materials Chemistry B</i> , 2018, 6, 3655-3664.	2.9	20
140	Efficient sampling and determination of airborne N-nitrosamines by needle trap device coupled with gas chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2018, 139, 480-486.	2.3	16
141	Synthesis and application of magnetic molecularly imprinted polymers in sample preparation. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 3991-4014.	1.9	93
142	Effect of dissolved organic matter on pre-equilibrium passive sampling: A predictive QSAR modeling study. <i>Science of the Total Environment</i> , 2018, 635, 53-59.	3.9	12
143	Novel Magnetic Microprobe with Benzoboroxole-Modified Flexible Multisite Arm for High-Efficiency <i>cis</i> -Diol Biomolecule Detection. <i>Analytical Chemistry</i> , 2018, 90, 3387-3394.	3.2	21
144	Quantifying nanoplastic-bound chemicals accumulated in <i>Daphnia magna</i> with a passive dosing method. <i>Environmental Science: Nano</i> , 2018, 5, 776-781.	2.2	35

#	ARTICLE	IF	CITATIONS
145	Improving the Sensitivity of Solid-Phase Microextraction by Reducing the Volume of Off-Line Elution Solvent. <i>Analytical Chemistry</i> , 2018, 90, 1572-1577.	3.2	6
146	A nanoporous carbon material coated onto steel wires for solid-phase microextraction of chlorobenzenes prior to their quantitation by gas chromatography. <i>Mikrochimica Acta</i> , 2018, 185, 56.	2.5	25
147	Fabrication of powdery polymer aerogel as the stationary phase for high-resolution gas chromatographic separation. <i>Talanta</i> , 2018, 186, 445-451.	2.9	4
148	Determination of four salicylic acids in aloe by in vivo solid phase microextraction coupling with liquid chromatography-photodiode array detection. <i>Talanta</i> , 2018, 184, 520-526.	2.9	24
149	Incorporation of carbon nanotubes into graphene for highly efficient solid-phase microextraction of benzene homologues. <i>Microchemical Journal</i> , 2018, 139, 203-209.	2.3	15
150	Fabrication of 8-aminocaprylic acid doped UIO-66 as sensitive solid-phase microextraction fiber for nitrosamines. <i>Talanta</i> , 2018, 178, 629-635.	2.9	27
151	Novel Electrosorption-Enhanced Solid-Phase Microextraction Device for Ultrafast In Vivo Sampling of Ionized Pharmaceuticals in Fish. <i>Environmental Science &amp; Technology</i> , 2018, 52, 145-151.	4.6	31
152	A Convenient and Versatile Amino Acid-Boosted Biomimetic Strategy for Nondestructive Encapsulation of Biomacromolecules within Metal-Organic Framework. <i>Angewandte Chemie</i> , 2018, 131, 1477.	1.6	21
153	Extraction: Solid-Phase Microextraction. , 2018, , 100-100.		2
154	Boosting the Photoelectrochemical Water Oxidation at Hematite Photoanode by Innovating a Hierarchical Ball-on-Wire-Array Structure. <i>ACS Applied Energy Materials</i> , 2018, 1, 5836-5841.	2.5	9
155	High Efficiency, Matrix Interference-Free, General Applicable Probes for Bile Acids Extraction and Detection. <i>Advanced Science</i> , 2018, 5, 1800774.	5.6	10
156	Fabrications of novel solid phase microextraction fiber coatings based on new materials for high enrichment capability. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 108, 135-153.	5.8	131
157	Cerium-based hybrid nanorods for synergetic photo-thermocatalytic degradation of organic pollutants. <i>Journal of Materials Chemistry A</i> , 2018, 6, 24740-24747.	5.2	164
158	Efficient and Versatile Pipet Microextraction Device Based on a Light-Heatable Sorbent. <i>Analytical Chemistry</i> , 2018, 90, 8304-8308.	3.2	5
159	Low-cost Scholl-coupling microporous polymer as an efficient solid-phase microextraction coating for the detection of light aromatic compounds. <i>Analytica Chimica Acta</i> , 2018, 1029, 30-36.	2.6	26
160	Highly efficient removal of organic pollutants by ultrahigh-surface-area-ethynylbenzene-based conjugated microporous polymers via adsorption-photocatalysis synergy. <i>Catalysis Science and Technology</i> , 2018, 8, 5024-5033.	2.1	19
161	Allochroic Graphene Oxide Linked 3D Oriented Surface Imprinting Strategy for Glycoproteins Assays. <i>Advanced Functional Materials</i> , 2018, 28, 1804129.	7.8	31
162	Ultrathin Self-Assembled Diphenylalanine Nanosheets through a Gold-Stabilized Strategy for High-Efficiency Adsorption/Desorption/Ionization. <i>Analytical Chemistry</i> , 2018, 90, 8607-8615.	3.2	12

#	ARTICLE	IF	CITATIONS
163	Rapid in vivo determination of tetrodotoxin in pufferfish ( Fugu ) muscle by solid-phase microextraction coupled to high-performance liquid chromatography tandem mass spectrometry. <i>Talanta</i> , 2017, 171, 179-184.	2.9	40
164	Application of Solid Phase Microextraction in Aqueous Sampling. , 2017, , 113-140.		0
165	Silica@Polypyrrole Hybrids as High-Performance Metal-Free Electrocatalysts for the Hydrogen Evolution Reaction in Neutral Media. <i>Angewandte Chemie</i> , 2017, 129, 8232-8236.	1.6	35
166	Silica@Polypyrrole Hybrids as High-Performance Metal-Free Electrocatalysts for the Hydrogen Evolution Reaction in Neutral Media. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 8120-8124.	7.2	214
167	Fabrication of polyaniline/silver composite coating as a dual-functional platform for microextraction and matrix-free laser desorption/ionization. <i>Talanta</i> , 2017, 172, 155-161.	2.9	15
168	Rapid detection of five anesthetics in tilapias by in vivo solid phase microextraction coupling with gas chromatography-mass spectrometry. <i>Talanta</i> , 2017, 168, 263-268.	2.9	28
169	Enhanced Photocatalytic Degradation of Environmental Pollutants under Visible Irradiation by a Composite Coating. <i>Environmental Science &amp; Technology</i> , 2017, 51, 5137-5145.	4.6	63
170	Fabrication of a polymeric composite incorporating metal-organic framework nanosheets for solid-phase microextraction of polycyclic aromatic hydrocarbons from water samples. <i>Analytica Chimica Acta</i> , 2017, 971, 48-54.	2.6	55
171	Powdery polymer and carbon aerogels with high surface areas for high-performance solid phase microextraction coatings. <i>Nanoscale</i> , 2017, 9, 5545-5550.	2.8	31
172	In Situ Hydrothermally Grown TiO <sub>2</sub> @C Core-Shell Nanowire Coating for Highly Sensitive Solid Phase Microextraction of Polycyclic Aromatic Hydrocarbons. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 1840-1846.	4.0	50
173	Development of Novel Solid-Phase Microextraction Fibers. , 2017, , 17-61.		2
174	Solid Phase Microextraction for Sensing Freely Dissolved Analytes in Complex Water Sample. , 2017, , 75-111.		0
175	A tri-metal centered metal-organic framework for solid-phase microextraction of environmental contaminants with enhanced extraction efficiency. <i>Analytica Chimica Acta</i> , 2017, 987, 38-46.	2.6	35
176	Porous organic polymers with different pore structures for sensitive solid-phase microextraction of environmental organic pollutants. <i>Analytica Chimica Acta</i> , 2017, 989, 21-28.	2.6	56
177	High enrichment and ultra-trace analysis of aflatoxins in edible oils by a modified hollow-fiber liquid-phase microextraction technique. <i>Chemical Communications</i> , 2017, 53, 8988-8991.	2.2	18
178	Rapid in vivo determination of fluoroquinolones in cultured puffer fish (Takifugu obscurus) muscle by solid-phase microextraction coupled with liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2017, 175, 550-556.	2.9	51
179	Boronic Acid Decorated Defective Metal-Organic Framework Nanoreactors for High-Efficiency Carbohydrates Separation and Labeling. <i>Advanced Functional Materials</i> , 2017, 27, 1702126.	7.8	42
180	Amine-functionalized MIL-53(Al)-coated stainless steel fiber for efficient solid-phase microextraction of synthetic musks and organochlorine pesticides in water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 5239-5247.	1.9	32

#	ARTICLE	IF	CITATIONS
181	Introduction of Solid-Phase Microextraction. , 2017, , 1-16.		0
182	Rapid Determination of Clenbuterol in Pork by Direct Immersion Solid-Phase Microextraction Coupled with Gas Chromatography–Mass Spectrometry. <i>Journal of Chromatographic Science</i> , 2016, 54, bmv126.	0.7	16
183	Hierarchical Graphene coating for highly sensitive solid phase microextraction of organochlorine pesticides. <i>Talanta</i> , 2016, 160, 217-224.	2.9	42
184	Urine metabolomics of women from small villages exposed to high environmental cadmium levels. <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 1268-1275.	2.2	19
185	Evaluation of the availability of bound analyte for passive sampling in the presence of mobile binding matrix. <i>Analytica Chimica Acta</i> , 2016, 917, 19-26.	2.6	5
186	Bioinspired Polyelectrolyte-Assembled Graphene-Oxide-Coated C18 Composite Solid-Phase Microextraction Fibers for In Vivo Monitoring of Acidic Pharmaceuticals in Fish. <i>Analytical Chemistry</i> , 2016, 88, 5841-5848.	3.2	52
187	In vivo tracing of organochloride and organophosphorus pesticides in different organs of hydroponically grown malabar spinach ( <i>Basella alba</i> L.). <i>Journal of Hazardous Materials</i> , 2016, 316, 52-59.	6.5	53
188	Application of in vivo solid-phase microextraction in environmental analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 85, 26-35.	5.8	73
189	Application of ordered mesoporous carbon in solid phase microextraction for fast mass transfer and high sensitivity. <i>Chemical Communications</i> , 2016, 52, 6829-6832.	2.2	48
190	Study on the Diffusion-Dominated Solid-Phase Microextraction Kinetics in Semisolid Sample Matrix. <i>Analytical Chemistry</i> , 2016, 88, 8921-8925.	3.2	15
191	Boronate Affinity–Molecularly Imprinted Biocompatible Probe: An Alternative for Specific Glucose Monitoring. <i>Chemistry - an Asian Journal</i> , 2016, 11, 2240-2245.	1.7	17
192	Knitting aromatic polymers for efficient solid-phase microextraction of trace organic pollutants. <i>Journal of Chromatography A</i> , 2016, 1450, 9-16.	1.8	31
193	Sulfonated nanoparticles doped electrospun fibers with bioinspired polynorepinephrine sheath for in vivo solid-phase microextraction of pharmaceuticals in fish and vegetable. <i>Journal of Chromatography A</i> , 2016, 1455, 20-27.	1.8	25
194	Coupling solid-phase microextraction with ambient mass spectrometry: Strategies and applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 85, 61-72.	5.8	82
195	Calibration of the complex matrix effects on the sampling of polycyclic aromatic hydrocarbons in milk samples using solid phase microextraction. <i>Analytica Chimica Acta</i> , 2016, 933, 117-123.	2.6	25
196	Rapid separation of non-polar and weakly polar analytes with metal-organic framework MAF-5 coated capillary column. <i>Talanta</i> , 2016, 152, 283-287.	2.9	15
197	In vivo tracing of organophosphorus pesticides in cabbage ( <i>Brassica parachinensis</i> ) and aloe ( <i>Barbadensis</i> ). <i>Science of the Total Environment</i> , 2016, 550, 1134-1140.	3.9	29
198	Simple fabrication of solid phase microextraction fiber employing nitrogen-doped ordered mesoporous polymer by in situ polymerization. <i>Journal of Chromatography A</i> , 2016, 1427, 22-28.	1.8	19

#	ARTICLE	IF	CITATIONS
199	Determination of 27 pesticides in wine by dispersive liquid-liquid microextraction and gas chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2016, 126, 415-422.	2.3	63
200	A novel probe based on phenylboronic acid functionalized carbon nanotubes for ultrasensitive carbohydrate determination in biofluids and semi-solid biotissues. <i>Chemical Science</i> , 2016, 7, 1487-1495.	3.7	63
201	Exploitation of a microporous organic polymer as a stationary phase for capillary gas chromatography. <i>Analytica Chimica Acta</i> , 2016, 902, 205-211.	2.6	51
202	Preparation and evaluation of amino modified graphene solid-phase microextraction fiber and its application to the determination of synthetic musks in water samples. <i>Journal of Chromatography A</i> , 2016, 1429, 1-7.	1.8	32
203	Hollow fiber based liquid phase microextraction for the determination of organochlorine pesticides in ecological textiles by gas chromatography-mass spectrometry. <i>Talanta</i> , 2016, 146, 375-380.	2.9	43
204	Carbon Nanotubes Act as Contaminant Carriers and Translocate within Plants. <i>Scientific Reports</i> , 2015, 5, 15682.	1.6	52
205	Highly porous aerogels based on imine chemistry: syntheses and sorption properties. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10990-10998.	5.2	56
206	Isorecticular bio-MOF 100-102 coated solid-phase microextraction fibers for fast and sensitive determination of organic pollutants by the pore structure dominated mechanism. <i>Analyst</i> , The, 2015, 140, 4384-4387.	1.7	41
207	Monitoring of persistent organic pollutants in seawater of the Pearl River Estuary with rapid on-site active SPME sampling technique. <i>Environmental Pollution</i> , 2015, 200, 149-158.	3.7	46
208	Monodisperse microporous carbon nanospheres: An efficient and stable solid phase microextraction coating material. <i>Analytica Chimica Acta</i> , 2015, 884, 44-51.	2.6	26
209	Investigation of the kinetic process of solid phase microextraction in complex sample. <i>Analytica Chimica Acta</i> , 2015, 900, 111-116.	2.6	12
210	Comparison of sample pretreatment methods for the determination of multiple phytohormones in plant samples by liquid chromatography-electrospray ionization-tandem mass spectrometry. <i>Microchemical Journal</i> , 2015, 121, 25-31.	2.3	56
211	Determination of eight pharmaceuticals in an aqueous sample using automated derivatization solid-phase microextraction combined with gas chromatography-mass spectrometry. <i>Talanta</i> , 2015, 136, 198-203.	2.9	25
212	Environmental fates of synthetic musks in animal and plant: An in vivo study. <i>Chemosphere</i> , 2015, 138, 584-591.	4.2	36
213	Study of complex matrix effect on solid phase microextraction for biological sample analysis. <i>Journal of Chromatography A</i> , 2015, 1411, 34-40.	1.8	18
214	Development of a full automation solid phase microextraction method for investigating the partition coefficient of organic pollutant in complex sample. <i>Journal of Chromatography A</i> , 2015, 1406, 27-33.	1.8	11
215	Fast Analytical Techniques Based on Microextraction. <i>Comprehensive Analytical Chemistry</i> , 2015, 67, 85-134.	0.7	8
216	Ordered mesoporous polymers in situ coated on a stainless steel wire for a highly sensitive solid phase microextraction fibre. <i>Nanoscale</i> , 2015, 7, 11720-11726.	2.8	28

#	ARTICLE	IF	CITATIONS
217	Preparation of C18 composite solid-phase microextraction fiber and its application to the determination of organochlorine pesticides in water samples. <i>Analytica Chimica Acta</i> , 2015, 873, 57-62.	2.6	38
218	Exceptional Hydrophobicity of a Large-Pore Metal-Organic Zeolite. <i>Journal of the American Chemical Society</i> , 2015, 137, 7217-7223.	6.6	270
219	Bioinspired Polydopamine Sheathed Nanofibers for High-Efficient in Vivo Solid-Phase Microextraction of Pharmaceuticals in Fish Muscle. <i>Analytical Chemistry</i> , 2015, 87, 3453-3459.	3.2	58
220	Mesoporous TiO <sub>2</sub> nanoparticles for highly sensitive solid-phase microextraction of organochlorine pesticides. <i>Analytica Chimica Acta</i> , 2015, 878, 109-117.	2.6	73
221	Automated hollow-fiber liquid-phase microextraction coupled with liquid chromatography/tandem mass spectrometry for the analysis of aflatoxin M1 in milk. <i>Journal of Chromatography A</i> , 2015, 1416, 137-140.	1.8	35
222	Polyelectrolyte Microcapsules Dispersed in Silicone Rubber for in Vivo Sampling in Fish Brains. <i>Analytical Chemistry</i> , 2015, 87, 10593-10599.	3.2	24
223	The sensitive and selective adsorption of aromatic compounds with highly crosslinked polymer nanoparticles. <i>Nanoscale</i> , 2015, 7, 16943-16951.	2.8	84
224	Preparation and characterization of metal-organic framework MIL-101(Cr)-coated solid-phase microextraction fiber. <i>Analytica Chimica Acta</i> , 2015, 853, 303-310.	2.6	142
225	Occurrence and distribution of phthalate esters in riverine sediments from the Pearl River Delta region, South China. <i>Marine Pollution Bulletin</i> , 2014, 83, 358-365.	2.3	91
226	Determination of polycyclic aromatic hydrocarbons in leather products using solid-phase microextraction coupled with gas chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2014, 112, 159-163.	2.3	13
227	Application of functionalized magnetic nanoparticles in sample preparation. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 377-399.	1.9	229
228	Screening and quantification of 304 pesticides and related organic pollutants in surface water using dispersive liquid-liquid microextraction coupled with gas chromatography-mass spectrometry. <i>Analytical Methods</i> , 2014, 6, 1743-1752.	1.3	13
229	Structural elucidation of new urinary tamoxifen metabolites by liquid chromatography quadrupole time-of-flight mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2014, 49, 570-578.	0.7	7
230	Disposable solid-phase microextraction fiber coupled with gas chromatography-mass spectrometry for complex matrix analysis. <i>Analytical Methods</i> , 2014, 6, 4895-4900.	1.3	28
231	Comparison of fully-automated headspace single drop microextraction and headspace solid phase microextraction techniques for rapid analysis of No. 6 solvent residues in edible oil. <i>Microchemical Journal</i> , 2014, 117, 187-193.	2.3	17
232	<i>In Vivo</i> Tracing Uptake and Elimination of Organic Pesticides in Fish Muscle. <i>Environmental Science &amp; Technology</i> , 2014, 48, 8012-8020.	4.6	52
233	Fiber-assisted emulsification microextraction coupled with gas chromatography-mass spectrometry for the determination of aromatic amines in aqueous samples. <i>Journal of Chromatography A</i> , 2014, 1361, 16-22.	1.8	8
234	In situ growth of IRMOF-3 combined with ionic liquids to prepare solid-phase microextraction fibers. <i>Analytica Chimica Acta</i> , 2014, 829, 22-27.	2.6	80

#	ARTICLE	IF	CITATIONS
235	Determination of organochlorine pesticides in textiles using solid-phase microextraction with gas chromatography–mass spectrometry. <i>Microchemical Journal</i> , 2013, 110, 280-284.	2.3	32
236	Applications of in vivo and in vitro solid-phase microextraction techniques in plant analysis: A review. <i>Analytica Chimica Acta</i> , 2013, 794, 1-14.	2.6	90
237	A synthetic route to ultralight hierarchically micro/mesoporous Al(III)-carboxylate metal-organic aerogels. <i>Nature Communications</i> , 2013, 4, 1774.	5.8	310
238	Microwave-assisted extraction combined with gel permeation chromatography and silica gel cleanup followed by gas chromatography–mass spectrometry for the determination of organophosphorus flame retardants and plasticizers in biological samples. <i>Analytica Chimica Acta</i> , 2013, 786, 47-53.	2.6	142
239	New materials in solid-phase microextraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 47, 68-83.	5.8	196
240	Application of nanomaterials in sample preparation. <i>Journal of Chromatography A</i> , 2013, 1300, 2-16.	1.8	186
241	Preparation of graphene-coated solid-phase microextraction fiber and its application on organochlorine pesticides determination. <i>Journal of Chromatography A</i> , 2013, 1300, 187-192.	1.8	87
242	A porous coordination framework for highly sensitive and selective solid-phase microextraction of non-polar volatile organic compounds. <i>Chemical Science</i> , 2013, 4, 351-356.	3.7	183
243	The mass transfer dynamics of hollow fiber liquid-phase microextraction and its application for rapid analysis of biological samples. <i>Journal of Chromatography A</i> , 2012, 1266, 10-16.	1.8	10
244	Determination of organophosphorus pesticides in ecological textiles by solid-phase microextraction with a siloxane-modified polyurethane acrylic resin fiber. <i>Analytica Chimica Acta</i> , 2012, 736, 62-68.	2.6	16
245	Preparation and characterization of vinyl-functionalized mesoporous organosilica-coated solid-phase microextraction fiber. <i>Journal of Chromatography A</i> , 2012, 1247, 42-48.	1.8	40
246	New materials in analytical chemistry. <i>TrAC - Trends in Analytical Chemistry</i> , 2012, 39, 1-2.	5.8	2
247	SPME and Environmental Analysis. , 2012, , 251-290.		3
248	Mass spectrometric identification and characterization of new toremifene metabolites in human urine by liquid chromatography quadrupole/time-of-flight tandem mass spectrometry (LC-QTOFMS). <i>Analytical Methods</i> , 2012, 4, 439-443.	1.3	4
249	Mass spectrometric identification and characterization of new clomiphene metabolites in human urine by liquid chromatography–quadrupole time-of-flight tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1243, 23-32.	1.8	11
250	Nondestructive Sampling of Living Systems Using <i>in Vivo</i> Solid-Phase Microextraction. <i>Chemical Reviews</i> , 2011, 111, 2784-2814.	23.0	399
251	Sampling-Rate Calibration for Rapid and Nonlethal Monitoring of Organic Contaminants in Fish Muscle by Solid-Phase Microextraction. <i>Environmental Science &amp; Technology</i> , 2011, 45, 7792-7798.	4.6	87
252	Rutile nanowire arrays: tunable surface densities, wettability and photochemistry. <i>Journal of Materials Chemistry</i> , 2011, 21, 15806.	6.7	15

#	ARTICLE	IF	CITATIONS
253	Hollow fiber liquid-phase microextraction as clean-up step for the determination of organophosphorus pesticides residues in fish tissue by gas chromatography coupled with mass spectrometry. <i>Marine Pollution Bulletin</i> , 2011, 63, 102-107.	2.3	47
254	Preparation and characterization of porous carbon material-coated solid-phase microextraction metal fibers. <i>Journal of Chromatography A</i> , 2010, 1217, 7848-7854.	1.8	61
255	Simultaneous analysis of fourteen tertiary amine stimulants in human urine for doping control purposes by liquid chromatography-tandem mass spectrometry and gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2010, 657, 45-52.	2.6	19
256	Partitioning and accumulation rates of polycyclic aromatic hydrocarbons into polydimethylsiloxane thin films and black worms from aqueous samples. <i>Analytica Chimica Acta</i> , 2010, 667, 71-76.	2.6	21
257	Determination of octylphenol and nonylphenol in aqueous sample using simultaneous derivatization and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 6762-6768.	1.8	71
258	Theory and Validation of Solid-Phase Microextraction and Needle Trap Devices for Aerosol Sample. <i>Analytical Chemistry</i> , 2010, 82, 9521-9527.	3.2	27
259	Application of solid-phase microextraction for the determination of organophosphorus pesticides in textiles by gas chromatography with mass spectrometry. <i>Analytica Chimica Acta</i> , 2009, 650, 202-206.	2.6	50
260	Doping control analysis for adrafinil and its major metabolites in human urine. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 1592-1600.	0.7	12
261	Automated polyvinylidene difluoride hollow fiber liquid-phase microextraction of flunitrazepam in plasma and urine samples for gas chromatography/tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 2241-2247.	1.8	55
262	Headspace solid-phase microextraction gas chromatography-mass spectrometry analysis of <i>Eupatorium odoratum</i> extract as an oviposition repellent. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 1901-1906.	1.2	29
263	Carbon nanotube-coated solid-phase microextraction metal fiber based on sol-gel technique. <i>Journal of Chromatography A</i> , 2009, 1216, 4641-4647.	1.8	111
264	One-step extraction and derivatization liquid-phase microextraction for the determination of chlorophenols by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 6267-6273.	1.8	39
265	Solid-phase microextraction under controlled agitation conditions for rapid on-site sampling of organic pollutants in water. <i>Journal of Chromatography A</i> , 2009, 1216, 6979-6985.	1.8	73
266	One-Calibrant Kinetic Calibration for On-Site Water Sampling with Solid-Phase Microextraction. <i>Analytical Chemistry</i> , 2009, 81, 5629-5636.	3.2	49
267	Hierarchically Nanostructured Rutile Arrays: Acid Vapor Oxidation Growth and Tunable Morphologies. <i>ACS Nano</i> , 2009, 3, 1212-1218.	7.3	105
268	A critical review in calibration methods for solid-phase microextraction. <i>Analytica Chimica Acta</i> , 2008, 627, 184-197.	2.6	258
269	Comparison of microdialysis with solid-phase microextraction for in vitro and in vivo studies. <i>Journal of Chromatography A</i> , 2008, 1196-1197, 46-56.	1.8	25
270	Simultaneous sampling and analysis for vapor mercury in ambient air using needle trap coupled with gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1213, 19-24.	1.8	26



#	ARTICLE	IF	CITATIONS
271	Comparison of thin-film microextraction and stir bar sorptive extraction for the analysis of polycyclic aromatic hydrocarbons in aqueous samples with controlled agitation conditions. <i>Journal of Chromatography A</i> , 2008, 1196-1197, 89-95.	1.8	105
272	Standard-free kinetic calibration for rapid on-site analysis by solid-phase microextraction. <i>Journal of Separation Science</i> , 2008, 31, 1167-1172.	1.3	50
273	Excess Molar Volumes and Surface Tensions of 1,2,4-Trimethylbenzene and 1,3,5-Trimethylbenzene with Isopropyl Acetate and Isobutyl Acetate at (298.15, 308.15, and 313.15) K. <i>Journal of Chemical &amp; Engineering Data</i> , 2008, 53, 1186-1191.	1.0	15
274	A New Concept of Desulfurization: The Electrochemically Driven and Green Conversion of SO <sub>2</sub> to NaHSO <sub>4</sub> in Aqueous Solution. <i>Environmental Science &amp; Technology</i> , 2008, 42, 8585-8590.	4.6	42
275	Chapter 17 Passive sampling devices for measuring organic compounds in soils and sediments. <i>Comprehensive Analytical Chemistry</i> , 2007, , 379-390.	0.7	3
276	Quantitative in Vivo Microsampling for Pharmacokinetic Studies Based on an Integrated Solid-Phase Microextraction System. <i>Analytical Chemistry</i> , 2007, 79, 4507-4513.	3.2	98
277	Densities and Surface Tensions of Propyl Acetate + Xylenes or + Ethylbenzene from (298.15 to 308.15) K. <i>Journal of Chemical &amp; Engineering Data</i> , 2007, 52, 1131-1135.	1.0	18
278	Excess Molar Volumes and Surface Tensions of 1,2,4-Trimethylbenzene and 1,3,5-Trimethylbenzene with 1,1-Diethoxyethane and 2,2-Dimethoxypropane at (298.15, 308.15, and 313.15) K. <i>Journal of Chemical &amp; Engineering Data</i> , 2007, 52, 884-888.	1.0	9
279	On-Fiber Standardization Technique for Solid-Coated Solid-Phase Microextraction. <i>Analytical Chemistry</i> , 2007, 79, 1221-1230.	3.2	53
280	Time-Weighted Average Water Sampling in Lake Ontario with Solid-Phase Microextraction Passive Samplers. <i>Environmental Science &amp; Technology</i> , 2007, 41, 4026-4031.	4.6	70
281	Preparation and application of in-fibre internal standardization solid-phase microextraction. <i>Analyst</i> , 2007, 132, 256.	1.7	42
282	Automation and optimization of liquid-phase microextraction by gas chromatography. <i>Journal of Chromatography A</i> , 2007, 1138, 47-54.	1.8	94
283	Time-weighted average water sampling with a diffusion-based solid-phase microextraction device. <i>Journal of Chromatography A</i> , 2007, 1138, 42-46.	1.8	26
284	Configurations and calibration methods for passive sampling techniques. <i>Journal of Chromatography A</i> , 2007, 1168, 226-235.	1.8	103
285	Solid-phase microextraction-gas chromatography-time-of-flight mass spectrometry utilized for the evaluation of the new-generation super elastic fiber assemblies. <i>Analytica Chimica Acta</i> , 2007, 581, 221-231.	2.6	72
286	Excess Molar Volumes and Surface Tensions of Trimethylbenzene + Ethylene Glycol Ester at 298.15 K and 313.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2006, 51, 725-729.	1.0	33
287	Kinetic Calibration for Automated Hollow Fiber-Protected Liquid-Phase Microextraction. <i>Analytical Chemistry</i> , 2006, 78, 5783-5788.	3.2	89
288	Densities and Surface Tensions of Trimethylbenzene + Dimethyl Carbonate or + Diethyl Carbonate at 298.15 K and 313.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2006, 51, 1464-1468.	1.0	29

#	ARTICLE	IF	CITATIONS
289	Flow-through system for the generation of standard aqueous solution of polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 2006, 1105, 176-179.	1.8	29
290	On-rod standardization technique for time-weighted average water sampling with a polydimethylsiloxane rod. <i>Journal of Chromatography A</i> , 2006, 1124, 112-120.	1.8	60
291	Recent developments in SPME for on-site analysis and monitoring. <i>TrAC - Trends in Analytical Chemistry</i> , 2006, 25, 692-703.	5.8	173
292	SPME in environmental analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 1059-1073.	1.9	237
293	Calibration of solid-phase microextraction for quantitative analysis by gas chromatography. <i>Journal of Chromatography A</i> , 2005, 1097, 9-16.	1.8	43
294	Kinetic Calibration for Automated Headspace Liquid-Phase Microextraction. <i>Analytical Chemistry</i> , 2005, 77, 8122-8128.	3.2	77
295	Time-Weighted Average Water Sampling with a Solid-Phase Microextraction Device. <i>Analytical Chemistry</i> , 2005, 77, 7319-7325.	3.2	37
296	Excess Molar Volumes and Surface Tensions of 1,2,4-Trimethylbenzene and 1,3,5-Trimethylbenzene with 1-Butanol, 2-Methyl-1-propanol, 2-Butanol, and 2-Methyl-2-propanol at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2004, 49, 1744-1747.	1.0	54
297	Excess Molar Volumes and Surface Tensions of Xylene with Isopropyl Ether or Methyltert-Butyl Ether at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2004, 49, 732-734.	1.0	35
298	Excess Molar Volumes and Surface Tensions of Xylene with Acetone or 2-Butanone at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2004, 49, 330-332.	1.0	29
299	Excess Molar Volumes and Surface Tensions of Trimethylbenzene with Tetrahydrofuran Tetrachloromethane and Dimethyl Sulfoxide at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2004, 49, 1839-1842.	1.0	53
300	Excess Molar Volumes and Surface Tensions of Xylene with 2-Propanol or 2-Methyl-2-propanol at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2003, 48, 195-197.	1.0	46
301	Solid and Liquid Phase Equilibria in Mixtures of 1,8-Cineole with Phenol, Cyclohexanol, and ann-Alkanol. <i>Journal of Chemical &amp; Engineering Data</i> , 2003, 48, 1521-1523.	1.0	3
302	The Fabrication of Photonic Crystal Microchip with Controllable Wettability and SERS Activity based on Surface Roughness for Trace Organic Compounds Determination. <i>Advanced Materials Interfaces</i> , 0, , 2102178.	1.9	1
303	Facile Synthesis of a Fluorinated Squaramide Covalent Organic Framework for the Highly Efficient and Broad Spectrum Removal of Per- and Polyfluoroalkyl Substances. <i>Angewandte Chemie</i> , 0, , .	1.6	2