

Odete Rocha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2776990/publications.pdf>

Version: 2024-02-01

34
papers

629
citations

623734

14
h-index

580821

25
g-index

35
all docs

35
docs citations

35
times ranked

951
citing authors

#	ARTICLE	IF	CITATIONS
1	Climate change and niche unfilling tend to favor range expansion of <i>Moina macrocopa</i> Straus 1820, a potentially invasive cladoceran in temporary waters. <i>Hydrobiologia</i> , 2022, 849, 4015-4027.	2.0	5
2	Range expansion of <i>Kellicottia bostoniensis</i> (Rousselet, 1908) (Rotifera) throughout a biogeographic boundary between the Brazilian savanna and the Amazon. <i>Aquatic Sciences</i> , 2022, 84, 1.	1.5	3
3	The drifting dinoflagellate <i>Ceratium furcoides</i> (Levander) Langhans 1925: fundamental niche shift during global invasion. <i>Hydrobiologia</i> , 2021, 848, 2105-2117.	2.0	16
4	Metal Toxicity Can Affect Dragonfly Nymphs and Ostracods Predation Rates and Food Selectivity: Ecological Implications on Food Webs. <i>Water, Air, and Soil Pollution</i> , 2021, 232, 1.	2.4	1
5	Impact of Simulated Pesticide Spray Drift and Runoff Events on the Structural and Functional Zooplankton Diversity in Tropical Freshwater Microcosms. <i>Water, Air, and Soil Pollution</i> , 2021, 232, 1.	2.4	3
6	Individual and mixture toxicity of carbofuran and diuron to the protozoan <i>Paramecium caudatum</i> and the cladoceran <i>Ceriodaphnia silvestrii</i> . <i>Ecotoxicology and Environmental Safety</i> , 2020, 201, 110829.	6.0	14
7	Life-History Traits Response to Effects of Fish Predation (Kairomones), Fipronil and 2,4-D on Neotropical Cladoceran <i>Ceriodaphnia silvestrii</i> . <i>Archives of Environmental Contamination and Toxicology</i> , 2020, 79, 298-309.	4.1	16
8	Effects of abamectin-based and difenoconazole-based formulations and their mixtures in <i>Daphnia magna</i> : a multiple endpoint approach. <i>Ecotoxicology</i> , 2020, 29, 1486-1499.	2.4	22
9	Acute toxicity of four metals to three tropical aquatic invertebrates: The dragonfly <i>Tremea cophysa</i> and the ostracods <i>Chlamydotheca</i> sp. and <i>Strandesia trispinosa</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019, 180, 535-541.	6.0	13
10	Freshwater neotropical oligochaetes as native test species for the toxicity evaluation of cadmium, mercury and their mixtures. <i>Ecotoxicology</i> , 2019, 28, 133-142.	2.4	13
11	Sensitivity of tropical cladocerans to chlorpyrifos and other insecticides as compared to their temperate counterparts. <i>Chemosphere</i> , 2019, 220, 937-942.	8.2	15
12	Sensitivities of three tropical indigenous freshwater invertebrates to single and mixture exposures of diuron and carbofuran and their commercial formulations. <i>Ecotoxicology</i> , 2018, 27, 834-844.	2.4	29
13	Acute and Chronic Effects of Three Pharmaceutical Drugs on the Tropical Freshwater Cladoceran <i>Ceriodaphnia silvestrii</i> . <i>Water, Air, and Soil Pollution</i> , 2018, 229, 1.	2.4	21
14	Acute and chronic toxicity of diuron and carbofuran to the neotropical cladoceran <i>Ceriodaphnia silvestrii</i> . <i>Environmental Science and Pollution Research</i> , 2018, 25, 13335-13346.	5.3	37
15	Effects of florfenicol and oxytetracycline on the tropical cladoceran <i>Ceriodaphnia silvestrii</i> : A mixture toxicity approach to predict the potential risks of antimicrobials for zooplankton. <i>Ecotoxicology and Environmental Safety</i> , 2018, 162, 663-672.	6.0	9
16	Predation and reproductive performance in two pelagic typhloplanid turbellarians. <i>PLoS ONE</i> , 2018, 13, e0193472.	2.5	2
17	Toxicity of abamectin and difenoconazole mixtures to a Neotropical cladoceran after simulated run-off and spray drift exposure. <i>Aquatic Toxicology</i> , 2017, 185, 58-66.	4.0	36
18	Effects of diuron and carbofuran and their mixtures on the microalgae <i>Raphidocelis subcapitata</i> . <i>Ecotoxicology and Environmental Safety</i> , 2017, 142, 312-321.	6.0	44

#	ARTICLE	IF	CITATIONS
19	Life cycle traits of <i>Philodina roseola</i> Ehrenberg, 1830 (Rotifera, Bdelloidea), a model organism for bioassays. <i>Anais Da Academia Brasileira De Ciencias</i> , 2016, 88, 579-588.	0.8	7
20	Use of cholinesterase activity as an ecotoxicological marker to assess anatoxin-a(s) exposure: Responses of two cladoceran species belonging to contrasting geographical regions. <i>Harmful Algae</i> , 2016, 55, 150-162.	4.8	5
21	The use of rotifers as test species in the aquatic effect assessment of pesticides in the tropics. <i>Hydrobiologia</i> , 2016, 773, 1-9.	2.0	16
22	Effects of diuron and carbofuran pesticides in their pure and commercial forms on <i>Paramecium caudatum</i> : The use of protozoan in ecotoxicology. <i>Environmental Pollution</i> , 2016, 213, 160-172.	7.5	45
23	Acute and chronic ecotoxicological effects of four pharmaceuticals drugs on cladoceran <i>Daphnia magna</i> . <i>Drug and Chemical Toxicology</i> , 2016, 39, 13-21.	2.3	70
24	Evaluation of ecotoxicological effects of drugs on <i>Daphnia magna</i> using different enzymatic biomarkers. <i>Ecotoxicology and Environmental Safety</i> , 2015, 119, 123-131.	6.0	76
25	Life cycle of <i>Paracyclops pilosus</i> Dussart, 1983 (Crustacea: Copepoda: Cyclopoida) and first record in Brazil. <i>Tropical Zoology</i> , 2015, 28, 126-135.	0.6	0
26	Measurements of cholinesterase activity in the tropical freshwater cladoceran <i>Pseudosida ramosa</i> and its standardization as a biomarker. <i>Ecotoxicology and Environmental Safety</i> , 2014, 101, 70-76.	6.0	4
27	Can mixtures of cyanotoxins represent a risk to the zooplankton? The case study of <i>Daphnia magna</i> Straus exposed to hepatotoxic and neurotoxic cyanobacterial extracts. <i>Harmful Algae</i> , 2014, 31, 143-152.	4.8	55
28	Trophic interactions between the fish <i>Geophagus brasiliensis</i> (Cichlidae) and the benthic macroinvertebrate community. <i>Studies on Neotropical Fauna and Environment</i> , 2014, 49, 11-17.	1.0	11
29	Acute effects of <i>Anabaena spiroides</i> extract and paraoxon-methyl on freshwater cladocerans from tropical and temperate regions: Links between the ChE activity and survival and its implications for tropical ecotoxicological studies. <i>Aquatic Toxicology</i> , 2014, 146, 105-114.	4.0	8
30	Influence of net cage fish cultures on the diversity of the zooplankton community in the Furnas hydroelectric reservoir, Areado, MG, Brazil. <i>Aquaculture Research</i> , 2009, 40, 753-761.	1.8	13
31	A malacofauna bentônica das represas do município rio Tietê (São Paulo, Brasil) e uma avaliação ecológica das espécies exóticas invasoras, <i>Melanoides tuberculata</i> (Müller) e <i>Corbicula fluminea</i> (Müller). <i>Revista Brasileira De Zoologia</i> , 2007, 24, 21-32.	0.5	18
32	Macroinvertebrates responses based on chemical and physical variables in urban streams. <i>Papeis Avulsos De Zoologia</i> , 0, 61, e20216183.	0.4	0
33	Life history traits of the exotic freshwater snail <i>Melanoides tuberculata</i> Müller, 1774 (Gastropoda, Tj ETQq1 1 0.784314 rgBT /Overlo .	0.4	2
34	Effects of formaldehyde preservation time on the length-weight relationship of the ubiquitous neotropical cladoceran <i>Ceriodaphnia silvestrii</i> . <i>Acta Limnológica Brasiliensia</i> , 0, 33, .	0.4	0