

# Sang Eun Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2777535/publications.pdf>

Version: 2024-02-01

50  
papers

5,042  
citations

201674

27  
h-index

206112

48  
g-index

51  
all docs

51  
docs citations

51  
times ranked

6687  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | KAI1(CD82) is a key molecule to control angiogenesis and switch angiogenic milieu to quiescent state. <i>Journal of Hematology and Oncology</i> , 2021, 14, 148.  | 17.0 | 18        |
| 2  | Guidelines for DNA recombination and repair studies: Cellular assays of DNA repair pathways. <i>Microbial Cell</i> , 2019, 6, 1-64.   | 3.2  | 47        |
| 3  | Microhomology Selection for Microhomology Mediated End Joining in <i>Saccharomyces cerevisiae</i> . <i>Genes</i> , 2019, 10, 284.   | 2.4  | 11        |
| 4  | Apn2 resolves blocked 3' ends and suppresses Top1-induced mutagenesis at genomic rNMP sites. <i>Nature Structural and Molecular Biology</i> , 2019, 26, 155-163.  | 8.2  | 28        |
| 5  | Prognostic Effect of Guideline-Directed Therapy Is More Noticeable Early in the Course of Heart Failure. <i>Journal of Korean Medical Science</i> , 2019, 34, e133.   | 2.5  | 11        |
| 6  | Microhomology-mediated end joining: Good, bad and ugly. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2018, 809, 81-87.  | 1.0  | 175       |
| 7  | Prognostic Significance of Left Axis Deviation in Acute Heart Failure Patients with Left Bundle branch block: an Analysis from the Korean Acute Heart Failure (KorAHF) Registry. <i>Korean Circulation Journal</i> , 2018, 48, 1002.  | 1.9  | 4         |
| 8  | Coordination of Rad1-Rad10 interactions with Msh2-Msh3, Saw1 and RPA is essential for functional 3' non-homologous tail removal. <i>Nucleic Acids Research</i> , 2018, 46, 5075-5096.   | 14.5 | 10        |
| 9  | Distinct roles of XPF-ERCC1 and Rad1-Rad10-Saw1 in replication-coupled and uncoupled inter-strand crosslink repair. <i>Nature Communications</i> , 2018, 9, 2025.   | 12.8 | 13        |
| 10 | DNA double-strand breaks as a method of radiation measurements for therapeutic beams. <i>Medical Physics</i> , 2018, 45, 3460-3465.   | 3.0  | 14        |
| 11 | Discrimination of stress (Takotsubo) cardiomyopathy from acute coronary syndrome with clinical risk factors and coronary evaluation in real-world clinical practice. <i>International Journal of Cardiology</i> , 2017, 235, 154-161. | 1.7  | 11        |
| 12 | Clinical Characteristics and Outcome of Acute Heart Failure in Korea: Results from the Korean Acute Heart Failure Registry (KorAHF). <i>Korean Circulation Journal</i> , 2017, 47, 341.   | 1.9  | 131       |
| 13 | Korean Guidelines for Diagnosis and Management of Chronic Heart Failure. <i>Korean Circulation Journal</i> , 2017, 47, 555.   | 1.9  | 56        |
| 14 | Microhomology-mediated end joining induces hypermutagenesis at breakpoint junctions. <i>PLoS Genetics</i> , 2017, 13, e1006714.   | 3.5  | 31        |
| 15 | Chronic Kidney Disease in the Second-Generation Drug-Eluting Stent Era. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 2097-2109.   | 2.9  | 61        |
| 16 | Psat1-Dependent Fluctuations in $\alpha$ -Ketoglutarate Affect the Timing of ESC Differentiation. <i>Cell Metabolism</i> , 2016, 24, 494-501.   | 16.2 | 125       |
| 17 | ATP-dependent DNA binding, unwinding, and resection by the Mre11/Rad50 complex. <i>EMBO Journal</i> , 2016, 35, 743-758.  | 7.8  | 99        |
| 18 | CD82/KAI1 Maintains the Dormancy of Long-Term Hematopoietic Stem Cells through Interaction with DARC-Expressing Macrophages. <i>Cell Stem Cell</i> , 2016, 18, 508-521.   | 11.1 | 130       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Risky business: Microhomology-mediated end joining. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2016, 788, 17-24.  | 1.0  | 50        |
| 20 | Physiological and clinical relevance of anomalous right coronary artery originating from left sinus of Valsalva in adults. <i>Heart</i> , 2016, 102, 114-119.   | 2.9  | 38        |
| 21 | Harmonizing Optimal Strategy for Treatment of coronary artery diseases – comparison of REDUction of prasugrEl dose or POLYmer TECHnology in ACS patients (HOST-REDUCE-POLYTECH-ACS RCT): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 409.                                   | 1.6  | 12        |
| 22 | Core Pluripotency Factors Directly Regulate Metabolism in Embryonic Stem Cell to Maintain Pluripotency. <i>Stem Cells</i> , 2015, 33, 2699-2711.  | 3.2  | 89        |
| 23 | M-CSF from Cancer Cells Induces Fatty Acid Synthase and PPAR $\alpha$ Activation in Tumor Myeloid Cells, Leading to Tumor Progression. <i>Cell Reports</i> , 2015, 10, 1614-1625.   | 6.4  | 72        |
| 24 | The efficacy and safety of mechanical hemodynamic support in patients undergoing high-risk percutaneous coronary intervention with or without cardiogenic shock: Bayesian approach network meta-analysis of 13 randomized controlled trials. <i>International Journal of Cardiology</i> , 2015, 184, 36-46. | 1.7  | 25        |
| 25 | Hyper-Acetylation of Histone H3K56 Limits Break-Induced Replication by Inhibiting Extensive Repair Synthesis. <i>PLoS Genetics</i> , 2015, 11, e1004990.  | 3.5  | 33        |
| 26 | Comparison Among Drug-Eluting Balloon, Drug-Eluting Stent, and Plain Balloon Angioplasty for the Treatment of In-Stent Restenosis. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 382-394.  | 2.9  | 97        |
| 27 | Structure-specific Endonuclease XPF/RCC1 Plays a Critical Role in DNA Interstrand Crosslink Repair that is Compromised in Patients with Fanconi Anemia. <i>FASEB Journal</i> , 2015, 29, 879.3.   | 0.5  | 0         |
| 28 | Human Podoplanin-positive Monocytes and Platelets Enhance Lymphangiogenesis Through the Activation of the Podoplanin/CLEC-2 Axis. <i>Molecular Therapy</i> , 2014, 22, 1518-1529.   | 8.2  | 22        |
| 29 | A Versatile Scaffold Contributes to Damage Survival via Sumoylation and Nuclease Interactions. <i>Cell Reports</i> , 2014, 9, 143-152.  | 6.4  | 16        |
| 30 | A multicentre cohort study of acute heart failure syndromes in Korea: rationale, design, and interim observations of the Korean Acute Heart Failure (<sc>KorAHF</sc>) registry. <i>European Journal of Heart Failure</i> , 2014, 16, 700-708.   | 7.1  | 145       |
| 31 | Sumoylation of the Rad1 nuclease promotes DNA repair and regulates its DNA association. <i>Nucleic Acids Research</i> , 2014, 42, 6393-6404.  | 14.5 | 25        |
| 32 | <sc>DNA</sc> end recognition by the Mre11 nuclease dimer: insights into resection and repair of damaged <sc>DNA</sc>. <i>EMBO Journal</i> , 2014, 33, 2422-2435.  | 7.8  | 40        |
| 33 | Efficacy of Short-Term High-Dose Statin Pretreatment in Prevention of Contrast-Induced Acute Kidney Injury: Updated Study-Level Meta-Analysis of 13 Randomized Controlled Trials. <i>PLoS ONE</i> , 2014, 9, e111397.   | 2.5  | 24        |
| 34 | Unraveling New Therapeutic Targets of Coronary Artery Disease by Genetic Approaches. <i>Circulation Journal</i> , 2014, 79, 8-14.   | 1.6  | 6         |
| 35 | Role of Saw1 in Rad1/Rad10 complex assembly at recombination intermediates in budding yeast. <i>EMBO Journal</i> , 2013, 32, 461-472.   | 7.8  | 34        |
| 36 | Development of a Rabbit Model for a Preclinical Comparison of Coronary Stent Types <i>In-Vivo</i>. <i>Korean Circulation Journal</i> , 2013, 43, 713.   | 1.9  | 6         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Microhomology Directs Diverse DNA Break Repair Pathways and Chromosomal Translocations. <i>PLoS Genetics</i> , 2012, 8, e1003026.  | 3.5  | 94        |
| 38 | Efficacy and Tolerability of Fimasartan, a New Angiotensin Receptor Blocker, Compared With Losartan (50/100 mg): A 12-Week, Phase III, Multicenter, Prospective, Randomized, Double-Blind, Parallel-Group, Dose Escalation Clinical Trial With an Optional 12-Week Extension Phase in Adult Korean Patients With Mild-to-Moderate Hypertension. <i>Clinical Therapeutics</i> , 2012, 34, 552-568.e9. | 2.5  | 53        |
| 39 | Human Resistin in atherosclerosis progression.. <i>Nihon Heikatsukingakkaizassi</i> , 2011, 15, J5-J5.   | 0.0  | 0         |
| 40 | Regulation of repair choice: Cdk1 suppresses recruitment of end joining factors at DNA breaks. <i>DNA Repair</i> , 2009, 8, 1235-1241.   | 2.8  | 43        |
| 41 | Faithful after break-up: suppression of chromosomal translocations. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 3149-3160.   | 5.4  | 11        |
| 42 | MMEJ repair of double-strand breaks (directorâ€™s cut): deleted sequences and alternative endings. <i>Trends in Genetics</i> , 2008, 24, 529-538.  | 6.7  | 841       |
| 43 | Sgs1 Helicase and Two Nucleases Dna2 and Exo1 Resect DNA Double-Strand Break Ends. <i>Cell</i> , 2008, 134, 981-994.   | 28.9 | 915       |
| 44 | <i>Saccharomyces cerevisiae</i> Sae2- and Tel1-Dependent Single-Strand DNA Formation at DNA Break Promotes Microhomology-Mediated End Joining. <i>Genetics</i> , 2007, 176, 2003-2014.   | 2.9  | 136       |
| 45 | Prostatic Calculi Do Not Influence The Level of Serum Prostate Specific Antigen in Men Without Clinically Detectable Prostate Cancer or Prostatitis. <i>Journal of Urology</i> , 2003, 170, 745-748.   | 0.4  | 40        |
| 46 | Hand Assisted Laparoscopic Radical Nephrectomy: Comparison With Open Radical Nephrectomy. <i>Journal of Urology</i> , 2003, 170, 756-759.  | 0.4  | 34        |
| 47 | Yeast Mre11 and Rad1 Proteins Define a Ku-Independent Mechanism To Repair Double-Strand Breaks Lacking Overlapping End Sequences. <i>Molecular and Cellular Biology</i> , 2003, 23, 8820-8828.   | 2.3  | 327       |
| 48 | Prognostic Significance of The Nadir Prostate Specific Antigen Level After Hormone Therapy for Prostate Cancer. <i>Journal of Urology</i> , 2002, 168, 995-1000.   | 0.4  | 105       |
| 49 | A case of renal transitional cell carcinoma associated with synchronous contralateral renal cell carcinoma. <i>Journal of Korean Medical Science</i> , 2001, 16, 108.  | 2.5  | 5         |
| 50 | <i>Saccharomyces</i> Ku70, Mre11/Rad50, and RPA Proteins Regulate Adaptation to G2/M Arrest after DNA Damage. <i>Cell</i> , 1998, 94, 399-409.   | 28.9 | 729       |