Machiko Inoue

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2777581/publications.pdf

Version: 2024-02-01

39 papers 655

687363 13 h-index 25 g-index

42 all docs

42 docs citations

42 times ranked 1072 citing authors

#	Article	IF	Citations
1	Impact of population aging on trends in diabetes prevalence: A metaâ€regression analysis of 160,000 Japanese adults. Journal of Diabetes Investigation, 2015, 6, 533-542.	2.4	111
2	Impact of communicative and critical health literacy on understanding of diabetes care and self-efficacy in diabetes management: a cross-sectional study of primary care in Japan. BMC Family Practice, 2013, 14, 40.	2.9	89
3	Early prophylactic antibiotics administration for acute necrotizing pancreatitis: a metaâ€analysis of randomized controlled trials. Journal of Hepato-Biliary-Pancreatic Sciences, 2015, 22, 316-321.	2.6	75
4	Development and validation of the Japanese version of Primary Care Assessment Tool. Family Practice, 2016, 33, 112-117.	1.9	62
5	Japan's vision for health care in 2035. Lancet, The, 2015, 385, 2549-2550.	13.7	39
6	Social Ties May Play a Critical Role in Mitigating Sleep Difficulties in Disaster-Affected Communities: A Cross-Sectional Study in the Ishinomaki Area, Japan. Sleep, 2014, 37, 137-145.	1.1	37
7	Malignant Struma Ovarii with Graves' Disease. Gynecologic Oncology, 2000, 79, 508-510.	1.4	32
8	Association between health literacy and patient experience of primary care attributes: A cross-sectional study in Japan. PLoS ONE, 2017, 12, e0184565.	2.5	22
9	Correlation between family physician's direct advice and pneumococcal vaccination intention and behavior among the elderly in Japan: a cross-sectional study. BMC Family Practice, 2018, 19, 153.	2.9	21
10	Implications for Social Support on Prolonged Sleep Difficulties among a Disaster-Affected Population: Second Report from a Cross-Sectional Survey in Ishinomaki, Japan. PLoS ONE, 2015, 10, e0130615.	2.5	18
11	Impaired fasting glucose as an independent risk factor for hypertension among healthy middle-aged Japanese subjects with optimal blood pressure: the Yuport Medical Checkup Centre retrospective cohort study. Diabetology and Metabolic Syndrome, 2013, 5, 81.	2.7	16
12	Gender-Based Risk and Protective Factors for Psychological Distress in the Midterm Recovery Period Following the Great East Japan Earthquake. Disaster Medicine and Public Health Preparedness, 2019, 13, 487-496.	1.3	16
13	Risk of Social Isolation Among Great East Japan Earthquake Survivors Living in Tsunami-Affected Ishinomaki, Japan. Disaster Medicine and Public Health Preparedness, 2014, 8, 333-340.	1.3	15
14	Effects of Age and Sex in the Diagnosis of Type 2 Diabetes Using Glycated Haemoglobin in Japan: The Yuport Medical Checkup Centre Study. PLoS ONE, 2012, 7, e40375.	2.5	15
15	Persistent fasting hyperglycaemia is more predictive of Type 2 diabetes than transient fasting hyperglycaemia. Diabetic Medicine, 2012, 29, e75-81.	2.3	12
16	Primary care patient experience and cancer screening uptake among women: an exploratory cross-sectional study in a Japanese population. Asia Pacific Family Medicine, 2017, 16, 3.	0.4	12
17	Perspectives on disclosure of the dementia diagnosis among primary care physicians in Japan: a qualitatively driven mixed methods study. BMC Family Practice, 2019, 20, 69.	2.9	9
18	Utility of self-competency ratings during residency training in family medicine education-emerging countries: findings from Japan. Asia Pacific Family Medicine, 2017, 16, 1.	0.4	8

#	Article	IF	CITATIONS
19	Should co-payments for financially deprived patients be lowered? Primary care physicians' perspectives using a mixed-methods approach in a survey study in Tokyo. International Journal for Equity in Health, 2017, 16, 38.	3.5	7
20	Undiagnosed diabetes has poorer profiles for cardiovascular and metabolic markers than known diabetes: The Yuport Medical Checkup Center Study. Diabetes Research and Clinical Practice, 2013, 101, e7-e10.	2.8	5
21	The cultural context of teaching and learning sexual health care examinations in Japan: a mixed methods case study assessing the use of standardized patient instructors among Japanese family physician trainees of the Shizuoka Family Medicine Program. Asia Pacific Family Medicine, 2015, 14, 8.	0.4	5
22	Admissions for ambulatory care sensitive conditions on rural islands and their association with patient experience: a multicentred prospective cohort study. BMJ Open, 2019, 9, e030101.	1.9	5
23	Practices and perspectives of primary care physiciansÂin Japan and the United States about diagnosing dementia: a qualitative study. BMC Geriatrics, 2021, 21, 540.	2.7	4
24	Acupuncture Use in Rural Japanese Family Medicine Populations: A Cross-Sectional Survey Study. Medical Acupuncture, 2016, 28, 49-55.	0.6	3
25	Associations of Patient Experience in Primary Care With Hospitalizations and Emergency Department Visits on Isolated Islands: A Prospective Cohort Study. Journal of Rural Health, 2019, 35, 498-505.	2.9	3
26	Differences between frequent emergency department users in a secondary rural hospital and a tertiary suburban hospital in central Japan: a prevalence study. BMJ Open, 2020, 10, e039030.	1.9	3
27	Characteristics of General Physicians who Practice Shared Decision Making: A Mail Survey of All Clinics in 12 Municipalities in Tokyo. An Official Journal of the Japan Primary Care Association, 2016, 39, 209-213.	0.1	3
28	Hypertensive patients' perceptions of their physicians' knowledge about them: a cross-sectional study in Japan. BMC Family Practice, 2010, 11, 56.	2.9	2
29	Challenges in providing maternity care in remote areas and islands for primary care physicians in Japan: a qualitative study. BMC Family Practice, 2018, 19, 114.	2.9	2
30	Improving Quality of Care through Primary Care Research. Journal of General and Family Medicine, 2016, 17, 267-269.	0.8	1
31	ég妊. An Official Journal of the Japan Primary Care Association, 2013, 36, 119-123.	0.1	1
32	Women's Health Training in Japan Primary Care Association Certified Family Medicine Residency Programs: Status of Programs, Residents and Medical Students. An Official Journal of the Japan Primary Care Association, 2018, 41, 148-154.	0.1	1
33	Development and validation of a Japanese version of the person-centered primary care measure., 2022, 23, 112.		1
34	An Empirical Assessment of Cases Experienced during Inpatient Family Medicine Resident Training in a Rural Community Hospital of the Shizuoka Family Medicine Training Program in Japan. Journal of General and Family Medicine, 2015, 16, 177-186.	0.8	0
35	An analysis of qualitative and mixed methods abstracts from Japanese, UK and US primary care conferences. Asia Pacific Family Medicine, 2018, 17, 11.	0.4	0
36	性噓出血. An Official Journal of the Japan Primary Care Association, 2013, 36, 237-241.	0.1	O

3

#	Article	IF	CITATIONS
37	Benefits of Having Departments of Family Medicine in Universities. An Official Journal of the Japan Primary Care Association, 2015, 38, 358-368.	0.1	O
38	Physicians' Perceptions of Income-related Disparities in Medical Care Utilization: a Mail Survey in Tokyo. An Official Journal of the Japan Primary Care Association, 2016, 39, 214-218.	0.1	0
39	Internet Addiction among Brazilian Students in Japan - A Questionnaire-based Cross-sectional Study. An Official Journal of the Japan Primary Care Association, 2020, 43, 44-53.	0.1	O