

# Martin Scheringer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2782482/publications.pdf>

Version: 2024-02-01

186  
papers

14,242  
citations

21215

62  
h-index

24511

114  
g-index

194  
all docs

194  
docs citations

194  
times ranked

13414  
citing authors

#	ARTICLE	IF	CITATIONS
1	What Are the Sources of Exposure to Eight Frequently Used Phthalic Acid Esters in Europeans?. Risk Analysis, 2006, 26, 803-824.	1.5	851
2	Estimation of cumulative aquatic exposure and risk due to silver: Contribution of nano-functionalized plastics and textiles. Science of the Total Environment, 2008, 390, 396-409.	3.9	843
3	An overview of the uses of per- and polyfluoroalkyl substances (PFAS). Environmental Sciences: Processes and Impacts, 2020, 22, 2345-2373.	1.7	632
4	Fluorinated alternatives to long-chain perfluoroalkyl carboxylic acids (PFCAs), perfluoroalkane sulfonic acids (PFASs) and their potential precursors. Environment International, 2013, 60, 242-248.	4.8	623
5	Global emission inventories for C4–C14 perfluoroalkyl carboxylic acid (PFCA) homologues from 1951 to 2030, Part I: production and emissions from quantifiable sources. Environment International, 2014, 70, 62-75.	4.8	521
6	Hazard assessment of fluorinated alternatives to long-chain perfluoroalkyl acids (PFAAs) and their precursors: Status quo, ongoing challenges and possible solutions. Environment International, 2015, 75, 172-179.	4.8	420
7	Estimating Consumer Exposure to PFOS and PFOA. Risk Analysis, 2008, 28, 251-269.	1.5	388
8	Health and ecological risk assessment of emerging contaminants (pharmaceuticals, personal care) in the Yamuna River Basin, India. Science of the Total Environment, 2019, 646, 1459-1467.	3.9	328
9	Development of Environmental Fate Models for Engineered Nanoparticles—A Case Study of TiO <sub>2</sub> Nanoparticles in the Rhine River. Environmental Science & Technology, 2012, 46, 6705-6713.	4.6	270
10	Global production, use, and emission volumes of short-chain chlorinated paraffins—A minimum scenario. Science of the Total Environment, 2016, 573, 1132-1146.	3.9	230
11	Using COSMOtherm to predict physicochemical properties of poly- and perfluorinated alkyl substances (PFASs). Environmental Chemistry, 2011, 8, 389.	0.7	202
12	The Madrid Statement on Poly- and Perfluoroalkyl Substances (PFASs). Environmental Health Perspectives, 2015, 123, A107-11.	2.8	199
13	Considerations of Environmentally Relevant Test Conditions for Improved Evaluation of Ecological Hazards of Engineered Nanomaterials. Environmental Science & Technology, 2016, 50, 6124-6145.	4.6	191
14	Global emission inventories for C4–C14 perfluoroalkyl carboxylic acid (PFCA) homologues from 1951 to 2030, part II: The remaining pieces of the puzzle. Environment International, 2014, 69, 166-176.	4.8	185
15	Helsingfors Statement on poly- and perfluorinated alkyl substances (PFASs). Chemosphere, 2014, 114, 337-339.	4.2	175
16	Bisphenol A: How the Most Relevant Exposure Sources Contribute to Total Consumer Exposure. Risk Analysis, 2010, 30, 473-487.	1.5	170
17	Improving Data Quality for Environmental Fate Models: A Least-Squares Adjustment Procedure for Harmonizing Physicochemical Properties of Organic Compounds. Environmental Science & Technology, 2005, 39, 8434-8441.	4.6	162
18	Estimating the contribution of precursor compounds in consumer exposure to PFOS and PFOA. Chemosphere, 2008, 73, 1617-1624.	4.2	161

#	ARTICLE	IF	CITATIONS
19	Modeling the Global Fate and Transport of Perfluorooctane Sulfonate (PFOS) and Precursor Compounds in Relation to Temporal Trends in Wildlife Exposure. <i>Environmental Science &amp; Technology</i> , 2009, 43, 9274-9280.	4.6	158
20	Heteroaggregation of Titanium Dioxide Nanoparticles with Model Natural Colloids under Environmentally Relevant Conditions. <i>Environmental Science &amp; Technology</i> , 2014, 48, 10690-10698.	4.6	155
21	Persistence and Spatial Range as Endpoints of an Exposure-Based Assessment of Organic Chemicals. <i>Environmental Science &amp; Technology</i> , 1996, 30, 1652-1659.	4.6	151
22	The precautionary principle and chemicals management: The example of perfluoroalkyl acids in groundwater. <i>Environment International</i> , 2016, 94, 331-340.	4.8	151
23	Are Fluoropolymers Really of Low Concern for Human and Environmental Health and Separate from Other PFAS?. <i>Environmental Science &amp; Technology</i> , 2020, 54, 12820-12828.	4.6	149
24	A modeling assessment of the physicochemical properties and environmental fate of emerging and novel per- and polyfluoroalkyl substances. <i>Science of the Total Environment</i> , 2015, 505, 981-991.	3.9	144
25	Investigation of the Cold Condensation of Persistent Organic Pollutants with a Global Multimedia Fate Model. <i>Environmental Science &amp; Technology</i> , 2000, 34, 1842-1850.	4.6	143
26	Total Consumer Exposure to Polybrominated Diphenyl Ethers in North America and Europe. <i>Environmental Science &amp; Technology</i> , 2011, 45, 2391-2397.	4.6	143
27	Comparing Estimates of Persistence and Long-Range Transport Potential among Multimedia Models. <i>Environmental Science &amp; Technology</i> , 2005, 39, 1932-1942.	4.6	138
28	The OECD software tool for screening chemicals for persistence and long-range transport potential. <i>Environmental Modelling and Software</i> , 2009, 24, 228-237.	1.9	134
29	Strategies for grouping per- and polyfluoroalkyl substances (PFAS) to protect human and environmental health. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 1444-1460.	1.7	126
30	Screening for PBT Chemicals among the "Existing" and "New" Chemicals of the EU. <i>Environmental Science &amp; Technology</i> , 2012, 46, 5680-5687.	4.6	125
31	Exploring the planetary boundary for chemical pollution. <i>Environment International</i> , 2015, 78, 8-15.	4.8	125
32	The concept of essential use for determining when uses of PFASs can be phased out. <i>Environmental Sciences: Processes and Impacts</i> , 2019, 21, 1803-1815.	1.7	125
33	The high persistence of PFAS is sufficient for their management as a chemical class. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 2307-2312.	1.7	125
34	Contribution of Volatile Precursor Substances to the Flux of Perfluorooctanoate to the Arctic. <i>Environmental Science &amp; Technology</i> , 2008, 42, 3710-3716.	4.6	123
35	Modeling the Environmental Fate of Polybrominated Diphenyl Ethers (PBDEs): The Importance of Photolysis for the Formation of Lighter PBDEs. <i>Environmental Science &amp; Technology</i> , 2008, 42, 9244-9249.	4.6	120
36	Envisioning Nano Release Dynamics in a Changing World: Using Dynamic Probabilistic Modeling to Assess Future Environmental Emissions of Engineered Nanomaterials. <i>Environmental Science &amp; Technology</i> , 2017, 51, 2854-2863.	4.6	114

#	ARTICLE	IF	CITATIONS
37	Modeling the Global Levels and Distribution of Polychlorinated Biphenyls in Air under a Climate Change Scenario. <i>Environmental Science &amp; Technology</i> , 2009, 43, 5818-5824.	4.6	110
38	Toward a Comprehensive Global Emission Inventory of C <sub>4</sub> -C <sub>10</sub> Perfluoroalkanesulfonic Acids (PFSA) and Related Precursors: Focus on the Life Cycle of C <sub>8</sub> -Based Products and Ongoing Industrial Transition. <i>Environmental Science &amp; Technology</i> , 2017, 51, 4482-4493.	4.6	109
39	Assessing the persistence, bioaccumulation potential and toxicity of brominated flame retardants: Data availability and quality for 36 alternative brominated flame retardants. <i>Chemosphere</i> , 2014, 116, 118-123.	4.2	108
40	Why is high persistence alone a major cause of concern?. <i>Environmental Sciences: Processes and Impacts</i> , 2019, 21, 781-792.	1.7	106
41	Characterization of the Environmental Distribution Behavior of Organic Chemicals by Means of Persistence and Spatial Range. <i>Environmental Science &amp; Technology</i> , 1997, 31, 2891-2897.	4.6	103
42	Application of Multimedia Models for Screening Assessment of Long-Range Transport Potential and Overall Persistence. <i>Environmental Science &amp; Technology</i> , 2006, 40, 53-60.	4.6	103
43	Long-range transport of organic chemicals in the environment. <i>Environmental Toxicology and Chemistry</i> , 2009, 28, 677-690.	2.2	102
44	The State of Multimedia Mass-Balance Modeling in Environmental Science and Decision-Making. <i>Environmental Science &amp; Technology</i> , 2010, 44, 8360-8364.	4.6	100
45	Impacts of food contact chemicals on human health: a consensus statement. <i>Environmental Health</i> , 2020, 19, 25.	1.7	100
46	A proposed framework for the systematic review and integrated assessment (SYRINA) of endocrine disrupting chemicals. <i>Environmental Health</i> , 2016, 15, 74.	1.7	92
47	Zürich Statement on Future Actions on Per- and Polyfluoroalkyl Substances (PFASs). <i>Environmental Health Perspectives</i> , 2018, 126, 84502.	2.8	91
48	Size-fractionated characterization and quantification of nanoparticle release rates from a consumer spray product containing engineered nanoparticles. <i>Journal of Nanoparticle Research</i> , 2010, 12, 2481-2494.	0.8	90
49	How many persistent organic pollutants should we expect?. <i>Atmospheric Pollution Research</i> , 2012, 3, 383-391.	1.8	88
50	Toxic Ratio as an Indicator of the Intrinsic Toxicity in the Assessment of Persistent, Bioaccumulative, and Toxic Chemicals. <i>Environmental Science &amp; Technology</i> , 2004, 38, 3659-3666.	4.6	86
51	Alternative Approaches for Modeling Gas-Particle Partitioning of Semivolatile Organic Chemicals: Model Development and Comparison. <i>Environmental Science &amp; Technology</i> , 2007, 41, 1272-1278.	4.6	86
52	Environmental risks of nanomaterials. <i>Nature Nanotechnology</i> , 2008, 3, 322-323.	15.6	85
53	Calculation of Physicochemical Properties for Short- and Medium-Chain Chlorinated Paraffins. <i>Journal of Physical and Chemical Reference Data</i> , 2013, 42, .	1.9	79
54	Nanosized aerosols from consumer sprays: experimental analysis and exposure modeling for four commercial products. <i>Journal of Nanoparticle Research</i> , 2011, 13, 3377-3391.	0.8	74

#	ARTICLE	IF	CITATIONS
55	The Origin and Significance of Short-Term Variability of Semivolatile Contaminants in Air. <i>Environmental Science &amp; Technology</i> , 2007, 41, 3249-3253.	4.6	73
56	Trends in European Background Air Reflect Reductions in Primary Emissions of PCBs and PBDEs. <i>Environmental Science &amp; Technology</i> , 2010, 44, 6760-6766.	4.6	73
57	Potential exposure of German consumers to engineered nanoparticles in cosmetics and personal care products. <i>Nanotoxicology</i> , 2011, 5, 12-29.	1.6	73
58	Comprehensive Toxic Plantsâ€“Phytotoxins Database and Its Application in Assessing Aquatic Micropollution Potential. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 7577-7588.	2.4	72
59	Addressing the complexity of water chemistry in environmental fate modeling for engineered nanoparticles. <i>Science of the Total Environment</i> , 2015, 535, 150-159.	3.9	70
60	An overview of worldwide and regional time trends in total mercury levels in human blood and breast milk from 1966 to 2015 and their associations with health effects. <i>Environment International</i> , 2019, 125, 300-319.	4.8	69
61	Assessment of the environmental persistence and long-range transport of endosulfan. <i>Environmental Pollution</i> , 2011, 159, 1737-1743.	3.7	68
62	Critical Assessment of Models for Transport of Engineered Nanoparticles in Saturated Porous Media. <i>Environmental Science &amp; Technology</i> , 2014, 48, 12732-12741.	4.6	66
63	Persistence of Parent Compounds and Transformation Products in a Level IV Multimedia Model. <i>Environmental Science &amp; Technology</i> , 2000, 34, 3809-3817.	4.6	65
64	Environmental assessment of chemicals: methods and application to a case study of organic solvents. <i>Green Chemistry</i> , 2004, 6, 418-427.	4.6	64
65	Short-Chain Chlorinated Paraffins in Zurich, Switzerlandâ€“Atmospheric Concentrations and Emissions. <i>Environmental Science &amp; Technology</i> , 2015, 49, 9778-9786.	4.6	64
66	Measuring and Modeling Short-Term Variability of PCBs in Air and Characterization of Urban Source Strength in Zurich, Switzerland. <i>Environmental Science &amp; Technology</i> , 2009, 43, 769-776.	4.6	63
67	Concentrations in Ambient Air and Emissions of Cyclic Volatile Methylsiloxanes in Zurich, Switzerland. <i>Environmental Science &amp; Technology</i> , 2013, 47, 7045-7051.	4.6	63
68	Atmospheric fate of poly- and perfluorinated alkyl substances (PFASs): I. Dayâ€“night patterns of air concentrations in summer in Zurich, Switzerland. <i>Environmental Pollution</i> , 2012, 169, 196-203.	3.7	62
69	Comparative assessment of the environmental hazards of and exposure to perfluoroalkyl phosphonic and phosphinic acids (PFPA and PFPIAs): Current knowledge, gaps, challenges and research needs. <i>Environment International</i> , 2016, 89-90, 235-247.	4.8	62
70	Modeling the Effect of Snow and Ice on the Global Environmental Fate and Long-Range Transport Potential of Semivolatile Organic Compounds. <i>Environmental Science &amp; Technology</i> , 2007, 41, 6192-6198.	4.6	59
71	Toward the next generation of air quality monitoring: Persistent organic pollutants. <i>Atmospheric Environment</i> , 2013, 80, 591-598.	1.9	59
72	We need a global science-policy body on chemicals and waste. <i>Science</i> , 2021, 371, 774-776.	6.0	59

#	ARTICLE	IF	CITATIONS
73	Sediment Record and Atmospheric Deposition of Brominated Flame Retardants and Organochlorine Compounds in Lake Thun, Switzerland: Lessons from the Past and Evaluation of the Present. <i>Environmental Science &amp; Technology</i> , 2008, 42, 6817-6822.	4.6	56
74	Estimating Enthalpy of Vaporization from Vapor Pressure Using Trouton's Rule. <i>Environmental Science &amp; Technology</i> , 2007, 41, 2827-2832.	4.6	54
75	Investigating the Global Fate of DDT: Model Evaluation and Estimation of Future Trends. <i>Environmental Science &amp; Technology</i> , 2008, 42, 1178-1184.	4.6	54
76	Multimedia Partitioning, Overall Persistence, and Long-Range Transport Potential in the Context of POPs and PBT Chemical Assessments. <i>Integrated Environmental Assessment and Management</i> , 2009, 5, 557-576.	1.6	53
77	From incremental to fundamental substitution in chemical alternatives assessment. <i>Sustainable Chemistry and Pharmacy</i> , 2015, 1, 1-8.	1.6	53
78	Predicting Long-Range Transport: A Systematic Evaluation of Two Multimedia Transport Models. <i>Environmental Science &amp; Technology</i> , 2001, 35, 1181-1189.	4.6	50
79	Emissions of Polychlorinated Biphenyls, Polychlorinated Dibenzo- <i>p</i> -dioxins, and Polychlorinated Dibenzofurans during 2010 and 2011 in Zurich, Switzerland. <i>Environmental Science &amp; Technology</i> , 2014, 48, 482-490.	4.6	48
80	Environmental fate and exposure models: advances and challenges in 21 <sup>st</sup> century chemical risk assessment. <i>Environmental Sciences: Processes and Impacts</i> , 2018, 20, 58-71.	1.7	48
81	Measures of Overall Persistence and the Temporal Remote State. <i>Environmental Science &amp; Technology</i> , 2004, 38, 5665-5673.	4.6	46
82	Legacy and alternative halogenated flame retardants in human milk in Europe: Implications for children's health. <i>Environment International</i> , 2017, 108, 137-145.	4.8	45
83	The effect of export to the deep sea on the long-range transport potential of persistent organic pollutants. <i>Environmental Science and Pollution Research</i> , 2004, 11, 41-48.	2.7	44
84	Prediction of nanoparticle transport behavior from physicochemical properties: machine learning provides insights to guide the next generation of transport models. <i>Environmental Science: Nano</i> , 2015, 2, 352-360.	2.2	44
85	Levels, fluxes and time trends of persistent organic pollutants in Lake Thun, Switzerland: Combining trace analysis and multimedia modeling. <i>Science of the Total Environment</i> , 2010, 408, 3654-3663.	3.9	43
86	Oceanic long-range transport of organic additives present in plastic products: an overview. <i>Environmental Sciences Europe</i> , 2021, 33, .	2.6	43
87	Using Information on Uncertainty to Improve Environmental Fate Modeling: A Case Study on DDT. <i>Environmental Science &amp; Technology</i> , 2009, 43, 128-134.	4.6	41
88	Sorption and Mobility of Charged Organic Compounds: How to Confront and Overcome Limitations in Their Assessment. <i>Environmental Science &amp; Technology</i> , 2022, 56, 4702-4710.	4.6	41
89	Including degradation products of persistent organic pollutants in a global multi-media box model. <i>Environmental Science and Pollution Research</i> , 2007, 14, 145-152.	2.7	40
90	Reduction of occupational exposure to perchloroethylene and trichloroethylene in metal degreasing over the last 30 years: influences of technology innovation and legislation. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2003, 13, 325-340.	1.8	38

#	ARTICLE	IF	CITATIONS
91	Ten years after entry into force of the Stockholm Convention: What do air monitoring data tell about its effectiveness?. <i>Environmental Pollution</i> , 2016, 217, 149-158.	3.7	38
92	Remoteness from Emission Sources Explains the Fractionation Pattern of Polychlorinated Biphenyls in the Northern Hemisphere. <i>Environmental Science &amp; Technology</i> , 2010, 44, 6183-6188.	4.6	37
93	Good modeling practice guidelines for applying multimedia models in chemical assessments. <i>Integrated Environmental Assessment and Management</i> , 2012, 8, 703-708.	1.6	36
94	Facing complexity through informed simplifications: a research agenda for aquatic exposure assessment of nanoparticles. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 161-168.	1.7	35
95	Joint Persistence of Transformation Products in Chemicals Assessment: Case Studies and Uncertainty Analysis. <i>Risk Analysis</i> , 2003, 23, 35-53.	1.5	33
96	Quantifying Diffuse and Point Inputs of Perfluoroalkyl Acids in a Nonindustrial River Catchment. <i>Environmental Science &amp; Technology</i> , 2011, 45, 9901-9909.	4.6	32
97	Toward a Comprehensive Global Emission Inventory of C <sub>4</sub> -C <sub>10</sub> Perfluoroalkanesulfonic Acids (PFASs) and Related Precursors: Focus on the Life Cycle of C <sub>6</sub> - and C <sub>10</sub> -Based Products. <i>Environmental Science and Technology Letters</i> , 2019, 6, 1-7.	3.9	32
98	Information Requirements under the Essential-Use Concept: PFAS Case Studies. <i>Environmental Science &amp; Technology</i> , 2022, 56, 6232-6242.	4.6	32
99	A Framework for Evaluating the Contribution of Transformation Products to Chemical Persistence in the Environment. <i>Environmental Science &amp; Technology</i> , 2011, 45, 111-117.	4.6	30
100	Atmospheric fate of poly- and perfluorinated alkyl substances (PFASs): II. Emission source strength in summer in Zurich, Switzerland. <i>Environmental Pollution</i> , 2012, 169, 204-209.	3.7	29
101	Quantifying Remoteness from Emission Sources of Persistent Organic Pollutants on a Global Scale. <i>Environmental Science &amp; Technology</i> , 2010, 44, 2791-2796.	4.6	28
102	A network perspective reveals decreasing material diversity in studies on nanoparticle interactions with dissolved organic matter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E1756-E1765.	3.3	28
103	Systematic evidence on migrating and extractable food contact chemicals: Most chemicals detected in food contact materials are not listed for use. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 9425-9435.	5.4	28
104	Describing the environmental fate of diuron in a tropical river catchment. <i>Science of the Total Environment</i> , 2012, 440, 178-185.	3.9	27
105	The Need for Chemical Simplification As a Logical Consequence of Ever-Increasing Chemical Pollution. <i>Environmental Science &amp; Technology</i> , 2021, 55, 14470-14472.	4.6	27
106	Development of Policy Relevant Human Biomonitoring Indicators for Chemical Exposure in the European Population. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2085.	1.2	26
107	Temporal Trends of Persistent Organic Pollutants across Africa after a Decade of MONET Passive Air Sampling. <i>Environmental Science &amp; Technology</i> , 2021, 55, 9413-9424.	4.6	26
108	Scenario-Based Risk Assessment of Multi-Use Chemicals: Application to Solvents. <i>Risk Analysis</i> , 2001, 21, 481-498.	1.5	25

#	ARTICLE	IF	CITATIONS
109	Estimation of the Source Strength of Polybrominated Diphenyl Ethers Based on Their Diel Variability in Air in Zurich, Switzerland. <i>Environmental Science &amp; Technology</i> , 2010, 44, 4225-4231.	4.6	25
110	PBDE exposure from food in Ireland: optimising data exploitation in probabilistic exposure modelling. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2011, 21, 565-575.	1.8	25
111	Emissions of polybrominated diphenyl ethers (PBDEs) in Zurich, Switzerland, determined by a combination of measurements and modeling. <i>Chemosphere</i> , 2014, 116, 15-23.	4.2	25
112	Comparing measured and modelled PFOS concentrations in a UK freshwater catchment and estimating emission rates. <i>Environment International</i> , 2014, 70, 25-31.	4.8	25
113	What determines PCB concentrations in soils in rural and urban areas? Insights from a multi-media fate model for Switzerland as a case study. <i>Science of the Total Environment</i> , 2016, 550, 1152-1162.	3.9	25
114	Fate modelling within LCA. <i>International Journal of Life Cycle Assessment</i> , 2000, 5, 335.	2.2	24
115	Junge relationships in measurement data for cyclic siloxanes in air. <i>Chemosphere</i> , 2013, 93, 830-834.	4.2	24
116	USING CONDITIONAL INFERENCE TREES AND RANDOM FORESTS TO PREDICT THE BIOACCUMULATION POTENTIAL OF ORGANIC CHEMICALS. <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 1187-1195.	2.2	24
117	Estimation of physicochemical properties of 52 non-PBDE brominated flame retardants and evaluation of their overall persistence and long-range transport potential. <i>Science of the Total Environment</i> , 2014, 491-492, 108-117.	3.9	24
118	Long-term time trends in human intake of POPs in the Czech Republic indicate a need for continuous monitoring. <i>Environment International</i> , 2017, 108, 1-10.	4.8	24
119	Local organochlorine pesticide concentrations in soil put into a global perspective. <i>Environmental Pollution</i> , 2016, 217, 11-18.	3.7	23
120	Developmental neurotoxicants in human milk: Comparison of levels and intakes in three European countries. <i>Science of the Total Environment</i> , 2017, 579, 637-645.	3.9	22
121	Passive Air Samplers As a Tool for Assessing Long-Term Trends in Atmospheric Concentrations of Semivolatile Organic Compounds. <i>Environmental Science &amp; Technology</i> , 2017, 51, 7047-7054.	4.6	22
122	"Is there anybody else out there?" â€œ First Insights from a Suspect Screening for Phytotoxins in Surface Water. <i>Chimia</i> , 2020, 74, 129.	0.3	22
123	Linking the Use of Scented Consumer Products to Consumer Exposure to Polycyclic Musk Fragrances. <i>Journal of Industrial Ecology</i> , 2008, 9, 237-258.	2.8	21
124	Primary source regions of polychlorinated biphenyls (PCBs) measured in the Arctic. <i>Atmospheric Environment</i> , 2012, 62, 391-399.	1.9	21
125	Assessments of Direct Human Exposureâ€”The Approach of EU Risk Assessments Compared to Scenario-Based Risk Assessment. <i>Risk Analysis</i> , 2007, 27, 979-990.	1.5	20
126	A Temperate Alpine Glacier as a Reservoir of Polychlorinated Biphenyls: Model Results of Incorporation, Transport, and Release. <i>Environmental Science &amp; Technology</i> , 2016, 50, 5572-5579.	4.6	20

#	ARTICLE	IF	CITATIONS
127	Regional differences in gasâ€‘particle partitioning and deposition of semivolatile organic compounds on a global scale. <i>Atmospheric Environment</i> , 2008, 42, 554-567.	1.9	18
128	Long-Range and Regional Atmospheric Transport of POPs and Implications for Global Cycling. <i>Comprehensive Analytical Chemistry</i> , 2015, 67, 363-387.	0.7	18
129	Retrospective HRMS Screening and Dedicated Target Analysis Reveal a Wide Exposure to Pyrrolizidine Alkaloids in Small Streams. <i>Environmental Science &amp; Technology</i> , 2021, 55, 1036-1044.	4.6	18
130	Probabilistic approaches in the effect assessment of toxic chemicals. <i>Environmental Science and Pollution Research</i> , 2002, 9, 307-314.	2.7	17
131	Polychlorinated Biphenyls in a Temperate Alpine Glacier: 2. Model Results of Chemical Fate Processes. <i>Environmental Science &amp; Technology</i> , 2015, 49, 14092-14100.	4.6	17
132	Characterisation of suspended particulate matter in the Rhone River: insights into analogue selection. <i>Environmental Chemistry</i> , 2016, 13, 804.	0.7	17
133	Addressing Urgent Questions for PFAS in the 21st Century. <i>Environmental Science &amp; Technology</i> , 2021, 55, 12755-12765.	4.6	17
134	Assessing Occupational Exposure to Perchloroethylene in Dry Cleaning. <i>Journal of Occupational and Environmental Hygiene</i> , 2006, 3, 606-619.	0.4	16
135	First investigations of mountainous cold condensation effects with the CliMoChem model. <i>Ecotoxicology and Environmental Safety</i> , 2006, 63, 42-51.	2.9	16
136	Insights into natural organic matter and pesticide characterisation and distribution in the Rhone River. <i>Environmental Chemistry</i> , 2017, 14, 64.	0.7	16
137	Finding essentiality feasible: common questions and misinterpretations concerning the â€‘essential-useâ€™ concept. <i>Environmental Sciences: Processes and Impacts</i> , 2021, 23, 1079-1087.	1.7	16
138	Comparing representations of the environmental spatial scale of organic chemicals. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 922-927.	2.2	15
139	Do Persistent Organic Pollutants Reach a Thermodynamic Equilibrium in the Global Environment?. <i>Environmental Science &amp; Technology</i> , 2014, 48, 5017-5024.	4.6	15
140	Dependence of Persistence and Long-Range Transport Potential on Gas-Particle Partitioning in Multimedia Models. <i>Environmental Science &amp; Technology</i> , 2008, 42, 3690-3696.	4.6	14
141	Emissions of decamethylcyclopentasiloxane from Chicago. <i>Chemosphere</i> , 2014, 107, 473-475.	4.2	14
142	Environmental chemistry and ecotoxicology: in greater demand than ever. <i>Environmental Sciences Europe</i> , 2017, 29, 3.	2.6	14
143	Comparison of different lifeâ€‘cycle impact assessment methods for aquatic ecotoxicity. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 2122-2132.	2.2	13
144	Comparability of long-term temporal trends of POPs from co-located active and passive air monitoring networks in Europe. <i>Environmental Sciences: Processes and Impacts</i> , 2019, 21, 1132-1142.	1.7	13

#	ARTICLE	IF	CITATIONS
145	Evaluation of the OECD <i>POV</i> and LRTP screening tool for estimating the long-range transport of organophosphate esters. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 207-216.	1.7	13
146	Implementing the EU Chemicals Strategy for Sustainability: The case of food contact chemicals of concern. <i>Journal of Hazardous Materials</i> , 2022, 437, 129167.	6.5	13
147	Assessing the impact of weather events at mid-latitudes on the atmospheric transport of chemical pollutants using a 2-dimensional multimedia meteorological model. <i>Atmospheric Environment</i> , 2010, 44, 4489-4496.	1.9	12
148	Investigations into titanium dioxide nanoparticle and pesticide interactions in aqueous environments. <i>Environmental Science: Nano</i> , 2017, 4, 2055-2065.	2.2	12
149	Relationships between Atmospheric Transport Regimes and PCB Concentrations in the Air at Zeppelin, Spitsbergen. <i>Environmental Science &amp; Technology</i> , 2017, 51, 9784-9791.	4.6	12
150	Persistent organic pollutants (POPs) in the focus of science and politics. <i>Environmental Science and Pollution Research</i> , 2004, 11, 1-2.	2.7	11
151	What Factors Determine the Retention Behavior of Engineered Nanomaterials in Saturated Porous Media?. <i>Environmental Science &amp; Technology</i> , 2017, 51, 2729-2737.	4.6	11
152	Characterizing Spatial Diversity of Passive Sampling Sites for Measuring Levels and Trends of Semivolatile Organic Chemicals. <i>Environmental Science &amp; Technology</i> , 2018, 52, 10599-10608.	4.6	11
153	Modelled environmental exposure to persistent organic chemicals is independent of the time course of emissions: Proof and significance for chemical exposure assessments. <i>Ecological Modelling</i> , 2008, 219, 256-259.	1.2	10
154	Comparing the Performance of Computational Estimation Methods for Physicochemical Properties of Dimethylsiloxanes and Selected Siloxanols. <i>Journal of Chemical &amp; Engineering Data</i> , 2013, 58, 3170-3178.	1.0	10
155	INVESTIGATING THE MECHANICS OF MULTIMEDIA BOX MODELS: HOW TO EXPLAIN DIFFERENCES BETWEEN MODELS IN TERMS OF MASS FLUXES?. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 2433.	2.2	9
156	Socio-economic analysis for the authorisation of chemicals under REACH: A case of very high concern?. <i>Regulatory Toxicology and Pharmacology</i> , 2014, 70, 564-571.	1.3	9
157	Historical emissions of octachlorodibenzodioxin in a watershed in Queensland, Australia: Estimation from field data and an environmental fate model. <i>Science of the Total Environment</i> , 2015, 502, 680-687.	3.9	9
158	Aquatic Exposure Predictions of Insecticide Field Concentrations Using a Multimedia Mass-Balance Model. <i>Environmental Science &amp; Technology</i> , 2016, 50, 3721-3728.	4.6	9
159	Towards guidelines for time-trend reviews examining temporal variability in human biomonitoring data of pollutants. <i>Environment International</i> , 2021, 151, 106437.	4.8	9
160	Aquatic occurrence of phytotoxins in small streams triggered by biogeography, vegetation growth stage, and precipitation. <i>Science of the Total Environment</i> , 2021, 798, 149128.	3.9	9
161	Effects of multi-media partitioning of chemicals on Junge's variability-lifetime relationship. <i>Science of the Total Environment</i> , 2006, 367, 888-898.	3.9	8
162	Comment on "The environmental photolysis of perfluorooctanesulfonate, perfluorooctanoate, and related fluorochemicals". <i>Chemosphere</i> , 2015, 122, 301-303.	4.2	8

#	ARTICLE	IF	CITATIONS
163	Empirical Investigation of the Junge Variability~Lifetime Relationship Using Long-Term Monitoring Data on Polychlorinated Biphenyl Concentrations in Air. <i>Environmental Science &amp; Technology</i> , 2009, 43, 2746-2752.	4.6	7
164	Environmental Fate and Exposure Modeling of Nanomaterials. <i>Frontiers of Nanoscience</i> , 2014, , 89-125.	0.3	6
165	Comment on "Fluorotechnology Is Critical to Modern Life: The FluoroCouncil Counterpoint to the Madrid Statement", <i>Environmental Health Perspectives</i> , 2015, 123, A170.	2.8	6
166	To be or not to be degraded: in defense of persistence assessment of chemicals. <i>Environmental Sciences: Processes and Impacts</i> , 2022, 24, 1104-1109.	1.7	6
167	Combined Application of the Essential-Use and Functional Substitution Concepts: Accelerating Safer Alternatives. <i>Environmental Science &amp; Technology</i> , 2022, 56, 9842-9846.	4.6	6
168	Atmospheric gas-particle partitioning versus gaseous/particle-bound deposition of SVOCs: Why they are not equivalent. <i>Atmospheric Environment</i> , 2015, 115, 317-324.	1.9	4
169	Response to Comment on Screening for PBT Chemicals among the "Existing" and "New" Chemicals of the EU. <i>Environmental Science &amp; Technology</i> , 2013, 47, 6065-6066.	4.6	3
170	Environmental science: quo vadis? Part 2: challenges for environmental science. <i>Environmental Science and Pollution Research</i> , 2005, 12, 186-7.	2.7	3
171	Relationship between Persistence and Spatial Range of Environmental Chemicals. <i>ACS Symposium Series</i> , 2000, , 52-63.	0.5	2
172	How to deal with persistent organic pollutants (POPs)?. <i>Environmental Science and Pollution Research</i> , 2001, 8, 63-63.	2.7	2
173	Towards an Intergovernmental Panel on Chemical Pollution (IPCP). <i>Chemosphere</i> , 2007, 67, 1682-1683.	4.2	2
174	Modelling Environmental Exposure to Transformation Products of Organic Chemicals. <i>Handbook of Environmental Chemistry</i> , 2008, , 121-149.	0.2	2
175	Analyzing the Global Fractionation of Persistent Organic Pollutants (Pops). <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2008, , 189-203.	0.1	2
176	Multimedia mass balance models for chemicals in the environment: Reliable tools or bold oversimplifications?. <i>Integrated Environmental Assessment and Management</i> , 2015, 11, 177-178.	1.6	1
177	Comment on "Emergence and fate of cyclic volatile polydimethylsiloxanes (D4, D5) in municipal waste streams: Release mechanisms, partitioning and persistence in air, water, soil and sediments", <i>Science of the Total Environment</i> , 2015, 505, 1225-1227.	3.9	1
178	Response to Comment on "Aquatic Exposure Predictions of Insecticide Field Concentrations Using a Multimedia Mass Balance Model", <i>Environmental Science &amp; Technology</i> , 2016, 50, 13171-13172.	4.6	1
179	The influence of past research on the design of experiments with dissolved organic matter and engineered nanoparticles. <i>PLoS ONE</i> , 2018, 13, e0196549.	1.1	1
180	Risk Assessment and Management of Chemical Products. , 2021, , 107-157.		1

#	ARTICLE	IF	CITATIONS
181	Technology, Risk, Precaution, and Sustainability. , 2021, , 9-26.		1
182	Correspondence regarding the Perspective “Addressing the importance of microplastic particles as vectors for long-range transport of chemical contaminants: perspective in relation to prioritizing research and regulatory actions” Microplastics and Nanoplastics, 2022, 2, .	4.1	1
183	Comparability of semivolatile organic compound concentrations from co-located active and passive air monitoring networks in Europe. Environmental Sciences: Processes and Impacts, 2022, 24, 898-909.	1.7	1
184	Toward an “IPCC for chemicals” Gaia, 2021, 30, 65-65.	0.3	0
185	The Role of Legislation. , 2021, , 27-53.		0
186	A Long Way From Home”Industrial Chemicals in the Arctic That Really Should Not Be There. Frontiers for Young Minds, 0, 8, .	0.8	0