

Yi-Ping Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2783203/publications.pdf>

Version: 2024-02-01

37
papers

7,552
citations

201385

27
h-index

344852

36
g-index

37
all docs

37
docs citations

37
times ranked

13658
citing authors

#	ARTICLE	IF	CITATIONS
1	Ameliorating cancer cachexia by inhibiting cancer cell release of Hsp70 and Hsp90 with omeprazole. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 636-647.	2.9	15
2	Whole-body and adipose tissue metabolic phenotype in cancer patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1124-1133.	2.9	17
3	Cancer-Induced Muscle Wasting Requires p38 ^{Î²} MAPK Activation of p300. <i>Cancer Research</i> , 2021, 81, 885-897.	0.4	16
4	Weight Loss in Cancer Patients Correlates With p38 ^{Î²} MAPK Activation in Skeletal Muscle. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 784424.	1.8	4
5	ZIP4 Increases Expression of Transcription Factor ZEB1 to Promote Integrin β 1 Signaling and Inhibit Expression of the Gemcitabine Transporter ENT1 in Pancreatic Cancer Cells. <i>Gastroenterology</i> , 2020, 158, 679-692.e1.	0.6	72
6	Cancer Takes a Toll on Skeletal Muscle by Releasing Heat Shock Proteins—An Emerging Mechanism of Cancer-Induced Cachexia. <i>Cancers</i> , 2019, 11, 1272.	1.7	16
7	p300 Mediates Muscle Wasting in Lewis Lung Carcinoma. <i>Cancer Research</i> , 2019, 79, 1331-1342.	0.4	11
8	ZIP4 Promotes Muscle Wasting and Cachexia in Mice With Orthotopic Pancreatic Tumors by Stimulating RAB27B-Regulated Release of Extracellular Vesicles From Cancer Cells. <i>Gastroenterology</i> , 2019, 156, 722-734.e6.	0.6	82
9	ZIP4 Promotes Pancreatic Cancer Progression by Repressing ZO-1 and Claudin-1 through a ZEB1-Dependent Transcriptional Mechanism. <i>Clinical Cancer Research</i> , 2018, 24, 3186-3196.	3.2	59
10	p38 ^{Î²} MAPK mediates ULK1-dependent induction of autophagy in skeletal muscle of tumor-bearing mice. <i>Cell Stress</i> , 2018, 2, 311-324.	1.4	30
11	Activin A induces skeletal muscle catabolism via p38 ^{Î²} mitogen-activated protein kinase. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 202-212.	2.9	62
12	Toll-like receptor 4 mediates Lewis lung carcinoma-induced muscle wasting via coordinate activation of protein degradation pathways. <i>Scientific Reports</i> , 2017, 7, 2273.	1.6	69
13	Tumor induces muscle wasting in mice through releasing extracellular Hsp70 and Hsp90. <i>Nature Communications</i> , 2017, 8, 589.	5.8	166
14	Ghrelin prevents tumour- and cisplatin-induced muscle wasting: characterization of multiple mechanisms involved. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015, 6, 132-143.	2.9	165
15	TNF α Shedding in Mechanically Stressed Cardiomyocytes is Mediated by Src Activation of TACE. <i>Journal of Cellular Biochemistry</i> , 2015, 116, 559-565.	1.2	16
16	Src mediates mechanical activation of myogenesis by activating TNF α converting enzyme. <i>Journal of Cell Science</i> , 2013, 126, 4349-57.	1.2	26
17	Signaling mechanism of tumor cell-induced up-regulation of E3 ubiquitin ligase UBR2. <i>FASEB Journal</i> , 2013, 27, 2893-2901.	0.2	37
18	p38 ^{Î²} MAPK upregulates atrogin1/MAFbx by specific phosphorylation of C/EBP β . <i>Skeletal Muscle</i> , 2012, 2, 20.	1.9	41

#	ARTICLE	IF	CITATIONS
19	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
20	Toll-like receptor 4 mediates lipopolysaccharide-induced muscle catabolism via coordinate activation of ubiquitin-proteasome and autophagy-lysosome pathways. <i>FASEB Journal</i> , 2011, 25, 99-110.	0.2	196
21	β 3-Integrin mediates satellite cell differentiation in regenerating mouse muscle. <i>FASEB Journal</i> , 2011, 25, 1914-1921.	0.2	55
22	C/EBP β mediates tumour-induced ubiquitin ligase atrogin1/MAFbx upregulation and muscle wasting. <i>EMBO Journal</i> , 2011, 30, 4323-4335.	3.5	114
23	TIMP3 regulates p38 MAPK-dependent myogenesis via TACE. <i>FASEB Journal</i> , 2008, 22, 754.3.	0.2	0
24	TACE release of TNF- α mediates mechanotransduction-induced activation of p38 MAPK and myogenesis. <i>Journal of Cell Science</i> , 2007, 120, 692-701.	1.2	85
25	TNF- α regulates myogenesis and muscle regeneration by activating p38 MAPK. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 292, C1660-C1671.	2.1	242
26	Curcumin prevents lipopolysaccharide-induced atrogin-1/MAFbx upregulation and muscle mass loss. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 960-969.	1.2	85
27	Activation of the Ubiquitin-Proteasome Pathway in the Diaphragm in Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 174, 997-1002.	2.5	111
28	Role of TNF- α signaling in regeneration of cardiotoxin-injured muscle. <i>American Journal of Physiology - Cell Physiology</i> , 2005, 289, C1179-C1187.	2.1	135
29	TNF- α acts via p38 MAPK to stimulate expression of the ubiquitin ligase atrogin1/MAFbx in skeletal muscle. <i>FASEB Journal</i> , 2005, 19, 362-370.	0.2	510
30	Hydrogen peroxide stimulates ubiquitin-conjugating activity and expression of genes for specific E2 and E3 proteins in skeletal muscle myotubes. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 285, C806-C812.	2.1	273
31	TNF- α increases ubiquitin-conjugating activity in skeletal muscle by upregulating UbcH2/E220k. <i>FASEB Journal</i> , 2003, 17, 1048-1057.	0.2	218
32	TNF- α is a mitogen in skeletal muscle. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 285, C370-C376.	2.1	211
33	TNF- α regulates early differentiation of C2C12 myoblasts in an autocrine fashion. <i>FASEB Journal</i> , 2001, 15, 1413-1415.	0.2	80
34	NF- κ B mediates the protein loss induced by TNF- α in differentiated skeletal muscle myotubes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000, 279, R1165-R1170.	0.9	347
35	Mitochondria Mediate Tumor Necrosis Factor- α /NF- κ B Signaling in Skeletal Muscle Myotubes. <i>Antioxidants and Redox Signaling</i> , 1999, 1, 97-104.	2.5	78
36	Skeletal muscle myocytes undergo protein loss and reactive oxygen-mediated NF- κ B activation in response to tumor necrosis factor α . <i>FASEB Journal</i> , 1998, 12, 871-880.	0.2	383

#	ARTICLE	IF	CITATIONS
37	Skeletal muscle myocytes undergo protein loss and reactive oxygen-mediated NF- κ B activation in response to tumor necrosis factor α . FASEB Journal, 1998, 12, 871-880.	0.2	403