

# Thorsten Friedrich

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2784385/publications.pdf>

Version: 2024-02-01

124  
papers

5,882  
citations

81900  
39  
h-index

76900  
74  
g-index

150  
all docs

150  
docs citations

150  
times ranked

3973  
citing authors

#	ARTICLE	IF	CITATIONS
1	Structure of the peripheral arm of a minimalistic respiratory complex I. <i>Structure</i> , 2022, 30, 80-94.e4.	3.3	13
2	Mutations in respiratory complex I promote antibiotic persistence through alterations in intracellular acidity and protein synthesis. <i>Nature Communications</i> , 2022, 13, 546.	12.8	21
3	Recent Advances in Structural Studies of Cytochrome bd and Its Potential Application as a Drug Target. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3166.	4.1	21
4	The clinically relevant triple mutation in the mtND1 gene inactivates <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> complex I. <i>FEBS Letters</i> , 2022, 596, 1124-1132.	2.8	1
5	A Cobalamin-Dependent Radical SAM Enzyme Catalyzes the Unique C <sub>1</sub> -Methylation of Glutamine in Methyl-Coenzyme...M Reductase. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	8
6	Respiratory complex I with charge symmetry in the membrane arm pumps protons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	6
7	The gene order in the nuo-operon is not essential for the assembly of <i>E. coli</i> complex I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2022, , 148592.	1.0	0
8	Mass Photometry of Membrane Proteins. <i>CheM</i> , 2021, 7, 224-236.	11.7	39
9	A Quinol Anion as Catalytic Intermediate Coupling Proton Translocation With Electron Transfer in <i>E. coli</i> Respiratory Complex I. <i>Frontiers in Chemistry</i> , 2021, 9, 672969.	3.6	12
10	Biochemical consequences of two clinically relevant ND-gene mutations in <i>Escherichia coli</i> respiratory complex I. <i>Scientific Reports</i> , 2021, 11, 12641.	3.3	6
11	Identification and optimization of quinolone-based inhibitors against cytochrome bd oxidase using an electrochemical assay. <i>Electrochimica Acta</i> , 2021, 381, 138293.	5.2	6
12	Electrocatalytic evidence of the diversity of the oxygen reaction in the bacterial bd oxidase from different organisms. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2021, 1862, 148436.	1.0	6
13	Structural Basis for Inhibition of ROS-Producing Respiratory Complex I by NADH-OH. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 27277-27281.	13.8	8
14	Characterisation of the redox centers of ethylbenzene dehydrogenase. <i>Journal of Biological Inorganic Chemistry</i> , 2021, , 1.	2.6	1
15	Structure of <i>Escherichia coli</i> cytochrome bd-II type oxidase with bound aurachin D. <i>Nature Communications</i> , 2021, 12, 6498.	12.8	25
16	Visualizing the movement of the amphipathic helix in the respiratory complex I using a nitrile infrared probe and SEIRAS. <i>FEBS Letters</i> , 2020, 594, 491-496.	2.8	7
17	Stabilization of the Highly Hydrophobic Membrane Protein, Cytochrome bd Oxidase, on Metallic Surfaces for Direct Electrochemical Studies. <i>Molecules</i> , 2020, 25, 3240.	3.8	6
18	ErpA is important but not essential for the Fe/S cluster biogenesis of <i>Escherichia coli</i> NADH:ubiquinone oxidoreductase (complex I). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2020, 1861, 148286.	1.0	2

#	ARTICLE	IF	CITATIONS
19	Photolysis of Caged Inositol Pyrophosphate InsP8 Directly Modulates Intracellular Ca <sup>2+</sup> Oscillations and Controls C2AB Domain Localization. <i>Journal of the American Chemical Society</i> , 2020, 142, 10606-10611.	13.7	13
20	Water-Gated Proton Transfer Dynamics in Respiratory Complex I. <i>Journal of the American Chemical Society</i> , 2020, 142, 13718-13728.	13.7	36
21	The Rnf complex from the acetogenic bacterium <i>Acetobacterium woodii</i> : Purification and characterization of RnfC and RnfB. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2020, 1861, 148263.	1.0	10
22	The N-terminal domains of the paralogous HycE and NuoCD govern assembly of the respective formate hydrogenlyase and NADH dehydrogenase complexes. <i>FEBS Open Bio</i> , 2020, 10, 371-385.	2.3	2
23	The long Q-loop of <i>Escherichia coli</i> cytochrome bd oxidase is required for assembly and structural integrity. <i>FEBS Letters</i> , 2020, 594, 1577-1585.	2.8	17
24	Quantifying the heterogeneity of macromolecular machines by mass photometry. <i>Nature Communications</i> , 2020, 11, 1772.	12.8	146
25	Homologous bd oxidases share the same architecture but differ in mechanism. <i>Nature Communications</i> , 2019, 10, 5138.	12.8	65
26	A mechanism to prevent production of reactive oxygen species by <i>Escherichia coli</i> respiratory complex I. <i>Nature Communications</i> , 2019, 10, 2551.	12.8	37
27	CyaC, a redox-regulated adenylate cyclase of <i>Sinorhizobium meliloti</i> with a quinone responsive diheme-B membrane anchor domain. <i>Molecular Microbiology</i> , 2019, 112, 16-28.	2.5	8
28	The cbb3-type cytochrome oxidase assembly factor CcoG is a widely distributed cupric reductase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 21166-21175.	7.1	17
29	Iron-Sulfur cluster carrier proteins involved in the assembly of <i>Escherichia coli</i> NADH:ubiquinone oxidoreductase (complex I). <i>Molecular Microbiology</i> , 2019, 111, 31-45.	2.5	26
30	Low cost, microcontroller based heating device for multi-wavelength differential scanning fluorimetry. <i>Scientific Reports</i> , 2018, 8, 1457.	3.3	6
31	Assembly of the Iron-Sulfur Clusters of Complex I in <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2018, 1859, e42.	1.0	0
32	Charge transfer through a fragment of the respiratory complex I and its regulation: an atomistic simulation approach. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 20023-20032.	2.8	7
33	Significance of [2Fe-2S] Cluster N1a for Electron Transfer and Assembly of <i>Escherichia coli</i> Respiratory Complex I. <i>Biochemistry</i> , 2017, 56, 2770-2778.	2.5	7
34	Reduction of the off-pathway iron-sulphur cluster N1a of <i>Escherichia coli</i> respiratory complex I restrains NAD <sup>+</sup> dissociation. <i>Scientific Reports</i> , 2017, 7, 8754.	3.3	24
35	Wide Distribution of Foxicin Biosynthetic Gene Clusters in <i>Streptomyces</i> Strains – An Unusual Secondary Metabolite with Various Properties. <i>Frontiers in Microbiology</i> , 2017, 8, 221.	3.5	6
36	Redox cofactors insertion in prokaryotic molybdoenzymes occurs via a conserved folding mechanism. <i>Scientific Reports</i> , 2016, 6, 37743.	3.3	4

#	ARTICLE	IF	CITATIONS
37	Cytochrome bd Displays Significant Quinol Peroxidase Activity. <i>Scientific Reports</i> , 2016, 6, 27631.	3.3	67
38	Redox-gated NADH oxidation by complex I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, e1-e2.	1.0	0
39	Cytochrome bd oxidase protects <i>E. coli</i> against oxidative stress: On the trails of hydrogen peroxide decomposition. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, e87.	1.0	0
40	The multitude of iron-sulfur clusters in respiratory complex I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 1068-1072.	1.0	57
41	A bacterial model to study Leigh syndrome. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, e103.	1.0	0
42	Creation of a gold nanoparticle based electrochemical assay for the detection of inhibitors of bacterial cytochrome bd oxidases. <i>Bioelectrochemistry</i> , 2016, 111, 109-114.	4.6	12
43	Assembly of the <i>Escherichia coli</i> NADH:ubiquinone oxidoreductase (respiratory complex I). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 214-223.	1.0	37
44	The clerodane diterpene casearin J induces apoptosis of T-ALL cells through SERCA inhibition, oxidative stress, and interference with Notch1 signaling. <i>Cell Death and Disease</i> , 2016, 7, e2070-e2070.	6.3	36
45	Infrared spectroscopic studies on reaction induced conformational changes in the NADH ubiquinone oxidoreductase (complex I). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 922-927.	1.0	4
46	Die Elektronentunnelraten im Atmungskettenkomplex I sind auf eine effiziente Energiewandlung abgestimmt. <i>Angewandte Chemie</i> , 2015, 127, 2886-2890.	2.0	3
47	Cysteine scanning reveals minor local rearrangements of the horizontal helix of respiratory complex I. <i>Molecular Microbiology</i> , 2015, 98, 151-161.	2.5	18
48	Electron Tunneling Rates in Respiratory Complex I Are Tuned for Efficient Energy Conversion. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2844-2848.	13.8	61
49	Reactive Oxygen Species Production by <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> Respiratory Complex I. <i>Biochemistry</i> , 2015, 54, 2799-2801.	2.5	14
50	Involvement of Acidic Amino Acid Residues in Zn <sup>2+</sup> Binding to Respiratory Complex I. <i>ChemBioChem</i> , 2015, 16, 2080-2085.	2.6	1
51	Organization of the <i>&lt; i&gt;E&lt;/i&gt;scherichia coli&lt;/i&gt;</i> aerobic enzyme complexes of oxidative phosphorylation in dynamic domains within the cytoplasmic membrane. <i>MicrobiologyOpen</i> , 2014, 3, 316-326.	3.0	30
52	Single-molecule <i>in vivo</i> imaging of bacterial respiratory complexes indicates delocalized oxidative phosphorylation. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, 811-824.	1.0	111
53	Subunit CydX of <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> cytochrome bd ubiqinol oxidase is essential for assembly and stability of the di-heme active site. <i>FEBS Letters</i> , 2014, 588, 1537-1541.	2.8	68
54	Inhibition of <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> Respiratory Complex I by Zn <sup>2+</sup> . <i>Biochemistry</i> , 2014, 53, 6332-6339.	2.5	17

#	ARTICLE	IF	CITATIONS
55	In vivo imaging of the supramolecular organization of Escherichia coli OxPhos complexes. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, e83.	1.0	0
56	CydX is a subunit of Escherichia coli cytochrome bd terminal oxidase and essential for assembly and stability of the di-heme active site. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, e98-e99.	1.0	0
57	Structure of the NADH binding site of respiratory complex I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, e44.	1.0	0
58	Creation of a biomimetic environment for the study of Complex I from Escherichia coli through Surface Enhanced IR Absorption Spectroscopy (SEIRAS). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, e40.	1.0	0
59	Delocalised electron transport and chemiosmosis in Escherichia coli. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, e88.	1.0	0
60	Biomimetic Environment to Study <i>&lt; i&gt;E. coli&lt;/i&gt;</i> Complex I through Surface-Enhanced IR Absorption Spectroscopy. <i>Biochemistry</i> , 2014, 53, 6340-6347.	2.5	34
61	On the mechanism of respiratory complex I. <i>Journal of Bioenergetics and Biomembranes</i> , 2014, 46, 255-268.	2.3	42
62	Formation of a Dinuclear Copper(I) Complex from the <i>&lt; i&gt;Clostridium&lt;/i&gt;</i> Derived Antibiotic Closthaloamide. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10745-10748.	13.8	31
63	Characterization of Two Quinone Radicals in the NADH:Ubiquinone Oxidoreductase from <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> by a Combined Fluorescence Spectroscopic and Electrochemical Approach. <i>Biochemistry</i> , 2013, 52, 8993-9000.	2.5	14
64	Investigating the function of [2Fe-2S] cluster N1a, the off-pathway cluster in complex I, by manipulating its reduction potential. <i>Biochemical Journal</i> , 2013, 456, 139-146.	3.7	44
65	On the Mechanism of the Respiratory Complex I. , 2012, , 23-59.		2
66	Detection of ubiquinone radicals in Escherichia coli respiratory complex I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, S55-S56.	1.0	1
67	Site-directed mutagenesis of the NADH binding site of prokaryotic Complex I (NADH:ubiquinone) Tj ETQql 1 0.784314 rgBT /Overlock 1 Bioenergetics, 2012, 1817, S49-S50.	1.0	0
68	ROS-production by E. coli respiratory complex I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, S59.	1.0	0
69	Initial electron transfer steps in complex I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, S49.	1.0	0
70	An assembly intermediate of E. coli complex I interacts with the inducible lysine decarboxylase. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, S54-S55.	1.0	0
71	EBEC 2012: Combining the multiple facets of bioenergetics. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, 1709-1710.	1.0	0
72	Identification of the ubiquinone-binding site of respiratory complex I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, S60-S61.	1.0	0

#	ARTICLE	IF	CITATIONS
73	An oxygenase that forms and deoxygenates toxic epoxide. <i>Nature</i> , 2012, 483, 359-362.	27.8	55
74	Asp563 of the horizontal helix of subunit NuoL is involved in proton translocation by the respiratory complex I. <i>FEBS Letters</i> , 2012, 586, 699-704.	2.8	23
75	Disruption of individual nuo-genes leads to the formation of partially assembled NADH:ubiquinone oxidoreductase (complex I) in <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, 863-871.	1.0	46
76	Identification of FeS clusters in the glycyl-radical enzyme benzylsuccinate synthase via EPR and Mössbauer spectroscopy. <i>Journal of Biological Inorganic Chemistry</i> , 2012, 17, 49-56.	2.6	20
77	Role of Subunit NuoL for Proton Translocation by Respiratory Complex I. <i>Biochemistry</i> , 2011, 50, 3386-3393.	2.5	68
78	Methanoferrodoxin represents a new class of superoxide reductase containing an iron-sulfur cluster. <i>FEBS Journal</i> , 2011, 278, 442-451.	4.7	15
79	Far- and Mid-infrared Spectroscopic Analysis of the Substrate-induced Structural Dynamics of Respiratory Complex I. <i>ChemPhysChem</i> , 2011, 12, 217-224.	2.1	21
80	Engineering the Respiratory Complex I to Energy-converting NADPH:Ubiquinone Oxidoreductase. <i>Journal of Biological Chemistry</i> , 2011, 286, 34627-34634.	3.4	16
81	Chloroplast DnaJ-like proteins 3 and 4 (CDJ3/4) from <i>&lt; i&gt;Chlamydomonas reinhardtii&lt;/i&gt;</i> contain redox-active Fe-S clusters and interact with stromal HSP70B. <i>Biochemical Journal</i> , 2010, 427, 205-215.	3.7	30
82	Redox-induced conformational changes within the <i>Escherichia coli</i> NADH ubiquinone oxidoreductase (complex I): An analysis by mutagenesis and FT-IR spectroscopy. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 659-663.	1.0	18
83	Localization and dynamics of the OXPHOS complexes in <i>Escherichia coli</i> by in-vivo fluorescence microscopy. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 14.	1.0	0
84	Infrared spectroscopic analysis on the substrate induced conformational flexibility of the NADH:ubiquinone oxidoreductase. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 16.	1.0	0
85	Structure of a soluble subcomplex of NADH:ubiquinone oxidoreductase from <i>Aquifex aeolicus</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 18.	1.0	0
86	Surface enhanced infrared absorption spectroscopy (SEIRAS) of complex I and QFR from <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 19-20.	1.0	0
87	Affinity of <i>Escherichia coli</i> complex I variants to NADH and NADPH. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 20-21.	1.0	0
88	Inhibition of the NADH:ubiquinone oxidoreductase (complex I) by Zn <sup>2+</sup> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 23.	1.0	0
89	Spin labeling of the <i>Escherichia coli</i> NADH ubiquinone oxidoreductase (complex I). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 1894-1900.	1.0	15
90	Amphiphilic Copolymer Membranes Promote NADH:Ubiquinone Oxidoreductase Activity: Towards an Electron Transfer Nanodevice. <i>Macromolecular Chemistry and Physics</i> , 2010, 211, 229-238.	2.2	63

#	ARTICLE	IF	CITATIONS
91	Menaquinone as pool quinone in a purple bacterium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8549-8554.	7.1	107
92	Identification and characterization of the tungsten-containing class of benzoyl-coenzyme A reductases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 17687-17692.	7.1	112
93	Aromatic Amino Acids as Stepping Stones in Charge Transfer in Respiratory Complex I: An Unusual Mechanism Deduced from Atomistic Theory and Bioinformatics. <i>Journal of the American Chemical Society</i> , 2009, 131, 8134-8140.	13.7	57
94	Heterologous Production, Isolation, Characterization and Crystallization of a Soluble Fragment of the NADH:Ubiquinone Oxidoreductase (Complex I) from <i>&lt; i&gt;Aquifex aeolicus&lt;/i&gt;</i> . <i>Biochemistry</i> , 2008, 47, 13036-13045.	2.5	37
95	Ironâ" Sulfur Cluster N7 of the NADH:Ubiquinone Oxidoreductase (Complex I) Is Essential for Stability but Not Involved in Electron Transfer. <i>Biochemistry</i> , 2007, 46, 6588-6596.	2.5	73
96	Lambda Red-Mediated Mutagenesis and Efficient Large Scale Affinity Purification of the Escherichia coli NADH:Ubiquinone Oxidoreductase (Complex I). <i>Biochemistry</i> , 2007, 46, 10694-10702.	2.5	67
97	Effects of the deletion of the Escherichia coli frataxin homologue CyaY on the respiratory NADH:ubiquinone oxidoreductase. <i>BMC Biochemistry</i> , 2007, 8, 13.	4.4	26
98	EPR Signals Assigned to Fe/S Cluster N1c of the Escherichia coli NADH:Ubiquinone Oxidoreductase (Complex I) Derive from Cluster N1a. <i>Biochemistry</i> , 2005, 44, 1653-1658.	2.5	33
99	The Escherichia coli NADH:Ubiquinone Oxidoreductase (Complex I) Is a Primary Proton Pump but May Be Capable of Secondary Sodium Antiport. <i>Journal of Biological Chemistry</i> , 2004, 279, 18377-18383.	3.4	88
100	Adjacent cysteines are capable of ligating the same tetranuclear ironâ" sulfur cluster. <i>Proteins: Structure, Function and Bioinformatics</i> , 2004, 56, 556-563.	2.6	21
101	The gross structure of the respiratory complex I: a Lego System. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2004, 1608, 1-9.	1.0	127
102	Involvement of Tyrosines 114 and 139 of Subunit NuoB in the Proton Pathway around Cluster N2 in Escherichia coli NADH:Ubiquinone Oxidoreductase. <i>Journal of Biological Chemistry</i> , 2003, 278, 3055-3062.	3.4	31
103	The Ubiquinone-binding Site in NADH:Ubiquinone Oxidoreductase from Escherichia coli. <i>Journal of Biological Chemistry</i> , 2003, 278, 25731-25737.	3.4	62
104	A Novel, Enzymatically Active Conformation of the Escherichia coli NADH:Ubiquinone Oxidoreductase (Complex I). <i>Journal of Biological Chemistry</i> , 2002, 277, 17970-17977.	3.4	88
105	Identification of Two Tetranuclear FeS Clusters on the Ferredoxin-Type Subunit of NADH:Ubiquinone Oxidoreductase (Complex I). <i>Biochemistry</i> , 2001, 40, 6124-6131.	2.5	72
106	Complex I: a chimaera of a redox and conformation-driven proton pump?. <i>Journal of Bioenergetics and Biomembranes</i> , 2001, 33, 169-177.	2.3	149
107	Characterization of two novel redox groups in the respiratory NADH:ubiquinone oxidoreductase (complex I). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2000, 1459, 305-309.	1.0	43
108	The respiratory complex I of bacteria, archaea and eukarya and its module common with membraneâ"bound multisubunit hydrogenases. <i>FEBS Letters</i> , 2000, 479, 1-5.	2.8	313

#	ARTICLE	IF	CITATIONS
109	FT-IR Spectroscopic Characterization of NADH:Ubiquinone Oxidoreductase (Complex I) from <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> :â‰‰ Oxidation of FeS Cluster N2 is Coupled with the Protonation of an Aspartate or Glutamate Side Chain. <i>Biochemistry</i> , 2000, 39, 10884-10891.	2.5	91
110	Overexpression of the <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> <i>&lt; i&gt;nuo&lt;/i&gt;</i> -Operon and Isolation of the Overproduced NADH:Ubiquinone Oxidoreductase (Complex I). <i>Biochemistry</i> , 1999, 38, 16261-16267.	2.5	49
111	The NADH:ubiquinone oxidoreductase (complex I) from <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1998, 1364, 134-146.	1.0	173
112	Characterization of the Overproduced NADH Dehydrogenase Fragment of the NADH:Ubiquinone Oxidoreductase (Complex I) from <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> . <i>Biochemistry</i> , 1998, 37, 1861-1867.	2.5	79
113	Consistent structure between bacterial and mitochondrial NADH:ubiquinone oxidoreductase (complex I). <i>Journal of Molecular Biology</i> , 1998, 276, 105-112.	4.2	228
114	Modular Evolution of the Respiratory NADH:Ubiquinone Oxidoreductase and the Origin of its Modules. <i>Journal of Theoretical Biology</i> , 1997, 187, 529-540.	1.7	214
115	The protonâ€œpumping respiratory complex I of bacteria and mitochondria and its homologue in chloroplasts. <i>FEBS Letters</i> , 1995, 367, 107-111.	2.8	255
116	Isolation and Characterization of the Proton-translocating NADH:ubiquinone Oxidoreductase from <i>Escherichia coli</i> . <i>FEBS Journal</i> , 1995, 230, 538-548.	0.2	254
117	Two binding sites of inhibitors in NADH:ubiquinone oxidoreductase (complex I). Relationship of one site with the ubiquinone-binding site of bacterial glucose:ubiquinone oxidoreductase. <i>FEBS Journal</i> , 1994, 219, 691-698.	0.2	233
118	The Gene Locus of the Proton-translocating NADH : Ubiquinone Oxidoreductase in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1993, 233, 109-122.	4.2	316
119	<i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> NADH dehydrogenase I, a minimal form of the mitochondrial complex I. <i>Biochemical Society Transactions</i> , 1993, 21, 998-1001.	3.4	32
120	A Kazal-type inhibitor with thrombin specificity from <i>Rhodnius prolixus</i> . <i>Journal of Biological Chemistry</i> , 1993, 268, 16216-22.	3.4	125
121	The respiratoryâ€œchain NADH dehydrogenase (complex I) of mitochondria. <i>FEBS Journal</i> , 1991, 197, 563-576.	0.2	462
122	A small isoform of NADH: ubiquinone oxidoreductase (complex I) without mitochondrially encoded subunits is made in chloramphenicol-treated <i>Neurospora crassa</i> . <i>FEBS Journal</i> , 1989, 180, 173-180.	0.2	136
123	Structural Basis for Inhibition of ROSâ€œProducing Respiratory Complex I by NADHâ€OH. <i>Angewandte Chemie</i> , 0, , .	2.0	0
124	A Cobalaminâ€œDependent Radical SAM Enzyme Catalyzes the Unique Clâ€Methylation of Glutamine in Methylâ€Coenzyme M Reductase. <i>Angewandte Chemie</i> , 0, , .	2.0	0