Carl Koschmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2790154/publications.pdf

Version: 2024-02-01

331670 315739 1,740 95 21 38 h-index citations g-index papers 102 102 102 2950 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Therapeutic targeting of prenatal pontine ID1 signaling in diffuse midline glioma. Neuro-Oncology, 2023, 25, 54-67.	1.2	5
2	Characteristics of patients ≥10 years of age with diffuse intrinsic pontine glioma: a report from the International DIPG/DMG Registry. Neuro-Oncology, 2022, 24, 141-152.	1.2	9
3	Accuracy of central neuro-imaging review of DIPG compared with histopathology in the International DIPG Registry. Neuro-Oncology, 2022, 24, 821-833.	1.2	9
4	ATRX loss in glioma results in dysregulation of cell-cycle phase transition and ATM inhibitor radio-sensitization. Cell Reports, 2022, 38, 110216.	6.4	32
5	Imipridones affect tumor bioenergetics and promote cell lineage differentiation in diffuse midline gliomas. Neuro-Oncology, 2022, 24, 1438-1451.	1.2	36
6	Serial H3K27M cell-free tumor DNA (cf-tDNA) tracking predicts ONC201 treatment response and progression in diffuse midline glioma. Neuro-Oncology, 2022, 24, 1366-1374.	1.2	36
7	Enhancing GD2 CAR-T Therapy with IGF1R Blockade: Are DIPG CAR-Ts ready for combinatorial therapy?. Neuro-Oncology, 2022, , .	1.2	2
8	Cell-Free Tumor DNA (cf-tDNA) Liquid Biopsy: Current Methods and Use in Brain Tumor Immunotherapy. Frontiers in Immunology, 2022, 13, 882452.	4.8	9
9	Characteristics of children â‰ 9 6 months of age with DIPG: A report from the international DIPG registry. Neuro-Oncology, 2022, 24, 2190-2199.	1.2	4
10	DIPG-09. Diffuse Midline Glioma-Adaptive Combinatory Trial (DMG-ACT): A biology-driven platform trial in pediatric and young adult patients with diffuse midline glioma. Neuro-Oncology, 2022, 24, i19-i19.	1.2	1
11	DIPG-07. Preclinical and case study results underpinning the phase II clinical trial testing the combination of ONC201 and paxalisib for the treatment of patients with diffuse midline glioma (NCT05009992). Neuro-Oncology, 2022, 24, i18-i19.	1.2	O
12	DIPG-49. International preclinical drug discovery and biomarker program informing an adoptive combinatorial trial for DMG. Neuro-Oncology, 2022, 24, i29-i30.	1.2	0
13	Expanding Access to CNS-TAP: Design, Development, and Initial Use of a Complex Precision Health Specialty Web App for Neuro-Oncology. Studies in Health Technology and Informatics, 2022, , .	0.3	1
14	Ultra-rapid somatic variant detection via real-time targeted amplicon sequencing. Communications Biology, 2022, 5, .	4.4	2
15	Molecular insights into malignant progression of atypical choroid plexus papilloma. Journal of Physical Education and Sports Management, 2021, 7, a005272.	1.2	5
16	Comparative pharmacokinetic analysis of the blood-brain barrier penetration of dasatinib and ponatinib in mice. Leukemia and Lymphoma, 2021, 62, 1990-1994.	1.3	9
17	DDRE-30. THERAPEUTIC TARGETING OF DISRUPTED METABOLIC STATE IN DIFFUSE INTRINSIC PONTINE GLIOMA. Neuro-Oncology Advances, 2021, 3, i13-i13.	0.7	0
18	Standardization of the liquid biopsy for pediatric diffuse midline glioma using ddPCR. Scientific Reports, 2021, 11, 5098.	3.3	31

#	Article	IF	Citations
19	HGG-32. ONC201 AND ONC206 TARGET TUMOR CELL METABOLISM IN PEDIATRIC DIFFUSE MIDLINE GLIOMA PRECLINICAL MODELS. Neuro-Oncology, 2021, 23, i23-i24.	1.2	2
20	EPCT-02. COMPARISON OF TARGETED AGENTS RECOMMENDED BY THE CNS-TAP TOOL TO THOSE SELECTED BY A TUMOR BOARD IN A MOLECULARLY-DRIVEN DIPG CLINICAL TRIAL. Neuro-Oncology, 2021, 23, i46-i46.	1.2	0
21	Panobinostat penetrates the blood–brain barrier and achieves effective brain concentrations in a murine model. Cancer Chemotherapy and Pharmacology, 2021, 88, 555-562.	2.3	15
22	EPCT-03. SERIAL PLASMA AND CSF CELL-FREE TUMOR DNA (CF-TDNA) TRACKING IN DIFFUSE MIDLINE GLIOMA PATIENTS UNDERGOING TREATMENT WITH ONC201. Neuro-Oncology, 2021, 23, i46-i47.	1,2	0
23	Autopsy findings of previously described case of diffuse intrinsic pontine glioma-like tumor with EZHIP expression and molecular features of PFA ependymoma. Acta Neuropathologica Communications, 2021, 9, 113.	5.2	1
24	Survival Benefit for Individuals With Constitutional Mismatch Repair Deficiency Undergoing Surveillance. Journal of Clinical Oncology, 2021, 39, 2779-2790.	1.6	40
25	CLRM-06. COMPARISON OF INDIVIDUALIZED ANTI-CANCER THERAPY REGIMENS RECOMMENDED BY A MULTIDISCIPLINARY MOLECULARLY-DRIVEN TUMOR BOARD IN A PEDIATRIC DIPG CLINICAL TRIAL (PNOC003) VERSUS THOSE SELECTED BY THE CNS-TAP TOOL. Neuro-Oncology Advances, 2021, 3, iv2-iv2.	0.7	0
26	Targeting integrated epigenetic and metabolic pathways in lethal childhood PFA ependymomas. Science Translational Medicine, 2021, 13, eabc0497.	12.4	29
27	Integrating subgroups with mixed-type endpoints in early phase oncology trials. Statistical Methods in Medical Research, 2020, 29, 498-507.	1.5	0
28	Preclinical and clinical investigation of intratumoral chemotherapy pharmacokinetics in DIPG using gemcitabine. Neuro-Oncology Advances, 2020, 2, vdaa021.	0.7	10
29	Expression of the Androgen Receptor Governs Radiation Resistance in a Subset of Glioblastomas Vulnerable to Antiandrogen Therapy. Molecular Cancer Therapeutics, 2020, 19, 2163-2174.	4.1	17
30	Integrated Metabolic and Epigenomic Reprograming by H3K27M Mutations in Diffuse Intrinsic Pontine Gliomas. Cancer Cell, 2020, 38, 334-349.e9.	16.8	87
31	Electronic DNA Analysis of CSF Cell-free Tumor DNA to Quantify Multi-gene Molecular Response in Pediatric High-grade Glioma. Clinical Cancer Research, 2020, 26, 6266-6276.	7.0	26
32	The Emerging Role of Ras Pathway Signaling in Pediatric Cancer. Cancer Research, 2020, 80, 5155-5163.	0.9	17
33	Diffuse intrinsic pontine glioma-like tumor with EZHIP expression and molecular features of PFA ependymoma. Acta Neuropathologica Communications, 2020, 8, 37.	5.2	20
34	Targeting and Therapeutic Monitoring of H3K27M-Mutant Glioma. Current Oncology Reports, 2020, 22, 19.	4.0	35
35	Everolimus improves the efficacy of dasatinib in PDGFRα-driven glioma. Journal of Clinical Investigation, 2020, 130, 5313-5325.	8.2	41
36	RARE-17. SURVIVAL BENEFIT FOR INDIVIDUALS WITH CONSTITUTIONAL MISMATCH REPAIR DEFICIENCY SYNDROME AND BRAIN TUMORS WHO UNDERGO SURVEILLANCE PROTOCOL. A REPORT FROM THE INTERNATIONAL REPLICATION REPAIR CONSORTIUM. Neuro-Oncology, 2020, 22, iii445-iii446.	1.2	0

3

#	Article	IF	CITATIONS
37	ETMR-17. SINGLE-CELL TRANSCRIPTOME ANALYSIS OF ETMR PATIENT SAMPLES. Neuro-Oncology, 2020, 22, iii326-iii326.	1.2	O
38	DIPG-52. PHASE I CLINICAL TRIAL OF ONC201 IN PEDIATRIC H3 K27M-MUTANT GLIOMA OR NEWLY DIAGNOSED DIPG. Neuro-Oncology, 2020, 22, iii297-iii297.	1.2	0
39	DIPG-64. INTERNATIONAL PRECLINICAL DRUG DISCOVERY AND BIOMARKER PROGRAM INFORMING AN ADOPTIVE COMBINATORIAL TRIAL FOR DIFFUSE MIDLINE GLIOMAS. Neuro-Oncology, 2020, 22, iii300-iii300.	1.2	0
40	DIPG-59. UPREGULATION OF PRENATAL PONTINE ID1 SIGNALING IN DIPG. Neuro-Oncology, 2020, 22, iii298-iii299.	1.2	0
41	PATH-14. GENETIC SUSCEPTIBILITY AND OUTCOMES OF PEDIATRIC, ADOLESCENT AND YOUNG ADULT IDH-MUTANT ASTROCYTOMAS. Neuro-Oncology, 2020, 22, iii427-iii427.	1.2	О
42	NIMG-31. NON-DIPG PATIENTS ENROLLED IN THE INTERNATIONAL DIPG REGISTRY: HISTOPATHOLOGIC EVALUATION OF CENTRAL NEURO-IMAGING REVIEW. Neuro-Oncology, 2020, 22, ii154-ii154.	1.2	0
43	CTNI-15. CLINICAL EFFICACY OF ONC201 IN NEWLY DIAGNOSED DIPG AND IN PREVIOUSLY IRRADIATED PEDIATRIC H3 K27M-MUTANT GLIOMAS. Neuro-Oncology, 2020, 22, ii45-ii45.	1.2	1
44	DDRE-03. INTERNATIONAL PRECLINICAL DRUG DISCOVERY AND BIOMARKER PROGRAM INFORMING AN ADOPTIVE COMBINATORIAL TRIAL FOR DIFFUSE MIDLINE GLIOMAS. Neuro-Oncology, 2020, 22, ii61-ii62.	1.2	0
45	CTNI-17. CLINICAL EFFICACY AND PREDICTIVE BIOMARKERS OF ONC201 IN H3 K27M-MUTANT DIFFUSE MIDLINE GLIOMA. Neuro-Oncology, 2020, 22, ii45-ii46.	1.2	О
46	CBIO-03. ATRX LOSS IN GLIOMA RESULTS IN EPIGENETIC DYSREGULATION OF CELL CYCLE PHASE TRANSITION. Neuro-Oncology, 2020, 22, ii16-ii16.	1.2	0
47	Recurrent non-canonical histone H3 mutations in spinal cord diffuse gliomas. Acta Neuropathologica, 2019, 138, 877-881.	7.7	21
48	Successful treatment of a <i>TSC2</i> -mutant glioblastoma with everolimus. BMJ Case Reports, 2019, 12, e227734.	0.5	14
49	HGG-03. EVEROLIMUS TREATMENT IMPROVES THE CNS PENETRATION AND EFFICACY OF DASATINIB IN THE TREATMENT OF PDGFRA-DRIVEN PEDIATRIC HIGH-GRADE GLIOMA AND DIFFUSE INTRINSIC PONTINE GLIOMA. Neuro-Oncology, 2019, 21, ii87-ii87.	1.2	О
50	HGG-08. ATRX LOSS IN PEDIATRIC GBM RESULTS IN EPIGENETIC DYSREGULATION OF G2/M CHECKPOINT MAINTENANCE AND SENSITIVITY TO ATM INHIBITION. Neuro-Oncology, 2019, 21, ii88-ii88.	1.2	0
51	Pediatric craniopharyngioma in association with familial adenomatous polyposis. Familial Cancer, 2019, 18, 327-330.	1.9	6
52	Molecular profiling and targeted therapy in pediatric gliomas: review and consensus recommendations. Neuro-Oncology, 2019, 21, 968-980.	1.2	52
53	IDH1-R132H acts as a tumor suppressor in glioma via epigenetic up-regulation of the DNA damage response. Science Translational Medicine, 2019, 11, .	12.4	169
54	Prolonged survival in a patient with a cervical spine H3K27M-mutant diffuse midline glioma. BMJ Case Reports, 2019, 12, e231424.	0.5	5

#	Article	IF	CITATIONS
55	PDTM-10. USE OF A NOVEL, HAND-HELD, ELECTRONIC DNA ANALYSIS PLATFORM TO QUANTIFY MULTI-GENE MOLECULAR RESPONSE IN CSF OF PATIENTS WITH HIGH-GRADE GLIOMA. Neuro-Oncology, 2019, 21, vi188-vi189.	1.2	0
56	PDTM-42. CROSS-PLATFORM PROFILING OF ctDNA USING ddPCR: STANDARDIZATION OF THE LIQUID BIOPSY FOR PEDIATRIC DIFFUSE MIDLINE GLIOMA. Neuro-Oncology, 2019, 21, vi196-vi196.	1.2	0
57	PDCT-12. CLINICAL EFFICACY OF ONC201 IN THALAMIC H3 K27M-MUTANT GLIOMA. Neuro-Oncology, 2019, 21, vi186-vi186.	1.2	2
58	GENE-17. ATRX LOSS IN GLIOMA RESULTS IN EPIGENETIC DYSREGULATION OF THE G2/M CHECKPOINT AND SENSITIVITY TO ATM INHIBITION. Neuro-Oncology, 2019, 21, vi101-vi101.	1.2	0
59	Multiplatform Molecular Profiling. Cancer Journal (Sudbury, Mass), 2019, 25, 80-80.	2.0	1
60	Molecular ablation of tumor blood vessels inhibits therapeutic effects of radiation and bevacizumab. Neuro-Oncology, 2018, 20, 1356-1367.	1.2	8
61	Circumscribed/non-diffuse histology confers a better prognosis in H3K27M-mutant gliomas. Acta Neuropathologica, 2018, 135, 299-301.	7.7	51
62	BRAF activating mutations involving the $\hat{I}^23-\hat{I}\pm C$ loop in V600E-negative anaplastic pleomorphic xanthoastrocytoma. Acta Neuropathologica Communications, 2018, 6, 24.	5.2	16
63	Development of the CNS TAP tool for the selection of precision medicine therapies in neuro-oncology. Journal of Neuro-Oncology, 2018, 137, 155-169.	2.9	15
64	GENE-34. MOUSE MODEL OF DIFFUSE INTRINSIC PONTINE GLIOMA HARBORING Acvr1 G328V. Neuro-Oncology, 2018, 20, vi110-vi111.	1.2	1
65	Clinically Integrated Sequencing Alters Therapy in Children and Young Adults With High-Risk Glial Brain Tumors. JCO Precision Oncology, 2018, 2, 1-34.	3.0	10
66	CRAN-10. PEDIATRIC CRANIOPHARYNGIOMA IN ASSOCIATION WITH FAMILIAL ADENOMATOUS POLYPOSIS. Neuro-Oncology, 2018, 20, i38-i39.	1.2	0
67	CSIG-08. DYNAMICS OF GLIOMA GROWTH: SELF-ORGANIZATION GUIDES THE PATTERNING OF THE EXTRACELLULAR MATRIX AND REGULATES TUMOR PROGRESSION. Neuro-Oncology, 2018, 20, vi44-vi44.	1.2	1
68	PDTM-29. CSF H3F3A K27M CIRCULATING TUMOR DNA COPY NUMBER QUANTIFIES TUMOR GROWTH AND TREATMENT RESPONSE. Neuro-Oncology, 2018, 20, vi209-vi210.	1.2	0
69	DIPG-69. CHARACTERISTICS OF PATIENTS ≥ 10 YEARS OF AGE WITH DIFFUSE INTRINSIC PONTINE GLIOMA: A REPORT FROM THE INTERNATIONAL DIPG REGISTRY. Neuro-Oncology, 2018, 20, i63-i63.	1.2	1
70	DIPG-23. BRAINSTEM RADIATION EXPOSURE CONFERS SUBSTANTIAL RISK OF DIFFUSE INTRINSIC PONTINE GLIOMA (DIPG) IN MEDULLOBLASTOMA SURVIVORS: A REPORT FROM THE INTERNATIONAL DIPG REGISTRY. Neuro-Oncology, 2018, 20, i53-i53.	1.2	0
71	DIPG-38. ID1 EXPRESSION CORRELATES WITH H3F3A K27M MUTATION AND EXTRA-PONTINE INVASION IN DIPG. Neuro-Oncology, 2018, 20, i56-i56.	1.2	O
72	Medulloblastoma therapy generates risk of a poorly-prognostic H3 wild-type subgroup of diffuse intrinsic pontine glioma: a report from the International DIPG Registry. Acta Neuropathologica Communications, 2018, 6, 67.	5.2	12

#	Article	IF	Citations
73	CSF H3F3A K27M circulating tumor DNA copy number quantifies tumor growth and in vitro treatment response. Acta Neuropathologica Communications, 2018, 6, 80.	5.2	50
74	Mutated Chromatin Regulatory Factors as Tumor Drivers in Cancer. Cancer Research, 2017, 77, 227-233.	0.9	46
75	Single vs. combination immunotherapeutic strategies for glioma. Expert Opinion on Biological Therapy, 2017, 17, 543-554.	3.1	17
76	Clinical Application of Whole Genome Array Improves the Diagnosis of Pediatric Brain Tumors. International Journal of Surgical Pathology, 2017, 25, 688-695.	0.8	3
77	Multi-focal sequencing of a diffuse intrinsic pontine glioma establishes PTEN loss as an early event. Npj Precision Oncology, 2017, 1, 32.	5.4	17
78	Identification and targeting of an FGFR fusion in a pediatric thalamic "central oligodendroglioma― Npj Precision Oncology, 2017, 1, 29.	5.4	9
79	Loss of CDKN1C in a Recurrent Atypical Teratoid/Rhabdoid Tumor. Journal of Pediatric Hematology/Oncology, 2017, 39, e466-e469.	0.6	1
80	Blood-brain barrier–adapted precision medicine therapy for pediatric brain tumors. Translational Research, 2017, 188, 27.e1-27.e14.	5.0	12
81	Integrating RNA sequencing into neuro-oncology practice. Translational Research, 2017, 189, 93-104.	5.0	10
82	Brainstem Low-Grade Gliomas in Childrenâ€"Excellent Outcomes With Multimodality Therapy. Journal of Child Neurology, 2017, 32, 194-203.	1.4	21
83	Molecular characterization reveals <i>NF1</i> deletions and <i>FGFR1</i> â€activating mutations in a pediatric spinal oligodendroglioma. Pediatric Blood and Cancer, 2017, 64, e26346.	1.5	6
84	Survival After Relapse of Medulloblastoma. Journal of Pediatric Hematology/Oncology, 2016, 38, 269-273.	0.6	43
85	ATRX mutations and glioblastoma: Impaired DNA damage repair, alternative lengthening of telomeres, and genetic instability. Molecular and Cellular Oncology, 2016, 3, e1167158.	0.7	41
86	Whole Genome SNP Array Improves Diagnosis and Therapy in Pediatric Brain Tumors. Cancer Genetics, 2016, 209, 294.	0.4	0
87	Recent advances and future of immunotherapy for glioblastoma. Expert Opinion on Biological Therapy, 2016, 16, 1245-1264.	3.1	57
88	ATRX loss promotes tumor growth and impairs nonhomologous end joining DNA repair in glioma. Science Translational Medicine, 2016, 8, 328ra28.	12.4	212
89	Characterizing and targeting <i>PDGFRA</i> alterations in pediatric high-grade glioma. Oncotarget, 2016, 7, 65696-65706.	1.8	55
90	Transposon Mediated Integration of Plasmid DNA into the Subventricular Zone of Neonatal Mice to Generate Novel Models of Glioblastoma. Journal of Visualized Experiments, 2015, , .	0.3	33

#	Article	IF	CITATIONS
91	Adenoviral vector-mediated gene therapy for gliomas: coming of age. Expert Opinion on Biological Therapy, 2014, 14, 1241-1257.	3.1	44
92	Mechanisms of Glioma Formation: Iterative Perivascular Glioma Growth and Invasion Leads to Tumor Progression, VEGF-Independent Vascularization, and Resistance to Antiangiogenic Therapy. Neoplasia, 2014, 16, 543-561.	5.3	131
93	Lentiviral-Induced High-Grade Gliomas in Rats: The Effects of PDGFB, HRAS-G12V, AKT, and IDH1-R132H. Neurotherapeutics, 2014, 11, 623-635.	4.4	10
94	Participation in a Clinical Trial Does Not Impact Outcome in Pediatric Acute Lymphoblastic Leukemia. Blood, 2008, 112, 1318-1318.	1.4	0
95	Pediatric Hematology-Oncology Case-Based Lecture Series. MedEdPORTAL: the Journal of Teaching and Learning Resources, 0, , .	1.2	1