

# David Gunnell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2792014/publications.pdf>

Version: 2024-02-01

425  
papers

55,849  
citations

3159

92  
h-index

1385

222  
g-index

443  
all docs

443  
docs citations

443  
times ranked

65313  
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-suicidal self-harm: an evolving epidemiology. <i>Psychological Medicine</i> , 2023, 53, 283-283.	4.5	2
2	Societal factors and psychological distress indicators associated with the recent rise in youth suicide in Taiwan: A time trend analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 537-549.	2.3	5
3	Perinatal adversity profiles and suicide attempt in adolescence and young adulthood: longitudinal analyses from two 20-year birth cohort studies. <i>Psychological Medicine</i> , 2022, 52, 1255-1267.	4.5	14
4	Domestic violence and self-poisoning in Sri Lanka. <i>Psychological Medicine</i> , 2022, 52, 1183-1191.	4.5	12
5	Childhood adversity, pubertal timing and self-harm: a longitudinal cohort study. <i>Psychological Medicine</i> , 2022, 52, 3807-3815.	4.5	4
6	Characteristics of Survivors of Suicide Seeking Counseling From an NGO in Denmark: Analyses of a National Database. <i>Archives of Suicide Research</i> , 2022, 26, 1362-1377.	2.3	4
7	Method-Specific Suicide Rates and Accessibility of Means. <i>Crisis</i> , 2022, 43, 375-384.	1.2	4
8	The early impact of paraquat ban on suicide in Taiwan. <i>Clinical Toxicology</i> , 2022, 60, 131-135.	1.9	14
9	Suicide Risk and Prevention During the COVID-19 Pandemic: One Year On. <i>Archives of Suicide Research</i> , 2022, 26, 1944-1949.	2.3	42
10	Understanding suicide clusters through exploring self-harm: Semi-structured interviews with individuals presenting with near-fatal self-harm during a suicide cluster. <i>Social Science and Medicine</i> , 2022, 292, 114566.	3.8	6
11	Barriers to students opting-in to universities notifying emergency contacts when serious mental health concerns emerge: A UK mixed methods analysis of policy preferences. <i>Journal of Affective Disorders Reports</i> , 2022, 7, 100289.	1.7	3
12	Self-harm and suicide during and after opioid agonist treatment among primary care patients in England: a cohort study. <i>Lancet Psychiatry</i> , 2022, 9, 151-159.	7.4	6
13	An ecological study of temporal trends in "deaths of despair"™ in England and Wales. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1135-1144.	3.1	8
14	Clinical and psychosocial factors associated with domestic violence among men and women in Kandy, Sri Lanka. <i>PLOS Global Public Health</i> , 2022, 2, e0000129.	1.6	3
15	Suicide in India during the first year of the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2022, 307, 215-220.	4.1	23
16	SARS-CoV-2 Infection and the Risk of Suicidal and Self-Harm Thoughts and Behaviour: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 813-828.	1.9	5
17	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. <i>PLOS Global Public Health</i> , 2022, 2, e0000282.	1.6	21
18	The impact of the COVID-19 pandemic on student mental health and wellbeing in UK university students: a multiyear cross-sectional analysis. <i>Journal of Mental Health</i> , 2022, 31, 597-604.	1.9	9

#	ARTICLE	IF	CITATIONS
19	Interventions for self-harm in children and adolescents. The Cochrane Library, 2021, 2021, CD012013.	2.8	139
20	Pharmacological interventions for self-harm in adults. The Cochrane Library, 2021, 2021, CD011777.	2.8	45
21	Psychosocial interventions for self-harm in adults. The Cochrane Library, 2021, 2021, CD012189.	2.8	140
22	Changes in method specific suicide following a national pesticide ban in India (2011â€“2014). Journal of Affective Disorders, 2021, 278, 592-600.	4.1	15
23	Risk of neuropsychiatric and cardiovascular adverse events following treatment with varenicline and nicotine replacement therapy in the UK Clinical Practice Research Datalink: a caseâ€“control study. Addiction, 2021, 116, 1532-1545.	3.3	6
24	Evidence for an association between inflammatory markers and suicide: a cohort study based on 359,849 to 462,747 Taiwanese adults. Journal of Affective Disorders, 2021, 281, 967-971.	4.1	9
25	Childhood cognitive skill trajectories and suicide by mid-adulthood: an investigation of the 1958 British Birth Cohort. Psychological Medicine, 2021, 51, 400-407.	4.5	8
26	Is being a 'left-behind' child associated with an increased risk of self-poisoning in adulthood? Findings from a caseâ€“control study in Sri Lanka. BMJ Global Health, 2021, 6, e003734.	4.7	1
27	Comorbidity of self-harm and disordered eating in young people: Evidence from a UK population-based cohort. Journal of Affective Disorders, 2021, 282, 386-390.	4.1	18
28	Mental health of children and young people during pandemic. BMJ, The, 2021, 372, n614.	6.0	136
29	An exploration of the genetic epidemiology of non-suicidal self-harm and suicide attempt. BMC Psychiatry, 2021, 21, 207.	2.6	11
30	Suicide Deaths in University Students in a UK City Between 2010 and 2018 â€“ Case Series. Crisis, 2021, 42, 171-178.	1.2	5
31	Pesticide surveillance and deaths by suicide. The Lancet Global Health, 2021, 9, e738-e739.	6.3	4
32	Comorbidity of self-harm and disordered eating in young people: evidence from a UK population-based cohort. BJPsych Open, 2021, 7, S9-S9.	0.7	0
33	School-based interventions to prevent anxiety, depression and conduct disorder in children and young people: a systematic review and network meta-analysis. Public Health Research, 2021, 9, 1-284.	1.3	11
34	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. Lancet Psychiatry, the, 2021, 8, 579-588.	7.4	455
35	713 Domestic violence and self-poisoning in Sri Lanka. International Journal of Epidemiology, 2021, 50, .	1.9	1
36	Hospital presentations for self-poisoning during COVID-19 in Sri Lanka: an interrupted time-series analysis. Lancet Psychiatry, the, 2021, 8, 892-900.	7.4	30

#	ARTICLE	IF	CITATIONS
37	Is Google Trends a useful tool for tracking mental and social distress during a public health emergency? A time-series analysis. <i>Journal of Affective Disorders</i> , 2021, 294, 737-744.	4.1	19
38	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. <i>BJPsych Open</i> , 2021, 7, e2.	0.7	5
39	An intervention to improve teacher well-being support and training to support students in UK high schools (the WISE study): A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003847.	8.4	12
40	Mental health support and training to improve secondary school teachers' well-being: the WISE cluster RCT. <i>Public Health Research</i> , 2021, 9, 1-138.	1.3	2
41	Child suicide rates during the COVID-19 pandemic in England. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100273.	1.7	23
42	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100271.	1.7	16
43	Evaluation of the impact and implementation of a national clinical programme for the management of self-harm in hospital emergency departments: study protocol for a natural experiment. <i>BMJ Open</i> , 2021, 11, e055962.	1.9	1
44	Psychosocial Interventions for People Who Self-Harm: Methodological Issues Involved in Trials to Evaluate Effectiveness. <i>Archives of Suicide Research</i> , 2020, 24, S32-S93.	2.3	16
45	The case for case-control studies in the field of suicide prevention. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e62.	3.9	11
46	Prevention of suicide and reduction of self-harm among people with substance use disorder: A systematic review and meta-analysis of randomised controlled trials. <i>Comprehensive Psychiatry</i> , 2020, 96, 152135.	3.1	25
47	The incidence of suicide in University students in England and Wales 2000/2001-2016/2017: Record linkage study. <i>Journal of Affective Disorders</i> , 2020, 261, 113-120.	4.1	38
48	How many premature deaths from pesticide suicide have occurred since the agricultural Green Revolution?. <i>Clinical Toxicology</i> , 2020, 58, 227-232.	1.9	84
49	Timing of menarche and self-harm in adolescence and adulthood: a population-based cohort study. <i>Psychological Medicine</i> , 2020, 50, 2010-2018.	4.5	16
50	Trends in mental health, non-suicidal self-harm and suicide attempts in 16-24-year old students and non-students in England, 2000-2014. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 125-128.	3.1	41
51	Preventing suicide through pesticide regulation. <i>Lancet Psychiatry</i> , 2020, 7, 9-11.	7.4	28
52	Pubertal timing and self-harm: a prospective cohort analysis of males and females. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e170.	3.9	8
53	Exploring the Effects of Cigarette Smoking on Inflammatory Bowel Disease Using Mendelian Randomization. <i>Crohn's &amp; Colitis</i> 360, 2020, 2, otaa018.	1.1	6
54	Factors associated with purchasing pesticide from shops for intentional self-poisoning in Sri Lanka. <i>Tropical Medicine and International Health</i> , 2020, 25, 1198-1204.	2.3	6

#	ARTICLE	IF	CITATIONS
55	Gender difference in suicide in Taiwan over a century: a time trend analysis in 1905â€“1940 and 1959â€“2012. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-214058.	3.7	1
56	Trends in suicide during the covid-19 pandemic. <i>BMJ, The</i> , 2020, 371, m4352.	6.0	184
57	Long-term impact of the expansion of a hospital liaison psychiatry service on patient care and costs following emergency department attendances for self-harm. <i>BJPsych Open</i> , 2020, 6, e34.	0.7	4
58	Contacts with primary and secondary healthcare prior to suicide: caseâ€“control whole-population-based study using person-level linked routine data in Wales, UK, 2000â€“2017. <i>British Journal of Psychiatry</i> , 2020, 217, 717-724.	2.8	35
59	Prospective associations between internet use and poor mental health: A population-based study. <i>PLoS ONE</i> , 2020, 15, e0235889.	2.5	13
60	Delivery of a Mental Health First Aid training package and staff peer support service in secondary schools: a process evaluation of uptake and fidelity of the WISE intervention. <i>Trials</i> , 2020, 21, 745.	1.6	5
61	Investigating evidence for a causal association between inflammation and self-harm: A multivariable Mendelian Randomisation study. <i>Brain, Behavior, and Immunity</i> , 2020, 89, 43-50.	4.1	18
62	Social media use, economic recession and income inequality in relation to trends in youth suicide in high-income countries: a time trends analysis. <i>Journal of Affective Disorders</i> , 2020, 275, 58-65.	4.1	32
63	Spatial patterning and correlates of self-harm in Manchester, England â€“ CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, .	3.9	1
64	Online help for people with suicidal thoughts provided by charities and healthcare organisations: a qualitative study of usersâ€™ perceptions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1157-1166.	3.1	11
65	Suicide and the media: reporting could cost lives. <i>BMJ, The</i> , 2020, 368, m870.	6.0	1
66	Spatial patterning and correlates of self-harm in Manchester, England. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e72.	3.9	11
67	Suicide by pesticide poisoning in India: a review of pesticide regulations and their impact on suicide trends. <i>BMC Public Health</i> , 2020, 20, 251.	2.9	105
68	Suicide risk and prevention during the COVID-19 pandemic. <i>Lancet Psychiatry,the</i> , 2020, 7, 468-471.	7.4	1,054
69	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: update of living systematic review. <i>F1000Research</i> , 2020, 9, 1097.	1.6	123
70	Suicide Research, Prevention, and COVID-19. <i>Crisis</i> , 2020, 41, 321-330.	1.2	93
71	Factors explaining variation in recommended care pathways following hospital-presenting self-harm: a multilevel national registry study. <i>BJPsych Open</i> , 2020, 6, e145.	0.7	12
72	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , 2020, 9, 1097.	1.6	141

#	ARTICLE	IF	CITATIONS
73	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. Wellcome Open Research, 2020, 5, 82.	1.8	81
74	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. Wellcome Open Research, 2020, 5, 82.	1.8	71
75	Childhood adversity and self-poisoning: A hospital case control study in Sri Lanka. PLoS ONE, 2020, 15, e0242437.	2.5	9
76	Suicide among ambulance service staff: a review of coroner and employment records. British Paramedic Journal, 2020, 4, 10-15.	0.8	10
77	Impact of Pandemic on Suicide. Journal of Clinical Psychiatry, 2020, 81, .	2.2	17
78	Suicide and Happiness. Journal of Clinical Psychiatry, 2020, 81, .	2.2	2
79	Is teachers'™ mental health and wellbeing associated with students'™ mental health and wellbeing?. Journal of Affective Disorders, 2019, 242, 180-187.	4.1	155
80	Suicide by hanging is a priority for suicide prevention: method specific suicide in India (2001-2014). Journal of Affective Disorders, 2019, 257, 1-9.	4.1	30
81	Risk of suicide and repeat self-harm after hospital attendance for non-fatal self-harm in Sri Lanka: a cohort study. Lancet Psychiatry,the, 2019, 6, 659-666.	7.4	40
82	New standard of proof for suicide at inquests in England and Wales. BMJ: British Medical Journal, 2019, 366, l4745.	2.3	11
83	School-based interventions to prevent anxiety and depression in children and young people: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2019, 6, 1011-1020.	7.4	155
84	Pathways between early-life adversity and adolescent self-harm: the mediating role of inflammation in the Avon Longitudinal Study of Parents and Children. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 1094-1103.	5.2	39
85	Rising suicide rates among adolescents in England and Wales. Lancet, The, 2019, 394, 116-117.	13.7	65
86	Advance decisions to refuse treatment and suicidal behaviour in emergency care: "it's very much a step into the unknown". BJPsych Open, 2019, 5, e50.	0.7	2
87	Prevalence of non-suicidal self-harm and service contact in England, 2000-2014: repeated cross-sectional surveys of the general population. Lancet Psychiatry,the, 2019, 6, 573-581.	7.4	268
88	In-utero and perinatal influences on suicide risk: a systematic review and meta-analysis. Lancet Psychiatry,the, 2019, 6, 477-492.	7.4	46
89	Is teachers'™ mental health and wellbeing associated with students'™ mental health and wellbeing?. Journal of Affective Disorders, 2019, 253, 460-466.	4.1	28
90	Predictors of future suicide attempt among adolescents with suicidal thoughts or non-suicidal self-harm: a population-based birth cohort study. Lancet Psychiatry,the, 2019, 6, 327-337.	7.4	268

#	ARTICLE	IF	CITATIONS
91	Management of patients with an advance decision and suicidal behaviour: a systematic review. <i>BMJ Open</i> , 2019, 9, e023978.	1.9	10
92	Occupation-specific suicide risk in England: 2011–2015. <i>British Journal of Psychiatry</i> , 2019, 215, 594-599.	2.8	44
93	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. <i>Journal of Affective Disorders</i> , 2019, 249, 208-215.	4.1	8
94	Prevalence and correlates of domestic violence among people seeking treatment for self-harm: data from a regional self-harm register. <i>Emergency Medicine Journal</i> , 2019, 36, emermed-2018-207561.	1.0	7
95	The relationship between physical activity, mental wellbeing and symptoms of mental health disorder in adolescents: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 138.	4.6	113
96	Suicide and suicide risk. <i>Nature Reviews Disease Primers</i> , 2019, 5, 74.	30.5	450
97	Suicide deaths by gas inhalation in Toronto: An observational study of emerging methods of suicide. <i>Journal of Affective Disorders</i> , 2019, 243, 226-231.	4.1	5
98	Spatial patterning, correlates, and inequality in suicide across 432 neighborhoods in Taipei City, Taiwan. <i>Social Science and Medicine</i> , 2019, 222, 20-34.	3.8	25
99	Association of birth order with adolescent mental health and suicide attempts: a population-based longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1079-1086.	4.7	18
100	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. <i>Journal of Affective Disorders</i> , 2019, 246, 814-819.	4.1	14
101	Are left-behind families of migrant workers at increased risk of attempted suicide? – a cohort study of 178,000+ individuals in Sri Lanka. <i>BMC Psychiatry</i> , 2019, 19, 25.	2.6	9
102	What distinguishes adolescents with suicidal thoughts from those who have attempted suicide? A population-based birth cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 91-99.	5.2	111
103	Banning paraquat would prevent nearly 200 deaths from suicide per year in Taiwan. <i>Taiwanese Journal of Psychiatry</i> , 2019, 33, 119.	0.2	3
104	Treatment as usual (TAU) as a control condition in trials of cognitive behavioural-based psychotherapy for self-harm: Impact of content and quality on outcomes in a systematic review. <i>Journal of Affective Disorders</i> , 2018, 235, 434-447.	4.1	23
105	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. <i>Journal of Psychopharmacology</i> , 2018, 32, 654-662.	4.0	24
106	Psychosocial characteristics as potential predictors of suicide in adults: an overview of the evidence with new results from prospective cohort studies. <i>Translational Psychiatry</i> , 2018, 8, 22.	4.8	93
107	Confounding by ill health in the observed association between BMI and mortality: evidence from the HUNT Study using offspring BMI as an instrument. <i>International Journal of Epidemiology</i> , 2018, 47, 760-770.	1.9	21
108	Vendor-based restrictions on pesticide sales to prevent pesticide self-poisoning - a pilot study. <i>BMC Public Health</i> , 2018, 18, 272.	2.9	13

#	ARTICLE	IF	CITATIONS
109	A cluster randomised controlled trial of the Wellbeing in Secondary Education (WISE) Project – an intervention to improve the mental health support and training available to secondary school teachers: protocol for an integrated process evaluation. <i>Trials</i> , 2018, 19, 270.	1.6	61
110	Natural environments and suicide. <i>Lancet Planetary Health</i> , The, 2018, 2, e109-e110.	11.4	8
111	Autistic Traits and Suicidal Thoughts, Plans, and Self-Harm in Late Adolescence: Population-Based Cohort Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 313-320.e6.	0.5	55
112	Navigating an unfamiliar world: how parents of young people who self-harm experience support and treatment. <i>Child and Adolescent Mental Health</i> , 2018, 23, 78-84.	3.5	20
113	Suicide and Self-Harm Related Internet Use. <i>Crisis</i> , 2018, 39, 469-478.	1.2	27
114	Mental health in medical, dentistry and veterinary students: cross-sectional online survey. <i>BJPsych Open</i> , 2018, 4, 441-446.	0.7	59
115	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. <i>BMC Psychiatry</i> , 2018, 18, 399.	2.6	23
116	Personality traits and risk of suicide mortality: findings from a multi-cohort study in the general population. <i>World Psychiatry</i> , 2018, 17, 371-372.	10.4	14
117	Adolescent mental health in crisis. <i>BMJ: British Medical Journal</i> , 2018, 361, k2608.	2.3	110
118	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. <i>BMC Psychiatry</i> , 2018, 18, 113.	2.6	59
119	Using the internet for suicide-related purposes: Contrasting findings from young people in the community and self-harm patients admitted to hospital. <i>PLoS ONE</i> , 2018, 13, e0197712.	2.5	39
120	Individual-, family-, and school-level interventions targeting multiple risk behaviours in young people. <i>The Cochrane Library</i> , 2018, 2018, CD009927.	2.8	67
121	Potential Interventions for Preventing Pesticide Self-Poisoning by Restricting Access Through Vendors in Sri Lanka. <i>Crisis</i> , 2018, 39, 479-488.	1.2	9
122	Making Sense of an Unknown Terrain. <i>Qualitative Health Research</i> , 2017, 27, 215-225.	2.1	29
123	Regional variation in suicide rates in Sri Lanka between 1955 and 2011: a spatial and temporal analysis. <i>BMC Public Health</i> , 2017, 17, 193.	2.9	30
124	Prevalence and patterns of antidepressant switching amongst primary care patients in the UK. <i>Journal of Psychopharmacology</i> , 2017, 31, 553-560.	4.0	18
125	The global burden of fatal self-poisoning with pesticides 2006-15: Systematic review. <i>Journal of Affective Disorders</i> , 2017, 219, 93-104.	4.1	318
126	How do smoking cessation medicines compare with respect to their neuropsychiatric safety? A protocol for a systematic review, network meta-analysis and cost-effectiveness analysis. <i>BMJ Open</i> , 2017, 7, e015414.	1.9	4



#	ARTICLE	IF	CITATIONS
127	Predictive accuracy of risk scales following self-harm: Multicentre, prospective cohort study. <i>British Journal of Psychiatry</i> , 2017, 210, 429-436.	2.8	95
128	Prevention of suicide with regulations aimed at restricting access to highly hazardous pesticides: a systematic review of the international evidence. <i>The Lancet Global Health</i> , 2017, 5, e1026-e1037.	6.3	154
129	Extending the liaison psychiatry service in a large hospital in the UK: a before and after evaluation of the economic impact and patient care following ED attendances for self-harm. <i>BMJ Open</i> , 2017, 7, e016906.	1.9	19
130	Authors' reply. <i>British Journal of Psychiatry</i> , 2017, 211, 183-184.	2.8	1
131	Effectiveness of household lockable pesticide storage to reduce pesticide self-poisoning in rural Asia: a community-based, cluster-randomised controlled trial. <i>Lancet</i> , The, 2017, 390, 1863-1872.	13.7	71
132	Preventing deaths from pesticide self-poisoning—learning from Sri Lanka's success. <i>The Lancet Global Health</i> , 2017, 5, e651-e652.	6.3	61
133	Suicide by pesticide poisoning remains a priority for suicide prevention in China: Analysis of national mortality trends 2006–2013. <i>Journal of Affective Disorders</i> , 2017, 208, 418-423.	4.1	120
134	Influences on antidepressant prescribing trends in the UK: 1995–2011. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 193-200.	3.1	103
135	Socioeconomic deprivation and the clinical management of self-harm: a small area analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1475-1481.	3.1	10
136	Newspaper Reporting on a Cluster of Suicides in the UK. <i>Crisis</i> , 2017, 38, 17-25.	1.2	17
137	Suicide prevention through means restriction: Impact of the 2008-2011 pesticide restrictions on suicide in Sri Lanka. <i>PLoS ONE</i> , 2017, 12, e0172893.	2.5	78
138	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. <i>PLoS ONE</i> , 2016, 11, e0149713.	2.5	43
139	The association between characteristics of fathering in infancy and depressive symptoms in adolescence: A UK birth cohort study. <i>Child Abuse and Neglect</i> , 2016, 58, 119-128.	2.6	9
140	Suicide and self-harm related internet use in patients presenting to hospital with self-harm: a cross-sectional study. <i>Lancet</i> , The, 2016, 388, S2.	13.7	5
141	Identifying and Tracking Gas Suicides in the U.S. Using the National Violent Death Reporting System, 2005–2012. <i>American Journal of Preventive Medicine</i> , 2016, 51, S219-S225.	3.0	15
142	6.147 IMPACT OF BIRTH ORDER ON CHILD SELF-HARM WITH SUICIDAL INTENT: A POPULATION-BASED LONGITUDINAL STUDY. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, S250-S251.	0.5	0
143	Analysis of trends in adolescent suicides and accidental deaths in England and Wales, 1972–2011. <i>British Journal of Psychiatry</i> , 2016, 209, 327-333.	2.8	6
144	Changes in parenting strategies after a young person's self-harm: a qualitative study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2016, 10, 20.	2.5	18

#	ARTICLE	IF	CITATIONS
145	Assessing the role of insulin-like growth factors and binding proteins in prostate cancer using Mendelian randomization: Genetic variants as instruments for circulating levels. <i>International Journal of Cancer</i> , 2016, 139, 1520-1533.	5.1	26
146	Psychosocial interventions following self-harm in adults: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2016, 3, 740-750.	7.4	165
147	Sleep duration, sleep quality and coronary heart disease mortality. <i>International Journal of Cardiology</i> , 2016, 223, 534-535.	1.7	6
148	A pilot cluster randomised controlled trial of a support and training intervention to improve the mental health of secondary school teachers and students – the WISE (Wellbeing in Secondary) Trial. <i>BMJ Open</i> , 2016, 6, e009631.	1.0	10
149	Protocol for a cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers – the WISE (Wellbeing in Secondary) Trial. <i>BMJ Open</i> , 2016, 6, e009631.	1.0	10
150	Unemployment and initiation of psychotropic medication: a case-crossover study of 248 Norwegian employees. <i>Occupational and Environmental Medicine</i> , 2016, 73, oemed-2016-103578.	2.8	12
151	Adolescent over-general memory, life events and mental health outcomes: Findings from a UK cohort study. <i>Memory</i> , 2016, 24, 348-363.	1.7	18
152	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267.	6.2	479
153	Self-reported sleep duration and coronary heart disease mortality: A large cohort study of 400,000 Taiwanese adults. <i>International Journal of Cardiology</i> , 2016, 207, 246-251.	1.7	52
154	Impact of paraquat regulation on suicide in South Korea. <i>International Journal of Epidemiology</i> , 2016, 45, 470-479.	1.9	95
155	The impact of self-harm by young people on parents and families: a qualitative study. <i>BMJ Open</i> , 2016, 6, e009631.	1.9	68
156	Health and unemployment: 14 years of follow-up on job loss in the Norwegian HUNT Study. <i>European Journal of Public Health</i> , 2016, 26, 312-317.	0.3	51
157	Newspaper reporting and the emergence of charcoal burning suicide in Taiwan: A mixed methods approach. <i>Journal of Affective Disorders</i> , 2016, 193, 355-361.	4.1	21
158	Using Data Linkage to Investigate Inconsistent Reporting of Self-Harm and Questionnaire Non-Response. <i>Archives of Suicide Research</i> , 2016, 20, 113-141.	2.3	62
159	Suicide and the Internet: Changes in the accessibility of suicide-related information between 2007 and 2014. <i>Journal of Affective Disorders</i> , 2016, 190, 370-375.	4.1	57
160	Teachers' wellbeing and depressive symptoms, and associated risk factors: A large cross sectional study in English secondary schools. <i>Journal of Affective Disorders</i> , 2016, 192, 76-82.	4.1	183
161	Authors' reply to Large. <i>BMJ</i> , 2016, 532, i268.	6.0	0
162	Association of socio-economic position and suicide/attempted suicide in low and middle income countries in South and South-East Asia – a systematic review. <i>BMC Public Health</i> , 2015, 15, 1055.	2.9	57

#	ARTICLE	IF	CITATIONS
163	Psychosocial and pharmacological treatments for deliberate self harm. The Cochrane Library, 2015, CD001764.	2.8	25
164	Association of Body Mass Index with Depression, Anxiety and Suicide – An Instrumental Variable Analysis of the HUNT Study. PLoS ONE, 2015, 10, e0131708.	2.5	39
165	Risk factors associated with purchasing pesticide from shops for self-poisoning: a protocol for a population-based case-control study. BMJ Open, 2015, 5, e007822-e007822.	1.9	7
166	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010–2011): A review of coroners' records. Journal of Affective Disorders, 2015, 183, 98-105.	4.1	117
167	Prevalence and associated harm of engagement in self-asphyxial behaviours (‘choking game’) in young people: a systematic review. Archives of Disease in Childhood, 2015, 100, 1106-1114.	1.9	38
168	Suicide risk assessment and intervention in people with mental illness. BMJ, The, 2015, 351, h4978-h4978.	6.0	213
169	Risk of suicide for individuals reporting asthma and atopy in young adulthood: Findings from the Glasgow Alumni study. Psychiatry Research, 2015, 225, 364-367.	3.3	6
170	Economic shocks, resilience, and male suicides in the Great Recession: cross-national analysis of 20 EU countries. European Journal of Public Health, 2015, 25, 404-409.	0.3	93
171	Self-reported school experience as a predictor of self-harm during adolescence: A prospective cohort study in the South West of England (ALSPAC). Journal of Affective Disorders, 2015, 173, 163-169.	4.1	45
172	Risk of neuropsychiatric adverse events associated with varenicline: systematic review and meta-analysis. BMJ, The, 2015, 350, h1109-h1109.	6.0	112
173	Factors influencing coroners' verdicts: an analysis of verdicts given in 12 coroners' districts to researcher-defined suicides in England in 2005. Journal of Public Health, 2015, 37, 157-165.	1.8	29
174	Economic recession and suicidal behaviour: Possible mechanisms and ameliorating factors. International Journal of Social Psychiatry, 2015, 61, 73-81.	3.1	134
175	The longitudinal association between psychotic experiences, depression and suicidal behaviour in a population sample of adolescents. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1809-1817.	3.1	41
176	Exposure to, and searching for, information about suicide and self-harm on the Internet: Prevalence and predictors in a population based cohort of young adults. Journal of Affective Disorders, 2015, 185, 239-245.	4.1	84
177	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
178	Variations in the hospital management of self-harm and patient outcome: A multi-site observational study in England. Journal of Affective Disorders, 2015, 174, 101-105.	4.1	22
179	Predicting suicide in older adults – a community-based cohort study in Taipei City, Taiwan. Journal of Affective Disorders, 2015, 172, 165-170.	4.1	25
180	Suicide by gases in England and Wales 2001–2011: Evidence of the emergence of new methods of suicide. Journal of Affective Disorders, 2015, 170, 190-195.	4.1	54

#	ARTICLE	IF	CITATIONS
181	The diffusion of a new method of suicide: charcoal-burning suicide in Hong Kong and Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 227-236.	3.1	36
182	A Population Health Perspective on Suicide Research and Prevention. <i>Crisis</i> , 2015, 36, 155-160.	1.2	20
183	Searching for Suicide Methods. <i>Crisis</i> , 2015, 36, 325-331.	1.2	25
184	Body Mass Index in Young Adulthood and Suicidal Behavior up to Age 59 in a Cohort of Swedish Men. <i>PLoS ONE</i> , 2014, 9, e101213.	2.5	18
185	A Contact-Based Intervention for People Recently Discharged from Inpatient Psychiatric Care: A Pilot Study. <i>Archives of Suicide Research</i> , 2014, 18, 131-143.	2.3	13
186	The Impact of a Celebrity's Suicide on the Introduction and Establishment of a New Method of Suicide in South Korea. <i>Archives of Suicide Research</i> , 2014, 18, 221-226.	2.3	35
187	Regional Changes in Charcoal-Burning Suicide Rates in East/Southeast Asia from 1995 to 2011: A Time Trend Analysis. <i>PLoS Medicine</i> , 2014, 11, e1001622.	8.4	76
188	Clinical and social outcomes of adolescent self harm: population based birth cohort study. <i>BMJ</i> , The, 2014, 349, g5954-g5954.	6.0	200
189	Reporting of drug induced depression and fatal and non-fatal suicidal behaviour in the UK from 1998 to 2011. <i>BMC Pharmacology &amp; Toxicology</i> , 2014, 15, 54.	2.4	42
190	Suicide and the 2008 economic recession: Who is most at risk? Trends in suicide rates in England and Wales 2001-2011. <i>Social Science and Medicine</i> , 2014, 117, 76-85.	3.8	125
191	Risk factors for suicidal thoughts in adolescence-a prospective cohort study: the Young-HUNT study. <i>BMJ Open</i> , 2014, 4, e005867-e005867.	1.9	53
192	Parental socio-economic position during childhood as a determinant of self-harm in adolescence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 193-203.	3.1	34
193	Factors associated with the development of self-harm amongst a socio-economically deprived cohort of adolescents in Santiago, Chile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 629-637.	3.1	20
194	Differences in risk factors for self-harm with and without suicidal intent: Findings from the ALSPAC cohort. <i>Journal of Affective Disorders</i> , 2014, 168, 407-414.	4.1	114
195	Associations between APOE and low-density lipoprotein cholesterol genotypes and cognitive and physical capability: the HALCYon programme. <i>Age</i> , 2014, 36, 9673.	3.0	23
196	Suicidal behaviour across the African continent: a review of the literature. <i>BMC Public Health</i> , 2014, 14, 606.	2.9	128
197	Suicide in Sri Lanka 1975-2012: age, period and cohort analysis of police and hospital data. <i>BMC Public Health</i> , 2014, 14, 839.	2.9	69
198	Challenges and opportunities of a paperless baseline survey in Sri Lanka. <i>BMC Research Notes</i> , 2014, 7, 452.	1.4	11

#	ARTICLE	IF	CITATIONS
199	Parental Suicide Attempt and Offspring Self-Harm and Suicidal Thoughts: Results From the Avon Longitudinal Study of Parents and Children (ALSPAC) Birth Cohort. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 509-517.e2.	0.5	36
200	IQ and adolescent self-harm behaviours in the ALSPAC birth cohort. <i>Journal of Affective Disorders</i> , 2014, 152-154, 175-182.	4.1	19
201	Childhood traumatic events and adolescent overgeneral autobiographical memory: Findings in a UK cohort. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 330-338.	1.2	17
202	Non-fatal repetition of self-harm in Taipei City, Taiwan: cohort study. <i>British Journal of Psychiatry</i> , 2014, 204, 376-382.	2.8	22
203	Sleep Problems and Hospitalization for Self-Harm: A 15-Year Follow-Up of 9,000 Norwegian Adolescents. <i>The Young-HUNT Study. Sleep</i> , 2014, 37, 579-585.	1.1	17
204	“When You’re in the Hospital, You’re in a Sort of Bubble.” <i>Crisis</i> , 2014, 35, 154-160.	1.2	30
205	Hospital Presenting Self-Harm and Risk of Fatal and Non-Fatal Repetition: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e89944.	2.5	405
206	UK health performance: findings of the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013, 381, 997-1020.	13.7	479
207	Genetic markers of bone and joint health and physical capability in older adults: the HALCYon programme. <i>Bone</i> , 2013, 52, 278-285.	2.9	6
208	Insulin-like growth factors (IGFs) and IGF-binding proteins in active monitoring of localized prostate cancer: a population-based observational study. <i>Cancer Causes and Control</i> , 2013, 24, 39-45.	1.8	8
209	Being Bullied During Childhood and the Prospective Pathways to Self-Harm in Late Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 608-618.e2.	0.5	125
210	Changing trends in the prevalence of common mental disorders in Taiwan: a 20-year repeated cross-sectional survey. <i>Lancet, The</i> , 2013, 381, 235-241.	13.7	109
211	Qualitative interviewing with vulnerable populations: Individuals’ experiences of participating in suicide and self-harm based research. <i>Journal of Affective Disorders</i> , 2013, 145, 356-362.	4.1	110
212	Changes in commonly used methods of suicide in England and Wales from 1901–1907 to 2001–2007. <i>Journal of Affective Disorders</i> , 2013, 144, 235-239.	4.1	23
213	Suicide, recession, and unemployment – Authors’ reply. <i>Lancet, The</i> , 2013, 381, 722.	13.7	18
214	Physicians’ prescribing preferences were a potential instrument for patients’ actual prescriptions of antidepressants. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1386-1396.	5.0	50
215	Sleep and suicide: an analysis of a cohort of 394,000 Taiwanese adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1457-1465.	3.1	59
216	Psychotic Experiences and Psychotic Disorders at Age 18 in Relation to Psychotic Experiences at Age 12 in a Longitudinal Population-Based Cohort Study. <i>American Journal of Psychiatry</i> , 2013, 170, 742-750.	7.2	273

#	ARTICLE	IF	CITATIONS
217	Long term effect of reduced pack sizes of paracetamol on poisoning deaths and liver transplant activity in England and Wales: interrupted time series analyses. <i>BMJ, The</i> , 2013, 346, f403-f403.	6.0	191
218	Suicide by burning barbecue charcoal in England. <i>Journal of Public Health</i> , 2013, 35, 223-227.	1.8	22
219	Perinatal risk factors for suicide in young adults in Taiwan. <i>International Journal of Epidemiology</i> , 2013, 42, 1381-1389.	1.9	14
220	Maternal Age at Child Birth, Birth Order, and Suicide at a Young Age: A Sibling Comparison. <i>American Journal of Epidemiology</i> , 2013, 177, 638-644.	3.4	36
221	Time trends in coroners' use of different verdicts for possible suicides and their impact on officially reported incidence of suicide in England: 1990-2005. <i>Psychological Medicine</i> , 2013, 43, 1415-1422.	4.5	88
222	Validation of suicide and self-harm records in the Clinical Practice Research Datalink. <i>British Journal of Clinical Pharmacology</i> , 2013, 76, 145-157.	2.4	68
223	Impact of 2008 global economic crisis on suicide: time trend study in 54 countries. <i>BMJ, The</i> , 2013, 347, f5239-f5239.	6.0	489
224	School Intervention to Improve Mental Health of Students in Santiago, Chile. <i>JAMA Pediatrics</i> , 2013, 167, 1004.	6.2	58
225	Smoking cessation treatment and risk of depression, suicide, and self harm in the Clinical Practice Research Datalink: prospective cohort study. <i>BMJ, The</i> , 2013, 347, f5704-f5704.	6.0	104
226	Messages from Manchester: pilot randomised controlled trial following self-harm. <i>British Journal of Psychiatry</i> , 2013, 203, 73-74.	2.8	40
227	The Impact of Media Reporting on the Emergence of Charcoal Burning Suicide in Taiwan. <i>PLoS ONE</i> , 2013, 8, e55000.	2.5	45
228	Identifying Probable Suicide Clusters in Wales Using National Mortality Data. <i>PLoS ONE</i> , 2013, 8, e71713.	2.5	33
229	Authors' reply to Davies. <i>BMJ, The</i> , 2013, 347, f7068-f7068.	6.0	0
230	Six-Year Follow-Up of Impact of Co-proxamol Withdrawal in England and Wales on Prescribing and Deaths: Time-Series Study. <i>PLoS Medicine</i> , 2012, 9, e1001213.	8.4	60
231	40,000 memories in young teenagers: Psychometric properties of the Autobiographical Memory Test in a UK cohort study. <i>Memory</i> , 2012, 20, 300-320.	1.7	56
232	Socioeconomic differences in childhood growth trajectories: at what age do height inequalities emerge?. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 143-148.	3.7	85
233	Childhood milk consumption is associated with better physical performance in old age. <i>Age and Ageing</i> , 2012, 41, 776-784.	1.6	18
234	Circulating Insulin-Like Growth Factors and IGF-Binding Proteins in PSA-Detected Prostate Cancer: The Large Case-Control Study ProtecT. <i>Cancer Research</i> , 2012, 72, 503-515.	0.9	50



#	ARTICLE	IF	CITATIONS
235	The Effect of the School Environment on the Emotional Health of Adolescents: A Systematic Review. <i>Pediatrics</i> , 2012, 129, 925-949.	2.1	186
236	Using natural experiments to evaluate population health interventions: new Medical Research Council guidance. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 1182-1186.	3.7	696
237	Adiposity, Its Related Biologic Risk Factors, and Suicide: A Cohort Study of 542,088 Taiwanese Adults. <i>American Journal of Epidemiology</i> , 2012, 175, 804-815.	3.4	48
238	Changes in the geography of suicide in young men: England and Wales 1981-2005. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 536-543.	3.7	35
239	Factors associated with the decline in suicide by pesticide poisoning in Taiwan: A time trend analysis, 1987-2010. <i>Clinical Toxicology</i> , 2012, 50, 471-480.	1.9	44
240	Diurnal variation in probability of death following self-poisoning in Sri Lanka-evidence for chronotoxicity in humans. <i>International Journal of Epidemiology</i> , 2012, 41, 1821-1828.	1.9	17
241	Impact of national policy initiatives on fatal and non-fatal self-harm after psychiatric hospital discharge: time series analysis. <i>British Journal of Psychiatry</i> , 2012, 201, 233-238.	2.8	25
242	A Multi-Cohort Study of Polymorphisms in the GH/IGF Axis and Physical Capability: The HALCYon Programme. <i>PLoS ONE</i> , 2012, 7, e29883.	2.5	10
243	Suicide and non-suicide mortality after self-harm in Taipei City, Taiwan. <i>British Journal of Psychiatry</i> , 2012, 200, 405-411.	2.8	50
244	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2197-2223.	13.7	7,061
245	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2163-2196.	13.7	6,376
246	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2224-2260.	13.7	9,397
247	Increase in state suicide rates in the USA during economic recession. <i>Lancet, The</i> , 2012, 380, 1813-1814.	13.7	266
248	The use of the Internet by people who die by suicide in England: A cross sectional study. <i>Journal of Affective Disorders</i> , 2012, 141, 480-483.	4.1	32
249	The impact of pesticide suicide on the geographic distribution of suicide in Taiwan: a spatial analysis. <i>BMC Public Health</i> , 2012, 12, 260.	2.9	40
250	Maternal and offspring fasting glucose and type 2 diabetes-associated genetic variants and cognitive function at age 8: a Mendelian randomization study in the Avon Longitudinal Study of Parents and Children. <i>BMC Medical Genetics</i> , 2012, 13, 90.	2.1	28
251	Adolescent self-harm and suicidal thoughts in the ALSPAC cohort: a self-report survey in England. <i>BMC Psychiatry</i> , 2012, 12, 69.	2.6	102
252	Associations of Insulin and Insulin-Like Growth Factors with Physical Performance in Old Age in the Boyd Orr and Caerphilly Studies. <i>PLoS ONE</i> , 2012, 7, e30096.	2.5	12

#	ARTICLE	IF	CITATIONS
253	A cross-sectional analysis of the association between diet and insulin-like growth factor (IGF)-I, IGF-II, IGF-binding protein (IGFBP)-2, and IGFBP-3 in men in the United Kingdom. <i>Cancer Causes and Control</i> , 2012, 23, 907-917.	1.8	32
254	Information sources used by the suicidal to inform choice of method. <i>Journal of Affective Disorders</i> , 2012, 136, 702-709.	4.1	55
255	Serum insulin-like growth factors and mortality in localised and advanced clinically detected prostate cancer. <i>Cancer Causes and Control</i> , 2012, 23, 347-354.	1.8	32
256	Association between locus of control in childhood and psychotic symptoms in early adolescence: Results from a large birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011, 16, 385-402.	1.3	40
257	Does Smoking Cessation Cause Depression and Anxiety? Findings from the ATTEMPT Cohort. <i>Nicotine and Tobacco Research</i> , 2011, 13, 209-214.	2.6	27
258	Examining the association between maternal analgesic use during pregnancy and risk of psychotic symptoms during adolescence. <i>Schizophrenia Research</i> , 2011, 126, 220-225.	2.0	19
259	Formulation changes and time trends in outcome following paraquat ingestion in Sri Lanka. <i>Clinical Toxicology</i> , 2011, 49, 21-28.	1.9	33
260	The Association between Bankruptcy and Hospitalâ€‘Presenting Attempted Suicide: A Record Linkage Study. <i>Suicide and Life-Threatening Behavior</i> , 2011, 41, 676-684.	1.9	12
261	Childhood Socioeconomic Position and Objectively Measured Physical Capability Levels in Adulthood: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2011, 6, e15564.	2.5	121
262	Smoking Is Associated with, but Does Not Cause, Depressed Mood in Pregnancy â€‘ A Mendelian Randomization Study. <i>PLoS ONE</i> , 2011, 6, e21689.	2.5	48
263	Pre-conception inter-pregnancy interval and risk of schizophrenia. <i>British Journal of Psychiatry</i> , 2011, 199, 338-339.	2.8	33
264	Effectiveness of Australian youth suicide prevention initiatives. <i>British Journal of Psychiatry</i> , 2011, 199, 423-429.	2.8	25
265	Sleeping Problems and Suicide in 75,000 Norwegian Adults: A 20 Year Follow-up of the HUNT I Study. <i>Sleep</i> , 2011, 34, 1155-1159.	1.1	118
266	Absence of association of a single-nucleotide polymorphism in the TERT-CLPTM1L locus with age-related phenotypes in a large multicohort study: the HALCyon programme. <i>Aging Cell</i> , 2011, 10, 520-532.	6.7	8
267	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. <i>BMC Public Health</i> , 2011, 11, 460.	2.9	38
268	A community-based cluster randomised trial of safe storage to reduce pesticide self-poisoning in rural Sri Lanka: study protocol. <i>BMC Public Health</i> , 2011, 11, 879.	2.9	33
269	Why do people choose charcoal burning as a method of suicide? An interview based study of survivors in Taiwan. <i>Journal of Affective Disorders</i> , 2011, 131, 402-407.	4.1	61
270	School performance and risk of suicide in early adulthood: Follow-up of two national cohorts of Swedish schoolchildren. <i>Journal of Affective Disorders</i> , 2011, 131, 104-112.	4.1	57



#	ARTICLE	IF	CITATIONS
271	“Well it's like someone at the other end cares about you.” A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. <i>General Hospital Psychiatry</i> , 2011, 33, 166-176.	2.4	47
272	Geography of suicide in Taiwan: Spatial patterning and socioeconomic correlates. <i>Health and Place</i> , 2011, 17, 641-650.	3.3	104
273	Levels of insulin-like growth factor during pregnancy and maternal cancer risk: a nested case-control study. <i>Cancer Causes and Control</i> , 2011, 22, 945-953.	1.8	9
274	Symptom recognition and help seeking for depression in young adults: a vignette study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 495-505.	3.1	40
275	The prevalence of previous self-harm amongst self-poisoning patients in Sri Lanka. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 517-520.	3.1	15
276	Suicide epidemics: the impact of newly emerging methods on overall suicide rates - a time trends study. <i>BMC Public Health</i> , 2011, 11, 314.	2.9	53
277	Suicide in the Philippines: time trend analysis (1974-2005) and literature review. <i>BMC Public Health</i> , 2011, 11, 536.	2.9	44
278	School-based intervention to improve the mental health of low-income, secondary school students in Santiago, Chile (YPSA): study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 49.	1.6	15
279	ACTN3 genotype, athletic status, and life course physical capability: meta-analysis of the published literature and findings from nine studies. <i>Human Mutation</i> , 2011, 32, 1008-1018.	2.5	97
280	The association of weight gain during adulthood with prostate cancer incidence and survival: A population-based cohort. <i>International Journal of Cancer</i> , 2011, 129, 1199-1206.	5.1	23
281	Long-term Impact of Poor Birth Condition on Social and Economic Outcomes in Early Adulthood. <i>Pediatrics</i> , 2011, 127, e1498-e1504.	2.1	20
282	Height loss and future coronary heart disease in London: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 461-464.	3.7	8
283	Media reporting and suicide: a time-series study of suicide from Clifton Suspension Bridge, UK, 1974-2007. <i>Journal of Public Health</i> , 2011, 33, 511-517.	1.8	16
284	Surveillance of Australian Suicidal Behaviour Using the Internet?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 1020-1022.	2.3	38
285	Internet Searches for a Specific Suicide Method Follow Its High-Profile Media Coverage. <i>American Journal of Psychiatry</i> , 2011, 168, 855-857.	7.2	33
286	Milk and Linear Growth: Programming of the IGF-I Axis and Implication for Health in Adulthood. <i>Nestle Nutrition Workshop Series Paediatric Programme</i> , 2011, 67, 79-97.	1.5	30
287	Childhood facial emotion recognition and psychosis-like symptoms in a nonclinical population at 12 years of age: Results from the ALSPAC birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011, 16, 136-157.	1.3	17
288	Coroners' verdicts and suicide statistics in England and Wales. <i>BMJ: British Medical Journal</i> , 2011, 343, d6030-d6030.	2.3	33

#	ARTICLE	IF	CITATIONS
289	Suicidal behaviour and suicide from the Clifton Suspension Bridge, Bristol and surrounding area in the UK: 1994–2003. <i>European Journal of Public Health</i> , 2011, 21, 204-208.	0.3	20
290	The association between birth condition and neuropsychological functioning and educational attainment at school age: a cohort study. <i>Archives of Disease in Childhood</i> , 2011, 96, 30-37.	1.9	19
291	Socio-economic disadvantage from childhood to adulthood and locomotor function in old age: a lifecourse analysis of the Boyd Orr and Caerphilly prospective studies. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 1014-1023.	3.7	35
292	Part and parcel of teaching? Secondary school staff's views on supporting student emotional health and well-being. <i>British Educational Research Journal</i> , 2010, 36, 919-935.	2.5	116
293	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. <i>British Journal of Psychiatry</i> , 2010, 196, 354-358.	2.8	155
294	Postcards, green cards and telephone calls: therapeutic contact with individuals following self-harm. <i>British Journal of Psychiatry</i> , 2010, 197, 5-7.	2.8	43
295	“Hidden” suicides amongst deaths certified as undetermined intent, accident by pesticide poisoning and accident by suffocation in Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 143-152.	3.1	88
296	Blood pressure and risk of prostate cancer: cohort Norway (CONOR). <i>Cancer Causes and Control</i> , 2010, 21, 463-472.	1.8	38
297	The relation between adiposity throughout the life course and variation in IGFs and IGFFBPs: evidence from the ProtecT (Prostate testing for cancer and Treatment) study. <i>Cancer Causes and Control</i> , 2010, 21, 1829-1842.	1.8	26
298	International regulatory activity restricting COX-2 inhibitor use and deaths due to gastrointestinal haemorrhage and myocardial infarction. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 778-785.	1.9	6
299	Suicide in England and Wales 1861–2007: a time-trends analysis. <i>International Journal of Epidemiology</i> , 2010, 39, 1464-1475.	1.9	79
300	Factors influencing the decision to use hanging as a method of suicide: qualitative study. <i>British Journal of Psychiatry</i> , 2010, 197, 320-325.	2.8	77
301	What was the immediate impact on population health of the recent fall in hormone replacement therapy prescribing in England? Ecological study. <i>Journal of Public Health</i> , 2010, 32, 555-564.	1.8	13
302	The Evolution of the Epidemic of Charcoal-Burning Suicide in Taiwan: A Spatial and Temporal Analysis. <i>PLoS Medicine</i> , 2010, 7, e1000212.	8.4	64
303	Advance directives and suicidal behaviour. <i>BMJ: British Medical Journal</i> , 2010, 341, c4557-c4557.	2.3	11
304	Effect of withdrawal of co-proxamol on prescribing and deaths from drug poisoning in England and Wales: time series analysis. <i>BMJ: British Medical Journal</i> , 2009, 338, b2270-b2270.	2.3	69
305	The economic crisis and suicide. <i>BMJ: British Medical Journal</i> , 2009, 338, b1891-b1891.	2.3	57
306	Prospective Study of Peer Victimization in Childhood and Psychotic Symptoms in a Nonclinical Population at Age 12 Years. <i>Archives of General Psychiatry</i> , 2009, 66, 527.	12.3	316

#	ARTICLE	IF	CITATIONS
307	Was the economic crisis 1997-1998 responsible for rising suicide rates in East/Southeast Asia? A time-trend analysis for Japan, Hong Kong, South Korea, Taiwan, Singapore and Thailand. <i>Social Science and Medicine</i> , 2009, 68, 1322-1331.	3.8	313
308	Supporting adolescent emotional health in schools: a mixed methods study of student and staff views in England. <i>BMC Public Health</i> , 2009, 9, 403.	2.9	38
309	Pattern of pesticide storage before pesticide self-poisoning in rural Sri Lanka. <i>BMC Public Health</i> , 2009, 9, 405.	2.9	43
310	Circulating insulin-like growth factor peptides and prostate cancer risk: A systematic review and meta-analysis. <i>International Journal of Cancer</i> , 2009, 124, 2416-2429.	5.1	222
311	Childhood stature and adult cancer risk: the Boyd Orr cohort. <i>Cancer Causes and Control</i> , 2009, 20, 243-251.	1.8	21
312	Components of the metabolic syndrome and risk of prostate cancer: the HUNT 2 cohort, Norway. <i>Cancer Causes and Control</i> , 2009, 20, 1181-1192.	1.8	105
313	Is low IQ associated with an increased risk of developing suicidal thoughts?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 34-38.	3.1	20
314	International impacts of regulatory action to limit antidepressant prescribing on rates of suicide in young people. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 579-588.	1.9	16
315	Population impact of regulatory activity restricting prescribing of COX-2 inhibitors: ecological study. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 752-764.	2.4	16
316	Relationship between blood alcohol concentration on admission and outcome in dimethoate organophosphorus self-poisoning. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 916-919.	2.4	31
317	Height, wealth, and health: An overview with new data from three longitudinal studies. <i>Economics and Human Biology</i> , 2009, 7, 137-152.	1.7	205
318	Is IQ in Childhood Associated with Suicidal Thoughts and Attempts? Findings from The Mater University Study of Pregnancy and Its Outcomes. <i>Suicide and Life-Threatening Behavior</i> , 2009, 39, 282-293.	1.9	22
319	Varenicline and suicidal behaviour: a cohort study based on data from the General Practice Research Database. <i>BMJ: British Medical Journal</i> , 2009, 339, b3805-b3805.	2.3	174
320	Resuscitation at birth and cognition at 8 years of age: a cohort study. <i>Lancet, The</i> , 2009, 373, 1615-1622.	13.7	116
321	Resuscitation at Birth and Cognition at 8 Years of Age: A Cohort Study. <i>Obstetrical and Gynecological Survey</i> , 2009, 64, 642-643.	0.4	0
322	IQ in Early Adulthood and Mortality By Middle Age. <i>Epidemiology</i> , 2009, 20, 100-109.	2.7	137
323	Maternal tobacco, cannabis and alcohol use during pregnancy and risk of adolescent psychotic symptoms in offspring. <i>British Journal of Psychiatry</i> , 2009, 195, 294-300.	2.8	95
324	Psychological autopsy study of suicide in three rural and semi-rural districts of Sri Lanka. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 280-285.	3.1	49

#	ARTICLE	IF	CITATIONS
325	The population impact on incidence of suicide and non-fatal self harm of regulatory action against the use of selective serotonin reuptake inhibitors in under 18s in the United Kingdom: ecological study. <i>BMJ: British Medical Journal</i> , 2008, 336, 542-545.	2.3	84
326	Suicide and the internet. <i>BMJ: British Medical Journal</i> , 2008, 336, 800-802.	2.3	186
327	Height and Prostate Cancer Risk: A Large Nested Case-Control Study (Protect) and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2325-2336.	2.5	83
328	Childhood circumstances and anthropometry: The Boyd Orr cohort. <i>Annals of Human Biology</i> , 2008, 35, 518-534.	1.0	37
329	Improvement in Survival after Paraquat Ingestion Following Introduction of a New Formulation in Sri Lanka. <i>PLoS Medicine</i> , 2008, 5, e49.	8.4	89
330	Suicide rates in young men in England and Wales in the 21st century: time trend study. <i>BMJ: British Medical Journal</i> , 2008, 336, 539-542.	2.3	110
331	Recreational Physical Activity and Cancer Risk in Subsites of the Colon (the Nord-Trøndelag Health) Tj ETQq1 1 0.784314 rgBT /Overlo	2.5	53
332	Infections in the CNS During Childhood and the Risk of Subsequent Psychotic Illness: A Cohort Study of More Than One Million Swedish Subjects. <i>American Journal of Psychiatry</i> , 2008, 165, 59-65.	7.2	201
333	Associations of Insulin-Like Growth Factor (IGF)-I, IGF-II, IGF Binding Protein (IGFBP)-2 and IGFBP-3 with Ultrasound Measures of Atherosclerosis and Plaque Stability in an Older Adult Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1331-1338.	3.6	38
334	IQ and non-clinical psychotic symptoms in 12-year-olds: results from the ALSPAC birth cohort. <i>British Journal of Psychiatry</i> , 2008, 193, 185-191.	2.8	233
335	Hospital admissions for self harm after discharge from psychiatric inpatient care: cohort study. <i>BMJ: British Medical Journal</i> , 2008, 337, a2278-a2278.	2.3	71
336	Suicide and occupation: the impact of socio-economic, demographic and psychiatric differences. <i>Psychological Medicine</i> , 2007, 37, 1131-1140.	4.5	168
337	Schizophrenia and Neural Tube Defects: Comparisons From an Epidemiological Perspective. <i>Schizophrenia Bulletin</i> , 2007, 33, 853-858.	4.3	30
338	Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1722-1729.	4.7	97
339	Social inequalities in antidepressant treatment and mortality: a longitudinal register study. <i>Psychological Medicine</i> , 2007, 37, 373.	4.5	115
340	Pesticide self-poisoning: thinking outside the box. <i>Lancet, The</i> , 2007, 369, 169-170.	13.7	40
341	Association of Adult Body Mass Index and Height with Anxiety, Depression, and Suicide in the General Population: The HUNT Study. <i>American Journal of Epidemiology</i> , 2007, 167, 193-202.	3.4	198
342	Effect of barriers on the Clifton suspension bridge, England, on local patterns of suicide: implications for prevention. <i>British Journal of Psychiatry</i> , 2007, 190, 266-267.	2.8	84

#	ARTICLE	IF	CITATIONS
343	Body mass index in middle life and future risk of hospital admission for psychoses or depression: findings from the Renfrew/Paisley study. <i>Psychological Medicine</i> , 2007, 37, 1151-1161.	4.5	31
344	Does Restricting Pack Size of Paracetamol (Acetaminophen) Reduce Suicides?. <i>PLoS Medicine</i> , 2007, 4, e152.	8.4	15
345	Explaining non-help-seeking amongst young adults with mental distress: a dynamic interpretive model of illness behaviour. <i>Sociology of Health and Illness</i> , 2007, 29, 983-1002.	2.1	182
346	The global distribution of fatal pesticide self-poisoning: Systematic review. <i>BMC Public Health</i> , 2007, 7, 357.	2.9	710
347	Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1722-1729.	4.7	48
348	Continuing Controversy Over Monitoring Men With Localized Prostate Cancer: A Systematic Review of Programs in the Prostate Specific Antigen Era. <i>Journal of Urology</i> , 2006, 176, 439-449.	0.4	45
349	Milk as a food for growth? The insulin-like growth factors link. <i>Public Health Nutrition</i> , 2006, 9, 359-368.	2.2	85
350	Relationship between antidepressant sales and secular trends in suicide rates in the Nordic countries. <i>British Journal of Psychiatry</i> , 2006, 188, 354-358.	2.8	77
351	Did intense adverse media publicity impact on prescribing of paroxetine and the notification of suspected adverse drug reactions? Analysis of routine databases, 2001-2004. <i>British Journal of Clinical Pharmacology</i> , 2006, 61, 224-228.	2.4	37
352	Associations of Adiposity from Childhood into Adulthood with Insulin Resistance and the Insulin-Like Growth Factor System: 65-Year Follow-Up of the Boyd Orr Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 3287-3295.	3.6	49
353	Insulin-Like Growth Factor-I and Growth in Height, Leg Length, and Trunk Length between Ages 5 and 10 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2514-2519.	3.6	85
354	Associations of Childhood and Adulthood Height and the Components of Height with Insulin-Like Growth Factor Levels in Adulthood: A 65-Year Follow-Up of the Boyd Orr Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1382-1389.	3.6	28
355	Choice of Poison for Intentional Self-Poisoning in Rural Sri Lanka. <i>Clinical Toxicology</i> , 2006, 44, 283-286.	1.9	113
356	The geography of despair among 15-44-year-old men in England and Wales: putting suicide on the map. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 1040-1047.	3.7	67
357	Association of Body Mass Index with Suicide Mortality: A Prospective Cohort Study of More than One Million Men. <i>American Journal of Epidemiology</i> , 2006, 163, 1-8.	3.4	141
358	Suicidal behaviour and SSRIs: updated meta-analysis. <i>BMJ: British Medical Journal</i> , 2006, 332, 1453.2.	2.3	9
359	Patterns of hospital transfer for self-poisoned patients in rural Sri Lanka: implications for estimating the incidence of self-poisoning in the developing world. <i>Bulletin of the World Health Organization</i> , 2006, 2006, 276-282.	3.3	61
360	Crisis card following self-harm: 12-month follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2005, 187, 186-187.	2.8	80

#	ARTICLE	IF	CITATIONS
361	Suicide by hanging: multicentre study based on coroners' records in England. <i>British Journal of Psychiatry</i> , 2005, 186, 260-261.	2.8	37
362	Could associations between breastfeeding and insulin-like growth factors underlie associations of breastfeeding with adult chronic disease? The Avon Longitudinal Study of Parents and Children. <i>Clinical Endocrinology</i> , 2005, 62, 728-737.	2.4	58
363	Factors associated with the non-assessment of self-harm patients attending an Accident and Emergency Department: Results of a national study. <i>Journal of Affective Disorders</i> , 2005, 89, 91-97.	4.1	76
364	Changing patterns of suicide in a poor, rural county over the 20th century. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 601-604.	3.1	15
365	The epidemiology and management of self-harm amongst adults in England. <i>Journal of Public Health</i> , 2005, 27, 67-73.	1.8	97
366	Cohort Profile: The Boyd Orr cohort—an historical cohort study based on the 65 year follow-up of the Carnegie Survey of Diet and Health (1937–39). <i>International Journal of Epidemiology</i> , 2005, 34, 742-749.	1.9	59
367	Association of Insulin-like Growth Factor I and Insulin-like Growth Factor–Binding Protein-3 With Intelligence Quotient Among 8- to 9-Year-Old Children in the Avon Longitudinal Study of Parents and Children. <i>Pediatrics</i> , 2005, 116, e681-e686.	2.1	83
368	Selective serotonin reuptake inhibitors (SSRIs) and suicide in adults: meta-analysis of drug company data from placebo controlled, randomised controlled trials submitted to the MHRA's safety review. <i>BMJ: British Medical Journal</i> , 2005, 330, 385.	2.3	330
369	The epidemiology and prevention of suicide by hanging: a systematic review. <i>International Journal of Epidemiology</i> , 2005, 34, 433-442.	1.9	275
370	Strong Inverse Association Between Height and Suicide in a Large Cohort of Swedish Men: Evidence of Early Life Origins of Suicidal Behavior?. <i>American Journal of Psychiatry</i> , 2005, 162, 1373-1375.	7.2	71
371	Social Adversity in Childhood and the Risk of Developing Psychosis: A National Cohort Study. <i>American Journal of Psychiatry</i> , 2005, 162, 1652-1657.	7.2	224
372	Help-seeking behaviour in men and women with common mental health problems: cross-sectional study. <i>British Journal of Psychiatry</i> , 2005, 186, 297-301.	2.8	390
373	Antidepressant treatment and the risk of fatal and non-fatal self harm in first episode depression: nested case-control study. <i>BMJ: British Medical Journal</i> , 2005, 330, 389.	2.3	211
374	Opportunity cost of antidepressant prescribing in England: analysis of routine data. <i>BMJ: British Medical Journal</i> , 2005, 330, 999-1000.	2.3	35
375	The Usefulness of Coroners' Data on Suicides for Providing Information Relevant to Prevention. <i>Suicide and Life-Threatening Behavior</i> , 2005, 35, 607-614.	1.9	21
376	Epidemiology of intentional self-poisoning in rural Sri Lanka. <i>British Journal of Psychiatry</i> , 2005, 187, 583-584.	2.8	119
377	Missing deaths from pesticide self-poisoning at the IFCS Forum IV. <i>Bulletin of the World Health Organization</i> , 2005, 83, 157-8.	3.3	15
378	Does the misreporting of adult body size depend upon an individual's height and weight? Methodological debate. <i>International Journal of Epidemiology</i> , 2004, 33, 1398-1399.	1.9	8



#	ARTICLE	IF	CITATIONS
379	Suicide by Gunshot in the United Kingdom: A review of the literature. <i>Medicine, Science and the Law</i> , 2004, 44, 295-310.	1.0	34
380	Parents'™ Growth in Childhood and the Birth Weight of Their Offspring. <i>Epidemiology</i> , 2004, 15, 308-316.	2.7	67
381	Variations in the hospital management of self harm in adults in England: observational study. <i>BMJ: British Medical Journal</i> , 2004, 328, 1108-1109.	2.3	87
382	Paternal age and schizophrenia: a population based cohort study. <i>BMJ: British Medical Journal</i> , 2004, 329, 1070.	2.3	252
383	Life course breast cancer risk factors and adult breast density (United Kingdom). <i>Cancer Causes and Control</i> , 2004, 15, 947-955.	1.8	58
384	Suicide risk in small areas in England and Wales, 1991-1993. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 45-52.	3.1	71
385	Social fragmentation, severe mental illness and suicide. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 165-170.	3.1	65
386	Screen-detected prostate cancer and the insulin-like growth factor axis: Results of a population-based case-control study. <i>International Journal of Cancer</i> , 2004, 108, 887-892.	5.1	51
387	Antidepressants and suicide: what is the balance of benefit and harm. <i>BMJ: British Medical Journal</i> , 2004, 329, 34-38.	2.3	122
388	Binners, fillers and filers: A qualitative study of GPs who don't return postal questionnaires. <i>European Journal of General Practice</i> , 2004, 10, 146-151.	2.0	11
389	Antidepressants and suicide: Authors' reply. <i>BMJ: British Medical Journal</i> , 2004, 329, 461.3-462.	2.3	0
390	Factors influencing help seeking in mentally distressed young adults: a cross-sectional survey. <i>British Journal of General Practice</i> , 2004, 54, 248-53.	1.4	127
391	Patterns of General Practitioner consultation for mental illness by young people in rural areas. A cross-sectional study. <i>Health Statistics Quarterly</i> , 2004, , 30-3.	0.9	1
392	Why are suicide rates rising in young men but falling in the elderly?™ a time-series analysis of trends in England and Wales 1950-1998. <i>Social Science and Medicine</i> , 2003, 57, 595-611.	3.8	242
393	Urban-rural differences in suicide trends in young adults: England and Wales, 1981-1998. <i>Social Science and Medicine</i> , 2003, 57, 1183-1194.	3.8	109
394	Suicide: the spatial and social components of despair in Britain 1980-2000. <i>Transactions of the Institute of British Geographers</i> , 2003, 28, 442-460.	2.9	44
395	National suicide rates as an indicator of the effect of suicide on premature mortality. <i>Lancet, The</i> , 2003, 362, 961-962.	13.7	51
396	Suicide by intentional ingestion of pesticides: a continuing tragedy in developing countries. <i>International Journal of Epidemiology</i> , 2003, 32, 902-909.	1.9	955

#	ARTICLE	IF	CITATIONS
397	Influence of cohort effects on patterns of suicide in England and Wales, 1950â€“1999. <i>British Journal of Psychiatry</i> , 2003, 182, 164-170.	2.8	55
398	Locally developed guidelines for the aftercare of deliberate self-harm patients in general practice. <i>Primary Health Care Research and Development</i> , 2003, 4, 21-28.	1.2	4
399	Patterns of Fetal and Childhood Growth and the Development of Psychosis in Young Males: A Cohort Study. <i>American Journal of Epidemiology</i> , 2003, 158, 291-300.	3.4	84
400	Height, Leg Length, and Cancer: The Caerphilly Study. <i>Nutrition and Cancer</i> , 2003, 47, 34-39.	2.0	30
401	Commentary: Can adult anthropometry be used as a "biomarker"™ for prenatal and childhood exposures?. <i>International Journal of Epidemiology</i> , 2002, 31, 390-394.	1.9	134
402	Associations between premorbid intellectual performance, early-life exposures and early-onset schizophrenia. <i>British Journal of Psychiatry</i> , 2002, 181, 298-305.	2.8	128
403	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial * Commentary: Clinical guidelines have limitations. <i>BMJ: British Medical Journal</i> , 2002, 324, 1254-1254.	2.3	87
404	Paracetamol recall: a natural experiment influencing analgesic poisoning. <i>Medical Journal of Australia</i> , 2002, 176, 561-563.	1.7	2
405	Paracetamol recall: a natural experiment influencing analgesic poisoning. <i>Medical Journal of Australia</i> , 2002, 176, 561-563.	1.7	0
406	Can adult anthropometry be used as a 'biomarker' for prenatal and childhood exposures?. <i>International Journal of Epidemiology</i> , 2002, 31, 390-4.	1.9	49
407	Patterns and predictors of hospitalisation in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2001, 178, 518-523.	2.8	67
408	Association between schizophrenia and social inequality at birth: caseâ€“control study. <i>British Journal of Psychiatry</i> , 2001, 179, 346-350.	2.8	132
409	International trends in prostate-cancer mortality in the "PSA era". <i>International Journal of Cancer</i> , 2001, 92, 893-898.	5.1	150
410	Psychosocial and Pharmacological Treatment of Patients Following Deliberate Self-Harm: The Methodological Issues Involved in Evaluating Effectiveness. <i>Suicide and Life-Threatening Behavior</i> , 2001, 31, 169-180.	1.9	29
411	Effects of legislation restricting pack sizes of paracetamol and salicylate on self poisoning in the United Kingdom: before and after study. <i>BMJ: British Medical Journal</i> , 2001, 322, 1203-1203.	2.3	327
412	Guidelines and educational outreach visits from community pharmacists to improve prescribing in general practice: a randomised controlled trial. <i>Journal of Health Services Research and Policy</i> , 2001, 6, 207-213.	1.7	27
413	Socioeconomic measures in early old age as indicators of previous lifetime exposure to environmental health hazards. <i>Sociology of Health and Illness</i> , 2000, 22, 415-430.	2.1	17
414	Comparison of trends in method-specific suicide rates in Australia and England & Wales, 1968-97. <i>Australian and New Zealand Journal of Public Health</i> , 2000, 24, 153-157.	1.8	33



#	ARTICLE	IF	CITATIONS
415	Youth Suicide Trends in Australian Metropolitan and Non-Metropolitan Areas, 1988â€“1997. Australian and New Zealand Journal of Psychiatry, 2000, 34, 822-828.	2.3	46
416	Suicide and unemployment in young people. British Journal of Psychiatry, 1999, 175, 263-270.	2.8	101
417	Sex differences in suicide trends in England and Wales. Lancet, The, 1999, 353, 556-557.	13.7	33
418	Psychosocial and pharmacological treatments for deliberate self harm. , 1999, , CD001764.		116
419	Ecological study of social fragmentation, poverty, and suicide. BMJ: British Medical Journal, 1999, 319, 1034-1037.	2.3	203
420	Socioâ€“economic and dietary influences on leg length and trunk length in childhood: a reanalysis of the Carnegie (Boyd Orr) survey of diet and health in prewar Britain (1937â€“39). Paediatric and Perinatal Epidemiology, 1998, 12, 96-113.	1.7	138
421	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. BMJ: British Medical Journal, 1998, 317, 441-447.	2.3	355
422	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial. , 0, .		1
423	Using natural experiments to evaluate population health interventions: new Medical Research Council guidance. , 0, .		1
424	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. F1000Research, 0, 9, 644.	1.6	16
425	Tracking online searches for emotional wellbeing concerns and coping strategies in the UK during the COVID-19 pandemic: a Google Trends analysis. Wellcome Open Research, 0, 5, 220.	1.8	6