

# Agnes van der Heide

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/279598/publications.pdf>

Version: 2024-02-01

128  
papers

6,038  
citations

201674

27  
h-index

79698

73  
g-index

132  
all docs

132  
docs citations

132  
times ranked

3961  
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of advance care planning on end-of-life care: A systematic review. <i>Palliative Medicine</i> , 2014, 28, 1000-1025.	3.1	1,000
2	Definition and recommendations for advance care planning: an international consensus supported by the European Association for Palliative Care. <i>Lancet Oncology</i> , The, 2017, 18, e543-e551.	10.7	765
3	End-of-life decision-making in six European countries: descriptive study. <i>Lancet</i> , The, 2003, 362, 345-350.	13.7	569
4	Euthanasia, Physician-Assisted Suicide, and Other Medical Practices Involving the End of Life in the Netherlands, 1990-1995. <i>New England Journal of Medicine</i> , 1996, 335, 1699-1705.	27.0	549
5	End-of-Life Practices in the Netherlands under the Euthanasia Act. <i>New England Journal of Medicine</i> , 2007, 356, 1957-1965.	27.0	391
6	Trends in end-of-life practices before and after the enactment of the euthanasia law in the Netherlands from 1990 to 2010: a repeated cross-sectional survey. <i>Lancet</i> , The, 2012, 380, 908-915.	13.7	275
7	Euthanasia and other end-of-life decisions in the Netherlands in 1990, 1995, and 2001. <i>Lancet</i> , The, 2003, 362, 395-399.	13.7	240
8	Can physicians conceive of performing euthanasia in case of psychiatric disease, dementia or being tired of living?. <i>Journal of Medical Ethics</i> , 2015, 41, 592-598.	1.8	133
9	End-of-Life Decisions in the Netherlands over 25 Years. <i>New England Journal of Medicine</i> , 2017, 377, 492-494.	27.0	104
10	Using continuous sedation until death for cancer patients: A qualitative interview study of physicians' and nurses' practice in three European countries. <i>Palliative Medicine</i> , 2015, 29, 48-59.	3.1	94
11	Advance care planning for patients with chronic respiratory diseases: a systematic review of preferences and practices. <i>Thorax</i> , 2018, 73, 222-230.	5.6	90
12	Prevalence, Impact, and Treatment of Death Rattle: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 105-122.	1.2	81
13	Interventions Guiding Advance Care Planning Conversations: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 227-248.	2.5	71
14	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial. <i>PLoS Medicine</i> , 2020, 17, e1003422.	8.4	68
15	Self-management of patients with advanced cancer: A systematic review of experiences and attitudes. <i>Palliative Medicine</i> , 2020, 34, 160-178.	3.1	62
16	Assistance in dying for older people without a serious medical condition who have a wish to die: a national cross-sectional survey. <i>Journal of Medical Ethics</i> , 2015, 41, 145-150.	1.8	61
17	Advance Care Planning in Asia: A Systematic Narrative Review of Healthcare Professionals' Knowledge, Attitude, and Experience. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 349.e1-349.e28.	2.5	59
18	Opinions about euthanasia and advanced dementia: a qualitative study among Dutch physicians and members of the general public. <i>BMC Medical Ethics</i> , 2015, 16, 7.	2.4	45

#	ARTICLE	IF	CITATIONS
19	Advance Care Planning in Frail Older Adults: A Cluster Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1089-1095.	2.6	42
20	Dying in the Hospital: What Happens and What Matters, According to Bereaved Relatives. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 203-213.	1.2	40
21	A prospective study on the variation in falling and fall risk among community-dwelling older citizens in 12 European countries. <i>BMJ Open</i> , 2017, 7, e015827.	1.9	40
22	Developments in euthanasia practice in the Netherlands: Balancing professional responsibility and the patient's autonomy. <i>European Journal of General Practice</i> , 2019, 25, 44-48.	2.0	37
23	Factors associated with requesting and receiving euthanasia: a nationwide mortality follow-back study with a focus on patients with psychiatric disorders, dementia, or an accumulation of health problems related to old age. <i>BMC Medicine</i> , 2019, 17, 39.	5.5	35
24	Changing Practices in the Use of Continuous Sedation at the End of Life: A Systematic Review of the Literature. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 828-846.e3.	1.2	33
25	Asian patients' perspectives on advance care planning: A mixed-method systematic review and conceptual framework. <i>Palliative Medicine</i> , 2021, 35, 1776-1792.	3.1	33
26	End-of-Life Decision Making for Cancer Patients in Different Clinical Settings and the Impact of the LCP. <i>Journal of Pain and Symptom Management</i> , 2010, 39, 33-43.	1.2	32
27	Hydration and symptoms in the last days of life. <i>BMJ Supportive and Palliative Care</i> , 2021, 11, 335-343.	1.6	31
28	Dying at home or in an institution: perspectives of Dutch physicians and bereaved relatives. <i>Supportive Care in Cancer</i> , 2007, 15, 1413-1421.	2.2	30
29	The last 3 days of life in three different care settings in The Netherlands. <i>Supportive Care in Cancer</i> , 2007, 15, 1117-1123.	2.2	29
30	Involvement of the Dutch General Population in Advance Care Planning: A Cross-Sectional Survey. <i>Journal of Palliative Medicine</i> , 2013, 16, 1055-1061.	1.1	28
31	Towards advance care planning in pediatrics: a qualitative study on envisioning the future as parents of a seriously ill child. <i>European Journal of Pediatrics</i> , 2020, 179, 1461-1468.	2.7	28
32	Breaking bad news: what parents would like you to know. <i>Archives of Disease in Childhood</i> , 2021, 106, 276-281.	1.9	28
33	Unraveling patients' readiness in advance care planning conversations: a qualitative study as part of the ACTION Study. <i>Supportive Care in Cancer</i> , 2021, 29, 2917-2929.	2.2	27
34	Discussing Physician-Assisted Dying: Physicians' Experiences in the United States and the Netherlands. <i>Gerontologist</i> , The, 2014, 54, 808-817.	3.9	26
35	The Feasibility and Effectiveness of Web-Based Advance Care Planning Programs: Scoping Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e15578.	4.3	26
36	Medication Use in the Last Days of Life in Hospital, Hospice, and Home Settings in the Netherlands. <i>Journal of Palliative Medicine</i> , 2018, 21, 149-155.	1.1	24

#	ARTICLE	IF	CITATIONS
37	Commonalities and differences in legal euthanasia and physician-assisted suicide in three countries: a population-level comparison. <i>International Journal of Public Health</i> , 2020, 65, 65-73.	2.3	24
38	Effect of Prophylactic Subcutaneous Scopolamine Butylbromide on Death Rattle in Patients at the End of Life. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1268.	7.4	24
39	Reducing questionnaire length did not improve physician response rate: a randomized trial. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 477-481.	5.0	23
40	Perspectives of patients, close relatives, nurses, and physicians on end-of-life medication management. <i>Palliative and Supportive Care</i> , 2018, 16, 580-589.	1.0	23
41	Palliative care team consultation and quality of death and dying in a university hospital: A secondary analysis of a prospective study. <i>PLoS ONE</i> , 2018, 13, e0201191.	2.5	23
42	Low patient activation levels in frail older adults: a cross-sectional study. <i>BMC Geriatrics</i> , 2018, 18, 7.	2.7	23
43	Advance care planning: Not a panacea. <i>Palliative Medicine</i> , 2016, 30, 421-422.	3.1	22
44	Policy statements and practice guidelines for medical end-of-life decisions in Dutch health care institutions: Developments in the past decade. <i>Health Policy</i> , 2009, 92, 79-88.	3.0	20
45	A cluster randomized controlled trial on the effects and costs of advance care planning in elderly care: study protocol. <i>BMC Geriatrics</i> , 2015, 15, 87.	2.7	20
46	Public and physicians' support for euthanasia in people suffering from psychiatric disorders: a cross-sectional survey study. <i>BMC Medical Ethics</i> , 2019, 20, 62.	2.4	20
47	Physicians' and Public Attitudes Toward Euthanasia in People with Advanced Dementia. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2319-2328.	2.6	19
48	Evaluation showed that stakeholders valued the support provided by the Implementing Pediatric Advance Care Planning Toolkit. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 237-246.	1.5	19
49	Descriptions by General Practitioners and Nurses of Their Collaboration in Continuous Sedation Until Death at Home: In-Depth Qualitative Interviews in Three European Countries. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 98-109.	1.2	18
50	The Rising Frequency of Continuous Deep Sedation in the Netherlands, a Repeated Cross-Sectional Survey in 2005, 2010, and 2015. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1367-1372.	2.5	17
51	A "Suicide Pill" For Older People: Attitudes of Physicians, the General Population, and Relatives of Patients who died After Euthanasia or Physician-Assisted Suicide in The Netherlands. <i>Death Studies</i> , 2005, 29, 519-534.	2.7	16
52	Palliative sedation: The end of heated debate?. <i>Palliative Medicine</i> , 2018, 32, 1639-1640.	3.1	16
53	Satisfaction with care of hospitalised patients with advanced cancer in the Netherlands. <i>European Journal of Cancer Care</i> , 2018, 27, e12874.	1.5	16
54	Physicians' Opinion and Practice With the Continuous Use of Sedatives in the Last Days of Life. <i>Journal of Pain and Symptom Management</i> , 2022, 63, 78-87.	1.2	16

#	ARTICLE	IF	CITATIONS
55	Old age and forgoing treatment: a nationwide mortality follow-back study in the Netherlands. <i>Journal of Medical Ethics</i> , 2015, 41, 766-770.	1.8	15
56	Barriers and facilitators to implementation of the Liverpool Care Pathway in the Netherlands: a qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 259-265.	1.6	15
57	Home-Based Palliative Care for Children With Incurable Cancer: Long-term Perspectives of and Impact on General Practitioners. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 578-587.	1.2	15
58	Medical and Nonmedical Determinants of Decision Making about Potentially Life-Prolonging Interventions. <i>Medical Decision Making</i> , 2004, 24, 518-524.	2.4	14
59	Presence, communication and treatment of fatigue and pain complaints in incurable cancer patients. <i>Patient Education and Counseling</i> , 2008, 72, 102-108.	2.2	13
60	Physician-Reported Symptoms and Interventions in People with Intellectual Disabilities Approaching End of Life. <i>Journal of Palliative Medicine</i> , 2016, 19, 1142-1147.	1.1	13
61	Understanding the Continuation of Potentially Inappropriate Medications at the End of Life: Perspectives from Individuals and Their Relatives and Physicians. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2602-2604.	2.6	13
62	Survey of paediatricians caring for children with life-limiting conditions found that they were involved in advance care planning. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1011-1018.	1.5	13
63	Obligatory consultation of an independent physician on euthanasia requests in the Netherlands: What influences the SCEN physicians judgment of the legal requirements of due care?. <i>Health Policy</i> , 2014, 115, 75-81.	3.0	12
64	Ritualization as Alternative Approach to the Spiritual Dimension of Palliative Care: A Concept Analysis. <i>Journal of Religion and Health</i> , 2019, 58, 2036-2046.	1.7	12
65	Dying in times of COVID-19: Experiences in different care settings – An online questionnaire study among bereaved relatives (the CO-LIVE study). <i>Palliative Medicine</i> , 2022, 36, 751-761.	3.1	12
66	Admissions to inpatient care facilities in the last year of life of community-dwelling older people in Europe. <i>European Journal of Public Health</i> , 2017, 27, 814-821.	0.3	11
67	Medication Discontinuation at the End of Life: A Questionnaire Study on Physicians' Experiences and Opinions. <i>Journal of Palliative Medicine</i> , 2018, 21, 1166-1170.	1.1	11
68	Scopolaminebutyl given prophylactically for death rattle: study protocol of a randomized double-blind placebo-controlled trial in a frail patient population (the SILENCE study). <i>BMC Palliative Care</i> , 2018, 17, 105.	1.8	11
69	Implantable cardioverter defibrillator deactivation and advance care planning: a focus group study. <i>Heart</i> , 2020, 106, heartjnl-2019-315721.	2.9	11
70	Experiences with and outcomes of Advance Care Planning in bereaved relatives of frail older patients: a mixed methods study. <i>Age and Ageing</i> , 2019, 48, 299-306.	1.6	10
71	Advance Care Planning for frail older adults: Findings on costs in a cluster randomised controlled trial. <i>Palliative Medicine</i> , 2019, 33, 291-300.	3.1	10
72	Predictors of Mortality in Patients with Advanced Cancer – A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 328.	3.7	10

#	ARTICLE	IF	CITATIONS
73	Role of nurses in medication management at the end of life: a qualitative interview study. <i>BMC Palliative Care</i> , 2020, 19, 68.	1.8	9
74	Barriers in care for children with life-threatening conditions: a qualitative interview study in the Netherlands. <i>BMJ Open</i> , 2020, 10, e035863.	1.9	9
75	Decision-making after ultrasound diagnosis of fetal abnormality. <i>European Clinics in Obstetrics and Gynaecology</i> , 2007, 3, 89-95.	0.4	8
76	End-of-Life Decisions in Pediatric Cancer Patients. <i>Journal of Palliative Medicine</i> , 2015, 18, 697-702.	1.1	8
77	Quality of collaboration and information handovers in palliative care: a survey study on the perspectives of nurses in the Southwest Region of the Netherlands. <i>European Journal of Public Health</i> , 2020, 30, 720-727.	0.3	8
78	Palliative care nurse championsâ€™ views on their role and impact: a qualitative interview study among hospital and home care nurses. <i>BMC Palliative Care</i> , 2021, 20, 34.	1.8	8
79	Palliative care consultation services in hospitals in the Netherlands: the design of the COMPASS study. <i>BMC Palliative Care</i> , 2015, 14, 68.	1.8	7
80	Development of the care programme for the last days of life for older patients in acute geriatric hospital wards: a phase I study according to the Medical Research Council Framework. <i>BMC Palliative Care</i> , 2015, 14, 24.	1.8	7
81	Interventions in hospitalised patients with cancer: the importance of impending death awareness. <i>BMJ Supportive and Palliative Care</i> , 2018, 8, 278-281.	1.6	7
82	Physiciansâ€™ views on the usefulness and feasibility of identifying and disclosing patientsâ€™ last phase of life: a focus group study. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2020-002764.	1.6	7
83	Use of antithrombotics at the end of life: an in-depth chart review study. <i>BMC Palliative Care</i> , 2021, 20, 110.	1.8	7
84	Effects of Implementation of a Standardized Palliative Care Pathway for Patients with Advanced Cancer in a Hospital: A Prospective Pre- and Postintervention Study. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 451-459.	1.2	7
85	Predictors of mortality in chronic obstructive pulmonary disease: a systematic review and meta-analysis. <i>BMC Pulmonary Medicine</i> , 2022, 22, 125.	2.0	7
86	Effectiveness of a nurse-delivered (FOCUS+) and a web-based (iFOCUS) psychoeducational intervention for people with advanced cancer and their family caregivers (DIAdIC): study protocol for an international randomized controlled trial. <i>BMC Palliative Care</i> , 2021, 20, 193.	1.8	7
87	Evaluating quality of care at the end of life and setting best practice performance standards: a population-based observational study using linked routinely collected administrative databases. <i>BMC Palliative Care</i> , 2022, 21, 51.	1.8	7
88	The association between palliative care team consultation and hospital costs for patients with advanced cancer: An observational study in 12 Dutch hospitals. <i>European Journal of Cancer Care</i> , 2020, 29, e13198.	1.5	6
89	The Impact of Palliative Care Team Consultation on Quality of Life of Patients with Advanced Cancer in Dutch Hospitals: An Observational Study. <i>Oncology Research and Treatment</i> , 2020, 43, 405-413.	1.2	6
90	Physicians' Opinions on Anticoagulant Therapy in Patients with a Limited Life Expectancy. <i>Seminars in Thrombosis and Hemostasis</i> , 2021, 47, 735-744.	2.7	6

#	ARTICLE	IF	CITATIONS
91	Physicians' perspectives on estimating and communicating prognosis in palliative care: a cross-sectional survey. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101078.	1.8	6
92	Doctor-assisted dying: what difference does legalisation make?. <i>Lancet, The</i> , 2004, 364, 24-25.	13.7	5
93	Development and dissemination of institutional practice guidelines on medical end-of-life decisions in Dutch health care institutions. <i>Health Policy</i> , 2010, 94, 230-238.	3.0	5
94	Palliative care in children with cancer: implications for general practice. <i>British Journal of General Practice</i> , 2016, 66, 599-600.	1.4	5
95	Care and Decision-Making at the End of Life for Patients With a Non-Western Migration Background Living in The Netherlands: A Nationwide Mortality Follow-Back Study. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 990-1000.e5.	1.2	5
96	Information needs of patients with chronic diseases and their relatives for web-based advance care planning: a qualitative interview study. <i>BMC Palliative Care</i> , 2021, 20, 77.	1.8	5
97	Assisted suicide and euthanasia. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2013, 118, 181-189.	1.8	4
98	Euthanasia for Minors in Belgium. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 1258.	7.4	4
99	Two decades of do-not-resuscitate decisions in the Netherlands. <i>Resuscitation</i> , 2015, 94, e7-e8.	3.0	4
100	Depressive symptoms in the last days of life of patients with cancer: a nationwide retrospective mortality study. <i>BMJ Supportive and Palliative Care</i> , 2016, 6, 201-209.	1.6	4
101	Better drug use in advanced disease: an international Delphi study. <i>BMJ Supportive and Palliative Care</i> , 2018, , bmjspcare-2018-001623.	1.6	4
102	The COMPASS study: A descriptive study on the characteristics of palliative care team consultation for cancer patients in hospitals. <i>European Journal of Cancer Care</i> , 2020, 29, e13172.	1.5	4
103	End-of-life care for homeless people in shelter-based nursing care settings: A retrospective record study. <i>Palliative Medicine</i> , 2020, 34, 1374-1384.	3.1	4
104	Advance care planning and end-of-life care in patients with an implantable cardioverter defibrillator: The perspective of relatives. <i>Palliative Medicine</i> , 2021, 35, 904-915.	3.1	4
105	Untangling the relationship between negative illness perceptions and worse quality of life in patients with advanced cancer—a study from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , 2021, 29, 6411-6419.	2.2	4
106	Development and implementation of a transmural palliative care consultation service: a multiple case study in the Netherlands. <i>BMC Palliative Care</i> , 2021, 20, 81.	1.8	4
107	Clinical decision support system to optimise symptom management in palliative medicine: focus group study. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e397-e407.	1.6	4
108	Quality of hospital discharge letters for patients at the end of life: A retrospective medical record review. <i>European Journal of Cancer Care</i> , 2022, 31, e13524.	1.5	4



#	ARTICLE	IF	CITATIONS
109	Prediction Models for Future High-Need High-Cost Healthcare Use: a Systematic Review. <i>Journal of General Internal Medicine</i> , 2022, 37, 1763-1770.	2.6	4
110	The prognostic value of the 12â€¢, 6â€¢, 3â€¢ and 1â€¢ month â€¢ Surprise Questionâ€¢™ in cancer patients: A prospective cohort study in three hospitals. <i>European Journal of Cancer Care</i> , 2022, 31, e13551.	1.5	4
111	Measuring advance care planning behavior in Dutch adults: translation, cultural adaptation and validation of the Advance Care Planning Engagement Survey. <i>BMC Medical Research Methodology</i> , 2021, 21, 194.	3.1	3
112	Physician adherence to clinical guidelines in euthanasia and assisted suicide in the Netherlands: a qualitative study. <i>Family Practice</i> , 2019, 37, 269-275.	1.9	2
113	Supportive nursing care for family caregivers â€¢ A retrospective nursing file study. <i>Applied Nursing Research</i> , 2021, 59, 151434.	2.2	2
114	The development of the ADO-SQ model to predict 1-year mortality in patients with COPD. <i>Palliative Medicine</i> , 2022, 36, 821-829.	3.1	2
115	Seymour et al. Palliative sedation: Improvement of guidelines necessary, but not sufficient: A reply.. <i>Palliative Medicine</i> , 2015, 29, 481-481.	3.1	1
116	Practices of Ritualization in a Dutch Hospice Setting. <i>Religions</i> , 2020, 11, 571.	0.6	1
117	Intentionally ending one's own life in the presence or absence of a medical condition: A nationwide mortality follow-back study. <i>SSM - Population Health</i> , 2021, 15, 100871.	2.7	1
118	Advance care planningâ€¢ family carer psychological distress and involvement in decision making: the ACTION trial. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e807-e811.	1.6	1
119	O-29â€¢...A cluster randomised controlled trial on the effects and costs of advance care planning in elderly care. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, A9.2-A9.	1.6	0
120	Reflections on Including Patients in a Randomized Placebo-Controlled Multicentre Trial in the Dying Phase â€¢ the SILENCE Study. <i>Journal of Pain and Symptom Management</i> , 2021, , .	1.2	0
121	Title is missing!. , 2020, 17, e1003422.		0
122	Title is missing!. , 2020, 17, e1003422.		0
123	Title is missing!. , 2020, 17, e1003422.		0
124	Title is missing!. , 2020, 17, e1003422.		0
125	Title is missing!. , 2020, 17, e1003422.		0
126	Title is missing!. , 2020, 17, e1003422.		0



#	ARTICLE	IF	CITATIONS
127	Title is missing!. , 2020, 17, e1003422.		0
128	Advance care planning in amyotrophic lateral sclerosis (ALS): study protocol for a qualitative longitudinal study with persons with ALS and their family carers. BMJ Open, 2022, 12, e060451.	1.9	0