
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2796713/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association of lowâ€level viremia with mortality among people living with <scp>HIV</scp> on antiretroviral therapy in Dehong, Southwest China: A retrospective cohort study. HIV Medicine, 2023, 24, 37-45.	2.2	4
2	Risk Factors for Death Among the First 80 543 Coronavirus Disease 2019 (COVID-19) Cases in China: Relationships Between Age, Underlying Disease, Case Severity, and Region. Clinical Infectious Diseases, 2022, 74, 630-638.	5.8	16
3	Turnover intention among service providers in Chinese methadone maintenance treatment clinics. Zeitschrift Fur Gesundheitswissenschaften, 2021, 29, 979-984.	1.6	0
4	The Enigma of the Human Immunodeficiency Virus (HIV) Epidemic in China. Clinical Infectious Diseases, 2021, 72, 876-881.	5.8	29
5	Asymptomatic SARS-CoV-2 Infections Among Persons Entering China From April 16 to October 12, 2020. JAMA - Journal of the American Medical Association, 2021, 325, 489.	7.4	26
6	A Method for Estimating the Proportion of HIV-Infected Persons That Have Been Diagnosed and Application to China. Statistics in Biosciences, 2020, 12, 267-278.	1.2	1
7	Job Satisfaction Among Methadone Maintenance Treatment Clinic Service Providers in Jiangsu, China: A Cross-sectional Survey. Journal of Addiction Medicine, 2020, 14, 12-17.	2.6	1
8	Time Course of a Second Outbreak of COVID-19 in Beijing, China, June-July 2020. JAMA - Journal of the American Medical Association, 2020, 324, 1458.	7.4	48
9	Asymptomatic and Pre-Symptomatic COVID-19 in China. Infectious Diseases of Poverty, 2020, 9, 72.	3.7	38
10	COVID-19 seeding time and doubling time model: an early epidemic risk assessment tool. Infectious Diseases of Poverty, 2020, 9, 76.	3.7	15
11	Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China. JAMA - Journal of the American Medical Association, 2020, 323, 1239.	7.4	14,320
12	The Revolution of HIV Testing. , 2020, , 251-268.		2
13	The National Methadone Maintenance Treatment Program. , 2020, , 177-200.		0
14	Preventing HIV Transmission Among Men Who Have Sex with Men. , 2020, , 151-176.		0
15	Nationwide Cohort Study of Antiretroviral Therapy Timing: Treatment Dropout and Virological Failure in China, 2011–2015. Clinical Infectious Diseases, 2019, 68, 43-50.	5.8	21
16	HIV-positive clients of female sex workers in Hunan Province, China: a mixed methods study assessing sexual relationships and risk behavior by type of partner. BMC Public Health, 2019, 19, 1129.	2.9	8
17	Spectrum of malignancies among the population of adults living with HIV infection in China: A nationwide follow-up study, 2008–2011. PLoS ONE, 2019, 14, e0219766.	2.5	11
18	App use frequency and condomless anal intercourse among men who have sex with men in Beijing, China: a cross-sectional study. International Journal of STD and AIDS, 2019, 30, 1146-1155.	1.1	7

#	Article	IF	CITATIONS
19	Short-term acceptability of female condom use among low-fee female sex workers in China: a follow-up study. BMC Women's Health, 2019, 19, 77.	2.0	5
20	Stigma towards people who use drugs: A case vignette study in methadone maintenance treatment clinics in China. International Journal of Drug Policy, 2019, 71, 73-77.	3.3	7
21	The Benefits of Immediate ART. Journal of the International Association of Providers of AIDS Care, 2019, 18, 232595821983171.	1.5	11
22	An intervention to improve provider-patient interaction at methadone maintenance treatment in China. Journal of Substance Abuse Treatment, 2019, 99, 149-155.	2.8	1
23	Risks and challenges of HIV infection transmitted via blood transfusion. Biosafety and Health, 2019, 1, 124-128.	2.7	6
24	History of the HIV Epidemic in China. Current HIV/AIDS Reports, 2019, 16, 458-466.	3.1	97
25	A community-based comprehensive intervention to reduce syphilis infection among low-fee female sex workers in China: a matched-pair, community-based randomized study. Infectious Diseases of Poverty, 2019, 8, 97.	3.7	6
26	External validation of a prediction tool to estimate the risk of human immunodeficiency virus infection amongst men who have sex with men. Medicine (United States), 2019, 98, e16375.	1.0	7
27	An intervention trial targeting methadone maintenance treatment providers to improve clients' treatment retention in China. Drug and Alcohol Dependence, 2019, 194, 143-150.	3.2	6
28	The Human Immunodeficiency Virus Care Continuum in China: 1985–2015. Clinical Infectious Diseases, 2018, 66, 833-839.	5.8	48
29	Reply to Pan et al. Clinical Infectious Diseases, 2018, 67, 644-645.	5.8	1
30	Reply to Zhang et al. Clinical Infectious Diseases, 2018, 67, 809-810.	5.8	3
31	Immediate Antiretroviral Therapy Decreases Mortality Among Patients With High CD4 Counts in China: A Nationwide, Retrospective Cohort Study. Clinical Infectious Diseases, 2018, 66, 727-734.	5.8	46
32	Prioritisation of subgroups for immediate antiretroviral therapy. Lancet HIV,the, 2018, 5, e206.	4.7	1
33	Outbreak of HIV Infection Linked to Nosocomial Transmission, China, 2016–2017. Emerging Infectious Diseases, 2018, 24, 2141-2149.	4.3	10
34	HIV screening among patients seeking care at Xuanwu Hospital: A cross-sectional study in Beijing, China, 2011–2016. PLoS ONE, 2018, 13, e0208008.	2.5	5
35	Synthetic drug use and HIV infection among men who have sex with men in China: A sixteen-city, cross-sectional survey. PLoS ONE, 2018, 13, e0200816.	2.5	20
36	Factors related to client satisfaction with methadone maintenance treatment in China. Journal of Substance Abuse Treatment, 2017, 77, 201-206.	2.8	8

#	Article	IF	CITATIONS
37	Psychological distress among re-education through labour camp detainees in Guangxi Autonomous Region, China. Journal of Mental Health, 2017, 26, 57-65.	1.9	0
38	Comparison Between Urinalysis Results and Self-Reported Heroin Use Among Patients Undergoing Methadone Maintenance Treatment in China. Substance Use and Misuse, 2017, 52, 1307-1314.	1.4	6
39	Testing and linkage to HIV care in China: a cluster-randomised trial. Lancet HIV,the, 2017, 4, e555-e565.	4.7	35
40	Closing the NIH Fogarty Center threatens US and global health. Lancet, The, 2017, 390, 451.	13.7	2
41	HIV care-seeking behaviour after HIV self-testing among men who have sex with men in Beijing, China: a cross-sectional study. Infectious Diseases of Poverty, 2017, 6, 112.	3.7	22
42	Care cascade structural intervention versus standard of care in the diagnosis and treatment of HIV in China: a cluster-randomized controlled trial protocol. BMC Health Services Research, 2017, 17, 397.	2.2	3
43	Report on Provider–Client Interaction From 68 Methadone Maintenance Clinics in China. Health Communication, 2017, 32, 1368-1375.	3.1	6
44	Mortality and virological failure among HIV-infected people who inject drugs on antiretroviral treatment in China: An observational cohort study. Drug and Alcohol Dependence, 2017, 170, 189-197.	3.2	11
45	Epidemiology of HIV/AIDS in China: recent trends. Global Health Journal (Amsterdam, Netherlands), 2017, 1, 26-32.	3.6	10
46	HIV in China: 30 Years in Numbers. , 2017, , 119-137.		2
47	Fulfilling a Promise: Universal Care. , 2017, , 61-77.		0
48	Estimating HIV incidence among key affected populations in China from serial crossâ€sectional surveys in 2010–2014. Journal of the International AIDS Society, 2016, 19, 20609.	3.0	39
49	Enhancing HIV Testing and Treatment among Men Who Have Sex with Men in China: A Pilot Model with Two-Rapid Tests, Single Blood Draw Session, and Intensified Case Management in Six Cities in 2013. PLoS ONE, 2016, 11, e0166812.	2.5	8
50	Baseline HCV Antibody Prevalence and Risk Factors among Drug Users in China's National Methadone Maintenance Treatment Program. PLoS ONE, 2016, 11, e0147922.	2.5	8
51	Loss to Follow-Up from HIV Screening to ART Initiation in Rural China. PLoS ONE, 2016, 11, e0164346.	2.5	13
52	Cost-Effectiveness of the â€~One4All' HIV Linkage Intervention in Guangxi Zhuang Autonomous Region, China. PLoS ONE, 2016, 11, e0167308.	2.5	19
53	Differences in risk behaviours and HIV/STI prevalence between low-fee and medium-fee female sex workers in three provinces in China. Sexually Transmitted Infections, 2016, 92, 309-315.	1.9	23
54	HIV and STI risk reduction through physician training. The Lancet Global Health, 2016, 4, e2-e3.	6.3	2

#	Article	IF	CITATIONS
55	HIV seroconversion and risk factors among drug users receiving methadone maintenance treatment in China: A qualitative study. Drug and Alcohol Dependence, 2016, 167, 169-174.	3.2	4
56	Risk Factor Associated with Negative Spouse HIV Seroconversion among Sero-Different Couples: A Nested Case-Control Retrospective Survey Study in 30 Counties in Rural China. PLoS ONE, 2016, 11, e0164761.	2.5	10
57	Towards ending <scp>HIV</scp> / <scp>AIDS</scp> among drug users in <scp>C</scp> hina. Addiction, 2015, 110, 1-3.	3.3	9
58	Predictors of accessing antiretroviral therapy among <scp>HIV</scp> â€positive drug users in <scp>C</scp> hina's <scp>N</scp> ational <scp>M</scp> ethadone <scp>M</scp> aintenance <scp>T</scp> reatment <scp>P</scp> rogramme. Addiction, 2015, 110, 40-50.	3.3	10
59	The Potential Impact of Preventive HIV Vaccines in China: Results and Benefits of a Multi-Province Modeling Collaboration. Vaccines, 2015, 3, 1-19.	4.4	4
60	Drug Use and HIV Infection Status of Detainees in Re-Education through Labour Camps in Guangxi Province, China. International Journal of Environmental Research and Public Health, 2015, 12, 4502-4519.	2.6	8
61	Effects of a Quasi-Randomized Web-Based Intervention on Risk Behaviors and Treatment Seeking Among HIV-Positive Men Who Have Sex With Men in Chengdu, China. Current HIV Research, 2015, 13, 490-496.	0.5	16
62	Bridging the Epidemic: A Comprehensive Analysis of Prevalence and Correlates of HIV, Hepatitis C, and Syphilis, and Infection among Female Sex Workers in Guangxi Province, China. PLoS ONE, 2015, 10, e0115311.	2.5	35
63	Addressing HIV stigma in protected medical settings. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 1439-1442.	1.2	17
64	Who uses methadone services in <scp>C</scp> hina? Monitoring the world's largest methadone programme. Addiction, 2015, 110, 29-39.	3.3	29
65	Task shifting of HIV/AIDS case management to Community Health Service Centers in urban China: a qualitative policy analysis. BMC Health Services Research, 2015, 15, 253.	2.2	17
66	Needle and syringe exchange programmes and prevalence of <scp>HIV</scp> infection among intravenous drug users in <scp>C</scp> hina. Addiction, 2015, 110, 61-67.	3.3	13
67	<scp>HIV</scp> epidemic among drug users in <scp>C</scp> hina: 1995–2011. Addiction, 2015, 110, 20-28.	3.3	40
68	Methadone treatment in primary care. Lancet HIV,the, 2015, 2, e408-e409.	4.7	1
69	Simplified HIV Testing and Treatment in China: Analysis of Mortality Rates Before and After a Structural Intervention. PLoS Medicine, 2015, 12, e1001874.	8.4	52
70	HIV, hepatitis B virus, and hepatitis C virus co-infection in patients in the China National Free Antiretroviral Treatment Program, 2010–12: a retrospective observational cohort study. Lancet Infectious Diseases, The, 2014, 14, 1065-1072.	9.1	109
71	Retention and its predictors among methadone maintenance treatment clients in China: A six-year cohort study. Drug and Alcohol Dependence, 2014, 145, 87-93.	3.2	33
72	High prevalence of HIV and syphilis and associated factors among low-fee female sex workers in mainland China: a cross-sectional study. BMC Infectious Diseases, 2014, 14, 225.	2.9	28

#	Article	IF	CITATIONS
73	Continued drug use during methadone treatment in China: A retrospective analysis of 19,026 service users. Journal of Substance Abuse Treatment, 2014, 47, 86-92.	2.8	29
74	Challenges and potential barriers to the uptake of antiretroviral-based prevention in Asia and the Pacific region. Sexual Health, 2014, 11, 126.	0.9	14
75	HIV prevalence and highâ€risk sexual behaviours among MSM repeat and firstâ€time testers in China: implications for HIV prevention. Journal of the International AIDS Society, 2014, 17, 18848.	3.0	33
76	Sexual Dysfunction Improved in Heroin-Dependent Men after Methadone Maintenance Treatment in Tianjin, China. PLoS ONE, 2014, 9, e88289.	2.5	25
77	Baseline CD4 Cell Counts of Newly Diagnosed HIV Cases in China: 2006–2012. PLoS ONE, 2014, 9, e96098.	2.5	36
78	HIV Incidence and Risk Factors in Chinese Young Men Who Have Sex with Men—A Prospective Cohort Study. PLoS ONE, 2014, 9, e97527.	2.5	30
79	Addressing Injecting Drug Use in Asia and Eastern Europe. Current HIV/AIDS Reports, 2013, 10, 187-193.	3.1	14
80	HIV prevalence in China: integration of surveillance data and a systematic review. Lancet Infectious Diseases, The, 2013, 13, 955-963.	9.1	229
81	Referring heroin users from compulsory detoxification centers to community methadone maintenance treatment: a comparison of three models. BMC Public Health, 2013, 13, 747.	2.9	8
82	Time to first treatment interruption in the Chinese methadone maintenance treatment programme. Drug and Alcohol Dependence, 2013, 133, 427-432.	3.2	15
83	An intervention targeting service providers and clients for methadone maintenance treatment in <scp>C</scp> hina: a clusterâ€randomized trial. Addiction, 2013, 108, 356-366.	3.3	26
84	Scaling up opioid dependence treatment in low- and middle-income settings. Bulletin of the World Health Organization, 2013, 91, 82-82A.	3.3	10
85	Methadone maintenance treatment and mortality in HIV-positive people who inject opioids in China. Bulletin of the World Health Organization, 2013, 91, 93-101.	3.3	28
86	Human resource development and capacity-building during China's rapid scale-up of methadone maintenance treatment services. Bulletin of the World Health Organization, 2013, 91, 130-135.	3.3	22
87	Arguments in favour of compulsory treatment of opioid dependence. Bulletin of the World Health Organization, 2013, 91, 142-145.	3.3	39
88	HIV and Syphilis Prevalence Among Men Who Have Sex With Men: A Cross-Sectional Survey of 61 Cities in China. Clinical Infectious Diseases, 2013, 57, 298-309.	5.8	201
89	Factors Associated With Mortality of HIV-Positive Clients Receiving Methadone Maintenance Treatment in China. Journal of Infectious Diseases, 2013, 208, 442-453.	4.0	17
90	Reducing HIV-Related Stigma in Health Care Settings: A Randomized Controlled Trial in China. American Journal of Public Health, 2013, 103, 286-292.	2.7	82

#	Article	IF	CITATIONS
91	Risks and Predictors of Current Suicidality in HIV-Infected Heroin Users in Treatment in Yunnan, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, 311-316.	2.1	25
92	Antiretroviral Therapy Reduces HIV Transmission in Discordant Couples in Rural Yunnan, China. PLoS ONE, 2013, 8, e77981.	2.5	48
93	Mortality among Methadone Maintenance Clients in China: A Six-Year Cohort Study. PLoS ONE, 2013, 8, e82476.	2.5	20
94	Internet-Facilitated, Voluntary Counseling and Testing (VCT) Clinic-Based HIV Testing among Men Who Have Sex with Men in China. PLoS ONE, 2013, 8, e51919.	2.5	61
95	Condom Use with Various Types Of Sex Partners by Money Boys in China. AIDS Education and Prevention, 2012, 24, 163-178.	1.1	7
96	Optimizing the engagement of care cascade. Current Opinion in HIV and AIDS, 2012, 7, 579-586.	3.8	93
97	Empathy and avoidance in treating patients living with HIV/AIDS (PLWHA) among service providers in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2012, 24, 1341-1348.	1.2	31
98	Provider–Client Interaction in Methadone Treatment Clinics in China. Journal of Drug Issues, 2012, 42, 147-155.	1.2	14
99	Unprotected Sex Among HIV-Positive Treatment-Seeking Opioid-Dependent Adults in China. Sexually Transmitted Diseases, 2012, 39, 930-937.	1.7	5
100	Reducing STD/HIV Stigmatizing Attitudes Through Community Popular Opinion Leaders in Chinese Markets. Human Communication Research, 2012, 38, 379-405.	3.4	16
101	A Survey of Condom Use Behaviors and HIV/STI Prevalence Among Venue-Based Money Boys in Shenzhen, China. AIDS and Behavior, 2012, 16, 835-846.	2.7	27
102	HIV-Related High-Risk Behaviors among Chinese Migrant Construction Laborers in Nantong, Jiangsu. PLoS ONE, 2012, 7, e31986.	2.5	30
103	Opiate Users' Perceived Barriers Against Attending Methadone Maintenance Therapy: A Qualitative Study in China. Substance Use and Misuse, 2011, 46, 1190-1198.	1.4	49
104	Needle and syringe programs in Yunnan, China yield health and financial return. BMC Public Health, 2011, 11, 250.	2.9	26
105	Normative Beliefs and Sexual Risk in China. AIDS and Behavior, 2011, 15, 1251-1258.	2.7	8
106	Reductions in sexually transmitted infections associated with popular opinion leaders in China in a randomised controlled trial. Sexually Transmitted Infections, 2011, 87, 337-343.	1.9	18
107	The integration of multiple HIV/AIDS projects into a coordinated national programme in China. Bulletin of the World Health Organization, 2011, 89, 227-233.	3.3	30
108	Attitudinal, Behavioral, and Biological Outcomes of a Community Popular Opinion Leader Intervention in China. AIDS Education and Prevention, 2011, 23, 448-456.	1.1	6

#	Article	IF	CITATIONS
109	The HIV Epidemic in Yunnan Province, China, 1989-2007. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S34-S40.	2.1	99
110	Prevalence of HIV and STIs and Associated Risk Factors Among Female Sex Workers in Guangdong Province, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S48-S53.	2.1	49
111	HIV/STD Prevalence Among Men Who Have Sex With Men in Chengdu, China and Associated Risk Factors for HIV Infection. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S74-S80.	2.1	119
112	Challenges in providing services in methadone maintenance therapy clinics in China: Service providers' perceptions. International Journal of Drug Policy, 2010, 21, 173-178.	3.3	40
113	China AIDS policy implementation: reversing the HIV/AIDS epidemic by 2015. International Journal of Epidemiology, 2010, 39, ii1-ii3.	1.9	42
114	Estimating the number of people living with HIV/AIDS in China: 2003-09. International Journal of Epidemiology, 2010, 39, ii21-ii28.	1.9	65
115	Scaling up the national methadone maintenance treatment program in China: achievements and challenges. International Journal of Epidemiology, 2010, 39, ii29-ii37.	1.9	137
116	Quality of life of children living in HIV/AIDS-affected families in rural areas in Yunnan, China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 390-396.	1.2	40
117	Scaling up prevention programmes to reduce the sexual transmission of HIV in China. International Journal of Epidemiology, 2010, 39, ii38-ii46.	1.9	58
118	Development of a unified web-based national HIV/AIDS information system in China. International Journal of Epidemiology, 2010, 39, ii79-ii89.	1.9	80
119	Evolution of information-driven HIV/AIDS policies in China. International Journal of Epidemiology, 2010, 39, ii4-ii13.	1.9	76
120	HIV prevention intervention to reduce HIV-related stigma: evidence from China. Aids, 2010, 24, 115-122.	2.2	51
121	HIV Among Plasma Donors and Other High-Risk Groups in Henan, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S41-S47.	2.1	36
122	Evolution of Men Who Have Sex With Men Community and Experienced Stigma Among Men Who Have Sex With Men in Chengdu, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S98-S103.	2.1	120
123	Quantitatively monitoring AIDS policy implementation in China. International Journal of Epidemiology, 2010, 39, ii90-ii96.	1.9	17
124	Syphilis and Social Upheaval in China. New England Journal of Medicine, 2010, 363, 1088-1089.	27.0	13
125	Structural-level factors affecting implementation of the methadone maintenance therapy program in China. Journal of Substance Abuse Treatment, 2010, 38, 119-127.	2.8	44
126	Self-Reported Sexually Transmitted Disease Symptoms and Treatment-Seeking Behaviors in China. AIDS Patient Care and STDs, 2009, 23, 443-448.	2.5	9

#	Article	IF	CITATIONS
127	Sociocultural Contexts and Communication about Sex in China: Informing HIV/STD Prevention Programs. AIDS Education and Prevention, 2009, 21, 415-429.	1.1	32
128	Individual attitudes and perceived social norms: Reports on HIV/AIDSâ€related stigma among service providers in China. International Journal of Psychology, 2009, 44, 443-450.	2.8	37
129	Correlates of methadone client retention: A prospective cohort study in Guizhou province, China. International Journal of Drug Policy, 2009, 20, 304-308.	3.3	39
130	Visiting Entertainment Venues and Sexual Health in China. Archives of Sexual Behavior, 2009, 38, 814-820.	1.9	20
131	Psychosocial Well-being of Children in HIV/AIDS-Affected Families in Southwest China: A Qualitative Study. Journal of Child and Family Studies, 2009, 18, 21-30.	1.3	21
132	Mass Media and HIV/AIDS in China. Journal of Health Communication, 2009, 14, 424-438.	2.4	54
133	†Social evils' and harm reduction: the evolving policy environment for human immunodeficiency virus prevention among injection drug users in China and Vietnam. Addiction, 2008, 103, 137-145.	3.3	82
134	Institutional support for HIV/AIDS care in China: a multilevel analysis. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2008, 20, 1190-1196.	1.2	20
135	A Brief HIV Stigma Reduction Intervention for Service Providers in China. AIDS Patient Care and STDs, 2008, 22, 513-520.	2.5	86
136	Using case vignettes to measure HIV-related stigma among health professionals in China. International Journal of Epidemiology, 2007, 36, 178-184.	1.9	62
137	Selecting at-risk populations for sexually transmitted disease/HIV intervention studies. Aids, 2007, 21, S81-S87.	2.2	14
138	Sexually Transmitted Diseases and Risk Behaviors Among Market Vendors in China. Sexually Transmitted Diseases, 2007, 34, 1030-1034.	1.7	11
139	Effectiveness of first eight methadone maintenance treatment clinics in China. Aids, 2007, 21, S103-S107.	2.2	141
140	Evaluation of a needle social marketing strategy to control HIV among injecting drug users in China. Aids, 2007, 21, S115-S122.	2.2	53
141	Evolution of China's response to HIV/AIDS. Lancet, The, 2007, 369, 679-690.	13.7	424
142	Diffusion of Positive AIDS Care Messages Among Service Providers in China. AIDS Education and Prevention, 2007, 19, 511-518.	1.1	16
143	Rapid scale up of harm reduction in China. International Journal of Drug Policy, 2007, 18, 118-128.	3.3	170
144	HIV/STD Stigmatization Fears as Health-Seeking Barriers in China. AIDS and Behavior, 2006, 10, 463-471.	2.7	118

#	Article	IF	CITATIONS
145	Correlates of HIV infection among former blood/plasma donors in rural China. Aids, 2006, 20, 585-591.	2.2	48
146	PUBLIC HEALTH: HIV Testing in China. Science, 2006, 312, 1475-1476.	12.6	137
147	HIV-Related Stigma Among Market Workers in China Health Psychology, 2005, 24, 435-438.	1.6	42
148	The HIV/AIDS Epidemic in China: History, Current Strategies and Future Challenges. AIDS Education and Prevention, 2004, 16, 7-17.	1.1	150
149	Sexually Transmitted Disease Prevalence and Characteristics of Market Vendors in Eastern China. Sexually Transmitted Diseases, 2003, 30, 803-808.	1.7	53
150	Diffusion of HIV/AIDS Knowledge, Positive Attitudes, and Behaviors Through Training of Health Professionals in China. AIDS Education and Prevention, 2002, 14, 379-390.	1.1	53
151	A rapid assessment and its implications for a needle social marketing intervention among injecting drug users in China. International Journal of Drug Policy, 2002, 13, 57-68.	3.3	18
152	Risk factors for intravenous drug use and sharing equipment among young male drug users in Longchuan County, south-west China. Aids, 1996, 10, 1017-1024.	2.2	37
153	Risk factors for initiation of drug use among young males in southwest China. Addiction, 1996, 91, 1675-1685.	3.3	9
154	Risk factors for initiation of drug use among young males in southwest China. Addiction, 1996, 91, 1675-1685.	3.3	18
155	HIV-1 infection in commercial plasma donors in China. Lancet, The, 1995, 346, 61-62.	13.7	140