

William Hollingworth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2797279/publications.pdf>

Version: 2024-02-01

174
papers

5,962
citations

109137

35
h-index

95083

68
g-index

183
all docs

183
docs citations

183
times ranked

9907
citing authors

#	ARTICLE	IF	CITATIONS
1	Depressive and subthreshold depressive symptomatology among older adults in a socioeconomically deprived area in Brazil. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	5
2	In Search for Comparability: The PECUNIA Reference Unit Costs for Health and Social Care Services in Europe. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3500.	1.2	13
3	Peer-led physical activity intervention for girls aged 13 to 14 years: PLAN-A cluster RCT. <i>Public Health Research</i> , 2022, 10, 1-154.	0.5	1
4	A Validation Study of the EQ-5D-5L and ICEpop Capability Measure for Older People Among Older Individuals With Depressive Symptoms in Brazil. <i>Value in Health Regional Issues</i> , 2022, 30, 91-99.	0.5	2
5	Accelerometer-measured physical activity and sedentary time among children and their parents in the UK before and after COVID-19 lockdowns: a natural experiment. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, 51.	2.0	29
6	Variations in policies for accessing elective musculoskeletal procedures in the English National Health Service: A documentary analysis. <i>Journal of Health Services Research and Policy</i> , 2022, , 135581962210915.	0.8	1
7	Economic evaluation of GPs' direct access to computed tomography for identification of brain tumours. <i>European Journal of Cancer Care</i> , 2021, 30, e13345.	0.7	0
8	Cost-effectiveness of Interventions for Chronic Fatigue Syndrome or Myalgic Encephalomyelitis: A Systematic Review of Economic Evaluations. <i>Applied Health Economics and Health Policy</i> , 2021, 19, 473-486.	1.0	11
9	Protocol for a mixed-method study to inform the feasibility of undertaking a large-scale multicentre study comparing the clinical and patient-reported outcomes of oncoplastic breast conservation as an alternative to mastectomy with or without immediate breast reconstruction in women unsuitable for standard breast-conserving surgery (the ANTHEM Feasibility Study). <i>BMJ Open</i> , 2021, 11, e046622.	0.8	6
10	Content of Health Economics Analysis Plans (HEAPs) for Trial-Based Economic Evaluations: Expert Delphi Consensus Survey. <i>Value in Health</i> , 2021, 24, 539-547.	0.1	28
11	Effectiveness and cost-effectiveness of the PLAN-A intervention, a peer led physical activity program for adolescent girls: results of a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 63.	2.0	6
12	Aspects and Challenges of Resource Use Measurement in Health Economics: Towards a Comprehensive Measurement Framework. <i>Pharmacoeconomics</i> , 2021, 39, 983-993.	1.7	11
13	Randomised controlled trial to establish the clinical and cost-effectiveness of expectant management versus preoperative imaging with magnetic resonance cholangiopancreatography in patients with symptomatic gallbladder disease undergoing laparoscopic cholecystectomy at low or moderate risk of common bile duct stones (The Sunflower Study): a study protocol. <i>BMJ Open</i> , 2021, 11, e044281.	0.8	7
14	Protocol for a national cohort study to explore the long-term clinical and patient-reported outcomes and cost-effectiveness of implant-based and autologous breast reconstruction after mastectomy for breast cancer: the brighter study. <i>BMJ Open</i> , 2021, 11, e054055.	0.8	6
15	Use of prophylactic mesh during initial stoma creation to prevent parastomal herniation: a systematic review and meta-analysis of randomised controlled trials. <i>Colorectal Disease</i> , 2021, 23, 2821-2833.	0.7	7
16	A semi-Markov model comparing the lifetime cost-effectiveness of mesh prophylaxis to prevent parastomal hernia in patients undergoing end colostomy creation for rectal cancer. <i>Colorectal Disease</i> , 2021, 23, 2967-2979.	0.7	4
17	Cost-effectiveness of rapid laboratory-based mass-spectrometry diagnosis of bloodstream infection: evidence from the RAPIDO randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e044623.	0.8	2
18	Cholinesterase inhibitor to prevent falls in Parkinson's disease (CHIEF-PD) trial: a phase 3 randomised, double-blind placebo-controlled trial of rivastigmine to prevent falls in Parkinson's disease. <i>BMC Neurology</i> , 2021, 21, 422.	0.8	7

#	ARTICLE	IF	CITATIONS
19	An intervention to improve teacher well-being support and training to support students in UK high schools (the WISE study): A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003847.	3.9	12
20	Best-BRA (Is subpectoral or prepectoral implant placement best in immediate breast reconstruction?): a protocol for a pilot randomised controlled trial of subpectoral versus prepectoral immediate implant-based breast reconstruction in women following mastectomy. <i>BMJ Open</i> , 2021, 11, e050886.	0.8	2
21	Mental health support and training to improve secondary school teachers' well-being: the WISE cluster RCT. <i>Public Health Research</i> , 2021, 9, 1-138.	0.5	2
22	Acceptability and fidelity of a psychosocial intervention (PROACTIVE) for older adults with depression in a basic health unit in São Paulo, Brazil: a qualitative study. <i>BMC Public Health</i> , 2021, 21, 2278.	1.2	3
23	Cost-Effectiveness of Sertraline in Primary Care According to Initial Severity and Duration of Depressive Symptoms: Findings from the PANDA RCT. <i>Pharmacoeconomics - Open</i> , 2020, 4, 427-438.	0.9	3
24	A collaborative care psychosocial intervention to improve late life depression in socioeconomically deprived areas of Guarulhos, Brazil: the PROACTIVE cluster randomised controlled trial protocol. <i>Trials</i> , 2020, 21, 914.	0.7	19
25	Optimising recruitment to the HAND-1 RCT feasibility study: integration of the QuinteT Recruitment Intervention (QRI). <i>Pilot and Feasibility Studies</i> , 2020, 6, 173.	0.5	2
26	Long-term impact of the expansion of a hospital liaison psychiatry service on patient care and costs following emergency department attendances for self-harm. <i>BJPsych Open</i> , 2020, 6, e34.	0.3	4
27	Exploring the identification, validation, and categorization of costs and benefits of education in mental health: The PECUNIA project. <i>International Journal of Technology Assessment in Health Care</i> , 2020, 36, 325-331.	0.2	13
28	Modelling patient flows and resource use within a sexual health clinic through discrete event simulation to inform service redesign. <i>BMJ Open</i> , 2020, 10, e037084.	0.8	8
29	Mapping to Quality of Life and Capability Measures in Cataract Surgery Patients: From Cat-PROM5 to EQ-5D-3L, EQ-5D-5L, and ICECAP-O Using Mixture Modelling. <i>MDM Policy and Practice</i> , 2020, 5, 238146832091544.	0.5	4
30	Health-related quality of life, angina type and coronary artery disease in patients with stable chest pain. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 140.	1.0	14
31	Observational Cost-Effectiveness Analysis Using Routine Data: Admission and Discharge Care Bundles for Patients with Chronic Obstructive Pulmonary Disease. <i>Pharmacoeconomics - Open</i> , 2020, 4, 657-667.	0.9	5
32	Assessing the construct validity and responsiveness of Preference-Based Measures (PBMs) in cataract surgery patients. <i>Quality of Life Research</i> , 2020, 29, 1935-1946.	1.5	8
33	Drainage, irrigation and fibrinolytic therapy (DRIFT) for posthaemorrhagic ventricular dilatation: 10-year follow-up of a randomised controlled trial. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 466-473.	1.4	38
34	The use of micro-costing in economic analyses of surgical interventions: a systematic review. <i>Health Economics Review</i> , 2020, 10, 3.	0.8	25
35	A randomised feasibility trial comparing needle fasciotomy with limited fasciectomy treatment for Dupuytren's contractures. <i>Pilot and Feasibility Studies</i> , 2020, 6, 7.	0.5	4
36	Mendelian Randomization analysis of the causal effect of adiposity on hospital costs. <i>Journal of Health Economics</i> , 2020, 70, 102300.	1.3	34

#	ARTICLE	IF	CITATIONS
37	Comparative efficacy and safety of warfarin care bundles and novel oral anticoagulants in patients with atrial fibrillation: a systematic review and network meta-analysis. <i>Scientific Reports</i> , 2020, 10, 662.	1.6	16
38	How does deprivation influence secondary care costs after hip fracture?. <i>Osteoporosis International</i> , 2020, 31, 1573-1585.	1.3	6
39	Recruiting Adolescents With Chronic Fatigue Syndrome/Myalgic Encephalomyelitis to Internet-Delivered Therapy: Internal Pilot Within a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e17768.	2.1	6
40	Uptake of direct oral anticoagulants in primary care: an ecological and economic study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101033.	0.9	2
41	(Pharmaco)economic evaluations for mental health related services: the PECUNIA project. <i>European Journal of Public Health</i> , 2020, 30, .	0.1	6
42	Is teachers' mental health and wellbeing associated with students' mental health and wellbeing?. <i>Journal of Affective Disorders</i> , 2019, 242, 180-187.	2.0	155
43	Direct access CT for suspicion of brain tumour: an analysis of referral pathways in a population-based patient group. <i>BMC Family Practice</i> , 2019, 20, 118.	2.9	10
44	A physical activity, nutrition and oral health intervention in nursery settings: process evaluation of the NAP SACC UK feasibility cluster RCT. <i>BMC Public Health</i> , 2019, 19, 865.	1.2	19
45	Cross-sectional analysis of physical activity in 4-year-olds in England with paediatric quality of life and family expenditure on physical activity. <i>BMC Public Health</i> , 2019, 19, 846.	1.2	5
46	What's fair to an individual is not always fair to a population: A qualitative study of patients and their health professionals using the Cancer Drugs Fund. <i>Health Policy</i> , 2019, 123, 706-712.	1.4	3
47	Evaluating the population impact of hepatitis C direct acting antiviral treatment as prevention for people who inject drugs (EPIToPe) – a natural experiment (protocol). <i>BMJ Open</i> , 2019, 9, e029538.	0.8	30
48	Pilot study of a two-arm non-randomized controlled cluster trial of a psychosocial intervention to improve late life depression in socioeconomically deprived areas of São Paulo, Brazil (PROACTIVE): feasibility study of a psychosocial intervention for late life depression in São Paulo. <i>BMC Public Health</i> , 2019, 19, 1152.	1.2	22
49	A process evaluation of the PLAN-A intervention (Peer-Led physical Activity iNtervention for Adolescent girls) (PLAN-A). <i>BMC Public Health</i> , 2019, 19, 644.	1.2	9
50	The clinical effectiveness of sertraline in primary care and the role of depression severity and duration (PANDA): a pragmatic, double-blind, placebo-controlled randomised trial. <i>Lancet Psychiatry</i> , 2019, 6, 903-914.	3.7	78
51	The Association Between Adiposity and Inpatient Hospital Costs in the UK Biobank Cohort. <i>Applied Health Economics and Health Policy</i> , 2019, 17, 359-370.	1.0	16
52	Protocol for a cluster randomised controlled trial of a Peer-Led physical Activity iNtervention for Adolescent girls (PLAN-A). <i>BMC Public Health</i> , 2019, 19, 644.	1.2	9
53	The utility of diagnostic selective nerve root blocks in the management of patients with lumbar radiculopathy: a systematic review. <i>BMJ Open</i> , 2019, 9, e025790.	0.8	14
54	Evaluation of an intervention to promote walking during the commute to work: a cluster randomised controlled trial. <i>BMC Public Health</i> , 2019, 19, 427.	1.2	11

#	ARTICLE	IF	CITATIONS
55	Respiratory Tract Infections in Children in the Community: Prospective Online Inception Cohort Study. <i>Annals of Family Medicine</i> , 2019, 17, 14-22.	0.9	16
56	Reducing arthritis fatigue impact: two-year randomised controlled trial of cognitive behavioural approaches by rheumatology teams (RAFT). <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 465-472.	0.5	48
57	The usefulness of symptoms alone or combined for general practitioners in considering the diagnosis of a brain tumour: a case-control study using the clinical practice research database (CPRD) (2000-2014). <i>BMJ Open</i> , 2019, 9, e029686.	0.8	17
58	Evaluation of "care bundles"™ for patients with chronic obstructive pulmonary disease (COPD): a multisite study in the UK. <i>BMJ Open Respiratory Research</i> , 2019, 6, e000425.	1.2	20
59	Results of the feasibility phase of the managed activity graded exercise in teenagers and pre-adolescents (MAGENTA) randomised controlled trial of treatments for chronic fatigue syndrome/myalgic encephalomyelitis. <i>Pilot and Feasibility Studies</i> , 2019, 5, 151.	0.5	4
60	Investigating the effectiveness and cost-effectiveness of FITNET-NHS (Fatigue In Teenagers on the) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 (CFS)/myalgic encephalomyelitis (ME): amendment to the published protocol. <i>Trials</i> , 2019, 20, 750.	0.7	4
61	Choice of Prosthetic Implant Combinations in Total Hip Replacement: Cost-Effectiveness Analysis Using UK and Swedish Hip Joint Registries Data. <i>Value in Health</i> , 2019, 22, 303-312.	0.1	26
62	Laparoscopically assisted versus open oesophagectomy for patients with oesophageal cancer—the Randomised Oesophagectomy: Minimally Invasive or Open (ROMIO) study: protocol for a randomised controlled trial (RCT). <i>BMJ Open</i> , 2019, 9, e030907.	0.8	23
63	Care bundles to reduce re-admissions for patients with chronic obstructive pulmonary disease: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-128.	1.4	8
64	Ten-year follow-up of a randomised trial of drainage, irrigation and fibrinolytic therapy (DRIFT) in infants with post-haemorrhagic ventricular dilatation. <i>Health Technology Assessment</i> , 2019, 23, 1-116.	1.3	34
65	Anaesthetic—analgesic ear drops to reduce antibiotic consumption in children with acute otitis media: the CEDAR RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-48.	1.3	11
66	Group cognitive—behavioural programme to reduce the impact of rheumatoid arthritis fatigue: the RAFT RCT with economic and qualitative evaluations. <i>Health Technology Assessment</i> , 2019, 23, 1-130.	1.3	18
67	Antidepressant treatment with sertraline for adults with depressive symptoms in primary care: the PANDA research programme including RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-108.	0.4	6
68	A workplace-based intervention to increase levels of daily physical activity: the Travel to Work cluster RCT. <i>Public Health Research</i> , 2019, 7, 1-128.	0.5	6
69	Child-care self-assessment to improve physical activity, oral health and nutrition for 2- to 4-year-olds: a feasibility cluster RCT. <i>Public Health Research</i> , 2019, 7, 1-164.	0.5	10
70	A peer-led physical activity intervention in schools for adolescent girls: a feasibility RCT. <i>Public Health Research</i> , 2019, 7, 1-178.	0.5	4
71	Cost-Consequence Analysis Alongside a Randomised Controlled Trial of Hospital Versus Telephone Follow-Up after Treatment for Endometrial Cancer. <i>Applied Health Economics and Health Policy</i> , 2018, 16, 415-427.	1.0	20
72	Investigating the effectiveness and cost-effectiveness of FITNET-NHS (Fatigue In Teenagers on the) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 (CFS)/myalgic encephalomyelitis (ME): protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 136.	0.7	16

#	ARTICLE	IF	CITATIONS
73	A cluster randomised controlled trial of the Wellbeing in Secondary Education (WISE) Project – an intervention to improve the mental health support and training available to secondary school teachers: protocol for an integrated process evaluation. <i>Trials</i> , 2018, 19, 270.	0.7	61
74	Symptoms in primary care with time to diagnosis of brain tumours. <i>Family Practice</i> , 2018, 35, 551-558.	0.8	28
75	Clinical and cost-effectiveness of the Lightning Process in addition to specialist medical care for paediatric chronic fatigue syndrome: randomised controlled trial. <i>Archives of Disease in Childhood</i> , 2018, 103, 155-164.	1.0	29
76	Core Items for a Standardized Resource Use Measure: Expert Delphi Consensus Survey. <i>Value in Health</i> , 2018, 21, 640-649.	0.1	42
77	Reducing Arthritis Fatigue: clinical Teams (RAFT) using a cognitive-behavioural approach: a randomised controlled trial. <i>Rheumatology</i> , 2018, 57, .	0.9	1
78	The help for people with money, employment or housing problems (HOPE) intervention: pilot randomised trial with mixed methods feasibility research. <i>Pilot and Feasibility Studies</i> , 2018, 4, 172.	0.5	7
79	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). <i>BMJ: British Medical Journal</i> , 2018, 363, k4218.	2.4	44
80	Breaking bread: examining the impact of policy changes in access to state-funded provisions of gluten-free foods in England. <i>BMC Medicine</i> , 2018, 16, 119.	2.3	4
81	B-type natriuretic peptide-guided therapy for heart failure (HF): a systematic review and meta-analysis of individual participant data (IPD) and aggregate data. <i>Systematic Reviews</i> , 2018, 7, 112.	2.5	27
82	Results of a feasibility cluster randomised controlled trial of a peer-led school-based intervention to increase the physical activity of adolescent girls (PLAN-A). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 50.	2.0	50
83	A pilot randomised controlled trial investigating a mindfulness-based stress reduction (MBSR) intervention in individuals with pulmonary arterial hypertension (PAH): the PATHWAYS study. <i>Pilot and Feasibility Studies</i> , 2018, 4, 78.	0.5	14
84	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-136.	1.3	21
85	Comparing hospital and telephone follow-up for patients treated for stage I endometrial cancer (<sc>ENDCAT</sc> trial): a randomised, multicentre, non-inferiority trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 150-160.	1.1	71
86	Opportunities for primary care to reduce hospital admissions: a cross-sectional study of geographical variation. <i>British Journal of General Practice</i> , 2017, 67, e20-e28.	0.7	20
87	The Diagnosis of Urinary Tract Infection in Young Children (DUTY) Study Clinical Rule: Economic Evaluation. <i>Value in Health</i> , 2017, 20, 556-566.	0.1	10
88	Using geographic variation in unplanned ambulatory care sensitive condition admission rates to identify commissioning priorities: an analysis of routine data from England. <i>Journal of Health Services Research and Policy</i> , 2017, 22, 20-27.	0.8	7
89	The role of general practice in reducing unplanned hospital admissions. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2017, 78, 186-187.	0.2	2
90	Calculating hospital length of stay using the Hospital Episode Statistics; a comparison of methodologies. <i>BMC Health Services Research</i> , 2017, 17, 347.	0.9	10

#	ARTICLE	IF	CITATIONS
91	A longitudinal study to assess the frequency and cost of antivasular endothelial therapy, and inequalities in access, in England between 2005 and 2015. <i>BMJ Open</i> , 2017, 7, e018289.	0.8	32
92	How do population, general practice and hospital factors influence ambulatory care sensitive admissions: a cross sectional study. <i>BMC Family Practice</i> , 2017, 18, 67.	2.9	35
93	Use of a primary care online consultation system, by whom, when and why: evaluation of a pilot observational study in 36 general practices in South West England. <i>BMJ Open</i> , 2017, 7, e016901.	0.8	84
94	Choice of implant combinations in total hip replacement: systematic review and network meta-analysis. <i>BMJ: British Medical Journal</i> , 2017, 359, j4651.	2.4	64
95	Oral anticoagulants for prevention of stroke in atrial fibrillation: systematic review, network meta-analysis, and cost effectiveness analysis. <i>BMJ: British Medical Journal</i> , 2017, 359, j5058.	2.4	373
96	P25â€¦Feasibility cluster randomised controlled trial and process evaluation of an environmental intervention in nurseries and a web-based home intervention to increase physical activity, oral health and healthy eating in children aged 2â€“4 years: nap sacc uk. , 2017, , .		0
97	Comparison of microbiological diagnosis of urinary tract infection in young children by routine health service laboratories and a research laboratory: Diagnostic cohort study. <i>PLoS ONE</i> , 2017, 12, e0171113.	1.1	6
98	A feasibility study investigating the acceptability and design of a multicentre randomised controlled trial of needle fasciotomy versus limited fasciotomy for the treatment of Dupuytrenâ€™s contractures of the fingers (HAND-1): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 392.	0.7	9
99	A randomised controlled trial assessing the severity and duration of depressive symptoms associated with a clinically significant response to sertraline versus placebo, in people presenting to primary care with depression (PANDA trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 496.	0.7	15
100	HOPE: Help fOr People with money, employment, benefit or housing problems: study protocol for a randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2017, 3, 44.	0.5	4
101	Effectiveness and cost-effectiveness of serum B-type natriuretic peptide testing and monitoring in patients with heart failure in primary and secondary care: an evidence synthesis, cohort study and cost-effectiveness model. <i>Health Technology Assessment</i> , 2017, 21, 1-150.	1.3	21
102	Adapting the ASSIST model of informal peer-led intervention delivery to the Talk to FRANK drug prevention programme in UK secondary schools (ASSIST+â€“FRANK): intervention development, refinement and a pilot cluster randomised controlled trial. <i>Public Health Research</i> , 2017, 5, 1-98.	0.5	10
103	Pilot trial and process evaluation of a multilevel smoking prevention intervention in further education settings. <i>Public Health Research</i> , 2017, 5, 1-82.	0.5	2
104	OP36â€¦Evaluating youth mentoring for young people at risk of exclusion from secondary school: results from a feasibility randomised control trial study. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A24.1-A24.	2.0	0
105	Hepatitis C â€“ Assessment to Treatment Trial (HepCATT) in primary care: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 366.	0.7	13
106	NAP SACC UK: protocol for a feasibility cluster randomised controlled trial in nurseries and at home to increase physical activity and healthy eating in children aged 2â€“4â€“years. <i>BMJ Open</i> , 2016, 6, e010622.	0.8	20
107	Managed Activity Graded Exercise in Teenagers and pre-Adolescents (MAGENTA) feasibility randomised controlled trial: study protocol. <i>BMJ Open</i> , 2016, 6, e011255.	0.8	15
108	Update to a protocol for a feasibility cluster randomised controlled trial of a peer-led school-based intervention to increase the physical activity of adolescent girls (PLAN-A). <i>Pilot and Feasibility Studies</i> , 2016, 2, 68.	0.5	10

#	ARTICLE	IF	CITATIONS
109	P08â€¦Serum B-type natriuretic peptide (BNP or NT-BNP) testing and monitoring in patients with heart failure (HF): the challenges of setting up and analysing a population based cohort study in the Clinical Practice Research Datalink (CPRD). <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A57.1-A57.	2.0	0
110	Patients' and clinicians' experiences of holistic needs assessment using a cancer distress thermometer and problem list: A qualitative study. <i>European Journal of Oncology Nursing</i> , 2016, 23, 59-65.	0.9	36
111	Network meta-analyses and treatment recommendations for obsessive-compulsive disorder â€œ Authors' reply. <i>Lancet Psychiatry</i> , the, 2016, 3, 921-922.	3.7	5
112	Improving the Diagnosis and Treatment of Urinary Tract Infection in Young Children in Primary Care: Results from the DUTY Prospective Diagnostic Cohort Study. <i>Annals of Family Medicine</i> , 2016, 14, 325-336.	0.9	29
113	Randomized clinical trial of postoperative chewing gum <i>versus</i> standard care after colorectal resection. <i>British Journal of Surgery</i> , 2016, 103, 962-970.	0.1	38
114	Recruitment, response rates and characteristics of 5511 people enrolled in a prospective clinical cohort study: head and neck 5000. <i>Clinical Otolaryngology</i> , 2016, 41, 804-809.	0.6	36
115	Nappy pad urine samples for investigation and treatment of UTI in young children: the â€œDUTYâ€™™ prospective diagnostic cohort study. <i>British Journal of General Practice</i> , 2016, 66, e516-e524.	0.7	6
116	The healthcare costs of heart failure during the last five years of life: A retrospective cohort study. <i>International Journal of Cardiology</i> , 2016, 224, 132-138.	0.8	35
117	A time-series study of percutaneous closure of patent foramen ovale: premature adoption?. <i>Open Heart</i> , 2016, 3, e000313.	0.9	3
118	Model-based cost-effectiveness analysis of B-type natriuretic peptide-guided care in patients with heart failure. <i>BMJ Open</i> , 2016, 6, e014010.	0.8	14
119	A pilot cluster randomised controlled trial of a support and training intervention to improve the mental health of secondary school teachers and students â€œ the WISE (Wellbeing in Secondary) Tj ETQq1 1 0.784B1 4 rgBT #Overlock 1		
120	Protocol for a cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers â€œ the WISE (Wellbeing in Secondary) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5		
121	Estimating Marginal Healthcare Costs Using Genetic Variants as Instrumental Variables: Mendelian Randomization in Economic Evaluation. <i>Pharmacoeconomics</i> , 2016, 34, 1075-1086.	1.7	22
122	The choice between hip prosthetic bearing surfaces in total hip replacement: a protocol for a systematic review and network meta-analysis. <i>Systematic Reviews</i> , 2016, 5, 19.	2.5	16
123	Did It Matter That the Cancer Drugs Fund Was Not NICE? A Retrospective Review. <i>Value in Health</i> , 2016, 19, 879-884.	0.1	12
124	A systematic review of geographical variation in access to chemotherapy. <i>BMC Cancer</i> , 2016, 16, 1.	1.1	195
125	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 66.	0.7	10
126	Protocol for a feasibility cluster randomised controlled trial of a peer-led school-based intervention to increase the physical activity of adolescent girls (PLAN-A). <i>Pilot and Feasibility Studies</i> , 2016, 2, 2.	0.5	22

#	ARTICLE	IF	CITATIONS
127	Pharmacological and psychotherapeutic interventions for management of obsessive-compulsive disorder in adults: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2016, 3, 730-739.	3.7	251
128	The Reporting of Treatment Nonadherence and Its Associated Impact on Economic Evaluations Conducted Alongside Randomized Trials: A Systematic Review. <i>Value in Health</i> , 2016, 19, 99-108.	0.1	4
129	Making the case for investment in public health: experiences of Directors of Public Health in English local government. <i>Journal of Public Health</i> , 2016, 38, 237-242.	1.0	22
130	Study protocol for an evaluation of the effectiveness of "care bundles" as a means of improving hospital care and reducing hospital readmission for patients with chronic obstructive pulmonary disease (COPD). <i>BMC Pulmonary Medicine</i> , 2016, 16, 35.	0.8	9
131	A systematic review of the clinical effectiveness and cost-effectiveness of pharmacological and psychological interventions for the management of obsessive-compulsive disorder in children/adolescents and adults. <i>Health Technology Assessment</i> , 2016, 20, 1-392.	1.3	84
132	The Diagnosis of Urinary Tract infection in Young children (DUTY): a diagnostic prospective observational study to derive and validate a clinical algorithm for the diagnosis of urinary tract infection in children presenting to primary care with an acute illness. <i>Health Technology Assessment</i> , 2016, 20, 1-294.	1.3	56
133	A cross-sectional survey of 5-year-old children with non-syndromic unilateral cleft lip and palate: the Cleft Care <scp>UK</scp> study. Part 1: background and methodology. <i>Orthodontics and Craniofacial Research</i> , 2015, 18, 1-13.	1.2	66
134	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010-2011): A review of coroners' records. <i>Journal of Affective Disorders</i> , 2015, 183, 98-105.	2.0	117
135	Protocol for a randomised controlled trial for Reducing Arthritis Fatigue by clinical Teams (RAFT) using cognitive-behavioural approaches. <i>BMJ Open</i> , 2015, 5, e009061.	0.8	15
136	Equity of access to treatment on the Cancer Drugs Fund: A missed opportunity for cancer research?. <i>Journal of Cancer Policy</i> , 2015, 5, 25-30.	0.6	6
137	Study protocol: the effectiveness and cost effectiveness of an employer-led intervention to increase walking during the daily commute: the Travel to Work randomised controlled trial. <i>BMC Public Health</i> , 2015, 15, 154.	1.2	13
138	A systematic review of the magnitude and cause of geographic variation in unplanned hospital admission rates and length of stay for ambulatory care sensitive conditions. <i>BMC Health Services Research</i> , 2015, 15, 324.	0.9	76
139	Using clinical practice variations as a method for commissioners and clinicians to identify and prioritise opportunities for disinvestment in health care: a cross-sectional study, systematic reviews and qualitative study. <i>Health Services and Delivery Research</i> , 2015, 3, 1-172.	1.4	23
140	Evidence-based intervention for preschool children with primary speech and language impairments: Child Talk " an exploratory mixed-methods study. <i>Programme Grants for Applied Research</i> , 2015, 3, 1-408.	0.4	43
141	Employer schemes to encourage walking to work: feasibility study incorporating an exploratory randomised controlled trial. <i>Public Health Research</i> , 2015, 3, 1-60.	0.5	8
142	Where is the evidence for the existence of the Cancer Drugs Fund?. <i>BMJ</i> , The, 2014, 349, g5901-g5901.	3.0	4
143	Does the cancer drugs fund lead to faster uptake of cost-effective drugs? A time-trend analysis comparing England and Wales. <i>British Journal of Cancer</i> , 2014, 111, 1693-1702.	2.9	22
144	Feasibility RCT of definitive chemoradiotherapy or chemotherapy and surgery for oesophageal squamous cell cancer. <i>British Journal of Cancer</i> , 2014, 111, 234-240.	2.9	30

#	ARTICLE	IF	CITATIONS
145	Methodological developments in randomized controlled trial-based economic evaluations. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2014, 14, 843-856.	0.7	4
146	Suicide and the 2008 economic recession: Who is most at risk? Trends in suicide rates in England and Wales 2001-2011. <i>Social Science and Medicine</i> , 2014, 117, 76-85.	1.8	125
147	Needs Assessments in Reducing Distress Among Patients With Cancer. <i>Journal of Clinical Oncology</i> , 2014, 32, 969-970.	0.8	2
148	Protocol for a systematic review and individual participant data meta-analysis of B-type natriuretic peptide-guided therapy for heart failure. <i>Systematic Reviews</i> , 2014, 3, 41.	2.5	11
149	Resource-Use Measurement Based on Patient Recall: Issues and Challenges for Economic Evaluation. <i>Applied Health Economics and Health Policy</i> , 2013, 11, 155-161.	1.0	78
150	Are Needs Assessments Cost Effective in Reducing Distress Among Patients With Cancer? A Randomized Controlled Trial Using the Distress Thermometer and Problem List. <i>Journal of Clinical Oncology</i> , 2013, 31, 3631-3638.	0.8	102
151	Timely and Complete Publication of Economic Evaluations Alongside Randomized Controlled Trials. <i>Pharmacoeconomics</i> , 2013, 31, 77-85.	1.7	16
152	Washington State Cancer Patients Found To Be At Greater Risk For Bankruptcy Than People Without A Cancer Diagnosis. <i>Health Affairs</i> , 2013, 32, 1143-1152.	2.5	553
153	Cost-utility analysis conducted alongside randomized controlled trials: Are economic end points considered in sample size calculations and does it matter?. <i>Clinical Trials</i> , 2013, 10, 43-53.	0.7	21
154	Reducing Smoking in Adolescents: Cost-Effectiveness Results From the Cluster Randomized ASSIST (A) Trial. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2013, 38, 145-152.	1.45	42
155	Model Transparency and Validation. <i>Medical Decision Making</i> , 2012, 32, 733-743.	1.2	442
156	Economic evaluation of lifestyle interventions to treat overweight or obesity in children. <i>International Journal of Obesity</i> , 2012, 36, 559-566.	1.6	52
157	The financial and psychological impacts on mothers of children with chronic fatigue syndrome (CFS/ME). <i>Child: Care, Health and Development</i> , 2012, 38, 505-512.	0.8	49
158	Missing data in trial-based cost-effectiveness analysis: the current state of play. <i>Health Economics (United Kingdom)</i> , 2012, 21, 187-200.	0.8	70
159	The Association between Bankruptcy and Hospital-Presenting Attempted Suicide: A Record Linkage Study. <i>Suicide and Life-Threatening Behavior</i> , 2011, 41, 676-684.	0.9	12
160	Costs and Cost-Effectiveness of Spinal Cord Stimulation (SCS) for Failed Back Surgery Syndrome. <i>Spine</i> , 2011, 36, 2076-2083.	1.0	47
161	The impact of CFS/ME on employment and productivity in the UK: a cross-sectional study based on the CFS/ME national outcomes database. <i>BMC Health Services Research</i> , 2011, 11, 217.	0.9	79
162	Exploring the impact of changes in neurogenic urinary incontinence frequency and condition-specific quality of life on preference-based outcomes. <i>Quality of Life Research</i> , 2010, 19, 323-331.	1.5	16

#	ARTICLE	IF	CITATIONS
163	Spinal cord stimulation for failed back surgery syndrome: Outcomes in a workersâ€™ compensation setting. <i>Pain</i> , 2010, 148, 14-25.	2.0	94
164	Personal Bankruptcy After Traumatic Brain or Spinal Cord Injury: The Role of Medical Debt. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 413-419.	0.5	32
165	Technology Assessment in Radiology: Putting the Evidence in Evidence-based Radiology. <i>Radiology</i> , 2007, 244, 31-38.	3.6	48
166	The use of repeated head computed tomography in blunt pediatric head trauma: Factors predicting new and worsening brain injury*. <i>Pediatric Critical Care Medicine</i> , 2007, PAP, 348-56; CEU quiz 357.	0.2	57
167	The Risk of Bankruptcy Before and After Brain or Spinal Cord Injury. <i>Medical Care</i> , 2007, 45, 702-711.	1.1	25
168	Emerging Methods in Economic Modeling of Imaging Costs and Outcomes. <i>Academic Radiology</i> , 2007, 14, 406-410.	1.3	22
169	The Impact of e-Prescribing on Prescriber and Staff Time in Ambulatory Care Clinics: A Time-Motion Study. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2007, 14, 722-730.	2.2	99
170	Evidence on the Effectiveness and Cost-effectiveness of Vertebroplasty. <i>Academic Radiology</i> , 2006, 13, 550-555.	1.3	23
171	A systematic literature review of magnetic resonance spectroscopy for the characterization of brain tumors. <i>American Journal of Neuroradiology</i> , 2006, 27, 1404-11.	1.2	160
172	Radiology Cost and Outcomes Studies: Standard Practice and Emerging Methods. <i>American Journal of Roentgenology</i> , 2005, 185, 833-839.	1.0	34
173	Rapid magnetic resonance imaging for diagnosing cancer-related low back pain. <i>Journal of General Internal Medicine</i> , 2003, 18, 303-312.	1.3	31
174	Vision function in children 10 years after grade 3 or 4 intraventricular haemorrhage with ventricular dilation: A masked prospective study. <i>Developmental Medicine and Child Neurology</i> , 0, , .	1.1	1