

Amjad Javed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2800763/publications.pdf>

Version: 2024-02-01

110
papers

9,726
citations

47006

47
h-index

40979

93
g-index

110
all docs

110
docs citations

110
times ranked

9730
citing authors

#	ARTICLE	IF	CITATIONS
1	Runx2 Deficiency in Osteoblasts Promotes Myeloma Resistance to Bortezomib by Increasing TSP-1-Dependent TGF β 21 Activation and Suppressing Immunity in Bone Marrow. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 347-358.	4.1	6
2	Runx2 is required for hypertrophic chondrocyte mediated degradation of cartilage matrix during endochondral ossification. <i>Matrix Biology Plus</i> , 2021, 12, 100088.	3.5	15
3	Runx2 Deficiency in Osteoblasts Promotes Myeloma Resistance to Bortezomib By Increasing TSP-1-Dependent TGF β 21 Activation in Bone Marrow. <i>Blood</i> , 2021, 138, 1575-1575.	1.4	0
4	Runx2 Deficiency in Osteoblasts Promotes Myeloma Progression by Altering the Bone Microenvironment at New Bone Sites. <i>Cancer Research</i> , 2020, 80, 1036-1048.	0.9	18
5	Disruption of the preB Cell Receptor Complex Leads to Decreased Bone Mass. <i>Frontiers in Immunology</i> , 2019, 10, 2063.	4.8	6
6	Specificity Protein 7 Is Required for Proliferation and Differentiation of Ameloblasts and Odontoblasts. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1126-1140.	2.8	37
7	Angiogenic and Osteogenic Synergy of Human Mesenchymal Stem Cells and Human Umbilical Vein Endothelial Cells Cocultured on a Nanomatrix. <i>Scientific Reports</i> , 2018, 8, 15749.	3.3	29
8	Epigenetic remodeling and modification to preserve skeletogenesis in vivo. <i>Connective Tissue Research</i> , 2018, 59, 52-54.	2.3	4
9	Dwarfism in homozygous <i>Agc1^{CreERT}</i> mice is associated with decreased expression of aggrecan. <i>Genesis</i> , 2017, 55, e23070.	1.6	13
10	Transcriptional Auto-Regulation of RUNX1 P1 Promoter. <i>PLoS ONE</i> , 2016, 11, e0149119.	2.5	22
11	Heparanase promotes myeloma progression by inducing mesenchymal features and motility of myeloma cells. <i>Oncotarget</i> , 2016, 7, 11299-11309.	1.8	15
12	Myeloma cell-derived Runx2 promotes myeloma progression in bone. <i>Blood</i> , 2015, 125, 3598-3608.	1.4	52
13	Loss of Runx2 in Committed Osteoblasts Impairs Postnatal Skeletogenesis. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 71-82.	2.8	44
14	MicroRNA 665 Regulates Dentinogenesis through MicroRNA-Mediated Silencing and Epigenetic Mechanisms. <i>Molecular and Cellular Biology</i> , 2015, 35, 3116-3130.	2.3	14
15	Runx2 activity in committed osteoblasts is not essential for embryonic skeletogenesis. <i>Connective Tissue Research</i> , 2014, 55, 102-106.	2.3	22
16	Sp7 and Runx2 molecular complex synergistically regulate expression of target genes. <i>Connective Tissue Research</i> , 2014, 55, 83-87.	2.3	21
17	Specificity protein 7 is not essential for tooth morphogenesis. <i>Connective Tissue Research</i> , 2014, 55, 88-91.	2.3	3
18	Runx2 Regulates Endochondral Ossification Through Control of Chondrocyte Proliferation and Differentiation. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 2653-2665.	2.8	126

#	ARTICLE	IF	CITATIONS
19	Myeloma Cell-Derived Runx2 Promotes Myeloma Progression and Bone-Homing. <i>Blood</i> , 2014, 124, 724-724.	1.4	1
20	Breakpoint regions of ETO gene involved in (8; 21) leukemic translocations are enriched in acetylated histone H3. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 2569-2576.	2.6	2
21	Heparanase inhibits osteoblastogenesis and shifts bone marrow progenitor cell fate in myeloma bone disease. <i>Bone</i> , 2013, 57, 10-17.	2.9	43
22	Smooth Muscle Cell-Specific Runx2 Deficiency Inhibits Vascular Calcification. <i>Circulation Research</i> , 2012, 111, 543-552.	4.5	268
23	Runx2 Transcription Factor Regulates Heparanase-Induced Bone Resorption in Multiple Myeloma. <i>Blood</i> , 2012, 120, 567-567.	1.4	1
24	Effect of sodium hypochlorite on human pulp cells: an in vitro study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011, 112, 662-666.	1.4	29
25	Biphasic Peptide Amphiphile Nanomatrix Embedded with Hydroxyapatite Nanoparticles for Stimulated Osteoinductive Response. <i>ACS Nano</i> , 2011, 5, 9463-9479.	14.6	78
26	Osteogenic differentiation of human mesenchymal stem cells synergistically enhanced by biomimetic peptide amphiphiles combined with conditioned medium. <i>Acta Biomaterialia</i> , 2011, 7, 675-682.	8.3	70
27	Chondrocyte-Specific Regulatory Activity of Runx2 Is Essential for Survival and Skeletal Development. <i>Cells Tissues Organs</i> , 2011, 194, 161-165.	2.3	20
28	Runx2 Regulates the Gene Network Associated with Insulin Signaling and Energy Homeostasis. <i>Cells Tissues Organs</i> , 2011, 194, 232-237.	2.3	8
29	Definitive hematopoiesis requires Runx1 C-terminal-mediated subnuclear targeting and transactivation. <i>Human Molecular Genetics</i> , 2010, 19, 1048-1057.	2.9	35
30	Genetic and Transcriptional Control of Bone Formation. <i>Oral and Maxillofacial Surgery Clinics of North America</i> , 2010, 22, 283-293.	1.0	104
31	Subnuclear Localization and Intranuclear Trafficking of Transcription Factors. <i>Methods in Molecular Biology</i> , 2010, 647, 77-93.	0.9	4
32	Dentin and Bone: Similar Collagenous Mineralized Tissues. , 2010, , 183-200.		6
33	Specific Residues of RUNX2 Are Obligatory for Formation of BMP2-Induced RUNX2-SMAD Complex to Promote Osteoblast Differentiation. <i>Cells Tissues Organs</i> , 2009, 189, 133-137.	2.3	76
34	Altered chromatin modifications in AML1/RUNX1 breakpoint regions involved in (8;21) translocation. <i>Journal of Cellular Physiology</i> , 2009, 218, 343-349.	4.1	12
35	Organization, Integration, and Assembly of Genetic and Epigenetic Regulatory Machinery in Nuclear Microenvironments. <i>Annals of the New York Academy of Sciences</i> , 2009, 1155, 4-14.	3.8	5
36	Transcription-factor-mediated epigenetic control of cell fate and lineage commitment This paper is one of a selection of papers published in this Special Issue, entitled CSBMCB's 51st Annual Meeting "Epigenetics and Chromatin Dynamics, and has undergone the Journal's usual peer review process.. <i>Biochemistry and Cell Biology</i> , 2009, 87, 1-6.	2.0	20

#	ARTICLE	IF	CITATIONS
37	Identification of Potential Enhancers in the RUNX1 Gene. <i>FASEB Journal</i> , 2009, 23, 489.1.	0.5	0
38	Genetic and epigenetic regulation in nuclear microenvironments for biological control in cancer. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 2016-2026.	2.6	18
39	Oxidative Stress Induces Vascular Calcification through Modulation of the Osteogenic Transcription Factor Runx2 by AKT Signaling. <i>Journal of Biological Chemistry</i> , 2008, 283, 15319-15327.	3.4	533
40	A Runx2 threshold for the cleidocranial dysplasia phenotype. <i>Human Molecular Genetics</i> , 2008, 18, 556-568.	2.9	97
41	Structural Coupling of Smad and Runx2 for Execution of the BMP2 Osteogenic Signal. <i>Journal of Biological Chemistry</i> , 2008, 283, 8412-8422.	3.4	199
42	Runx2 Regulates G Protein-coupled Signaling Pathways to Control Growth of Osteoblast Progenitors. <i>Journal of Biological Chemistry</i> , 2008, 283, 27585-27597.	3.4	114
43	Skeletal Gene Expression in Nuclear Microenvironments. , 2008, , 263-283.		0
44	Chromatin Immunoprecipitation Assays: Application of ChIP-on-Chip for Defining Dynamic Transcriptional Mechanisms in Bone Cells. <i>Methods in Molecular Biology</i> , 2008, 455, 165-176.	0.9	5
45	In Situ Nuclear Organization of Regulatory Machinery. <i>Methods in Molecular Biology</i> , 2008, 455, 239-259.	0.9	0
46	Mitotic retention of gene expression patterns by the cell fate-determining transcription factor Runx2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3189-3194.	7.1	152
47	Reconstitution of Runx2/Cbfa1 Δ cells identifies a requirement for BMP2 signaling through a Runx2 functional domain during osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 434-449.	2.6	74
48	Nuclear microenvironments in biological control and cancer. <i>Nature Reviews Cancer</i> , 2007, 7, 454-463.	28.4	144
49	Mitotic occupancy and lineage-specific transcriptional control of rRNA genes by Runx2. <i>Nature</i> , 2007, 445, 442-446.	27.8	218
50	Organization of transcriptional regulatory machinery in nuclear microenvironments: Implications for biological control and cancer. <i>Advances in Enzyme Regulation</i> , 2007, 47, 242-250.	2.6	21
51	Networks and hubs for the transcriptional control of osteoblastogenesis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2006, 7, 1-16.	5.7	397
52	Regulatory roles of Runx2 in metastatic tumor and cancer cell interactions with bone. <i>Cancer and Metastasis Reviews</i> , 2006, 25, 589-600.	5.9	236
53	Microtubule-dependent nuclear-cytoplasmic shuttling of Runx2. <i>Journal of Cellular Physiology</i> , 2006, 206, 354-362.	4.1	54
54	Alterations in intranuclear localization of Runx2 affect biological activity. <i>Journal of Cellular Physiology</i> , 2006, 209, 935-942.	4.1	40

#	ARTICLE	IF	CITATIONS
55	BMP2 Commitment to the Osteogenic Lineage Involves Activation of Runx2 by DLX3 and a Homeodomain Transcriptional Network. <i>Journal of Biological Chemistry</i> , 2006, 281, 40515-40526.	3.4	188
56	Combinatorial organization of the transcriptional regulatory machinery in biological control and cancer. <i>Advances in Enzyme Regulation</i> , 2005, 45, 136-154.	2.6	9
57	The dynamic organization of gene regulatory machinery in nuclear microenvironments. <i>EMBO Reports</i> , 2005, 6, 128-133.	4.5	107
58	SWI/SNF chromatin remodeling complex is obligatory for BMP2-induced, Runx2-dependent skeletal gene expression that controls osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 2005, 94, 720-730.	2.6	84
59	Subnuclear targeting of Runx1 Is required for synergistic activation of the myeloid specific M-CSF receptor promoter by PU.1. <i>Journal of Cellular Biochemistry</i> , 2005, 96, 795-809.	2.6	20
60	Smad function and intranuclear targeting share a Runx2 motif required for osteogenic lineage induction and BMP2 responsive transcription. <i>Journal of Cellular Physiology</i> , 2005, 204, 63-72.	4.1	142
61	Organization of transcriptional regulatory machinery in osteoclast nuclei: Compartmentalization of Runx1. <i>Journal of Cellular Physiology</i> , 2005, 204, 871-880.	4.1	26
62	Impaired intranuclear trafficking of Runx2 (AML3/CBFA1) transcription factors in breast cancer cells inhibits osteolysis <i>in vivo</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1454-1459.	7.1	174
63	Canonical WNT Signaling Promotes Osteogenesis by Directly Stimulating Runx2 Gene Expression. <i>Journal of Biological Chemistry</i> , 2005, 280, 33132-33140.	3.4	984
64	The Runx2 Osteogenic Transcription Factor Regulates Matrix Metalloproteinase 9 in Bone Metastatic Cancer Cells and Controls Cell Invasion. <i>Molecular and Cellular Biology</i> , 2005, 25, 8581-8591.	2.3	280
65	Intranuclear Organization of the Regulatory Machinery for Vitamin D Mediated Control of Skeletal Gene Expression. , 2005, , 327-340.		2
66	Immunofluorescence Analysis Using Epitope-Tagged Proteins: In Vitro System. , 2004, 285, 033-036.		1
67	Regulatory Controls for Osteoblast Growth and Differentiation: Role of Runx/Cbfa/AML Factors. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2004, 14, 1-42.	0.9	392
68	<i>In Situ</i> Immunofluorescence Analysis: Analyzing RNA Synthesis by 5-Bromouridine-5'-Triphosphate Labeling. , 2004, 285, 029-032.		2
69	Protein-Deoxyribonucleic Acid Interactions Linked to Gene Expression: DNase I Digestion. , 2004, 285, 057-062.		0
70	Protein-Deoxyribonucleic Acid Interactions Linked to Gene Expression: Ligation-Mediated Polymerase Chain Reaction. , 2004, 285, 063-068.		0
71	<i>In Situ</i> Immunofluorescence Analysis: Immunofluorescence Microscopy. , 2004, 285, 023-028.		5
72	Analysis of In Vivo Gene Expression Using Epitope-Tagged Proteins. , 2004, 285, 037-040.		0

#	ARTICLE	IF	CITATIONS
73	Intranuclear Trafficking: Organization and Assembly of Regulatory Machinery for Combinatorial Biological Control. <i>Journal of Biological Chemistry</i> , 2004, 279, 43363-43366.	3.4	27
74	Quantitative signature for architectural organization of regulatory factors using intranuclear informatics. <i>Journal of Cell Science</i> , 2004, 117, 4889-4896.	2.0	25
75	The Vitamin D Response Element in the Distal Osteocalcin Promoter Contributes to Chromatin Organization of the Proximal Regulatory Domain. <i>Journal of Biological Chemistry</i> , 2004, 279, 43581-43588.	3.4	36
76	Fidelity of Runx2 Activity in Breast Cancer Cells Is Required for the Generation of Metastases-Associated Osteolytic Disease. <i>Cancer Research</i> , 2004, 64, 4506-4513.	0.9	133
77	Runx2 control of organization, assembly and activity of the regulatory machinery for skeletal gene expression. <i>Oncogene</i> , 2004, 23, 4315-4329.	5.9	461
78	Nuclear microenvironments support assembly and organization of the transcriptional regulatory machinery for cell proliferation and differentiation. <i>Journal of Cellular Biochemistry</i> , 2004, 91, 287-302.	2.6	33
79	Dlx3 Transcriptional Regulation of Osteoblast Differentiation: Temporal Recruitment of Msx2, Dlx3, and Dlx5 Homeodomain Proteins to Chromatin of the Osteocalcin Gene. <i>Molecular and Cellular Biology</i> , 2004, 24, 9248-9261.	2.3	261
80	Chromatin Immunoprecipitation. , 2004, 285, 041-044.		2
81	Protein-Deoxyribonucleic Acid Interactions Linked to Gene Expression: Electrophoretic Mobility Shift Assay. , 2004, 285, 045-056.		3
82	Regulatory controls for osteoblast growth and differentiation: role of Runx/Cbfa/AML factors. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2004, 14, 1-41.	0.9	194
83	Nuclear microenvironments support physiological control of gene expression. <i>Chromosome Research</i> , 2003, 11, 527-536.	2.2	6
84	Functional architecture of the nucleus: organizing the regulatory machinery for gene expression, replication and repair. <i>Trends in Cell Biology</i> , 2003, 13, 584-592.	7.9	121
85	Intranuclear trafficking of transcription factors: Requirements for vitamin D-mediated biological control of gene expression. <i>Journal of Cellular Biochemistry</i> , 2003, 88, 340-355.	2.6	2
86	Runx1/AML1 hematopoietic transcription factor contributes to skeletal development in vivo. <i>Journal of Cellular Physiology</i> , 2003, 196, 301-311.	4.1	93
87	Intranuclear organization of RUNX transcriptional regulatory machinery in biological control of skeletogenesis and cancer. <i>Blood Cells, Molecules, and Diseases</i> , 2003, 30, 170-176.	1.4	13
88	Runx2/Cbfa1 Functions: Diverse Regulation of Gene Transcription by Chromatin Remodeling and Co-Regulatory Protein Interactions. <i>Connective Tissue Research</i> , 2003, 44, 141-148.	2.3	56
89	Regulation of the Bone-Specific Osteocalcin Gene by p300 Requires Runx2/Cbfa1 and the Vitamin D3 Receptor but Not p300 Intrinsic Histone Acetyltransferase Activity. <i>Molecular and Cellular Biology</i> , 2003, 23, 3339-3351.	2.3	190
90	Mitotic partitioning and selective reorganization of tissue-specific transcription factors in progeny cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 14852-14857.	7.1	88

#	ARTICLE	IF	CITATIONS
91	Runx2/Cbfa1 Functions: Diverse Regulation of Gene Transcription by Chromatin Remodeling and Co-Regulatory Protein Interactions. <i>Connective Tissue Research</i> , 2003, 44, 141-148.	2.3	22
92	Osteoblast-related transcription factors Runx2 (Cbfa1/AML3) and MSX2 mediate the expression of bone sialoprotein in human metastatic breast cancer cells. <i>Cancer Research</i> , 2003, 63, 2631-7.	0.9	165
93	Transcription factors RUNX1/AML1 and RUNX2/Cbfa1 dynamically associate with stationary subnuclear domains. <i>Journal of Cell Science</i> , 2002, 115, 4167-4176.	2.0	82
94	CCAAT/Enhancer-binding Proteins (C/EBP) β and δ Activate Osteocalcin Gene Transcription and Synergize with Runx2 at the C/EBP Element to Regulate Bone-specific Expression. <i>Journal of Biological Chemistry</i> , 2002, 277, 1316-1323.	3.4	229
95	Cbfa1 interacts with Runx2 and has a critical role in bone development. <i>Nature Genetics</i> , 2002, 32, 639-644.	21.4	207
96	Involvement of Nuclear Architecture in Regulating Gene Expression in Bone Cells. , 2002, , 169-XVII.		4
97	Contributions of nuclear architecture and chromatin to vitamin D-dependent transcriptional control of the rat osteocalcin gene. <i>Steroids</i> , 2001, 66, 159-170.	1.8	41
98	Expression and regulation of Runx2/Cbfa1 and osteoblast phenotypic markers during the growth and differentiation of human osteoblasts. <i>Journal of Cellular Biochemistry</i> , 2001, 80, 424-440.	2.6	177
99	runt Homology Domain Transcription Factors (Runx, Cbfa, and AML) Mediate Repression of the Bone Sialoprotein Promoter: Evidence for Promoter Context-Dependent Activity of Cbfa Proteins. <i>Molecular and Cellular Biology</i> , 2001, 21, 2891-2905.	2.3	172
100	Differential Regulation of the Two Principal Runx2/Cbfa1 N-Terminal Isoforms in Response to Bone Morphogenetic Protein-2 during Development of the Osteoblast Phenotype. <i>Endocrinology</i> , 2001, 142, 4026-4039.	2.8	182
101	Expression and regulation of Runx2/Cbfa1 and osteoblast phenotypic markers during the growth and differentiation of human osteoblasts* . , 2001, 80, 424.		2
102	A specific targeting signal directs Runx2/Cbfa1 to subnuclear domains and contributes to transactivation of the osteocalcin gene. <i>Journal of Cell Science</i> , 2001, 114, 3093-3102.	2.0	159
103	Leukemia-associated AML1/ETO (8;21) chromosomal translocation protein increases the cellular representation of PML bodies. <i>Journal of Cellular Biochemistry</i> , 2000, 79, 103-112.	2.6	22
104	Subnuclear organization and trafficking of regulatory proteins: Implications for biological control and cancer. <i>Journal of Cellular Biochemistry</i> , 2000, 79, 84-92.	2.6	21
105	Subnuclear organization and trafficking of regulatory proteins: Implications for biological control and cancer. <i>Journal of Cellular Biochemistry</i> , 2000, 79, 84-92.	2.6	3
106	Multiple Cbfa/AML Sites in the Rat Osteocalcin Promoter Are Required for Basal and Vitamin D-Responsive Transcription and Contribute to Chromatin Organization. <i>Molecular and Cellular Biology</i> , 1999, 19, 7491-7500.	2.3	141
107	Crystal Structure of the Nuclear Matrix Targeting Signal of the Transcription Factor Acute Myelogenous Leukemia-1/Polyoma Enhancer-binding Protein 2/ Core Binding Factor 1. <i>Journal of Biological Chemistry</i> , 1999, 274, 33580-33586.	3.4	73
108	Transient upregulation of CBFA1 in response to bone morphogenetic protein-2 and transforming growth factor β 1 in C2C12 myogenic cells coincides with suppression of the myogenic phenotype but is not sufficient for osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 1999, 73, 114-125.	2.6	244

#	ARTICLE	IF	CITATIONS
109	Insight into Regulatory Factor Targeting to Transcriptionally Active Subnuclear Sites. <i>Experimental Cell Research</i> , 1999, 253, 110-116.	2.6	6
110	CBFa(AML/PEBP2)-related elements in the TGF- β 2 type I receptor promoter and expression with osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 1998, 69, 353-363.	2.6	83