

Jun Abe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2805127/publications.pdf>

Version: 2024-02-01

60
papers

2,944
citations

218381

26
h-index

174990

52
g-index

60
all docs

60
docs citations

60
times ranked

1613
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular mechanisms for the photoperiodic regulation of flowering in soybean. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 981-994.	4.1	107
2	Characterization of chlorophyll-deficient soybean [<i>Glycine max</i> (L.) Merr.] mutants obtained by ion-beam irradiation reveals concomitant reduction in isoflavone levels. <i>Genetic Resources and Crop Evolution</i> , 2021, 68, 1213-1223.	0.8	5
3	Site-directed mutagenesis by biolistic transformation efficiently generates inheritable mutations in a targeted locus in soybean somatic embryos and transgene-free descendants in the T1 generation. <i>Transgenic Research</i> , 2021, 30, 77-89.	1.3	9
4	FT5a interferes with the Dt1â€AP1 feedback loop to control flowering time and shoot determinacy in soybean. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1004-1020.	4.1	37
5	Overcoming the genetic compensation response of soybean florigens to improve adaptation and yield at low latitudes. <i>Current Biology</i> , 2021, 31, 3755-3767.e4.	1.8	42
6	Functional Divergence of G and Its Homologous Genes for Green Pigmentation in Soybean Seeds. <i>Frontiers in Plant Science</i> , 2021, 12, 796981.	1.7	0
7	Simultaneous induction of mutant alleles of two allergenic genes in soybean by using site-directed mutagenesis. <i>BMC Plant Biology</i> , 2020, 20, 513.	1.6	30
8	A Soybean Deletion Mutant That Moderates the Repression of Flowering by Cool Temperatures. <i>Frontiers in Plant Science</i> , 2020, 11, 429.	1.7	9
9	Structural features of the aleurone layer of the seed coat associated with imbibition injury in soybean. <i>Breeding Science</i> , 2019, 69, 364-370.	0.9	7
10	Functional divergence between soybean FLOWERING LOCUS T orthologues FT2a and FT5a in post-flowering stem growth. <i>Journal of Experimental Botany</i> , 2019, 70, 3941-3953.	2.4	35
11	Recessive Resistance Governed by a Major Quantitative Trait Locus Restricts Clover Yellow Vein Virus in Mechanically but Not Graft-Inoculated Cultivated Soybeans. <i>Molecular Plant-Microbe Interactions</i> , 2019, 32, 1026-1037.	1.4	3
12	Identification of quantitative trait loci for increased γ -tocopherol biosynthesis in wild soybean using a high-density genetic map. <i>BMC Plant Biology</i> , 2019, 19, 510.	1.6	18
13	Characterization and quantitative trait locus mapping of late-flowering from a Thai soybean cultivar introduced into a photoperiod-insensitive genetic background. <i>PLoS ONE</i> , 2019, 14, e0226116.	1.1	20
14	Title is missing!. , 2019, 14, e0226116.		0
15	Title is missing!. , 2019, 14, e0226116.		0
16	Title is missing!. , 2019, 14, e0226116.		0
17	Title is missing!. , 2019, 14, e0226116.		0
18	Simultaneous site-directed mutagenesis of duplicated loci in soybean using a single guide RNA. <i>Plant Cell Reports</i> , 2018, 37, 553-563.	2.8	93

#	ARTICLE	IF	CITATIONS
19	Evaluation of seed components of wild soybean (<i>Glycine soja</i>) collected in Japan using near-infrared reflectance spectroscopy. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2018, 16, 94-102.	0.4	6
20	Transcription of soybean retrotransposon SORE-1 is temporally upregulated in developing ovules. <i>Planta</i> , 2018, 248, 1331-1337.	1.6	3
21	Chromosomal distribution of soybean retrotransposon SORE-1 suggests its recent preferential insertion into euchromatic regions. <i>Chromosome Research</i> , 2018, 26, 199-210.	1.0	6
22	Quantitative trait loci mapping of <i>Meloidogyne incognita</i> and M.Âhapla resistance in a recombinant inbred line population of soybean. <i>Nematology</i> , 2018, 20, 525-537.	0.2	4
23	Loss of Function of the E1-Like-b Gene Associates With Early Flowering Under Long-Day Conditions in Soybean. <i>Frontiers in Plant Science</i> , 2018, 9, 1867.	1.7	31
24	Molecular-genetic study on flowering and growth habit of soybean by use of germplasm. <i>Ikushugaku Kenkyu</i> , 2018, 20, 159-163.	0.1	0
25	Frequent generation of mutants with coincidental changes in multiple traits via ion-beam irradiation in soybean. <i>Genes and Genetic Systems</i> , 2017, 92, 153-161.	0.2	11
26	Isolation and molecular characterization of a <i><i>Lotus japonicus</i></i> <i><i>R2R3-MYB</i></i> subgroup 7 transcription factor gene. <i>Plant Biotechnology</i> , 2017, 34, 45-49.	0.5	9
27	Quantitative Trait Locus Mapping of Soybean Maturity Gene <i>E6</i>. <i>Crop Science</i> , 2017, 57, 2547-2554.	0.8	29
28	Natural diversity of seed $\hat{\pm}$ -tocopherol ratio in wild soybean (<i><i>Glycine soja</i></i>) germplasm collection. <i>Breeding Science</i> , 2016, 66, 653-657.	0.9	9
29	Quantitative trait locus mapping of soybean maturity gene <i><i>E5</i></i>. <i>Breeding Science</i> , 2016, 66, 407-415.	0.9	56
30	A soybean quantitative trait locus that promotes flowering under long days is identified as<i>FT5a</i>, a<i>FLOWERING LOCUS T</i> ortholog. <i>Journal of Experimental Botany</i> , 2016, 67, 5247-5258.	2.4	83
31	A recessive allele for delayed flowering at the soybean maturity locus E9 is a leaky allele of FT2a, a FLOWERING LOCUS T ortholog. <i>BMC Plant Biology</i> , 2016, 16, 20.	1.6	159
32	QTL mapping for flowering time in different latitude in soybean. <i>Euphytica</i> , 2015, 206, 725-736.	0.6	27
33	The Soybean-Specific Maturity Gene <i>E1</i> Family of Floral Repressors Controls Night-Break Responses through Down-Regulation of <i>FLOWERING LOCUS T</i> Orthologs Â. <i>Plant Physiology</i> , 2015, 168, 1735-1746.	2.3	87
34	A Single-Nucleotide Polymorphism in an Endo-1,4- $\hat{2}$ -Glucanase Gene Controls Seed Coat Permeability in Soybean. <i>PLoS ONE</i> , 2015, 10, e0128527.	1.1	35
35	Mapping quantitative trait loci for yield-related traits in soybean (<i>Glycine max</i> L.). <i>Breeding Science</i> , 2014, 64, 282-290.	0.9	8
36	Natural variation in the genes responsible for maturity loci E1, E2, E3 and E4 in soybean. <i>Annals of Botany</i> , 2014, 113, 429-441.	1.4	156

#	ARTICLE	IF	CITATIONS
37	A New Dominant Gene <i>E9</i> Conditions Early Flowering and Maturity in Soybean. <i>Crop Science</i> , 2014, 54, 2529-2535.	0.8	173
38	Genetic variation in four maturity genes affects photoperiod insensitivity and PHYA-regulated post-flowering responses of soybean. <i>BMC Plant Biology</i> , 2013, 13, 91.	1.6	182
39	Genetic Variation in Soybean at the Maturity Locus E4 Is Involved in Adaptation to Long Days at High Latitudes. <i>Agronomy</i> , 2013, 3, 117-134.	1.3	86
40	Invitation to soybean research. <i>Ikushugaku Kenkyu</i> , 2013, 15, 51-56.	0.1	1
41	Genetic and molecular bases of photoperiod responses of flowering in soybean. <i>Breeding Science</i> , 2012, 61, 531-543.	0.9	144
42	An Active CACTA-Family Transposable Element is Responsible for Flower Variegation in Wild Soybean <i>Glycine soja</i> . <i>Plant Genome</i> , 2012, 5, 62-70.	1.6	13
43	Optimization of ion-beam irradiation for mutagenesis in soybean: effects on plant growth and production of visibly altered mutants. <i>Plant Biotechnology</i> , 2011, 28, 323-329.	0.5	28
44	Varietal Differences and Morphology of Cleistogamy in Soybean. <i>Crop Science</i> , 2010, 50, 185-190.	0.8	11
45	Establishment of new method for analysis of starch contents and varietal differences in soybean seeds. <i>Breeding Science</i> , 2010, 60, 160-163.	0.9	40
46	Two Coordinately Regulated Homologs of <i>FLOWERING LOCUS T</i> Are Involved in the Control of Photoperiodic Flowering in Soybean. <i>Plant Physiology</i> , 2010, 154, 1220-1231.	2.3	298
47	Molecular Cloning and Linkage Mapping of Cryptochrome Multigene Family in Soybean. <i>Plant Genome</i> , 2009, 2, .	1.6	27
48	Genetic Redundancy in Soybean Photoresponses Associated With Duplication of the Phytochrome A Gene. <i>Genetics</i> , 2008, 180, 995-1007.	1.2	335
49	Genetic analysis and biochemical characterization of the high lutein trait of wild soybean (<i>Glycine</i>) Tj ETQq1 1 0.784314 rgBT ₇ /Overlo 0.9	0.9	7
50	Genetic relationship between lipid content and linolenic acid concentration in soybean seeds. <i>Breeding Science</i> , 2008, 58, 361-366.	0.9	49
51	Simultaneous Accumulation of High Contents of .ALPHA.-Tocopherol and Lutein is Possible in Seeds of Soybean (<i>Glycine max</i> (L.) Merr.). <i>Breeding Science</i> , 2007, 57, 297-304.	0.9	22
52	Identification and Characterization of Wild Soybean (<i>Glycine soja</i> Sieb. et Zecc.) Strains with High Lutein Content. <i>Breeding Science</i> , 2006, 56, 231-234.	0.9	45
53	Marker-assisted Analysis for Soybean Hard Seededness with Isozyme and Simple Sequence Repeat Loci. <i>Breeding Science</i> , 2004, 54, 133-139.	0.9	20
54	Photoperiod-insensitive Japanese Soybean Landraces Differ at Two Maturity Loci. <i>Crop Science</i> , 2003, 43, 1300-1304.	0.8	70

#	ARTICLE	IF	CITATIONS
55	Quantitative Trait Locus Analysis of Stalk Strength in Four Maize Populations. <i>Crop Science</i> , 2003, 43, 13.	0.8	132
56	Soybean Maturity Genes Associated with Seed Coat Pigmentation and Cracking in Response to Low Temperatures. <i>Crop Science</i> , 1999, 39, 1657-1662.	0.8	38
57	Genetic structure of the Japanese soybean population. <i>Genetic Resources and Crop Evolution</i> , 1999, 46, 441-453.	0.8	20
58	RFLPs of chloroplast and mitochondrial DNA in wild soybean, <i>Glycine soja</i> , growing in China. <i>Genetic Resources and Crop Evolution</i> , 1998, 45, 433-439.	0.8	32
59	A marker-assisted analysis of bolting tendency in sugar beet (<i>Beta vulgaris</i> L.). <i>Euphytica</i> , 1997, 94, 137-144.	0.6	6
60	A gene complex for annual habit in sugar beet (<i>Beta vulgaris</i> L.). <i>Euphytica</i> , 1997, 94, 129-135.	0.6	31