

Rodrigo A. Bressan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2810755/publications.pdf>

Version: 2024-02-01

347
papers

10,650
citations

44069

48
h-index

62596

80
g-index

369
all docs

369
docs citations

369
times ranked

13351
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	27.8	929
2	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017, 174, 216-229.	7.2	685
3	First in vivo evidence of an NMDA receptor deficit in medication-free schizophrenic patients. <i>Molecular Psychiatry</i> , 2006, 11, 118-119.	7.9	246
4	Cannabis use before age 15 and subsequent executive functioning. <i>British Journal of Psychiatry</i> , 2011, 198, 442-447.	2.8	241
5	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.3	229
6	A general psychopathology factor (P factor) in children: Structural model analysis and external validation through familial risk and child global executive function.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 137-148.	1.9	189
7	High risk cohort study for psychiatric disorders in childhood: rationale, design, methods and preliminary results. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 58-73.	2.1	148
8	Using deep belief network modelling to characterize differences in brain morphometry in schizophrenia. <i>Scientific Reports</i> , 2016, 6, 38897.	3.3	135
9	Ventral Striatum Functional Connectivity as a Predictor of Adolescent Depressive Disorder in a Longitudinal Community-Based Sample. <i>American Journal of Psychiatry</i> , 2017, 174, 1112-1119.	7.2	130
10	Is Regionally Selective D2/D3 Dopamine Occupancy Sufficient for Atypical Antipsychotic Effect? An In Vivo Quantitative [123I]Epidepride SPET Study of Amisulpride-Treated Patients. <i>American Journal of Psychiatry</i> , 2003, 160, 1413-1420.	7.2	112
11	The Impact of Epidemic Violence on the Prevalence of Psychiatric Disorders in Sao Paulo and Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2013, 8, e63545.	2.5	109
12	Gray Matter Volumes in Obsessive-Compulsive Disorder Before and After Fluoxetine or Cognitive-Behavior Therapy: A Randomized Clinical Trial. <i>Neuropsychopharmacology</i> , 2012, 37, 734-745.	5.4	108
13	Bitopertin in Negative Symptoms of Schizophrenia—Results From the Phase III FlashLyte and DayLyte Studies. <i>Biological Psychiatry</i> , 2017, 82, 8-16.	1.3	92
14	Relationship between ketamine-induced psychotic symptoms and NMDA receptor occupancy—a [123I]CNS-1261 SPET study. <i>Psychopharmacology</i> , 2008, 197, 401-408.	3.1	89
15	Validity study of the Brazilian version of the Calgary Depression Scale for Schizophrenia. <i>Schizophrenia Research</i> , 1998, 32, 31-39.	2.0	85
16	Towards a multifactorial approach for prediction of bipolar disorder in at risk populations. <i>Journal of Affective Disorders</i> , 2012, 140, 82-91.	4.1	85
17	Impact of peripheral levels of chemokines, BDNF and oxidative markers on cognition in individuals with schizophrenia. <i>Journal of Psychiatric Research</i> , 2013, 47, 1376-1382.	3.1	84
18	Effects of Risperidone on Cytokine Profile in Drug-Naive First-Episode Psychosis. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu042-pyu042.	2.1	77

#	ARTICLE	IF	CITATIONS
19	Polygenic Risk Score for Alzheimer's Disease: Implications for Memory Performance and Hippocampal Volumes in Early Life. <i>American Journal of Psychiatry</i> , 2018, 175, 555-563.	7.2	75
20	Genetic variants associated with longitudinal changes in brain structure across the lifespan. <i>Nature Neuroscience</i> , 2022, 25, 421-432.	14.8	75
21	Optimizing Limbic Selective D2/D3 Receptor Occupancy by Risperidone: A [123I]-Epidepride SPET Study. <i>Journal of Clinical Psychopharmacology</i> , 2003, 23, 5-14.	1.4	74
22	Impact of Childhood Stress on Psychopathology. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 480-488.	1.7	74
23	Age effects on the default mode and control networks in typically developing children. <i>Journal of Psychiatric Research</i> , 2014, 58, 89-95.	3.1	74
24	Increased Amygdalar and Hippocampal Volumes in Young Adults with Social Anxiety. <i>PLoS ONE</i> , 2014, 9, e88523.	2.5	73
25	Typical antipsychotic drugs' D2 receptor occupancy and depressive symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2002, 56, 31-36.	2.0	71
26	Reduced cerebellar left hemisphere and vermal volume in adults with PTSD from a community sample. <i>Journal of Psychiatric Research</i> , 2011, 45, 1627-1633.	3.1	70
27	Structural validity and reliability of the Positive and Negative Affect Schedule (PANAS): Evidence from a large Brazilian community sample. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 169-172.	1.7	69
28	High predictive value of immune-inflammatory biomarkers for schizophrenia diagnosis and association with treatment resistance. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 422-429.	2.6	69
29	Candidate-Gene Approach in Posttraumatic Stress Disorder After Urban Violence: Association Analysis of the Genes Encoding Serotonin Transporter, Dopamine Transporter, and BDNF. <i>Journal of Molecular Neuroscience</i> , 2011, 44, 59-67.	2.3	68
30	Activation of the immune-inflammatory response system and the compensatory immune-regulatory system in antipsychotic naive first episode psychosis. <i>European Neuropsychopharmacology</i> , 2019, 29, 416-431.	0.7	67
31	Adolescents at clinical-high risk for psychosis: Circadian rhythm disturbances predict worsened prognosis at 1-year follow-up. <i>Schizophrenia Research</i> , 2017, 189, 37-42.	2.0	66
32	A 20-week program of resistance or concurrent exercise improves symptoms of schizophrenia: results of a blind, randomized controlled trial. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 271-279.	1.7	65
33	Higher striatal dopamine transporter density in PTSD: an in vivo SPECT study with [99mTc]TRODAT-1. <i>Psychopharmacology</i> , 2012, 224, 337-345.	3.1	63
34	Determinants of adherence to treatment in first-episode psychosis: a comprehensive review. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 168-176.	1.7	61
35	Higher dopamine transporter density in Parkinson's disease patients with depression. <i>Psychopharmacology</i> , 2010, 211, 27-31.	3.1	60
36	Impact of Schizophrenia and Chronic Antipsychotic Treatment on [123I]CNS-1261 Binding to N-Methyl-D-Aspartate Receptors In Vivo. <i>Biological Psychiatry</i> , 2005, 58, 41-46.	1.3	59

#	ARTICLE	IF	CITATIONS
37	Depression, Cytokine, and Cytokine by Treatment Interactions Modulate Gene Expression in Antipsychotic Na ⁺ -ve First Episode Psychosis. <i>Molecular Neurobiology</i> , 2016, 53, 5701-5709.	4.0	59
38	In vivo 5-HT 2A receptor blockade by quetiapine. <i>Psychopharmacology</i> , 2001, 157, 60-66.	3.1	57
39	Circadian rest-activity rhythm in individuals at risk for psychosis and bipolar disorder. <i>Schizophrenia Research</i> , 2015, 168, 50-55.	2.0	57
40	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021, 78, 77.	11.0	57
41	Depressive episodes in stable schizophrenia: critical evaluation of the DSM-IV and ICD-10 diagnostic criteria. <i>Psychiatry Research</i> , 2003, 117, 47-56.	3.3	56
42	Higher nigrostriatal dopamine neuron loss in early than late onset Parkinson's disease? A [99mTc]-TRODAT-1 SPECT study. <i>Movement Disorders</i> , 2007, 22, 863-866.	3.9	56
43	Catechol-O-methyltransferase (COMT) val158met Polymorphism as a Risk Factor for PTSD After Urban Violence. <i>Journal of Molecular Neuroscience</i> , 2011, 43, 516-523.	2.3	56
44	Obsessive-compulsive symptom dimensions correlate to specific gray matter volumes in treatment-na ⁺ -ve patients. <i>Journal of Psychiatric Research</i> , 2012, 46, 1635-1642.	3.1	56
45	Reduced dorso-lateral prefrontal cortex in treatment resistant schizophrenia. <i>Schizophrenia Research</i> , 2013, 148, 81-86.	2.0	55
46	Dopaminergic Neuronal Imaging in Genetic Parkinson's Disease: Insights into Pathogenesis. <i>PLoS ONE</i> , 2013, 8, e69190.	2.5	55
47	Differential prefrontal gray matter correlates of treatment response to fluoxetine or cognitive-behavioral therapy in obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2013, 23, 569-580.	0.7	54
48	Abnormalities in sleep patterns in individuals at risk for psychosis and bipolar disorder. <i>Schizophrenia Research</i> , 2015, 169, 262-267.	2.0	54
49	Do sleep abnormalities and misaligned sleep/circadian rhythm patterns represent early clinical characteristics for developing psychosis in high risk populations?. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2631-2637.	6.1	53
50	A 6-month randomized controlled trial to test the efficacy of a lifestyle intervention for weight gain management in schizophrenia. <i>BMC Psychiatry</i> , 2013, 13, 60.	2.6	52
51	Parkinson's disease and dopamine transporter neuroimaging: a critical review. <i>Sao Paulo Medical Journal</i> , 2006, 124, 168-175.	0.9	51
52	Attentional and executive functions are differentially affected by post-traumatic stress disorder and trauma. <i>Journal of Psychiatric Research</i> , 2014, 48, 32-39.	3.1	51
53	Oxidative stress in drug-na ⁺ -ve first episode psychosis and antioxidant effects of risperidone. <i>Journal of Psychiatric Research</i> , 2015, 68, 210-216.	3.1	51
54	Medications and verbal memory impairment in schizophrenia: the role of anticholinergic drugs. <i>Psychological Medicine</i> , 2004, 34, 369-374.	4.5	50

#	ARTICLE	IF	CITATIONS
55	Voxel-based morphometry evaluation of patients with photosensitive juvenile myoclonic epilepsy. <i>Epilepsy Research</i> , 2009, 86, 138-145.	1.6	49
56	Personality traits related to juvenile myoclonic epilepsy: MRI reveals prefrontal abnormalities through a voxel-based morphometry study. <i>Epilepsy and Behavior</i> , 2009, 15, 202-207.	1.7	49
57	Cytokines in schizophrenia: Possible role of anti-inflammatory medications in clinical and preclinical stages. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 247-260.	1.8	49
58	Peripheral interleukin-2 level is associated with negative symptoms and cognitive performance in schizophrenia. <i>Physiology and Behavior</i> , 2014, 129, 194-198.	2.1	49
59	Polygenic risk score analyses of symptoms and treatment response in an antipsychotic-naïve first episode of psychosis cohort. <i>Translational Psychiatry</i> , 2018, 8, 174.	4.8	49
60	Effects of depression on the cytokine profile in drug naïve first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 164, 53-58.	2.0	48
61	Imaging the glutamatergic system in vivo – relevance to schizophrenia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 1723-1731.	6.4	47
62	Molecular Imaging Studies in Parkinson Disease. <i>Neurologist</i> , 2009, 15, 6-16.	0.7	47
63	Kinetic modelling of [123I]CNS 1261 – a potential SPET tracer for the NMDA receptor. <i>Nuclear Medicine and Biology</i> , 2003, 30, 441-454.	0.6	46
64	Peripheral immuno-inflammatory abnormalities in ultra-high risk of developing psychosis. <i>Schizophrenia Research</i> , 2016, 176, 191-195.	2.0	46
65	Increased dopamine transporter density in Parkinson's disease patients with social anxiety disorder. <i>Journal of the Neurological Sciences</i> , 2011, 310, 53-57.	0.6	45
66	The accuracy of the Clinician-Administered PTSD Scale (CAPS) to identify PTSD cases in victims of urban violence. <i>Psychiatry Research</i> , 2011, 185, 157-160.	3.3	45
67	A Double-Blind Randomized Controlled Trial To Study the Efficacy of Topiramate in a Civilian Sample of PTSD. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 305-310.	3.9	45
68	Atypical antipsychotic drugs and tardive dyskinesia: relevance of D2 receptor affinity. <i>Journal of Psychopharmacology</i> , 2004, 18, 124-127.	4.0	43
69	Decreased centrality of subcortical regions during the transition to adolescence: A functional connectivity study. <i>NeuroImage</i> , 2015, 104, 44-51.	4.2	43
70	Conditional risk for posttraumatic stress disorder in an epidemiological study of a Brazilian urban population. <i>Journal of Psychiatric Research</i> , 2016, 72, 51-57.	3.1	43
71	Oxidative and nitrosative stress biomarkers in chronic schizophrenia. <i>Psychiatry Research</i> , 2017, 253, 43-48.	3.3	43
72	Factor structure of the Positive and Negative Syndrome Scale (PANSS) in Brazil: convergent validation of the Brazilian version. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 336-339.	1.7	42

#	ARTICLE	IF	CITATIONS
73	Effect of Amantadine on Depressive Symptoms in Chronic Hepatitis C Patients Treated with Pegylated Interferon. <i>Clinical Neuropharmacology</i> , 2006, 29, 138-143.	0.7	41
74	Evaluating the effectiveness of a training program that builds teachers' capability to identify and appropriately refer middle and high school students with mental health problems in Brazil: an exploratory study. <i>BMC Public Health</i> , 2014, 14, 210.	2.9	41
75	Cognition in at-risk mental states for psychosis. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 57, 199-208.	6.1	41
76	Prolactinemia is uncoupled from central D2/D3 dopamine receptor occupancy in amisulpride treated patients. <i>Psychopharmacology</i> , 2004, 175, 367-373.	3.1	38
77	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. <i>BMC Psychiatry</i> , 2009, 9, 34.	2.6	38
78	Association of biomarkers and depressive symptoms in schizophrenia. <i>Neuroscience Letters</i> , 2011, 505, 282-285.	2.1	38
79	Can neuroimaging be used to predict the onset of psychosis?. <i>Lancet Psychiatry</i> , 2015, 2, 1117-1122.	7.4	36
80	Changes in gene expression and methylation in the blood of patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 358-364.	2.0	35
81	Metabolomics and lipidomics analyses by 1H nuclear magnetic resonance of schizophrenia patient serum reveal potential peripheral biomarkers for diagnosis. <i>Schizophrenia Research</i> , 2017, 185, 182-189.	2.0	35
82	Ketamine displaces the novel NMDA receptor SPET probe [123I]CNS-1261 in humans in vivo. <i>Nuclear Medicine and Biology</i> , 2006, 33, 239-243.	0.6	34
83	Degenerative parkinsonism in patients with psychogenic parkinsonism: A dopamine transporter imaging study. <i>Clinical Neurology and Neurosurgery</i> , 2010, 112, 282-285.	1.4	34
84	DRD1 rs4532 polymorphism: A potential pharmacogenomic marker for treatment response to antipsychotic drugs. <i>Schizophrenia Research</i> , 2012, 142, 206-208.	2.0	34
85	Lowered paraoxonase 1 (PON1) activity is associated with increased cytokine levels in drug naïve first episode psychosis. <i>Schizophrenia Research</i> , 2015, 166, 225-230.	2.0	34
86	Methylphenidate DAT binding in adolescents with Attention-Deficit/ Hyperactivity Disorder comorbid with Substance Use Disorder - a single Photon Emission Computed Tomography with [Tc99m]TRODAT-1 study. <i>NeuroImage</i> , 2008, 40, 1195-1201.	4.2	33
87	Olfactory heterogeneity in <i>LRRK2</i> related Parkinsonism. <i>Movement Disorders</i> , 2010, 25, 2879-2883.	3.9	33
88	Auras and clinical features in temporal lobe epilepsy: A new approach on the basis of voxel-based morphometry. <i>Epilepsy Research</i> , 2010, 89, 327-338.	1.6	33
89	Source memory errors in schizophrenia, hallucinations and negative symptoms: a synthesis of research findings. <i>Psychological Medicine</i> , 2012, 42, 2543-2554.	4.5	33
90	Convergent evidences from human and animal studies implicate angiotensin I-converting enzyme activity in cognitive performance in schizophrenia. <i>Translational Psychiatry</i> , 2015, 5, e691-e691.	4.8	33

#	ARTICLE	IF	CITATIONS
91	Effects of minocycline add-on treatment on brain morphometry and cerebral perfusion in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2015, 161, 439-445.	2.0	33
92	Circulating levels of sTNFR1 as a marker of severe clinical course in schizophrenia. <i>Journal of Psychiatric Research</i> , 2013, 47, 467-471.	3.1	32
93	Analysis of D2 dopamine receptor occupancy with quantitative SPET using the high-affinity ligand [123I]epidepride: resolving conflicting findings. <i>NeuroImage</i> , 2003, 19, 1205-1214.	4.2	31
94	Memory Networks in Tinnitus: A Functional Brain Image Study. <i>PLoS ONE</i> , 2014, 9, e87839.	2.5	31
95	Default mode network maturation and psychopathology in children and adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016, 57, 55-64.	5.2	31
96	Cerebellar volume in patients with dementia. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 122-129.	1.7	31
97	A bolus/infusion paradigm for the novel NMDA receptor SPET tracer [123I]CNS 1261. <i>Nuclear Medicine and Biology</i> , 2004, 31, 155-164.	0.6	30
98	Cognitive Deficits in Machadoâ€“Joseph Disease Correlate with Hypoperfusion of Visual System Areas. <i>Cerebellum</i> , 2012, 11, 1037-1044.	2.5	30
99	Epidemiology of Psychotropic Drug Use in Rio de Janeiro, Brazil: Gaps in Mental Illness Treatments. <i>PLoS ONE</i> , 2013, 8, e62270.	2.5	30
100	Hallucinations and two types of free-recall intrusion in schizophrenia. <i>Psychological Medicine</i> , 2009, 39, 917-926.	4.5	29
101	Searching for a Neurobiological Basis for Self-Medication Theory in ADHD Comorbid With Substance Use Disorders. <i>Clinical Nuclear Medicine</i> , 2014, 39, e129-e134.	1.3	29
102	Age-effects in white matter using associated diffusion tensor imaging and magnetization transfer ratio during late childhood and early adolescence. <i>Magnetic Resonance Imaging</i> , 2016, 34, 529-534.	1.8	29
103	Incidence of psychiatric side effects during pegylated interferon- α retreatment in nonresponder hepatitis C virus-infected patients. <i>Liver International</i> , 2007, 27, 1098-1102.	3.9	28
104	Evaluation of patients with Clinically Unclear Parkinsonian Syndromes submitted to brain SPECT imaging using the technetium-99m labeled tracer TRODAT-1. <i>Journal of the Neurological Sciences</i> , 2010, 291, 64-68.	0.6	28
105	Structural covariance in schizophrenia and first-episode psychosis: An approach based on graph analysis. <i>Journal of Psychiatric Research</i> , 2015, 71, 89-96.	3.1	28
106	High frequency of unrecognized mental disorders in HCV-infected patients. <i>General Hospital Psychiatry</i> , 2008, 30, 80-82.	2.4	27
107	Early intervention in psychosis: a map of clinical and research initiatives in Latin America. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s213-s224.	1.7	27
108	Can neuroimaging be used as a support to diagnosis of borderline personality disorder? An approach based on computational neuroanatomy and machine learning. <i>Journal of Psychiatric Research</i> , 2012, 46, 1126-1132.	3.1	27

#	ARTICLE	IF	CITATIONS
109	Plasma Ndel1 enzyme activity is reduced in patients with schizophrenia – A potential biomarker?. <i>Journal of Psychiatric Research</i> , 2013, 47, 657-663.	3.1	27
110	Substantia nigra echogenicity and imaging of striatal dopamine transporters in Parkinson's disease: A cross-sectional study. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 477-481.	2.2	27
111	Is semantic verbal fluency impairment explained by executive function deficits in schizophrenia?. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 121-126.	1.7	27
112	Gene expression alterations related to mania and psychosis in peripheral blood of patients with a first episode of psychosis. <i>Translational Psychiatry</i> , 2016, 6, e908-e908.	4.8	26
113	Catechol-O-methyltransferase (COMT) polymorphisms modulate working memory in individuals with schizophrenia and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 302-308.	1.7	26
114	Temporal stability of network centrality in control and default mode networks: Specific associations with externalizing psychopathology in children and adolescents. <i>Human Brain Mapping</i> , 2015, 36, 4926-4937.	3.6	25
115	Shorter leukocyte telomere length in patients at ultra high risk for psychosis. <i>European Neuropsychopharmacology</i> , 2017, 27, 538-542.	0.7	25
116	Gene expression in blood of children and adolescents: Mediation between childhood maltreatment and major depressive disorder. <i>Journal of Psychiatric Research</i> , 2017, 92, 24-30.	3.1	25
117	Leukocyte telomere length variation in different stages of schizophrenia. <i>Journal of Psychiatric Research</i> , 2018, 96, 218-223.	3.1	25
118	Relative Age and Attention-Deficit/Hyperactivity Disorder: Data From Three Epidemiological Cohorts and a Meta-analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 990-997.	0.5	25
119	A neuropsychological study comparing patients infected with HCV and HBV without psychiatric comorbidities. <i>Journal of Medical Virology</i> , 2009, 81, 1184-1188.	5.0	24
120	The posttraumatic stress disorder project in Brazil: neuropsychological, structural and molecular neuroimaging studies in victims of urban violence. <i>BMC Psychiatry</i> , 2009, 9, 30.	2.6	24
121	Reduction of anterior cingulate in adults with urban violence- related PTSD. <i>Journal of Affective Disorders</i> , 2014, 168, 13-20.	4.1	24
122	Molecular imaging genetics of methylphenidate response in ADHD and substance use comorbidity. <i>Synapse</i> , 2011, 65, 154-159.	1.2	23
123	Cognitive and olfactory deficits in Machado-Joseph disease: A dopamine transporter study. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 854-858.	2.2	23
124	Increased expression of NDEL1 and MBP genes in the peripheral blood of antipsychotic-naïve patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2015, 25, 2416-2425.	0.7	23
125	Genetic risk for Alzheimer's disease and functional brain connectivity in children and adolescents. <i>Neurobiology of Aging</i> , 2019, 82, 10-17.	3.1	23
126	Comorbidity in post-traumatic stress disorder: A population-based study from the two largest cities in Brazil. <i>Journal of Affective Disorders</i> , 2020, 263, 715-721.	4.1	23

#	ARTICLE	IF	CITATIONS
127	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
128	Processing Speed: A Strong Predictor of Verbal Memory Performance in Schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006, 28, 370-382.	1.3	22
129	Sleep disorders in Machado-Joseph disease: A dopamine transporter imaging study. <i>Journal of the Neurological Sciences</i> , 2013, 324, 90-93.	0.6	22
130	Morphometric hemispheric asymmetry of orbitofrontal cortex in women with borderline personality disorder: A multi-parameter approach. <i>Psychiatry Research - Neuroimaging</i> , 2014, 223, 61-66.	1.8	22
131	Effect of antipsychotic drugs on gene expression in the prefrontal cortex and nucleus accumbens in the spontaneously hypertensive rat (SHR). <i>Schizophrenia Research</i> , 2014, 157, 163-168.	2.0	22
132	Angiotensin converting enzyme activity is positively associated with IL-17a levels in patients with schizophrenia. <i>Psychiatry Research</i> , 2015, 229, 702-707.	3.3	22
133	Peripubertal treatment with cannabidiol prevents the emergence of psychosis in an animal model of schizophrenia. <i>Schizophrenia Research</i> , 2016, 172, 220-221.	2.0	22
134	Dopamine Transporter Imaging Using 99mTc-TRODAT-1 SPECT in Parkinson's Disease. <i>Medical Science Monitor</i> , 2014, 20, 1413-1418.	1.1	22
135	Non-uniform blockade of intrastriatal D2/D3 receptors by risperidone and amisulpride. <i>Psychopharmacology</i> , 2005, 180, 664-669.	3.1	21
136	Dopamine transporter imaging in clinically unclear cases of parkinsonism and the importance of Scans Without Evidence of Dopaminergic Deficit (SWEDDs). <i>Arquivos De Neuro-Psiquiatria</i> , 2012, 70, 667-673.	0.8	21
137	ORBITOFRONTAL THICKNESS AS A MEASURE FOR TREATMENT RESPONSE PREDICTION IN OBSESSIVE-COMPULSIVE DISORDER. <i>Depression and Anxiety</i> , 2015, 32, 900-908.	4.1	21
138	The effectiveness of acupuncture as a treatment for tinnitus: a randomized controlled trial using 99mTc-ECD SPECT. <i>European Radiology</i> , 2016, 26, 3234-3242.	4.5	21
139	Psychotropic Drug Use in São Paulo, Brazil – An Epidemiological Survey. <i>PLoS ONE</i> , 2015, 10, e0135059.	2.5	21
140	Attention Deficit/Hyperactivity Disorder. <i>Clinical Nuclear Medicine</i> , 2011, 36, 656-660.	1.3	20
141	Heterotypic trajectories of dimensional psychopathology across the lifespan: the case of youth-onset attention deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 533-544.	5.2	20
142	Mental health research in Brazil: policies, infrastructure, financing and human resources. <i>Revista De Saude Publica</i> , 2006, 40, 161-169.	1.7	19
143	Relationship between structural abnormalities in the cerebellum and dementia, posttraumatic stress disorder and bipolar disorder. <i>Dementia E Neuropsychologia</i> , 2012, 6, 203-211.	0.8	19
144	ACE I/D genotype-related increase in ACE plasma activity is a better predictor for schizophrenia diagnosis than the genotype alone. <i>Schizophrenia Research</i> , 2015, 164, 109-114.	2.0	19

#	ARTICLE	IF	CITATIONS
145	Coordinated brain development: exploring the synchrony between changes in grey and white matter during childhood maturation. <i>Brain Imaging and Behavior</i> , 2017, 11, 808-817.	2.1	19
146	The Brazilian standardization of the MATRICS consensus cognitive battery (MCCB): Psychometric study. <i>Schizophrenia Research</i> , 2017, 185, 148-153.	2.0	19
147	Attention and memory deficits in crack-cocaine users persist over four weeks of abstinence. <i>Journal of Substance Abuse Treatment</i> , 2017, 81, 73-78.	2.8	19
148	Is Flunarizine a Long-Acting Oral Atypical Antipsychotic?. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1572-1579.	2.2	19
149	Frontal Assessment Battery (FAB) is a simple tool for detecting executive deficits in chronic cannabis users. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 523-531.	1.3	18
150	ZDHHC8 gene may play a role in cortical volumes of patients with schizophrenia. <i>Schizophrenia Research</i> , 2013, 145, 33-35.	2.0	18
151	An integrative approach to investigate the respective roles of single-nucleotide variants and copy-number variants in Attention-Deficit/Hyperactivity Disorder. <i>Scientific Reports</i> , 2016, 6, 22851.	3.3	18
152	Prevalence and Correlates of Elder Abuse in São Paulo and Rio de Janeiro. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2634-2638.	2.6	18
153	Investigating brain structural patterns in first episode psychosis and schizophrenia using MRI and a machine learning approach. <i>Psychiatry Research - Neuroimaging</i> , 2018, 275, 14-20.	1.8	18
154	Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 782.	2.6	18
155	Role of processing speed and depressed mood on encoding, storage, and retrieval memory functions in patients diagnosed with schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 99-107.	1.8	17
156	Depression, Avolition, and Attention Disorders in Patients with Schizophrenia: Associations with Verbal Memory Efficiency. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2009, 21, 206-215.	1.8	17
157	The effectiveness of a non-pharmacological intervention for weight gain management in severe mental disorders: results from a national multicentric study. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 117-121.	1.7	17
158	Early intervention for bipolar disorder: current imperatives, future directions. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s197-s212.	1.7	17
159	Is there an association between cortical thickness, age of onset, and duration of illness in schizophrenia?. <i>CNS Spectrums</i> , 2013, 18, 315-321.	1.2	17
160	Applying polygenic risk scoring for psychiatric disorders to a large family with bipolar disorder and major depressive disorder. <i>Communications Biology</i> , 2018, 1, 163.	4.4	17
161	Panic Disorder Associated With Clozapine. <i>American Journal of Psychiatry</i> , 2000, 157, 2056-2056.	7.2	17
162	Psychosis during peginterferon-alpha2a and ribavirin therapy: case report. <i>Brazilian Journal of Infectious Diseases</i> , 2006, 10, 406-7.	0.6	17

#	ARTICLE	IF	CITATIONS
163	A acurácia da Escala de Experiência Sexual do Arizona (ASEX) para identificar disfunção sexual em pacientes do espectro da esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2009, 36, 182-189.	0.6	16
164	The drug-naïve OCD patients imaging genetics, cognitive and treatment response study: methods and sample description. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 349-353.	1.7	16
165	Manic Symptoms in Youth: Dimensions, Latent Classes, and Associations With Parental Psychopathology. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 625-634.e2.	0.5	16
166	Serum brain-derived neurotrophic factor and cortical thickness are differently related in patients with schizophrenia and controls. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 84-89.	1.8	16
167	Commentary: Functional connectome fingerprint: identifying individuals using patterns of brain connectivity. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 47.	2.0	16
168	Gene expression over the course of schizophrenia: from clinical high-risk for psychosis to chronic stages. <i>NPJ Schizophrenia</i> , 2019, 5, 5.	3.6	16
169	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	7.9	16
170	A symptom combination predicting treatment-resistant schizophrenia – A strategy for real-world clinical practice. <i>Schizophrenia Research</i> , 2020, 218, 195-200.	2.0	16
171	Structural Validity of the Tonic Immobility Scale in a Population Exposed to Trauma: Evidence from Two Large Brazilian Samples. <i>PLoS ONE</i> , 2014, 9, e94367.	2.5	16
172	Word frequency effects on free recall and recognition in patients with schizophrenia. <i>Journal of Psychiatric Research</i> , 2005, 39, 215-222.	3.1	15
173	Acute dystonia after injection of pegylated interferon alpha-2b. <i>Movement Disorders</i> , 2007, 22, 747-748.	3.9	15
174	Is disorganized schizophrenia a predictor of treatment resistance? Evidence from an observational study. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 432-434.	1.7	15
175	Hair cortisol in drug-naïve first-episode individuals with psychosis. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 11-16.	1.7	15
176	The role of the CNR1 gene in schizophrenia: a systematic review including unpublished data. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 160-171.	1.7	15
177	Can molecular imaging techniques identify biomarkers for neuropsychiatric disorders?. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 102-104.	1.7	15
178	PRODH Polymorphisms, Cortical Volumes and Thickness in Schizophrenia. <i>PLoS ONE</i> , 2014, 9, e87686.	2.5	14
179	Gene expression analysis in blood of ultra-high risk subjects compared to first-episode of psychosis patients and controls. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 441-446.	2.6	14
180	Ndel1 oligopeptidase activity as a potential biomarker of early stages of schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 202-208.	2.0	14

#	ARTICLE	IF	CITATIONS
181	Peripheral levels of superoxide dismutase and glutathione peroxidase in youths in ultra-high risk for psychosis: a pilot study. <i>CNS Spectrums</i> , 2019, 24, 333-337.	1.2	14
182	Socioeconomic Disadvantage Moderates the Association between Peripheral Biomarkers and Childhood Psychopathology. <i>PLoS ONE</i> , 2016, 11, e0160455.	2.5	14
183	Evaluation of NMDA Receptors in Vivo in Schizophrenic Patients with [123I]CNS 1261 and SPET. <i>Annals of the New York Academy of Sciences</i> , 2003, 1003, 364-367.	3.8	13
184	Lower dopamine transporter density in an asymptomatic patient with Kleine-Levin syndrome. <i>Acta Neurologica Scandinavica</i> , 2008, 117, 370-373.	2.1	13
185	The Impact of Healthy Parenting As a Protective Factor for Posttraumatic Stress Disorder in Adulthood: A Case-Control Study. <i>PLoS ONE</i> , 2014, 9, e87117.	2.5	13
186	The joint structure of major depression, anxiety disorders, and trait negative affect. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 285-292.	1.7	13
187	Evaluation of neurotransmitter receptor gene expression identifies GABA receptor changes: A follow-up study in antipsychotic-naïve patients with first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2014, 56, 130-136.	3.1	13
188	Sodium Nitroprusside Treatment of Clozapine-Refractory Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 761-763.	1.4	13
189	Connectome hubs at resting state in children and adolescents: Reproducibility and psychopathological correlation. <i>Developmental Cognitive Neuroscience</i> , 2016, 20, 2-11.	4.0	13
190	New evidence in support of staging approaches in schizophrenia: Differences in clinical profiles between first episode, early stage, and late stage. <i>Comprehensive Psychiatry</i> , 2017, 73, 93-96.	3.1	13
191	The association between psychotic experiences and traumatic life events: the role of the intention to harm. <i>Psychological Medicine</i> , 2018, 48, 2235-2246.	4.5	13
192	Association between abnormal brain functional connectivity in children and psychopathology: A study based on graph theory and machine learning. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 119-129.	2.6	13
193	Detecting multiple differentially methylated CpG sites and regions related to dimensional psychopathology in youths. <i>Clinical Epigenetics</i> , 2019, 11, 146.	4.1	13
194	The effect of early virological response in health-related quality of life in HCV-infected patients. <i>Journal of Medical Virology</i> , 2008, 80, 419-423.	5.0	12
195	Assessment of 22q11.2 copy number variations in a sample of Brazilian schizophrenia patients. <i>Schizophrenia Research</i> , 2011, 132, 99-100.	2.0	12
196	Processing Speed and Working Memory Span: Their Differential Role in Superficial and Deep Memory Processes in Schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2011, 17, 485-493.	1.8	12
197	Serum copeptin in children exposed to maltreatment. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 434-441.	1.8	12
198	12-month prevalence and concomitants of DSM-IV depression and anxiety disorders in two violence-prone cities in Brazil. <i>Journal of Affective Disorders</i> , 2018, 232, 204-211.	4.1	12

#	ARTICLE	IF	CITATIONS
199	Sodium nitroprusside is effective in preventing and/or reversing the development of schizophrenia-related behaviors in an animal model: The SHR strain. <i>CNS Neuroscience and Therapeutics</i> , 2018, 24, 624-632.	3.9	12
200	Component mechanisms of executive function in schizophrenia and their contribution to functional outcomes. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 22-30.	1.7	12
201	BDNF in antipsychotic naive first episode psychosis: Effects of risperidone and the immune-inflammatory response system. <i>Journal of Psychiatric Research</i> , 2021, 141, 206-213.	3.1	12
202	Dopamine D2Receptor Blockade in Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 971-a-972.	7.2	12
203	Clinical and molecular neuroimaging characteristics of Brazilian patients with Parkinson's disease and mutations in PARK2 or PARK8 genes. <i>Arquivos De Neuro-Psiquiatria</i> , 2009, 67, 7-11.	0.8	11
204	Impact of psychiatric disorders on the quality of life of brazilian HCV-infected patients. <i>Brazilian Journal of Infectious Diseases</i> , 2009, 13, 40-43.	0.6	11
205	A randomized, double-blind, placebo-controlled trial to assess the efficacy of topiramate in the treatment of post-traumatic stress disorder. <i>BMC Psychiatry</i> , 2009, 9, 28.	2.6	11
206	Neurotransmitter receptor and regulatory gene expression in peripheral blood of Brazilian drug-naïve first-episode psychosis patients before and after antipsychotic treatment. <i>Psychiatry Research</i> , 2013, 210, 1290-1292.	3.3	11
207	Expression profile of neurotransmitter receptor and regulatory genes in the prefrontal cortex of spontaneously hypertensive rats: Relevance to neuropsychiatric disorders. <i>Psychiatry Research</i> , 2014, 219, 674-679.	3.3	11
208	Patterns of clozapine and other antipsychotics prescriptions in patients with treatment-resistant schizophrenia in community mental health centers in São Paulo, Brazil. <i>Revista De Psiquiatria Clinica</i> , 2015, 42, 165-170.	0.6	11
209	Low expression of Gria1 and Grin1 glutamate receptors in the nucleus accumbens of Spontaneously Hypertensive Rats (SHR). <i>Psychiatry Research</i> , 2015, 229, 690-694.	3.3	11
210	A cross-sectional study to compare levels of psychiatric morbidity between young people and adults exposed to violence in a large urban center. <i>BMC Psychiatry</i> , 2016, 16, 134.	2.6	11
211	Effects of the brain-derived neurotropic factor variant Val66Met on cortical structure in late childhood and early adolescence. <i>Journal of Psychiatric Research</i> , 2018, 98, 51-58.	3.1	11
212	Effect of male-specific childhood trauma on telomere length. <i>Journal of Psychiatric Research</i> , 2018, 107, 104-109.	3.1	11
213	Childhood trauma and adolescent psychotic experiences in a community-based cohort: The potential role of positive attributes as a protective factor. <i>Schizophrenia Research</i> , 2019, 205, 23-29.	2.0	11
214	Predictors of gaming disorder in children and adolescents: a school-based study. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 289-292.	1.7	11
215	Role of processing speed and premorbid IQ on visual recognition in patients with schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2009, 31, 302-311.	1.3	10
216	The UFD1L rs5992403 polymorphism is associated with age at onset of schizophrenia. <i>Journal of Psychiatric Research</i> , 2010, 44, 1113-1115.	3.1	10

#	ARTICLE	IF	CITATIONS
217	Production of atypical category exemplars in patients with schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2010, 16, 822-828.	1.8	10
218	Management of schizophrenia: clinical experience with asenapine. <i>Journal of Psychopharmacology</i> , 2013, 27, 14-22.	4.0	10
219	Adjunctive Treatment with Lodenafil Carbonate for Erectile Dysfunction in Outpatients with Schizophrenia and Spectrum: A Randomized, Double-blind, Crossover, Placebo-controlled Trial. <i>Journal of Sexual Medicine</i> , 2013, 10, 1136-1145.	0.6	10
220	Dopamine Transporter Shown by SPECT in Patients with Periodic Leg Movement after Acute Physical Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 224-229.	0.4	10
221	Visual field loss in schizophrenia: evaluation of magnocellular pathway dysfunction in schizophrenic patients and their parents. <i>Clinical Ophthalmology</i> , 2013, 7, 1015.	1.8	10
222	Public school teachers'™ perceptions about mental health. <i>Revista De Saude Publica</i> , 2014, 48, 940-948.	1.7	10
223	Genome-wide investigation of schizophrenia associated plasma Ndel1 enzyme activity. <i>Schizophrenia Research</i> , 2016, 172, 60-67.	2.0	10
224	Perinatal complications, lipid peroxidation, and mental health problems in a large community pediatric sample. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 521-529.	4.7	10
225	Hope is a therapeutic tool. <i>BMJ: British Medical Journal</i> , 2017, 359, j5469.	2.3	10
226	Hope or hype in the treatment of schizophrenia – what's the role of the physician?. <i>British Journal of Psychiatry</i> , 2018, 212, 1-3.	2.8	10
227	Schizophrenia and work: aspects related to job acquisition in a follow-up study. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 35-40.	1.7	10
228	Impaired brain dopamine transporter in chemobrain patients submitted to brain SPECT imaging using the technetium-99m labeled tracer TRODAT-1. <i>Annals of Nuclear Medicine</i> , 2019, 33, 269-279.	2.2	10
229	Structural brain abnormalities in schizophrenia in adverse environments: examining the effect of poverty and violence in six Latin American cities. <i>British Journal of Psychiatry</i> , 2021, 218, 112-118.	2.8	10
230	Psychotic-like Experiences and Common Mental Disorders in Childhood and Adolescence: Bidirectional and Transdiagnostic Associations in a Longitudinal Community-based Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	1.7	10
231	Long-term stability of the cortical volumetric profile and the functional human connectome throughout childhood and adolescence. <i>European Journal of Neuroscience</i> , 2021, 54, 6187-6201.	2.6	10
232	Disorganized Symptoms Predicted Worse Functioning Outcome in Schizophrenia Patients with Established Illness. <i>Clinical Schizophrenia and Related Psychoses</i> , 2017, 11, 151-155.	1.4	10
233	Diversity matters: opportunities in the study of the genetics of psychotic disorders in low- and middle-income countries in Latin America. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 631-637.	1.7	10
234	Fisiopatologia da esquizofrenia: aspectos atuais. <i>Revista De Psiquiatria Clinica</i> , 0, 34, 198-203.	0.6	9

#	ARTICLE	IF	CITATIONS
235	The evaluation of scientific productivity in Brazil: An assessment of the mental health field. <i>Scientometrics</i> , 2009, 80, 529-537.	3.0	9
236	Ten-year growth in the scientific production of Brazilian Psychiatry: the impact of the new evaluation policies. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 6-10.	1.7	9
237	Cerebellar volume in patients with dementia. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 122-129.	1.7	9
238	Hippocampal volume and CDR-SB can predict conversion to dementia in MCI patients. <i>Arquivos De Neuro-Psiquiatria</i> , 2012, 70, 839-842.	0.8	9
239	A model of memory impairment in schizophrenia: Cognitive and clinical factors associated with memory efficiency and memory errors. <i>Schizophrenia Research</i> , 2013, 151, 70-77.	2.0	9
240	Cortical morphology changes in women with borderline personality disorder: a multimodal approach. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 32-38.	1.7	9
241	Depression increases in patients with Parkinson's disease according to the increasing severity of the cognitive impairment. <i>Arquivos De Neuro-Psiquiatria</i> , 2014, 72, 426-429.	0.8	9
242	Associations between children's family environment, spontaneous brain oscillations, and emotional and behavioral problems. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 835-845.	4.7	9
243	Cortical surface abnormalities are different depending on the stage of schizophrenia: A cross-sectional vertexwise mega-analysis of thickness, area and gyrfication. <i>Schizophrenia Research</i> , 2021, 236, 104-114.	2.0	9
244	Mental health conditions in Lesbian, Gay, Bisexual, Transgender, Queer and Asexual youth in Brazil: A call for action. <i>Journal of Affective Disorders</i> , 2022, 298, 190-193.	4.1	9
245	The integrity of corpus callosum and cluster B personality disorders: A quantitative MRI study in juvenile myoclonic epilepsy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 516-521.	4.8	8
246	Long-acting injectable risperidone in partially adherent and nonadherent patients with schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2011, 7, 391.	2.2	8
247	Brain tumor in a patient with attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2013, 144, 151-152.	2.0	8
248	Inflammation, neurotrophism and oxidative stress and childhood psychopathology in a large community sample. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 122-132.	4.5	8
249	Why we should use long-acting injectable antipsychotics more frequently. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 217-218.	1.7	8
250	The impact of child psychiatric conditions on future educational outcomes among a community cohort in Brazil. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, .	3.9	8
251	Molecular imaging in hereditary forms of parkinsonism. <i>European Journal of Neurology</i> , 2007, 14, 359-368.	3.3	7
252	Neuropsychological function in patients with chronic hepatitis C. <i>Liver International</i> , 2008, 28, 893-894.	3.9	7

#	ARTICLE	IF	CITATIONS
253	Greater reduction of striatal dopamine transporter availability during the symptomatic than asymptomatic phase of Kleine-Levin syndrome. <i>Sleep Medicine</i> , 2010, 11, 959.	1.6	7
254	Substantia nigra echogenicity is correlated with nigrostriatal impairment in Machado-Joseph disease. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 742-745.	2.2	7
255	Association of serum interleukin-6 with mental health problems in children exposed to perinatal complications and social disadvantage. <i>Psychoneuroendocrinology</i> , 2016, 71, 94-101.	2.7	7
256	Low frequency fluctuation of brain spontaneous activity and obsessive-compulsive symptoms in a large school-age sample. <i>Journal of Psychiatric Research</i> , 2018, 96, 224-230.	3.1	7
257	Socioeconomic status in children is associated with spontaneous activity in right superior temporal gyrus. <i>Brain Imaging and Behavior</i> , 2020, 14, 961-970.	2.1	7
258	Impact of duration of untreated psychosis in short-term response to treatment and outcome in antipsychotic naïve first-episode psychosis. <i>Microbial Biotechnology</i> , 2020, 14, 677-683.	1.7	7
259	LINE-1 hypomethylation is associated with poor risperidone response in a first episode of psychosis cohort. <i>Epigenomics</i> , 2020, 12, 1041-1051.	2.1	7
260	Aging biological markers in a cohort of antipsychotic-naïve first-episode psychosis patients. <i>Psychoneuroendocrinology</i> , 2021, 132, 105350.	2.7	7
261	A depressãõ na esquizofrenia. <i>Revista Brasileira De Psiquiatria</i> , 2000, 22, 27-30.	1.7	7
262	Morte sãbita cardãaca na esquizofrenia: o psiquiatra deve estar atento?. <i>Revista Brasileira De Psiquiatria</i> , 2006, 28, 339-339.	1.7	7
263	Refractory schizophrenia: a neglected clinical problem. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 292-293.	1.7	7
264	Switching from oral risperidone to flexibly dosed oral paliperidone extended-release: core symptoms, satisfaction, and quality of life in patients with stable but symptomatic schizophrenia: the RISPALI study. <i>Current Medical Research and Opinion</i> , 2014, 30, 695-709.	1.9	6
265	Paliperidone Palmitate for Refractory and Clozapine-Resistant Schizophrenia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, e14-e16.	1.8	6
266	Children with Poor Reading Skills at the Word Level Show Reduced Fractional Anisotropy in White Matter Tracts of Both Hemispheres. <i>Brain Connectivity</i> , 2016, 6, 519-523.	1.7	6
267	Testing Measurement Invariance across Groups of Children with and without Attention-Deficit/Hyperactivity Disorder: Applications for Word Recognition and Spelling Tasks. <i>Frontiers in Psychology</i> , 2017, 8, 1891.	2.1	6
268	Association Between Fractional Amplitude of Low-Frequency Spontaneous Fluctuation and Degree Centrality in Children and Adolescents. <i>Brain Connectivity</i> , 2019, 9, 379-387.	1.7	6
269	Chegamos ao ISI!. <i>Revista Brasileira De Psiquiatria</i> , 2005, 27, 170-171.	1.7	6
270	Polymorphisms in schizophrenia candidate gene UFD1L may contribute to cognitive deficits. <i>Psychiatry Research</i> , 2013, 209, 110-113.	3.3	5

#	ARTICLE	IF	CITATIONS
271	Comparing PANSS scores and corresponding CGI scores between stable and acute schizophrenic patients. <i>Schizophrenia Research</i> , 2014, 152, 307-308.	2.0	5
272	Diagnosing social anxiety in Parkinson's disease: characteristics and frequencies according to two diagnostic criteria. <i>Revista De Psiquiatria Clinica</i> , 2016, 43, 139-142.	0.6	5
273	Neuropsychological correlates of remission in chronic schizophrenia subjects: The role of general and task-specific executive processes. <i>Schizophrenia Research: Cognition</i> , 2016, 3, 39-46.	1.3	5
274	Use of mental health services by community-resident adults with DSM-IV anxiety and mood disorders in a violence-prone area: São Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2019, 250, 145-152.	4.1	5
275	Cannabis acute use impacts symptoms and functionality in a cohort of antipsychotic naïve First Episode of Psychosis individuals. <i>Schizophrenia Research: Cognition</i> , 2019, 16, 12-16.	1.3	5
276	Linkage Replication for Chromosomal Region 13q32 in Schizophrenia: Evidence from a Brazilian Pilot Study on Early Onset Schizophrenia Families. <i>PLoS ONE</i> , 2012, 7, e52262.	2.5	5
277	Validação da Recovery Assessment Scale (RAS) no Brasil para avaliar a capacidade de superação das pessoas com esquizofrenia. <i>Jornal Brasileiro De Psiquiatria</i> , 2017, 66, 1-8.	0.7	5
278	Population neuroscience: challenges and opportunities for psychiatric research in low- and middle-income countries. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 442-448.	1.7	5
279	One more step to increase the internationalization and visibility of the RBP Psychiatry. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 317-317.	1.7	5
280	An Overview on the Search for Schizophrenia Biomarkers. <i>CNS and Neurological Disorders - Drug Targets</i> , 2015, 14, 996-1000.	1.4	5
281	Mental health and psychiatric research in Brazil. <i>British Journal of Psychiatry</i> , 2004, 184, 273-273.	2.8	4
282	As bases neurobiológicas do transtorno bipolar. <i>Revista De Psiquiatria Clinica</i> , 2005, 32, 28-33.	0.6	4
283	School Referrals of Children and Adolescents to CAPSi – the Burden of Incorrect Referrals. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 493-496.	1.7	4
284	Adaptação cultural, validade e confiabilidade da versão brasileira do Inventário de Habilidades de Vida Independente: versão do paciente (ILSS-BR/P), na esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2012, 39, 12-18.	0.6	4
285	Evaluation of magnocellular pathway abnormalities in schizophrenia: a frequency doubling technology study and clinical implications. <i>Arquivos Brasileiros De Oftalmologia</i> , 2013, 76, 85-89.	0.5	4
286	Fine motor ability and psychiatric disorders in youth. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 605-613.	4.7	4
287	DGCR2 influences cortical thickness through a mechanism independent of schizophrenia pathogenesis. <i>Psychiatry Research</i> , 2019, 274, 391-394.	3.3	4
288	A randomized controlled trial of social skills training for patients with treatment-resistant schizophrenia with predominantly negative symptoms. <i>Psychiatry Research</i> , 2020, 287, 112914.	3.3	4

#	ARTICLE	IF	CITATIONS
289	Identifying strategies to improve PANSS based dimensional models in schizophrenia: Accounting for multilevel structure, Bayesian model and clinical staging. <i>Schizophrenia Research</i> , 2021, , .	2.0	4
290	Beyond the Neuropsychiatric Horizon: Assessing the Risk of Sudden Unexpected Death in Parkinson Disease. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 988.	2.5	4
291	Performance assessment of the single photon emission microscope: high spatial resolution SPECT imaging of small animal organs. <i>Brazilian Journal of Medical and Biological Research</i> , 2013, 46, 936-942.	1.5	4
292	Schizophrenia, the forgotten disorder: the scenario in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 269-270.	1.7	4
293	Circadian rhythm disturbances and conversion to psychosis in ultra high-risk youth. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 178-179.	1.7	4
294	Neuroimagem de receptores D2 de dopamina na esquizofrenia. <i>Revista Brasileira De Psiquiatria</i> , 2001, 23, 46-49.	1.7	4
295	Candidate genes for schizophrenia in a mixed Brazilian population using pooled DNA. <i>Psychiatry Research</i> , 2013, 208, 201-202.	3.3	3
296	What are the PANSS items most related with global improvements in patients with schizophrenia? Toward a reduced version of the PANSS. <i>Schizophrenia Research</i> , 2014, 158, 277-278.	2.0	3
297	Investigation of cognition in schizophrenia: psychometric properties of instruments for assessing working memory updating. <i>Jornal Brasileiro De Psiquiatria</i> , 2015, 64, 238-246.	0.7	3
298	Effects of sodium nitroprusside in the prevention of schizophrenia-like symptoms induced by ketamine – A translational double-blind study. <i>Revista De Psiquiatria Clinica</i> , 2017, 44, 149-153.	0.6	3
299	Independent and interactive associations of temperament dimensions with educational outcomes in young adolescents. <i>Learning and Individual Differences</i> , 2020, 78, 101817.	2.7	3
300	Screen time and psychopathology: investigating directionality using cross-lagged panel models. <i>European Child and Adolescent Psychiatry</i> , 2020, , 1.	4.7	3
301	Gene expression changes associated with trajectories of psychopathology in a longitudinal cohort of children and adolescents. <i>Translational Psychiatry</i> , 2020, 10, 99.	4.8	3
302	Blood gene expression changes after Risperidone treatment in an antipsychotic-naïve cohort of first episode of psychosis patients. <i>Schizophrenia Research</i> , 2020, 220, 285-286.	2.0	3
303	Evaluation of Ongoing Participation of People with Schizophrenia in a Mutual Support Group as a Complementary Intervention to Outpatient Psychiatric Treatment. <i>Psychiatric Quarterly</i> , 2021, 92, 1283-1296.	2.1	3
304	Mononitrate Isosorbide as an Adjunctive Therapy in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2021, 41, 260-266.	1.4	3
305	Longitudinal invariance of the positive and negative syndrome scale negative dimension in antipsychotic naïve first-episode schizophrenia. <i>Microbial Biotechnology</i> , 2022, 16, 581-586.	1.7	3
306	<![CDATA[Sudden cardiac death in schizophrenia: should the psychiatrist pay more attention?]]>. <i>Revista Brasileira De Psiquiatria</i> , 2006, 28, .	1.7	3

#	ARTICLE	IF	CITATIONS
307	Use of peptides combine with nanotechnology and molecular imaging: new tools for diagnosis and treatment of neuropsychiatric disorders. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 300-302.	1.7	3
308	RBP increases its impact factor again and is progressively more cited in other journals. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 218-218.	1.7	3
309	A RBP Ã© a revista mÃ©dica de maior Fator de Impacto na AmÃ©rica Latina. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 179-182.	1.7	3
310	Youth mental health services: the right time for a global reach. <i>World Psychiatry</i> , 2022, 21, 86-87.	10.4	3
311	Neuroimaging of Treatment-Resistant Schizophrenia. <i>Advances in Biological Psychiatry</i> , 2010, , 63-73.	0.2	2
312	Debate: Dimensions of mania in youth: possibly bipolar, probably risk indicators, certainly impairing. <i>Child and Adolescent Mental Health</i> , 2019, 24, 103-105.	3.5	2
313	Cross-Sectional and Longitudinal Associations of Temperament and Mental Disorders in Youth. <i>Child Psychiatry and Human Development</i> , 2019, 50, 374-383.	1.9	2
314	New editors and new challenges. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 1-1.	1.7	2
315	Structural Brain Correlates of Childhood Inhibited Temperament: An ENIGMA-Anxiety Mega-analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 1182-1188.	0.5	2
316	SPEM: a state-of-the-art instrument for high resolution molecular imaging of small animal organs. <i>Einstein (Sao Paulo, Brazil)</i> , 2012, 10, 209-215.	0.7	1
317	Translation and adaptation of the Bipolar Prodrome Symptom Scale-Retrospective: Patient Version to Brazilian portuguese. <i>Trends in Psychiatry and Psychotherapy</i> , 2013, 35, 62-75.	0.8	1
318	Revictimization of Violence Suffered by Those Diagnosed with Alcohol Dependence in the General Population. <i>BioMed Research International</i> , 2015, 2015, 1-12.	1.9	1
319	Are serum brain-derived neurotrophic factor concentrations related to brain structure and psychopathology in late childhood and early adolescence?. <i>CNS Spectrums</i> , 2020, 25, 790-796.	1.2	1
320	Polyenvironmental and polygenic risk scores and the emergence of psychotic experiences in adolescents. <i>Journal of Psychiatric Research</i> , 2021, 142, 384-388.	3.1	1
321	Translation and cross-cultural adaptation to Brazilian Portuguese of two brief screening tools for youth at risk of psychosis: the Prodromal Questionnaire (PQ-16) and the PRIME-Screen. <i>Trends in Psychiatry and Psychotherapy</i> , 2023, , .	0.8	1
322	A psicoterapia interpessoal na depressÃ£o em pacientes com esquizofrenia: proposta de um modelo terapÃ©utico a partir de trÃªs casos clÃnicos. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2005, 27, 252-261.	0.3	1
323	Bibliometria e visibilidade da psiquiatria brasileira. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 99-99.	1.7	1
324	RBP inicia o gerenciamento on-line de artigos. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 202-202.	1.7	1

#	ARTICLE	IF	CITATIONS
325	Experi�ncia laboral e inclus�o social de indiv�duos com esquizofrenia. Revista Brasileira De Sa�de Ocupacional, 0, 44, .	0.2	1
326	Neuroimaging of Dopamine Transporter Density in the Striatum of Disordered Gamblers. Journal of Gambling Studies, 2023, 39, 119-136.	1.6	1
327	Unraveling the correlation among neurodevelopmental and inflammatory biomarkers in patients with chronic schizophrenia. Nordic Journal of Psychiatry, 2022, 76, 559-564.	1.3	1
328	Associations between Family Functioning and Maternal Behavior on Default Mode Network Connectivity in School-Age Children. International Journal of Environmental Research and Public Health, 2022, 19, 6055.	2.6	1
329	THE INFLUENCE OF CAREGIVER ATTITUDES AND SOCIO-ECONOMIC GROUP ON FORMAL AND INFORMAL MENTAL HEALTH SERVICE USE AMONGST YOUTH. European Psychiatry, 0, , 1-34.	0.2	1
330	Letter to the Editor: Adiposity as a possible mediator of low testosterone salivary levels in adolescent boys in prodromal stages of psychosis. Psychological Medicine, 2011, 41, 2010-2012.	4.5	0
331	Poster #252 PLASMA NDEL1 ACTIVITY IS REDUCED IN PATIENTS WITH SCHIZOPHRENIA. Schizophrenia Research, 2012, 136, S181.	2.0	0
332	Poster #18 EFFECTS OF PAPAVERINE ON SOCIAL BEHAVIORS IN AN ANIMAL MODEL OF SCHIZOPHRENIA: THE SPONTANEOUSLY HYPERTENSIVE RATS. Schizophrenia Research, 2012, 136, S287.	2.0	0
333	The ‘‘Cool Mind’’ program (‘‘Programa Cuca Legal’’): mental health literacy for middle- and high-school teachers of the public system in Brazil. , 0, , 21-29.		0
334	What do bizarre delusions mean in schizophrenia?. Psychosis, 2016, 8, 270-276.	0.8	0
335	Case 241: Hemiparkinsonism- Hemiatrophy�SPECT with ^{99m}Tc TRODAT-1 and Muscle MR Imaging Abnormalities. Radiology, 2017, 283, 613-619.	7.3	0
336	Case 241. Radiology, 2017, 282, 289-292.	7.3	0
337	Effects of the interaction between genetic factors and maltreatment on child and adolescent psychiatric disorders. Psychiatry Research, 2019, 273, 575-577.	3.3	0
338	Does the use of antidepressants change the subjective well-being of individuals with ICD-10 depressive disorder identified in the general population?. Journal of Affective Disorders Reports, 2021, 4, 100092.	1.7	0
339	Longitudinal associations between positive attributes and psychopathology and their interactive effects on educational outcomes. European Child and Adolescent Psychiatry, 2021, , 1.	4.7	0
340	Evaluation of dopamine transporter density in healthy Brazilians using Tc-99m TRODAT-1 SPECT. Medicine (United States), 2021, 100, e27192.	1.0	0
341	Clozapine of treatment resistant-schizophrenia: what are the actual advances?. Revista Brasileira De Psiquiatria, 2001, 23, 57-58.	1.7	0
342	A Revista Brasileira de Psiquiatria agora tem o seu pr�prio site!. Revista Brasileira De Psiquiatria, 2006, 28, 88-88.	1.7	0

#	ARTICLE	IF	CITATIONS
343	RBP passa a publicar os artigos no prelo na SciELO e no MEDLINE. Revista Brasileira De Psiquiatria, 2006, 28, 168-168.	1.7	0
344	Supplements and conflicts of interest. Revista Brasileira De Psiquiatria, 2007, 29, 300-300.	1.7	0
345	RBP implementa um novo sistema de submissÃ£o de manuscritos. Revista Brasileira De Psiquiatria, 2009, 31, 295-295.	1.7	0
346	Attenuated Psychosis Syndromes Among Brazilian Youth and Young Adults: Early Identification and Intervention. , 2019, , 279-288.		0
347	Should we rethink how we introduce schizophrenia?. Schizophrenia Research, 2022, 244, 134.	2.0	0