

Rodrigo A. Bressan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2810755/publications.pdf>

Version: 2024-02-01

347
papers

10,650
citations

44069

48
h-index

62596

80
g-index

369
all docs

369
docs citations

369
times ranked

13351
citing authors

#	ARTICLE	IF	CITATIONS
1	Translation and cross-cultural adaptation to Brazilian Portuguese of two brief screening tools for youth at risk of psychosis: the Prodromal Questionnaire (PQ-16) and the PRIME-Screen. Trends in Psychiatry and Psychotherapy, 2023, , .	0.8	1
2	Neuroimaging of Dopamine Transporter Density in the Striatum of Disordered Gamblers. Journal of Gambling Studies, 2023, 39, 119-136.	1.6	1
3	Longitudinal invariance of the positive and negative syndrome scale negative dimension in antipsychotic naïve first-episode schizophrenia. Microbial Biotechnology, 2022, 16, 581-586.	1.7	3
4	Mental health conditions in Lesbian, Gay, Bisexual, Transgender, Queer and Asexual youth in Brazil: A call for action. Journal of Affective Disorders, 2022, 298, 190-193.	4.1	9
5	Youth mental health services: the right time for a global reach. World Psychiatry, 2022, 21, 86-87.	10.4	3
6	Unraveling the correlation among neurodevelopmental and inflammatory biomarkers in patients with chronic schizophrenia. Nordic Journal of Psychiatry, 2022, 76, 559-564.	1.3	1
7	Genetic variants associated with longitudinal changes in brain structure across the lifespan. Nature Neuroscience, 2022, 25, 421-432.	14.8	75
8	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	27.8	929
9	Associations between Family Functioning and Maternal Behavior on Default Mode Network Connectivity in School-Age Children. International Journal of Environmental Research and Public Health, 2022, 19, 6055.	2.6	1
10	Should we rethink how we introduce schizophrenia?. Schizophrenia Research, 2022, 244, 134.	2.0	0
11	Structural Brain Correlates of Childhood Inhibited Temperament: An ENIGMA-Anxiety Mega-analysis. Journal of the American Academy of Child and Adolescent Psychiatry, 2022, 61, 1182-1188.	0.5	2
12	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. Molecular Psychiatry, 2021, 26, 2590-2604.	7.9	16
13	Structural brain abnormalities in schizophrenia in adverse environments: examining the effect of poverty and violence in six Latin American cities. British Journal of Psychiatry, 2021, 218, 112-118.	2.8	10
14	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. JAMA Psychiatry, 2021, 78, 77.	11.0	57
15	Evaluation of Ongoing Participation of People with Schizophrenia in a Mutual Support Group as a Complementary Intervention to Outpatient Psychiatric Treatment. Psychiatric Quarterly, 2021, 92, 1283-1296.	2.1	3
16	Mononitrate Isosorbide as an Adjunctive Therapy in Schizophrenia. Journal of Clinical Psychopharmacology, 2021, 41, 260-266.	1.4	3
17	Does the use of antidepressants change the subjective well-being of individuals with ICD-10 depressive disorder identified in the general population?. Journal of Affective Disorders Reports, 2021, 4, 100092.	1.7	0
18	Predictors of gaming disorder in children and adolescents: a school-based study. Revista Brasileira De Psiquiatria, 2021, 43, 289-292.	1.7	11

#	ARTICLE	IF	CITATIONS
19	Psychotic-like Experiences and Common Mental Disorders in Childhood and Adolescence: Bidirectional and Transdiagnostic Associations in a Longitudinal Community-based Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	1.7	10
20	Identifying strategies to improve PANSS based dimensional models in schizophrenia: Accounting for multilevel structure, Bayesian model and clinical staging. <i>Schizophrenia Research</i> , 2021, , .	2.0	4
21	Longitudinal associations between positive attributes and psychopathology and their interactive effects on educational outcomes. <i>European Child and Adolescent Psychiatry</i> , 2021, , 1.	4.7	0
22	BDNF in antipsychotic naive first episode psychosis: Effects of risperidone and the immune-inflammatory response system. <i>Journal of Psychiatric Research</i> , 2021, 141, 206-213.	3.1	12
23	Long-term stability of the cortical volumetric profile and the functional human connectome throughout childhood and adolescence. <i>European Journal of Neuroscience</i> , 2021, 54, 6187-6201.	2.6	10
24	Evaluation of dopamine transporter density in healthy Brazilians using Tc-99m TRODAT-1 SPECT. <i>Medicine (United States)</i> , 2021, 100, e27192.	1.0	0
25	Cortical surface abnormalities are different depending on the stage of schizophrenia: A cross-sectional vertexwise mega-analysis of thickness, area and gyrification. <i>Schizophrenia Research</i> , 2021, 236, 104-114.	2.0	9
26	Ageing biological markers in a cohort of antipsychotic-naïve first-episode psychosis patients. <i>Psychoneuroendocrinology</i> , 2021, 132, 105350.	2.7	7
27	Polyenvironmental and polygenic risk scores and the emergence of psychotic experiences in adolescents. <i>Journal of Psychiatric Research</i> , 2021, 142, 384-388.	3.1	1
28	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
29	The impact of child psychiatric conditions on future educational outcomes among a community cohort in Brazil. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, .	3.9	8
30	Diversity matters: opportunities in the study of the genetics of psychotic disorders in low- and middle-income countries in Latin America. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 631-637.	1.7	10
31	Socioeconomic status in children is associated with spontaneous activity in right superior temporal gyrus. <i>Brain Imaging and Behavior</i> , 2020, 14, 961-970.	2.1	7
32	Relative Age and Attention-Deficit/Hyperactivity Disorder: Data From Three Epidemiological Cohorts and a Meta-analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 990-997.	0.5	25
33	Impact of duration of untreated psychosis in short-term response to treatment and outcome in antipsychotic naïve first-episode psychosis. <i>Microbial Biotechnology</i> , 2020, 14, 677-683.	1.7	7
34	Independent and interactive associations of temperament dimensions with educational outcomes in young adolescents. <i>Learning and Individual Differences</i> , 2020, 78, 101817.	2.7	3
35	Are serum brain-derived neurotrophic factor concentrations related to brain structure and psychopathology in late childhood and early adolescence?. <i>CNS Spectrums</i> , 2020, 25, 790-796.	1.2	1
36	Comorbidity in post-traumatic stress disorder: A population-based study from the two largest cities in Brazil. <i>Journal of Affective Disorders</i> , 2020, 263, 715-721.	4.1	23

#	ARTICLE	IF	CITATIONS
37	LINE-1 hypomethylation is associated with poor risperidone response in a first episode of psychosis cohort. <i>Epigenomics</i> , 2020, 12, 1041-1051.	2.1	7
38	Screen time and psychopathology: investigating directionality using cross-lagged panel models. <i>European Child and Adolescent Psychiatry</i> , 2020, , 1.	4.7	3
39	Gene expression changes associated with trajectories of psychopathology in a longitudinal cohort of children and adolescents. <i>Translational Psychiatry</i> , 2020, 10, 99.	4.8	3
40	A symptom combination predicting treatment-resistant schizophrenia – A strategy for real-world clinical practice. <i>Schizophrenia Research</i> , 2020, 218, 195-200.	2.0	16
41	A randomized controlled trial of social skills training for patients with treatment-resistant schizophrenia with predominantly negative symptoms. <i>Psychiatry Research</i> , 2020, 287, 112914.	3.3	4
42	Blood gene expression changes after Risperidone treatment in an antipsychotic-naïve cohort of first episode of psychosis patients. <i>Schizophrenia Research</i> , 2020, 220, 285-286.	2.0	3
43	Population neuroscience: challenges and opportunities for psychiatric research in low- and middle-income countries. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 442-448.	1.7	5
44	Childhood trauma and adolescent psychotic experiences in a community-based cohort: The potential role of positive attributes as a protective factor. <i>Schizophrenia Research</i> , 2019, 205, 23-29.	2.0	11
45	Genetic risk for Alzheimer's disease and functional brain connectivity in children and adolescents. <i>Neurobiology of Aging</i> , 2019, 82, 10-17.	3.1	23
46	Detecting multiple differentially methylated CpG sites and regions related to dimensional psychopathology in youths. <i>Clinical Epigenetics</i> , 2019, 11, 146.	4.1	13
47	Effects of the interaction between genetic factors and maltreatment on child and adolescent psychiatric disorders. <i>Psychiatry Research</i> , 2019, 273, 575-577.	3.3	0
48	Debate: Dimensions of mania in youth: possibly bipolar, probably risk indicators, certainly impairing. <i>Child and Adolescent Mental Health</i> , 2019, 24, 103-105.	3.5	2
49	Association Between Fractional Amplitude of Low-Frequency Spontaneous Fluctuation and Degree Centrality in Children and Adolescents. <i>Brain Connectivity</i> , 2019, 9, 379-387.	1.7	6
50	Impaired brain dopamine transporter in chemobrain patients submitted to brain SPECT imaging using the technetium-99m labeled tracer TRODAT-1. <i>Annals of Nuclear Medicine</i> , 2019, 33, 269-279.	2.2	10
51	Use of mental health services by community-resident adults with DSM-IV anxiety and mood disorders in a violence-prone area: São Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2019, 250, 145-152.	4.1	5
52	Ndel1 oligopeptidase activity as a potential biomarker of early stages of schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 202-208.	2.0	14
53	DGCR2 influences cortical thickness through a mechanism independent of schizophrenia pathogenesis. <i>Psychiatry Research</i> , 2019, 274, 391-394.	3.3	4
54	Gene expression over the course of schizophrenia: from clinical high-risk for psychosis to chronic stages. <i>NPJ Schizophrenia</i> , 2019, 5, 5.	3.6	16

#	ARTICLE	IF	CITATIONS
55	Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 782.	2.6	18
56	Cannabis acute use impacts symptoms and functionality in a cohort of antipsychotic naïve First Episode of Psychosis individuals. <i>Schizophrenia Research: Cognition</i> , 2019, 16, 12-16.	1.3	5
57	Activation of the immune-inflammatory response system and the compensatory immune-regulatory system in antipsychotic naïve first episode psychosis. <i>European Neuropsychopharmacology</i> , 2019, 29, 416-431.	0.7	67
58	Associations between children's family environment, spontaneous brain oscillations, and emotional and behavioral problems. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 835-845.	4.7	9
59	Component mechanisms of executive function in schizophrenia and their contribution to functional outcomes. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 22-30.	1.7	12
60	Heterotypic trajectories of dimensional psychopathology across the lifespan: the case of youth-onset attention deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 533-544.	5.2	20
61	Cross-Sectional and Longitudinal Associations of Temperament and Mental Disorders in Youth. <i>Child Psychiatry and Human Development</i> , 2019, 50, 374-383.	1.9	2
62	Peripheral levels of superoxide dismutase and glutathione peroxidase in youths in ultra-high risk for psychosis: a pilot study. <i>CNS Spectrums</i> , 2019, 24, 333-337.	1.2	14
63	Attenuated Psychosis Syndromes Among Brazilian Youth and Young Adults: Early Identification and Intervention. , 2019, , 279-288.		0
64	12-month prevalence and concomitants of DSM-IV depression and anxiety disorders in two violence-prone cities in Brazil. <i>Journal of Affective Disorders</i> , 2018, 232, 204-211.	4.1	12
65	Investigating brain structural patterns in first episode psychosis and schizophrenia using MRI and a machine learning approach. <i>Psychiatry Research - Neuroimaging</i> , 2018, 275, 14-20.	1.8	18
66	Polygenic Risk Score for Alzheimer's Disease: Implications for Memory Performance and Hippocampal Volumes in Early Life. <i>American Journal of Psychiatry</i> , 2018, 175, 555-563.	7.2	75
67	Sodium nitroprusside is effective in preventing and/or reversing the development of schizophrenia-related behaviors in an animal model: The SHR strain. <i>CNS Neuroscience and Therapeutics</i> , 2018, 24, 624-632.	3.9	12
68	Hope or hype in the treatment of schizophrenia – what's the role of the physician?. <i>British Journal of Psychiatry</i> , 2018, 212, 1-3.	2.8	10
69	Effects of the brain-derived neurotrophic factor variant Val66Met on cortical structure in late childhood and early adolescence. <i>Journal of Psychiatric Research</i> , 2018, 98, 51-58.	3.1	11
70	The association between psychotic experiences and traumatic life events: the role of the intention to harm. <i>Psychological Medicine</i> , 2018, 48, 2235-2246.	4.5	13
71	Association between abnormal brain functional connectivity in children and psychopathology: A study based on graph theory and machine learning. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 119-129.	2.6	13
72	Low frequency fluctuation of brain spontaneous activity and obsessive-compulsive symptoms in a large school-age sample. <i>Journal of Psychiatric Research</i> , 2018, 96, 224-230.	3.1	7

#	ARTICLE	IF	CITATIONS
73	Leukocyte telomere length variation in different stages of schizophrenia. <i>Journal of Psychiatric Research</i> , 2018, 96, 218-223.	3.1	25
74	Fine motor ability and psychiatric disorders in youth. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 605-613.	4.7	4
75	Schizophrenia and work: aspects related to job acquisition in a follow-up study. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 35-40.	1.7	10
76	Effect of male-specific childhood trauma on telomere length. <i>Journal of Psychiatric Research</i> , 2018, 107, 104-109.	3.1	11
77	Applying polygenic risk scoring for psychiatric disorders to a large family with bipolar disorder and major depressive disorder. <i>Communications Biology</i> , 2018, 1, 163.	4.4	17
78	Polygenic risk score analyses of symptoms and treatment response in an antipsychotic-naive first episode of psychosis cohort. <i>Translational Psychiatry</i> , 2018, 8, 174.	4.8	49
79	Coordinated brain development: exploring the synchrony between changes in grey and white matter during childhood maturation. <i>Brain Imaging and Behavior</i> , 2017, 11, 808-817.	2.1	19
80	The Brazilian standardization of the MATRICS consensus cognitive battery (MCCB): Psychometric study. <i>Schizophrenia Research</i> , 2017, 185, 148-153.	2.0	19
81	Adolescents at clinical-high risk for psychosis: Circadian rhythm disturbances predict worsened prognosis at 1-year follow-up. <i>Schizophrenia Research</i> , 2017, 189, 37-42.	2.0	66
82	Shorter leukocyte telomere length in patients at ultra high risk for psychosis. <i>European Neuropsychopharmacology</i> , 2017, 27, 538-542.	0.7	25
83	Case 241: Hemiparkinsonism- Hemiatrophyâ€”SPECT with ^{99m} Tc TRODAT-1 and Muscle MR Imaging Abnormalities. <i>Radiology</i> , 2017, 283, 613-619.	7.3	0
84	Gene expression in blood of children and adolescents: Mediation between childhood maltreatment and major depressive disorder. <i>Journal of Psychiatric Research</i> , 2017, 92, 24-30.	3.1	25
85	Oxidative and nitrosative stress biomarkers in chronic schizophrenia. <i>Psychiatry Research</i> , 2017, 253, 43-48.	3.3	43
86	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017, 174, 216-229.	7.2	685
87	Case 241. <i>Radiology</i> , 2017, 282, 289-292.	7.3	0
88	Metabolomics and lipidomics analyses by 1H nuclear magnetic resonance of schizophrenia patient serum reveal potential peripheral biomarkers for diagnosis. <i>Schizophrenia Research</i> , 2017, 185, 182-189.	2.0	35
89	Bitopertin in Negative Symptoms of Schizophreniaâ€”Results From the Phase III FlashLyte and DayLyte Studies. <i>Biological Psychiatry</i> , 2017, 82, 8-16.	1.3	92
90	Ventral Striatum Functional Connectivity as a Predictor of Adolescent Depressive Disorder in a Longitudinal Community-Based Sample. <i>American Journal of Psychiatry</i> , 2017, 174, 1112-1119.	7.2	130

#	ARTICLE	IF	CITATIONS
91	Prevalence and Correlates of Elder Abuse in São Paulo and Rio de Janeiro. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2634-2638.	2.6	18
92	Attention and memory deficits in crack-cocaine users persist over four weeks of abstinence. <i>Journal of Substance Abuse Treatment</i> , 2017, 81, 73-78.	2.8	19
93	Perinatal complications, lipid peroxidation, and mental health problems in a large community pediatric sample. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 521-529.	4.7	10
94	A general psychopathology factor (P factor) in children: Structural model analysis and external validation through familial risk and child global executive function.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 137-148.	1.9	189
95	New evidence in support of staging approaches in schizophrenia: Differences in clinical profiles between first episode, early stage, and late stage. <i>Comprehensive Psychiatry</i> , 2017, 73, 93-96.	3.1	13
96	Hope is a therapeutic tool. <i>BMJ: British Medical Journal</i> , 2017, 359, j5469.	2.3	10
97	Testing Measurement Invariance across Groups of Children with and without Attention-Deficit/Hyperactivity Disorder: Applications for Word Recognition and Spelling Tasks. <i>Frontiers in Psychology</i> , 2017, 8, 1891.	2.1	6
98	Catechol-O-methyltransferase (COMT) polymorphisms modulate working memory in individuals with schizophrenia and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 302-308.	1.7	26
99	Commentary: Functional connectome fingerprint: identifying individuals using patterns of brain connectivity. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 47.	2.0	16
100	The role of the CNR1 gene in schizophrenia: a systematic review including unpublished data. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 160-171.	1.7	15
101	Effects of sodium nitroprusside in the prevention of schizophrenia-like symptoms induced by ketamine " A translational double-blind study. <i>Revista De Psiquiatria Clinica</i> , 2017, 44, 149-153.	0.6	3
102	Beyond the Neuropsychiatric Horizon: Assessing the Risk of Sudden Unexpected Death in Parkinson Disease. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 988.	2.5	4
103	Validação da Recovery Assessment Scale (RAS) no Brasil para avaliar a capacidade de superação das pessoas com esquizofrenia. <i>Jornal Brasileiro De Psiquiatria</i> , 2017, 66, 1-8.	0.7	5
104	Disorganized Symptoms Predicted Worse Functioning Outcome in Schizophrenia Patients with Established Illness. <i>Clinical Schizophrenia and Related Psychoses</i> , 2017, 11, 151-155.	1.4	10
105	Diagnosing social anxiety in Parkinson's disease: characteristics and frequencies according to two diagnostic criteria. <i>Revista De Psiquiatria Clinica</i> , 2016, 43, 139-142.	0.6	5
106	Hair cortisol in drug-naïve first-episode individuals with psychosis. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 11-16.	1.7	15
107	Is semantic verbal fluency impairment explained by executive function deficits in schizophrenia?. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 121-126.	1.7	27
108	Serum copeptin in children exposed to maltreatment. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 434-441.	1.8	12

#	ARTICLE	IF	CITATIONS
109	Inflammation, neurotrophism and oxidative stress and childhood psychopathology in a large community sample. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 122-132.	4.5	8
110	Using deep belief network modelling to characterize differences in brain morphometry in schizophrenia. <i>Scientific Reports</i> , 2016, 6, 38897.	3.3	135
111	Connectome hubs at resting state in children and adolescents: Reproducibility and psychopathological correlation. <i>Developmental Cognitive Neuroscience</i> , 2016, 20, 2-11.	4.0	13
112	Gene expression alterations related to mania and psychosis in peripheral blood of patients with a first episode of psychosis. <i>Translational Psychiatry</i> , 2016, 6, e908-e908.	4.8	26
113	Peripheral immuno-inflammatory abnormalities in ultra-high risk of developing psychosis. <i>Schizophrenia Research</i> , 2016, 176, 191-195.	2.0	46
114	Default mode network maturation and psychopathology in children and adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016, 57, 55-64.	5.2	31
115	Children with Poor Reading Skills at the Word Level Show Reduced Fractional Anisotropy in White Matter Tracts of Both Hemispheres. <i>Brain Connectivity</i> , 2016, 6, 519-523.	1.7	6
116	An integrative approach to investigate the respective roles of single-nucleotide variants and copy-number variants in Attention-Deficit/Hyperactivity Disorder. <i>Scientific Reports</i> , 2016, 6, 22851.	3.3	18
117	Association of serum interleukin-6 with mental health problems in children exposed to perinatal complications and social disadvantage. <i>Psychoneuroendocrinology</i> , 2016, 71, 94-101.	2.7	7
118	Neuropsychological correlates of remission in chronic schizophrenia subjects: The role of general and task-specific executive processes. <i>Schizophrenia Research: Cognition</i> , 2016, 3, 39-46.	1.3	5
119	A cross-sectional study to compare levels of psychiatric morbidity between young people and adults exposed to violence in a large urban center. <i>BMC Psychiatry</i> , 2016, 16, 134.	2.6	11
120	Genome-wide investigation of schizophrenia associated plasma Ndel1 enzyme activity. <i>Schizophrenia Research</i> , 2016, 172, 60-67.	2.0	10
121	Peripubertal treatment with cannabidiol prevents the emergence of psychosis in an animal model of schizophrenia. <i>Schizophrenia Research</i> , 2016, 172, 220-221.	2.0	22
122	The effectiveness of acupuncture as a treatment for tinnitus: a randomized controlled trial using 99mTc-ECD SPECT. <i>European Radiology</i> , 2016, 26, 3234-3242.	4.5	21
123	Age-effects in white matter using associated diffusion tensor imaging and magnetization transfer ratio during late childhood and early adolescence. <i>Magnetic Resonance Imaging</i> , 2016, 34, 529-534.	1.8	29
124	Conditional risk for posttraumatic stress disorder in an epidemiological study of a Brazilian urban population. <i>Journal of Psychiatric Research</i> , 2016, 72, 51-57.	3.1	43
125	What do bizarre delusions mean in schizophrenia?. <i>Psychosis</i> , 2016, 8, 270-276.	0.8	0
126	Depression, Cytokine, and Cytokine by Treatment Interactions Modulate Gene Expression in Antipsychotic Na ⁺ -ve First Episode Psychosis. <i>Molecular Neurobiology</i> , 2016, 53, 5701-5709.	4.0	59

#	ARTICLE	IF	CITATIONS
127	Socioeconomic Disadvantage Moderates the Association between Peripheral Biomarkers and Childhood Psychopathology. <i>PLoS ONE</i> , 2016, 11, e0160455.	2.5	14
128	Circadian rhythm disturbances and conversion to psychosis in ultra high-risk youth. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 178-179.	1.7	4
129	Temporal stability of network centrality in control and default mode networks: Specific associations with externalizing psychopathology in children and adolescents. <i>Human Brain Mapping</i> , 2015, 36, 4926-4937.	3.6	25
130	ORBITOFRONTAL THICKNESS AS A MEASURE FOR TREATMENT RESPONSE PREDICTION IN OBSESSIVE-COMPULSIVE DISORDER. <i>Depression and Anxiety</i> , 2015, 32, 900-908.	4.1	21
131	Investigation of cognition in schizophrenia: psychometric properties of instruments for assessing working memory updating. <i>Jornal Brasileiro De Psiquiatria</i> , 2015, 64, 238-246.	0.7	3
132	Patterns of clozapine and other antipsychotics prescriptions in patients with treatment-resistant schizophrenia in community mental health centers in SÃ£o Paulo, Brazil. <i>Revista De Psiquiatria Clinica</i> , 2015, 42, 165-170.	0.6	11
133	A 20-week program of resistance or concurrent exercise improves symptoms of schizophrenia: results of a blind, randomized controlled trial. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 271-279.	1.7	65
134	Determinants of adherence to treatment in first-episode psychosis: a comprehensive review. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 168-176.	1.7	61
135	Revictimization of Violence Suffered by Those Diagnosed with Alcohol Dependence in the General Population. <i>BioMed Research International</i> , 2015, 2015, 1-12.	1.9	1
136	Convergent evidences from human and animal studies implicate angiotensin I-converting enzyme activity in cognitive performance in schizophrenia. <i>Translational Psychiatry</i> , 2015, 5, e691-e691.	4.8	33
137	Effects of Risperidone on Cytokine Profile in Drug-Naive First-Episode Psychosis. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu042-pyu042.	2.1	77
138	Paliperidone Palmitate for Refractory and Clozapine-Resistant Schizophrenia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, e14-e16.	1.8	6
139	High risk cohort study for psychiatric disorders in childhood: rationale, design, methods and preliminary results. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 58-73.	2.1	148
140	Lowered paraoxonase 1 (PON1) activity is associated with increased cytokine levels in drug naÃve first episode psychosis. <i>Schizophrenia Research</i> , 2015, 166, 225-230.	2.0	34
141	Circadian rest-act activity rhythm in individuals at risk for psychosis and bipolar disorder. <i>Schizophrenia Research</i> , 2015, 168, 50-55.	2.0	57
142	Gene expression analysis in blood of ultra-high risk subjects compared to first-episode of psychosis patients and controls. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 441-446.	2.6	14
143	Oxidative stress in drug naÃve first episode psychosis and antioxidant effects of risperidone. <i>Journal of Psychiatric Research</i> , 2015, 68, 210-216.	3.1	51
144	Effects of depression on the cytokine profile in drug naÃve first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 164, 53-58.	2.0	48

#	ARTICLE	IF	CITATIONS
145	ACE I/D genotype-related increase in ACE plasma activity is a better predictor for schizophrenia diagnosis than the genotype alone. <i>Schizophrenia Research</i> , 2015, 164, 109-114.	2.0	19
146	Abnormalities in sleep patterns in individuals at risk for psychosis and bipolar disorder. <i>Schizophrenia Research</i> , 2015, 169, 262-267.	2.0	54
147	Low expression of Gria1 and Grin1 glutamate receptors in the nucleus accumbens of Spontaneously Hypertensive Rats (SHR). <i>Psychiatry Research</i> , 2015, 229, 690-694.	3.3	11
148	Cognition in at-risk mental states for psychosis. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 57, 199-208.	6.1	41
149	Can neuroimaging be used to predict the onset of psychosis?. <i>Lancet Psychiatry</i> , the, 2015, 2, 1117-1122.	7.4	36
150	High predictive value of immune-inflammatory biomarkers for schizophrenia diagnosis and association with treatment resistance. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 422-429.	2.6	69
151	Increased expression of NDEL1 and MBP genes in the peripheral blood of antipsychotic-naïve patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2015, 25, 2416-2425.	0.7	23
152	Structural covariance in schizophrenia and first-episode psychosis: An approach based on graph analysis. <i>Journal of Psychiatric Research</i> , 2015, 71, 89-96.	3.1	28
153	Angiotensin converting enzyme activity is positively associated with IL-17a levels in patients with schizophrenia. <i>Psychiatry Research</i> , 2015, 229, 702-707.	3.3	22
154	Serum brain-derived neurotrophic factor and cortical thickness are differently related in patients with schizophrenia and controls. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 84-89.	1.8	16
155	Effects of minocycline add-on treatment on brain morphometry and cerebral perfusion in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2015, 161, 439-445.	2.0	33
156	Decreased centrality of subcortical regions during the transition to adolescence: A functional connectivity study. <i>NeuroImage</i> , 2015, 104, 44-51.	4.2	43
157	Psychotropic Drug Use in São Paulo, Brazil – An Epidemiological Survey. <i>PLoS ONE</i> , 2015, 10, e0135059.	2.5	21
158	Schizophrenia, the forgotten disorder: the scenario in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 269-270.	1.7	4
159	An Overview on the Search for Schizophrenia Biomarkers. <i>CNS and Neurological Disorders - Drug Targets</i> , 2015, 14, 996-1000.	1.4	5
160	Cortical morphology changes in women with borderline personality disorder: a multimodal approach. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 32-38.	1.7	9
161	Factor structure of the Positive and Negative Syndrome Scale (PANSS) in Brazil: convergent validation of the Brazilian version. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 336-339.	1.7	42
162	The Impact of Healthy Parenting As a Protective Factor for Posttraumatic Stress Disorder in Adulthood: A Case-Control Study. <i>PLoS ONE</i> , 2014, 9, e87117.	2.5	13

#	ARTICLE	IF	CITATIONS
163	PRODH Polymorphisms, Cortical Volumes and Thickness in Schizophrenia. PLoS ONE, 2014, 9, e87686.	2.5	14
164	Memory Networks in Tinnitus: A Functional Brain Image Study. PLoS ONE, 2014, 9, e87839.	2.5	31
165	Increased Amygdalar and Hippocampal Volumes in Young Adults with Social Anxiety. PLoS ONE, 2014, 9, e88523.	2.5	73
166	Public school teachers's perceptions about mental health. Revista De Saude Publica, 2014, 48, 940-948.	1.7	10
167	Depression increases in patients with Parkinson's disease according to the increasing severity of the cognitive impairment. Arquivos De Neuro-Psiquiatria, 2014, 72, 426-429.	0.8	9
168	The joint structure of major depression, anxiety disorders, and trait negative affect. Revista Brasileira De Psiquiatria, 2014, 36, 285-292.	1.7	13
169	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
170	Searching for a Neurobiological Basis for Self-Medication Theory in ADHD Comorbid With Substance Use Disorders. Clinical Nuclear Medicine, 2014, 39, e129-e134.	1.3	29
171	Peripheral interleukin-2 level is associated with negative symptoms and cognitive performance in schizophrenia. Physiology and Behavior, 2014, 129, 194-198.	2.1	49
172	What are the PANSS items most related with global improvements in patients with schizophrenia? Toward a reduced version of the PANSS. Schizophrenia Research, 2014, 158, 277-278.	2.0	3
173	Age effects on the default mode and control networks in typically developing children. Journal of Psychiatric Research, 2014, 58, 89-95.	3.1	74
174	Reduction of anterior cingulate in adults with urban violence-related PTSD. Journal of Affective Disorders, 2014, 168, 13-20.	4.1	24
175	Changes in gene expression and methylation in the blood of patients with first-episode psychosis. Schizophrenia Research, 2014, 159, 358-364.	2.0	35
176	Switching from oral risperidone to flexibly dosed oral paliperidone extended-release: core symptoms, satisfaction, and quality of life in patients with stable but symptomatic schizophrenia: the RISPALI study. Current Medical Research and Opinion, 2014, 30, 695-709.	1.9	6
177	Evaluating the effectiveness of a training program that builds teachers's capability to identify and appropriately refer middle and high school students with mental health problems in Brazil: an exploratory study. BMC Public Health, 2014, 14, 210.	2.9	41
178	Comparing PANSS scores and corresponding CGI scores between stable and acute schizophrenic patients. Schizophrenia Research, 2014, 152, 307-308.	2.0	5
179	Morphometric hemispheric asymmetry of orbitofrontal cortex in women with borderline personality disorder: A multi-parameter approach. Psychiatry Research - Neuroimaging, 2014, 223, 61-66.	1.8	22
180	Attentional and executive functions are differentially affected by post-traumatic stress disorder and trauma. Journal of Psychiatric Research, 2014, 48, 32-39.	3.1	51

#	ARTICLE	IF	CITATIONS
181	Effect of antipsychotic drugs on gene expression in the prefrontal cortex and nucleus accumbens in the spontaneously hypertensive rat (SHR). <i>Schizophrenia Research</i> , 2014, 157, 163-168.	2.0	22
182	Substantia nigra echogenicity and imaging of striatal dopamine transporters in Parkinson's disease: A cross-sectional study. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 477-481.	2.2	27
183	Evaluation of neurotransmitter receptor gene expression identifies GABA receptor changes: A follow-up study in antipsychotic-naïve patients with first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2014, 56, 130-136.	3.1	13
184	Expression profile of neurotransmitter receptor and regulatory genes in the prefrontal cortex of spontaneously hypertensive rats: Relevance to neuropsychiatric disorders. <i>Psychiatry Research</i> , 2014, 219, 674-679.	3.3	11
185	Manic Symptoms in Youth: Dimensions, Latent Classes, and Associations With Parental Psychopathology. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 625-634.e2.	0.5	16
186	Sodium Nitroprusside Treatment of Clozapine-Refractory Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 761-763.	1.4	13
187	Dopamine Transporter Imaging Using ^{99m} Tc-TRODAT-1 SPECT in Parkinson's Disease. <i>Medical Science Monitor</i> , 2014, 20, 1413-1418.	1.1	22
188	Structural Validity of the Tonic Immobility Scale in a Population Exposed to Trauma: Evidence from Two Large Brazilian Samples. <i>PLoS ONE</i> , 2014, 9, e94367.	2.5	16
189	Substantia nigra echogenicity is correlated with nigrostriatal impairment in Machado-Joseph disease. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 742-745.	2.2	7
190	A 6-month randomized controlled trial to test the efficacy of a lifestyle intervention for weight gain management in schizophrenia. <i>BMC Psychiatry</i> , 2013, 13, 60.	2.6	52
191	Circulating levels of sTNFR1 as a marker of severe clinical course in schizophrenia. <i>Journal of Psychiatric Research</i> , 2013, 47, 467-471.	3.1	32
192	Neurotransmitter receptor and regulatory gene expression in peripheral blood of Brazilian drug-naïve first-episode psychosis patients before and after antipsychotic treatment. <i>Psychiatry Research</i> , 2013, 210, 1290-1292.	3.3	11
193	Do sleep abnormalities and misaligned sleep/circadian rhythm patterns represent early clinical characteristics for developing psychosis in high risk populations?. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2631-2637.	6.1	53
194	Management of schizophrenia: clinical experience with asenapine. <i>Journal of Psychopharmacology</i> , 2013, 27, 14-22.	4.0	10
195	Impact of peripheral levels of chemokines, BDNF and oxidative markers on cognition in individuals with schizophrenia. <i>Journal of Psychiatric Research</i> , 2013, 47, 1376-1382.	3.1	84
196	A model of memory impairment in schizophrenia: Cognitive and clinical factors associated with memory efficiency and memory errors. <i>Schizophrenia Research</i> , 2013, 151, 70-77.	2.0	9
197	Brain tumor in a patient with attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2013, 144, 151-152.	2.0	8
198	Polymorphisms in schizophrenia candidate gene UFD1L may contribute to cognitive deficits. <i>Psychiatry Research</i> , 2013, 209, 110-113.	3.3	5

#	ARTICLE	IF	CITATIONS
199	Reduced dorso-lateral prefrontal cortex in treatment resistant schizophrenia. <i>Schizophrenia Research</i> , 2013, 148, 81-86.	2.0	55
200	ZDHHC8 gene may play a role in cortical volumes of patients with schizophrenia. <i>Schizophrenia Research</i> , 2013, 145, 33-35.	2.0	18
201	Candidate genes for schizophrenia in a mixed Brazilian population using pooled DNA. <i>Psychiatry Research</i> , 2013, 208, 201-202.	3.3	3
202	Plasma Ndel1 enzyme activity is reduced in patients with schizophrenia – A potential biomarker?. <i>Journal of Psychiatric Research</i> , 2013, 47, 657-663.	3.1	27
203	Differential prefrontal gray matter correlates of treatment response to fluoxetine or cognitive-behavioral therapy in obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2013, 23, 569-580.	0.7	54
204	Sleep disorders in Machado-Joseph disease: A dopamine transporter imaging study. <i>Journal of the Neurological Sciences</i> , 2013, 324, 90-93.	0.6	22
205	Adjunctive Treatment with Lodenafil Carbonate for Erectile Dysfunction in Outpatients with Schizophrenia and Spectrum: A Randomized, Double-Blind, Crossover, Placebo-Controlled Trial. <i>Journal of Sexual Medicine</i> , 2013, 10, 1136-1145.	0.6	10
206	Dopamine Transporter Shown by SPECT in Patients with Periodic Leg Movement after Acute Physical Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 224-229.	0.4	10
207	Is there an association between cortical thickness, age of onset, and duration of illness in schizophrenia?. <i>CNS Spectrums</i> , 2013, 18, 315-321.	1.2	17
208	Is disorganized schizophrenia a predictor of treatment resistance? Evidence from an observational study. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 432-434.	1.7	15
209	Visual field loss in schizophrenia: evaluation of magnocellular pathway dysfunction in schizophrenic patients and their parents. <i>Clinical Ophthalmology</i> , 2013, 7, 1015.	1.8	10
210	Evaluation of magnocellular pathway abnormalities in schizophrenia: a frequency doubling technology study and clinical implications. <i>Arquivos Brasileiros De Oftalmologia</i> , 2013, 76, 85-89.	0.5	4
211	Translation and adaptation of the Bipolar Prodrome Symptom Scale-Retrospective: Patient Version to Brazilian portuguese. <i>Trends in Psychiatry and Psychotherapy</i> , 2013, 35, 62-75.	0.8	1
212	Epidemiology of Psychotropic Drug Use in Rio de Janeiro, Brazil: Gaps in Mental Illness Treatments. <i>PLoS ONE</i> , 2013, 8, e62270.	2.5	30
213	The Impact of Epidemic Violence on the Prevalence of Psychiatric Disorders in Sao Paulo and Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2013, 8, e63545.	2.5	109
214	Dopaminergic Neuronal Imaging in Genetic Parkinson's Disease: Insights into Pathogenesis. <i>PLoS ONE</i> , 2013, 8, e69190.	2.5	55
215	Structural validity and reliability of the Positive and Negative Affect Schedule (PANAS): Evidence from a large Brazilian community sample. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 169-172.	1.7	69
216	Performance assessment of the single photon emission microscope: high spatial resolution SPECT imaging of small animal organs. <i>Brazilian Journal of Medical and Biological Research</i> , 2013, 46, 936-942.	1.5	4

#	ARTICLE	IF	CITATIONS
217	Why we should use long-acting injectable antipsychotics more frequently. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 217-218.	1.7	8
218	Gray Matter Volumes in Obsessive-Compulsive Disorder Before and After Fluoxetine or Cognitive-Behavior Therapy: A Randomized Clinical Trial. <i>Neuropsychopharmacology</i> , 2012, 37, 734-745.	5.4	108
219	Source memory errors in schizophrenia, hallucinations and negative symptoms: a synthesis of research findings. <i>Psychological Medicine</i> , 2012, 42, 2543-2554.	4.5	33
220	Cognitive Deficits in Machado-Joseph Disease Correlate with Hypoperfusion of Visual System Areas. <i>Cerebellum</i> , 2012, 11, 1037-1044.	2.5	30
221	DRD1 rs4532 polymorphism: A potential pharmacogenomic marker for treatment response to antipsychotic drugs. <i>Schizophrenia Research</i> , 2012, 142, 206-208.	2.0	34
222	Obsessive-compulsive symptom dimensions correlate to specific gray matter volumes in treatment-naïve patients. <i>Journal of Psychiatric Research</i> , 2012, 46, 1635-1642.	3.1	56
223	School Referrals of Children and Adolescents to CAPSi – the Burden of Incorrect Referrals. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 493-496.	1.7	4
224	Impact of Childhood Stress on Psychopathology. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 480-488.	1.7	74
225	Cognitive and olfactory deficits in Machado-Joseph disease: A dopamine transporter study. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 854-858.	2.2	23
226	Can neuroimaging be used as a support to diagnosis of borderline personality disorder? An approach based on computational neuroanatomy and machine learning. <i>Journal of Psychiatric Research</i> , 2012, 46, 1126-1132.	3.1	27
227	Poster #252 PLASMA NDEL1 ACTIVITY IS REDUCED IN PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2012, 136, S181.	2.0	0
228	Poster #18 EFFECTS OF PAPAVERINE ON SOCIAL BEHAVIORS IN AN ANIMAL MODEL OF SCHIZOPHRENIA: THE SPONTANEOUSLY HYPERTENSIVE RATS. <i>Schizophrenia Research</i> , 2012, 136, S287.	2.0	0
229	Higher striatal dopamine transporter density in PTSD: an in vivo SPECT study with [99mTc]TRODAT-1. <i>Psychopharmacology</i> , 2012, 224, 337-345.	3.1	63
230	Dopamine transporter imaging in clinically unclear cases of parkinsonism and the importance of Scans Without Evidence of Dopaminergic Deficit (SWEDDs). <i>Arquivos De Neuro-Psiquiatria</i> , 2012, 70, 667-673.	0.8	21
231	Hippocampal volume and CDR-SB can predict conversion to dementia in MCI patients. <i>Arquivos De Neuro-Psiquiatria</i> , 2012, 70, 839-842.	0.8	9
232	SPEM: a state-of-the-art instrument for high resolution molecular imaging of small animal organs. <i>Einstein (Sao Paulo, Brazil)</i> , 2012, 10, 209-215.	0.7	1
233	Relationship between structural abnormalities in the cerebellum and dementia, posttraumatic stress disorder and bipolar disorder. <i>Dementia E Neuropsychologia</i> , 2012, 6, 203-211.	0.8	19
234	Adaptação cultural, validade e confiabilidade da versão brasileira do Inventário de Habilidades de Vida Independente: versão do paciente (ILSS-BR/P), na esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2012, 39, 12-18.	0.6	4

#	ARTICLE	IF	CITATIONS
235	Towards a multifactorial approach for prediction of bipolar disorder in at risk populations. <i>Journal of Affective Disorders</i> , 2012, 140, 82-91.	4.1	85
236	Cytokines in schizophrenia: Possible role of anti-inflammatory medications in clinical and preclinical stages. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 247-260.	1.8	49
237	Linkage Replication for Chromosomal Region 13q32 in Schizophrenia: Evidence from a Brazilian Pilot Study on Early Onset Schizophrenia Families. <i>PLoS ONE</i> , 2012, 7, e52262.	2.5	5
238	Frontal Assessment Battery (FAB) is a simple tool for detecting executive deficits in chronic cannabis users. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 523-531.	1.3	18
239	Assessment of 22q11.2 copy number variations in a sample of Brazilian schizophrenia patients. <i>Schizophrenia Research</i> , 2011, 132, 99-100.	2.0	12
240	Increased dopamine transporter density in Parkinson's disease patients with social anxiety disorder. <i>Journal of the Neurological Sciences</i> , 2011, 310, 53-57.	0.6	45
241	The accuracy of the Clinician-Administered PTSD Scale (CAPS) to identify PTSD cases in victims of urban violence. <i>Psychiatry Research</i> , 2011, 185, 157-160.	3.3	45
242	A Double-blind Randomized Controlled Trial To Study the Efficacy of Topiramate in a Civilian Sample of PTSD. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 305-310.	3.9	45
243	Association of biomarkers and depressive symptoms in schizophrenia. <i>Neuroscience Letters</i> , 2011, 505, 282-285.	2.1	38
244	Cerebellar volume in patients with dementia. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 122-129.	1.7	9
245	The effectiveness of a non-pharmacological intervention for weight gain management in severe mental disorders: results from a national multicentric study. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 117-121.	1.7	17
246	Early intervention in psychosis: a map of clinical and research initiatives in Latin America. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s213-s224.	1.7	27
247	Early intervention for bipolar disorder: current imperatives, future directions. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s197-s212.	1.7	17
248	Long-acting injectable risperidone in partially adherent and nonadherent patients with schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2011, 7, 391.	2.2	8
249	Attention Deficit/Hyperactivity Disorder. <i>Clinical Nuclear Medicine</i> , 2011, 36, 656-660.	1.3	20
250	Processing Speed and Working Memory Span: Their Differential Role in Superficial and Deep Memory Processes in Schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2011, 17, 485-493.	1.8	12
251	Reduced cerebellar left hemisphere and vermal volume in adults with PTSD from a community sample. <i>Journal of Psychiatric Research</i> , 2011, 45, 1627-1633.	3.1	70
252	Catechol-O-methyltransferase (COMT) val158met Polymorphism as a Risk Factor for PTSD After Urban Violence. <i>Journal of Molecular Neuroscience</i> , 2011, 43, 516-523.	2.3	56

#	ARTICLE	IF	CITATIONS
253	Candidate-Gene Approach in Posttraumatic Stress Disorder After Urban Violence: Association Analysis of the Genes Encoding Serotonin Transporter, Dopamine Transporter, and BDNF. <i>Journal of Molecular Neuroscience</i> , 2011, 44, 59-67.	2.3	68
254	Molecular imaging genetics of methylphenidate response in ADHD and substance use comorbidity. <i>Synapse</i> , 2011, 65, 154-159.	1.2	23
255	Cannabis use before age 15 and subsequent executive functioning. <i>British Journal of Psychiatry</i> , 2011, 198, 442-447.	2.8	241
256	Letter to the Editor: Adiposity as a possible mediator of low testosterone salivary levels in adolescent boys in prodromal stages of psychosis. <i>Psychological Medicine</i> , 2011, 41, 2010-2012.	4.5	0
257	Cerebellar volume in patients with dementia. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 122-129.	1.7	31
258	RBP increases its impact factor again and is progressively more cited in other journals. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 218-218.	1.7	3
259	One more step to increase the internationalization and visibility of the RBP Psychiatry. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 317-317.	1.7	5
260	New editors and new challenges. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 1-1.	1.7	2
261	Higher dopamine transporter density in Parkinson's disease patients with depression. <i>Psychopharmacology</i> , 2010, 211, 27-31.	3.1	60
262	The UFD1L rs5992403 polymorphism is associated with age at onset of schizophrenia. <i>Journal of Psychiatric Research</i> , 2010, 44, 1113-1115.	3.1	10
263	Olfactory heterogeneity in <i>LRRK2</i> related Parkinsonism. <i>Movement Disorders</i> , 2010, 25, 2879-2883.	3.9	33
264	Auras and clinical features in temporal lobe epilepsy: A new approach on the basis of voxel-based morphometry. <i>Epilepsy Research</i> , 2010, 89, 327-338.	1.6	33
265	Ten-year growth in the scientific production of Brazilian Psychiatry: the impact of the new evaluation policies. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 6-10.	1.7	9
266	Production of atypical category exemplars in patients with schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2010, 16, 822-828.	1.8	10
267	Evaluation of patients with Clinically Unclear Parkinsonian Syndromes submitted to brain SPECT imaging using the technetium-99m labeled tracer TRODAT-1. <i>Journal of the Neurological Sciences</i> , 2010, 291, 64-68.	0.6	28
268	Degenerative parkinsonism in patients with psychogenic parkinsonism: A dopamine transporter imaging study. <i>Clinical Neurology and Neurosurgery</i> , 2010, 112, 282-285.	1.4	34
269	The integrity of corpus callosum and cluster B personality disorders: A quantitative MRI study in juvenile myoclonic epilepsy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 516-521.	4.8	8
270	Greater reduction of striatal dopamine transporter availability during the symptomatic than asymptomatic phase of Kleine-Levin syndrome. <i>Sleep Medicine</i> , 2010, 11, 959.	1.6	7

#	ARTICLE	IF	CITATIONS
271	Neuroimaging of Treatment-Resistant Schizophrenia. <i>Advances in Biological Psychiatry</i> , 2010, , 63-73.	0.2	2
272	Clinical and molecular neuroimaging characteristics of Brazilian patients with Parkinson's disease and mutations in PARK2 or PARK8 genes. <i>Arquivos De Neuro-Psiquiatria</i> , 2009, 67, 7-11.	0.8	11
273	A acurácia da Escala de Experiência Sexual do Arizona (ASEX) para identificar disfunção sexual em pacientes do espectro da esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2009, 36, 182-189.	0.6	16
274	Impact of psychiatric disorders on the quality of life of brazilian HCV-infected patients. <i>Brazilian Journal of Infectious Diseases</i> , 2009, 13, 40-43.	0.6	11
275	The drug-naïve OCD patients imaging genetics, cognitive and treatment response study: methods and sample description. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 349-353.	1.7	16
276	Role of processing speed and premorbid IQ on visual recognition in patients with schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2009, 31, 302-311.	1.3	10
277	A neuropsychological study comparing patients infected with HCV and HBV without psychiatric comorbidities. <i>Journal of Medical Virology</i> , 2009, 81, 1184-1188.	5.0	24
278	The evaluation of scientific productivity in Brazil: An assessment of the mental health field. <i>Scientometrics</i> , 2009, 80, 529-537.	3.0	9
279	A randomized, double-blind, placebo-controlled trial to assess the efficacy of topiramate in the treatment of post-traumatic stress disorder. <i>BMC Psychiatry</i> , 2009, 9, 28.	2.6	11
280	The posttraumatic stress disorder project in Brazil: neuropsychological, structural and molecular neuroimaging studies in victims of urban violence. <i>BMC Psychiatry</i> , 2009, 9, 30.	2.6	24
281	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. <i>BMC Psychiatry</i> , 2009, 9, 34.	2.6	38
282	Voxel-based morphometry evaluation of patients with photosensitive juvenile myoclonic epilepsy. <i>Epilepsy Research</i> , 2009, 86, 138-145.	1.6	49
283	Personality traits related to juvenile myoclonic epilepsy: MRI reveals prefrontal abnormalities through a voxel-based morphometry study. <i>Epilepsy and Behavior</i> , 2009, 15, 202-207.	1.7	49
284	Hallucinations and two types of free-recall intrusion in schizophrenia. <i>Psychological Medicine</i> , 2009, 39, 917-926.	4.5	29
285	Molecular Imaging Studies in Parkinson Disease. <i>Neurologist</i> , 2009, 15, 6-16.	0.7	47
286	Depression, Avolition, and Attention Disorders in Patients with Schizophrenia: Associations with Verbal Memory Efficiency. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2009, 21, 206-215.	1.8	17
287	Use of peptides combine with nanotechnology and molecular imaging: new tools for diagnosis and treatment of neuropsychiatric disorders. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 300-302.	1.7	3
288	RBP implementa um novo sistema de submissão de manuscritos. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 295-295.	1.7	0

#	ARTICLE	IF	CITATIONS
289	Relationship between ketamine-induced psychotic symptoms and NMDA receptor occupancy—a [123I]CNS-1261 SPET study. <i>Psychopharmacology</i> , 2008, 197, 401-408.	3.1	89
290	The effect of early virological response in health-related quality of life in HCV-infected patients. <i>Journal of Medical Virology</i> , 2008, 80, 419-423.	5.0	12
291	Lower dopamine transporter density in an asymptomatic patient with Kleine-Levin syndrome. <i>Acta Neurologica Scandinavica</i> , 2008, 117, 370-373.	2.1	13
292	Neuropsychological function in patients with chronic hepatitis C. <i>Liver International</i> , 2008, 28, 893-894.	3.9	7
293	High frequency of unrecognized mental disorders in HCV-infected patients. <i>General Hospital Psychiatry</i> , 2008, 30, 80-82.	2.4	27
294	Methylphenidate DAT binding in adolescents with Attention-Deficit/ Hyperactivity Disorder comorbid with Substance Use Disorder - a single Photon Emission Computed Tomography with [Tc99m]TRODAT-1 study. <i>NeuroImage</i> , 2008, 40, 1195-1201.	4.2	33
295	Is Flunarizine a Long-Acting Oral Atypical Antipsychotic?. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1572-1579.	2.2	19
296	A RBP — a revista m—dica de maior Fator de Impacto na Am—rica Latina. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 179-182.	1.7	3
297	Role of processing speed and depressed mood on encoding, storage, and retrieval memory functions in patients diagnosed with schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 99-107.	1.8	17
298	Acute dystonia after injection of pegylated interferon alpha-2b. <i>Movement Disorders</i> , 2007, 22, 747-748.	3.9	15
299	Higher nigrostriatal dopamine neuron loss in early than late onset Parkinson's disease—a [99mTc]-TRODAT-1 SPECT study. <i>Movement Disorders</i> , 2007, 22, 863-866.	3.9	56
300	Incidence of psychiatric side effects during pegylated interferon- α retreatment in nonresponder hepatitis C virus-infected patients. <i>Liver International</i> , 2007, 27, 1098-1102.	3.9	28
301	Molecular imaging in hereditary forms of parkinsonism. <i>European Journal of Neurology</i> , 2007, 14, 359-368.	3.3	7
302	Bibliometria e visibilidade da psiquiatria brasileira. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 99-99.	1.7	1
303	Can molecular imaging techniques identify biomarkers for neuropsychiatric disorders?. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 102-104.	1.7	15
304	Refractory schizophrenia: a neglected clinical problem. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 292-293.	1.7	7
305	RBP inicia o gerenciamento on-line de artigos. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 202-202.	1.7	1
306	Supplements and conflicts of interest. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 300-300.	1.7	0

#	ARTICLE	IF	CITATIONS
307	Processing Speed: A Strong Predictor of Verbal Memory Performance in Schizophrenia. Journal of Clinical and Experimental Neuropsychology, 2006, 28, 370-382.	1.3	22
308	Ketamine displaces the novel NMDA receptor SPET probe [123I]CNS-1261 in humans in vivo. Nuclear Medicine and Biology, 2006, 33, 239-243.	0.6	34
309	Mental health research in Brazil: policies, infrastructure, financing and human resources. Revista De Saude Publica, 2006, 40, 161-169.	1.7	19
310	Parkinson's disease and dopamine transporter neuroimaging: a critical review. Sao Paulo Medical Journal, 2006, 124, 168-175.	0.9	51
311	Effect of Amantadine on Depressive Symptoms in Chronic Hepatitis C Patients Treated with Pegylated Interferon. Clinical Neuropharmacology, 2006, 29, 138-143.	0.7	41
312	First in vivo evidence of an NMDA receptor deficit in medication-free schizophrenic patients. Molecular Psychiatry, 2006, 11, 118-119.	7.9	246
313	Psychosis during peginterferon-alpha2a and ribavirin therapy: case report. Brazilian Journal of Infectious Diseases, 2006, 10, 406-7.	0.6	17
314	Morte súbita cardíaca na esquizofrenia: o psiquiatra deve estar atento?. Revista Brasileira De Psiquiatria, 2006, 28, 339-339.	1.7	7
315	Sudden cardiac death in schizophrenia: should the psychiatrist pay more attention?. Revista Brasileira De Psiquiatria, 2006, 28, .	1.7	3
316	A Revista Brasileira de Psiquiatria agora tem o seu próprio site!. Revista Brasileira De Psiquiatria, 2006, 28, 88-88.	1.7	0
317	RBP passa a publicar os artigos no prelo na SciELO e no MEDLINE. Revista Brasileira De Psiquiatria, 2006, 28, 168-168.	1.7	0
318	As bases neurobiológicas do transtorno bipolar. Revista De Psiquiatria Clinica, 2005, 32, 28-33.	0.6	4
319	Word frequency effects on free recall and recognition in patients with schizophrenia. Journal of Psychiatric Research, 2005, 39, 215-222.	3.1	15
320	Non-uniform blockade of intrastriatal D2/D3 receptors by risperidone and amisulpride. Psychopharmacology, 2005, 180, 664-669.	3.1	21
321	Impact of Schizophrenia and Chronic Antipsychotic Treatment on [123I]CNS-1261 Binding to N-Methyl-D-Aspartate Receptors In Vivo. Biological Psychiatry, 2005, 58, 41-46.	1.3	59
322	A psicoterapia interpessoal na depressão em pacientes com esquizofrenia: proposta de um modelo terapêutico a partir de três casos clínicos. Revista De Psiquiatria Do Rio Grande Do Sul, 2005, 27, 252-261.	0.3	1
323	Chegamos ao ISI!. Revista Brasileira De Psiquiatria, 2005, 27, 170-171.	1.7	6
324	Mental health and psychiatric research in Brazil. British Journal of Psychiatry, 2004, 184, 273-273.	2.8	4

#	ARTICLE	IF	CITATIONS
325	Atypical antipsychotic drugs and tardive dyskinesia: relevance of D2 receptor affinity. <i>Journal of Psychopharmacology</i> , 2004, 18, 124-127.	4.0	43
326	Medications and verbal memory impairment in schizophrenia: the role of anticholinergic drugs. <i>Psychological Medicine</i> , 2004, 34, 369-374.	4.5	50
327	Prolactinemia is uncoupled from central D2/D3 dopamine receptor occupancy in amisulpride treated patients. <i>Psychopharmacology</i> , 2004, 175, 367-373.	3.1	38
328	A bolus/infusion paradigm for the novel NMDA receptor SPET tracer [123i]CNS 1261. <i>Nuclear Medicine and Biology</i> , 2004, 31, 155-164.	0.6	30
329	Evaluation of NMDA Receptors in Vivo in Schizophrenic Patients with [123I]CNS 1261 and SPET. <i>Annals of the New York Academy of Sciences</i> , 2003, 1003, 364-367.	3.8	13
330	Analysis of D2 dopamine receptor occupancy with quantitative SPET using the high-affinity ligand [123I]epidepride: resolving conflicting findings. <i>NeuroImage</i> , 2003, 19, 1205-1214.	4.2	31
331	Depressive episodes in stable schizophrenia: critical evaluation of the DSM-IV and ICD-10 diagnostic criteria. <i>Psychiatry Research</i> , 2003, 117, 47-56.	3.3	56
332	Kinetic modelling of [123I]CNS 1261 as a potential SPET tracer for the NMDA receptor. <i>Nuclear Medicine and Biology</i> , 2003, 30, 441-454.	0.6	46
333	Optimizing Limbic Selective D2/D3 Receptor Occupancy by Risperidone: A [123I]-Epidepride SPET Study. <i>Journal of Clinical Psychopharmacology</i> , 2003, 23, 5-14.	1.4	74
334	Is Regionally Selective D2/D3 Dopamine Occupancy Sufficient for Atypical Antipsychotic Effect? An In Vivo Quantitative [123I]Epidepride SPET Study of Amisulpride-Treated Patients. <i>American Journal of Psychiatry</i> , 2003, 160, 1413-1420.	7.2	112
335	Typical antipsychotic drugs and D2 receptor occupancy and depressive symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2002, 56, 31-36.	2.0	71
336	In vivo 5-HT 2A receptor blockade by quetiapine. <i>Psychopharmacology</i> , 2001, 157, 60-66.	3.1	57
337	Dopamine D2 Receptor Blockade in Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 971-a-972.	7.2	12
338	Neuroimagem de receptores D2 de dopamina na esquizofrenia. <i>Revista Brasileira De Psiquiatria</i> , 2001, 23, 46-49.	1.7	4
339	Clozapine of treatment resistant-schizophrenia: what are the actual advances?. <i>Revista Brasileira De Psiquiatria</i> , 2001, 23, 57-58.	1.7	0
340	Imaging the glutamatergic system in vivo – relevance to schizophrenia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 1723-1731.	6.4	47
341	Panic Disorder Associated With Clozapine. <i>American Journal of Psychiatry</i> , 2000, 157, 2056-2056.	7.2	17
342	A depressãõ na esquizofrenia. <i>Revista Brasileira De Psiquiatria</i> , 2000, 22, 27-30.	1.7	7

#	ARTICLE	IF	CITATIONS
343	Validity study of the Brazilian version of the Calgary Depression Scale for Schizophrenia. Schizophrenia Research, 1998, 32, 31-39.	2.0	85
344	Fisiopatologia da esquizofrenia: aspectos atuais. Revista De Psiquiatria Clinica, 0, 34, 198-203.	0.6	9
345	The "Cool Mind" program ("Programa Cuca Legal"): mental health literacy for middle- and high-school teachers of the public system in Brazil. , 0, , 21-29.		0
346	Experiência laboral e inclusão social de indivíduos com esquizofrenia. Revista Brasileira De Saúde Ocupacional, 0, 44, .	0.2	1
347	THE INFLUENCE OF CAREGIVER ATTITUDES AND SOCIO-ECONOMIC GROUP ON FORMAL AND INFORMAL MENTAL HEALTH SERVICE USE AMONGST YOUTH. European Psychiatry, 0, , 1-34.	0.2	1