

Brad C Astor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2814347/publications.pdf>

Version: 2024-02-01

189
papers

21,452
citations

26630

56
h-index

9589

142
g-index

194
all docs

194
docs citations

194
times ranked

23883
citing authors

#	ARTICLE	IF	CITATIONS
1	Arteriovenous Access Type and Risk of Mortality, Hospitalization, and Sepsis Among Elderly Hemodialysis Patients: A Target Trial Emulation Approach. <i>American Journal of Kidney Diseases</i> , 2022, 79, 69-78.	1.9	10
2	Development and validation of a risk score to prioritize patients for evaluation of access stenosis. <i>Seminars in Dialysis</i> , 2022, 35, 236-244.	1.3	3
3	Epidemiology and Outcomes for the Chronic Kidney Disease. <i>Nephrology Self-assessment Program: NephSAP</i> , 2022, 21, 121-134.	3.0	0
4	Long-term outcomes in kidney transplant recipients with end-stage kidney disease due to anti-glomerular basement membrane disease. <i>Clinical Transplantation</i> , 2021, 35, e14179.	1.6	8
5	Change in Estimated GFR and Risk of Allograft Failure in Patients Diagnosed With Late Active Antibody-mediated Rejection Following Kidney Transplantation. <i>Transplantation</i> , 2021, 105, 648-659.	1.0	22
6	Graft Function Variability and Slope and Kidney Transplantation Outcomes. <i>Kidney International Reports</i> , 2021, 6, 1642-1652.	0.8	2
7	Outcomes of Delayed Graft Function in Kidney Transplant Recipients Stratified by Histologic Biopsy Findings. <i>Transplantation Proceedings</i> , 2021, 53, 1462-1469.	0.6	10
8	Post-kidney transplant serum magnesium exhibits a U-shaped association with subsequent mortality: an observational cohort study. <i>Transplant International</i> , 2021, 34, 1853-1861.	1.6	4
9	Pre-transplant bariatric surgery is not associated with an increased risk of infection after kidney transplant. <i>Transplant International</i> , 2021, 34, 1989-1991.	1.6	2
10	Catheter Dependence After Arteriovenous Fistula or Graft Placement Among Elderly Patients on Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2021, 78, 399-408.e1.	1.9	15
11	What is the Best Alternative for Highly Sensitized Patients Awaiting Kidney Transplantation?. <i>Kidney International Reports</i> , 2021, 6, 2533-2534.	0.8	0
12	The clinical value of donor-derived cell-free DNA measurements in kidney transplantation. <i>Transplantation Reviews</i> , 2021, 35, 100649.	2.9	9
13	Long-Term Outcomes and Prognostic Factors in Kidney Transplant Recipients with Polycystic Kidney Disease. <i>Kidney360</i> , 2021, 2, 312-324.	2.1	6
14	Low dialysis potassium bath is associated with lower mortality in end-stage renal disease patients admitted to hospital with severe hyperkalemia. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 2059-2063.	2.9	2
15	APOL1 Long-term Kidney Transplantation Outcomes Network (APOLLO): Design and Rationale. <i>Kidney International Reports</i> , 2020, 5, 278-288.	0.8	62
16	Markers of mineral metabolism and vascular access complications: The Choices for Healthy Outcomes in Caring for ESRD (CHOICE) study. <i>Hemodialysis International</i> , 2020, 24, 43-51.	0.9	2
17	Characteristics and Graft Survival of Kidney Transplant Recipients with Renal Cell Carcinoma. <i>American Journal of Nephrology</i> , 2020, 51, 777-785.	3.1	3
18	Serum Albumin Level Before Kidney Transplant Predicts Post-transplant BK and Possibly Cytomegalovirus Infection. <i>Kidney International Reports</i> , 2020, 5, 2228-2237.	0.8	10

#	ARTICLE	IF	CITATIONS
19	Proton Pump Inhibitors, But Not H2-receptor Antagonists, Are Associated With Incident Fractures Among Kidney Transplant Recipients. <i>Transplantation</i> , 2020, 104, 2609-2615.	1.0	8
20	Early Report on Published Outcomes in Kidney Transplant Recipients Compared to Nontransplant Patients Infected With Coronavirus Disease 2019. <i>Transplantation Proceedings</i> , 2020, 52, 2659-2662.	0.6	21
21	Internal and External Validation of a Machine Learning Risk Score for Acute Kidney Injury. <i>JAMA Network Open</i> , 2020, 3, e2012892.	5.9	69
22	Factors Associated with Nephrology Fellowship Program Fill Rates. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 1340-1341.	4.5	9
23	Third-party vessel allografts in kidney and pancreas transplantation: Utilization, de novo DSAs, and outcomes. <i>American Journal of Transplantation</i> , 2020, 20, 3443-3450.	4.7	3
24	Outcomes of simultaneous pancreas and kidney transplants based on preemptive transplant compared to those who were on dialysis before transplant – a retrospective study. <i>Transplant International</i> , 2020, 33, 1106-1115.	1.6	8
25	Associations between Proton Pump Inhibitor and Histamine-2 Receptor Antagonist and Bone Mineral Density among Kidney Transplant Recipients. <i>American Journal of Nephrology</i> , 2020, 51, 433-441.	3.1	6
26	Validation of the Kidney Failure Risk Equation in Kidney Transplant Recipients. <i>Canadian Journal of Kidney Health and Disease</i> , 2020, 7, 205435812092262.	1.1	13
27	Mycophenolate Monotherapy in HLA-Matched Kidney Transplant Recipients: A Case Series of 20 Patients. <i>Transplantation Direct</i> , 2020, 6, e526.	1.6	0
28	Polyomavirus and cytomegalovirus infections are risk factors for grafts loss in simultaneous pancreas and kidney transplant. <i>Transplant Infectious Disease</i> , 2020, 22, e13272.	1.7	6
29	Vitamin D in chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2020, 29, 243-247.	2.0	6
30	Management of BK viremia is associated with a lower risk of subsequent cytomegalovirus infection in kidney transplant recipients. <i>Clinical Transplantation</i> , 2020, 34, e13798.	1.6	10
31	Gender differences in peritoneal dialysis initiation in the US end-stage renal disease population. <i>Peritoneal Dialysis International</i> , 2020, 40, 57-61.	2.3	10
32	Delayed kidney graft function in simultaneous pancreas-kidney transplant recipients is associated with early pancreas allograft failure. <i>American Journal of Transplantation</i> , 2020, 20, 2822-2831.	4.7	8
33	KDOQI Clinical Practice Guideline for Vascular Access: 2019 Update. <i>American Journal of Kidney Diseases</i> , 2020, 75, S1-S164.	1.9	1,087
34	Pre-transplant AT1R antibodies and long-term outcomes in kidney transplant recipients with a functioning graft for more than 5 years. <i>Clinical Nephrology</i> , 2020, 94, 245-251.	0.7	2
35	Evaluating Glomerular Filtration Rate Slope as a Surrogate End Point for ESKD in Clinical Trials: An Individual Participant Meta-Analysis of Observational Data. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1746-1755.	6.1	109
36	Cause of End-Stage Renal Disease Is Not a Risk Factor for Cytomegalovirus Infection After Kidney Transplant. <i>Transplantation Proceedings</i> , 2019, 51, 1810-1815.	0.6	5

#	ARTICLE	IF	CITATIONS
37	Association of diagnosed obstructive sleep apnea with kidney transplant outcomes. <i>Clinical Transplantation</i> , 2019, 33, .	1.6	6
38	The association of acute rejection vs recurrent glomerular disease with graft outcomes after kidney transplantation. <i>Clinical Transplantation</i> , 2019, 33, e13738.	1.6	3
39	Outcomes of Norovirus diarrheal infections and <i>Clostridioides difficile</i> infections in kidney transplant recipients: A single-center retrospective study. <i>Transplant Infectious Disease</i> , 2019, 21, e13053.	1.7	5
40	The risk of cytomegalovirus infection after treatment of acute rejection in renal transplant recipients. <i>Clinical Transplantation</i> , 2019, 33, e13636.	1.6	13
41	Clinical Significance of Microvascular Inflammation in the Absence of Anti-HLA DSA in Kidney Transplantation. <i>Transplantation</i> , 2019, 103, 1468-1476.	1.0	29
42	Risk of opportunistic infection in kidney transplant recipients with cytomegalovirus infection and associated outcomes. <i>Transplant Infectious Disease</i> , 2019, 21, e13080.	1.7	17
43	Glomerular C3 Deposition Is an Independent Risk Factor for Allograft Failure in Kidney Transplant Recipients With Transplant Glomerulopathy. <i>Kidney International Reports</i> , 2019, 4, 582-593.	0.8	10
44	End-Stage Renal Disease Patients with Low Serum Albumin: Is Peritoneal Dialysis an Option?. <i>Peritoneal Dialysis International</i> , 2019, 39, 562-567.	2.3	10
45	Competing Risk Modeling: Time to Put it in Our Standard Analytical Toolbox. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 2284-2286.	6.1	18
46	The Association of 25-Hydroxyvitamin D Levels with Late Cytomegalovirus Infection in Kidney Transplant Recipients: the Wisconsin Allograft Recipient Database. <i>Transplantation</i> , 2019, 103, 1683-1688.	1.0	7
47	Hospitalization Trends for Acute Kidney Injury in Kidney Transplant Recipients in the United States, 2004-2014. <i>Transplantation</i> , 2019, 103, 2405-2412.	1.0	5
48	How Should Pancreas Transplant Rejection Be Treated?. <i>Transplantation</i> , 2019, 103, 1928-1934.	1.0	17
49	Change in albuminuria and subsequent risk of end-stage kidney disease: an individual participant-level consortium meta-analysis of observational studies. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 115-127.	11.4	199
50	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019, 73, 206-217.	1.9	49
51	Management of Tumor Necrosis Factor Inhibitor Therapy After Renal Transplantation: A Comparative Analysis and Associated Outcomes. <i>Annals of Pharmacotherapy</i> , 2019, 53, 268-275.	1.9	10
52	Metabolic Acidosis 1 Year Following Kidney Transplantation and Subsequent Cardiovascular Events and Mortality: An Observational Cohort Study. <i>American Journal of Kidney Diseases</i> , 2019, 73, 476-485.	1.9	26
53	Outcomes of malignant melanoma in kidney transplant recipients. <i>Clinical Nephrology</i> , 2019, 92, 293-301.	0.7	1
54	Histopathological characteristics and causes of kidney graft failure in the current era of immunosuppression. <i>World Journal of Transplantation</i> , 2019, 9, 123-133.	1.6	27

#	ARTICLE	IF	CITATIONS
55	Risk Factors for Prognosis in Patients With Severely Decreased GFR. <i>Kidney International Reports</i> , 2018, 3, 625-637.	0.8	35
56	Which is more nephrotoxic for kidney transplants: <scp>BK</scp> nephropathy or rejection?. <i>Clinical Transplantation</i> , 2018, 32, e13216.	1.6	22
57	Concurrent biopsies of both grafts in recipients of simultaneous pancreas and kidney demonstrate high rates of discordance for rejection as well as discordance in type of rejection - a retrospective study. <i>Transplant International</i> , 2018, 31, 32-37.	1.6	27
58	Seasonality of mortality and graft failure among kidney transplant recipients in the US - a retrospective study. <i>Transplant International</i> , 2018, 31, 293-301.	1.6	8
59	Malignancy in Renal Transplant Recipients Exposed to Cyclophosphamide Prior to Transplantation for the Treatment of Native Glomerular Disease. <i>Pharmacotherapy</i> , 2018, 38, 51-57.	2.6	7
60	Pneumocystis jiroveci pneumonia in kidney and simultaneous pancreas kidney transplant recipients in the present era of routine post-transplant prophylaxis: risk factors and outcomes. <i>BMC Nephrology</i> , 2018, 19, 332.	1.8	15
61	Carotid Artery Wall Thickness and Incident Cardiovascular Events: A Comparison between US and MRI in the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Radiology</i> , 2018, 289, 649-657.	7.3	21
62	Vascular Calcification Markers and Hemodialysis Vascular Access Complications. <i>American Journal of Nephrology</i> , 2018, 48, 330-338.	3.1	10
63	The feared five fungal infections in kidney transplant recipients: A single-center 20-year experience. <i>Clinical Transplantation</i> , 2018, 32, e13289.	1.6	15
64	<scp>BK</scp> viremia is not associated with adverse outcomes in the absence of <scp>BK</scp> nephropathy. <i>Clinical Transplantation</i> , 2018, 32, e13283.	1.6	10
65	Characteristics and Outcomes of Kidney Transplant Recipients with a Functioning Graft for More than 25 Years. <i>Kidney Diseases (Basel, Switzerland)</i> , 2018, 4, 255-261.	2.5	14
66	Kidney transplant recipients with polycystic kidney disease have a lower risk of post-transplant <scp>BK</scp> infection than those with end-stage renal disease due to other causes. <i>Transplant Infectious Disease</i> , 2018, 20, e12974.	1.7	7
67	Association of Pre-Transplant Dialysis Modality and Post-Transplant Outcomes: A Meta-Analysis. <i>Peritoneal Dialysis International</i> , 2017, 37, 259-265.	2.3	35
68	Outcomes in the highest panel reactive antibody recipients of deceased donor kidneys under the new kidney allocation system. <i>Clinical Transplantation</i> , 2017, 31, e12895.	1.6	10
69	Higher Pretransplantation Hemoglobin A1c Is Associated With Greater Risk of Posttransplant Diabetes Mellitus. <i>Kidney International Reports</i> , 2017, 2, 1076-1087.	0.8	8
70	Incidence and Indications for Late Allograft Pancreatectomy While on Continued Immunosuppression. <i>Transplantation</i> , 2017, 101, 2228-2234.	1.0	10
71	Rituximab and Monitoring Strategies for Late Antibody-Mediated Rejection After Kidney Transplantation. <i>Transplantation Direct</i> , 2017, 3, e227.	1.6	34
72	Kidney Transplant Recipients With Primary Membranous Glomerulonephritis Have a Higher Risk of Acute Rejection Compared With Other Primary Glomerulonephritides. <i>Transplantation Direct</i> , 2017, 3, e223.	1.6	6

#	ARTICLE	IF	CITATIONS
73	A single center kidney transplant experience among ten Caucasian females with end-stage renal disease due to scleroderma. <i>Clinical Nephrology</i> , 2017, 88, 40-44.	0.7	1
74	In Kidney Transplant Recipients With a Positive Virtual Crossmatch, High PRA was Associated With Lower Incidence of Viral Infections. <i>Transplantation</i> , 2016, 100, 655-661.	1.0	12
75	Biomarkers and degree of atherosclerosis are independently associated with incident atherosclerotic cardiovascular disease in a primary prevention cohort: The ARIC study. <i>Atherosclerosis</i> , 2016, 253, 156-163.	0.8	15
76	The Association of Mineral Metabolism with Vascular Access Patency. <i>Journal of Vascular Access</i> , 2016, 17, 392-396.	0.9	6
77	Nature, timing, and severity of complications from ultrasound-guided percutaneous renal transplant biopsy. <i>Transplant International</i> , 2016, 29, 167-172.	1.6	68
78	Multinational Assessment of Accuracy of Equations for Predicting Risk of Kidney Failure. <i>JAMA - Journal of the American Medical Association</i> , 2016, 315, 164.	7.4	450
79	Predictors and outcomes of delayed graft function after living-donor kidney transplantation. <i>Transplant International</i> , 2016, 29, 81-87.	1.6	90
80	Current outcomes of chronic active antibody mediated rejection – A large single center retrospective review using the updated BANFF 2013 criteria. <i>Human Immunology</i> , 2016, 77, 346-352.	2.4	70
81	The Association Between Renin-Angiotensin System Blockade and Long-term Outcomes in Renal Transplant Recipients. <i>Transplantation</i> , 2016, 100, 1541-1549.	1.0	16
82	Natriuretic Peptide and High-Sensitivity Troponin for Cardiovascular Risk Prediction in Diabetes: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Diabetes Care</i> , 2016, 39, 677-685.	8.6	46
83	Hemoglobin, Anemia, and Cognitive Function: The Atherosclerosis Risk in Communities Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 772-779.	3.6	40
84	Acute Rejection in 6-Antigen HLA-Matched Kidney Transplant Recipients: Risk Factors and Outcomes from the Wisconsin Allograft Recipient Database (WisARD). <i>Clinical Transplants</i> , 2016, 32, 135-141.	0.2	0
85	Tunneled Dialysis Catheter Exchange with Fibrin Sheath Disruption is not Associated with Increased Rate of Bacteremia. <i>Journal of Vascular Access</i> , 2015, 16, 52-56.	0.9	20
86	Prediction of Arteriovenous Fistula Dysfunction: Can it be Taught?. <i>Seminars in Dialysis</i> , 2015, 28, 544-547.	1.3	5
87	Hemodialysis Catheter Locking Solutions and the Prevention of Catheter Dysfunction: A Meta-Analysis. <i>Journal of Vascular Access</i> , 2015, 16, 107-112.	0.9	18
88	Percutaneous versus Surgical Insertion of PD Catheters in Dialysis Patients: A Meta-Analysis. <i>Journal of Vascular Access</i> , 2015, 16, 498-505.	0.9	48
89	Genetics of Plasma Soluble Receptor for Advanced Glycation End-Products and Cardiovascular Outcomes in a Community-based Population: Results from the Atherosclerosis Risk in Communities Study. <i>PLoS ONE</i> , 2015, 10, e0128452.	2.5	19
90	Soluble receptor for advanced glycation end products and the risk for incident heart failure: The Atherosclerosis Risk in Communities Study. <i>American Heart Journal</i> , 2015, 170, 961-967.	2.7	38

#	ARTICLE	IF	CITATIONS
91	Kidney Measures with Diabetes and Hypertension on Cardiovascular Disease: The Atherosclerosis Risk in Communities Study. <i>American Journal of Nephrology</i> , 2015, 41, 409-417.	3.1	16
92	Race, Mineral Homeostasis and Mortality in Patients with End-Stage Renal Disease on Dialysis. <i>American Journal of Nephrology</i> , 2015, 42, 25-34.	3.1	41
93	Association of plasma levels of soluble receptor for advanced glycation end products and risk of kidney disease: the Atherosclerosis Risk in Communities study. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 77-83.	0.7	32
94	sRAGE, inflammation, and risk of atrial fibrillation: results from the Atherosclerosis Risk in Communities (ARIC) Study. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 180-185.	2.3	22
95	The effects of weight change on glomerular filtration rate. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1870-1877.	0.7	18
96	Dialysis access venous stenosis: Treatment with balloon angioplasty 30â€­second vs. 1â€­minute inflation times. <i>Hemodialysis International</i> , 2015, 19, 108-114.	0.9	14
97	Longitudinal changes in hematocrit in hypertensive chronic kidney disease: results from the African-American Study of Kidney Disease and Hypertension (AASK). <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1329-1335.	0.7	6
98	Examination of Potential Modifiers of the Association of APOL1 Alleles with CKD Progression. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 2128-2135.	4.5	31
99	Hemostatic Factors, APOL1 Risk Variants, and the Risk of ESRD in the Atherosclerosis Risk in Communities Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 784-790.	4.5	20
100	Alternative Strategies Needed To Improve Vascular Access Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 172-173.	4.5	2
101	Effect of Renal Function on Prognosis in Chronic Heart Failure. <i>American Journal of Cardiology</i> , 2015, 115, 62-68.	1.6	21
102	Association of Kidney Function and Albuminuria With Prevalent and Incident Hypertension: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2015, 65, 58-66.	1.9	28
103	Estimating Time to ESRD Using Kidney Failure Risk Equations: Results From the African American Study of Kidney Disease and Hypertension (AASK). <i>American Journal of Kidney Diseases</i> , 2015, 65, 394-402.	1.9	45
104	A Metaâ€­analysis of Stent Placement vs. Angioplasty for Dialysis Vascular Access Stenosis. <i>Seminars in Dialysis</i> , 2015, 28, 311-317.	1.3	19
105	Results from the Atherosclerosis Risk in Communities study suggest that low serum magnesium is associated with incident kidney disease. <i>Kidney International</i> , 2015, 87, 820-827.	5.2	96
106	A Multi-Center, Randomized, Controlled, Pivotal Study to Assess the Safety and Efficacy of a Selective Cytopheretic Device in Patients with Acute Kidney Injury. <i>PLoS ONE</i> , 2015, 10, e0132482.	2.5	47
107	Primary Care Detection of Chronic Kidney Disease in Adults with Type-2 Diabetes: The ADD-CKD Study (Awareness, Detection and Drug Therapy in Type 2 Diabetes and Chronic Kidney Disease). <i>PLoS ONE</i> , 2014, 9, e110535.	2.5	93
108	Pilot Study of the Effect of Lanthanum Carbonate (FosrenolÂ®) In Patients with Calciphylaxis: A Wisconsin Network for Health Research (WinHR) Study. <i>Journal of Nephrology & Therapeutics</i> , 2014, 04, 1000162.	0.1	12

#	ARTICLE	IF	CITATIONS
109	Serum magnesium, phosphorus, and calcium are associated with risk of incident heart failure: the Atherosclerosis Risk in Communities (ARIC) Study , ,. American Journal of Clinical Nutrition, 2014, 100, 756-764.	4.7	140
110	Longitudinal Effects of a Decade of Aging on Carotid Artery Stiffness. Stroke, 2014, 45, 48-53.	2.0	61
111	Relative risks of chronic kidney disease for mortality and end-stage renal disease across races are similar. Kidney International, 2014, 86, 819-827.	5.2	70
112	The Effect of Buttonhole Cannulation vs. Ropeâ€ladder Technique on Hemodialysis Access Patency. Seminars in Dialysis, 2014, 27, 210-216.	1.3	24
113	B-type natriuretic peptide and C-reactive protein in the prediction of atrial fibrillation risk: the CHARGE-AF Consortium of community-based cohort studies. Europace, 2014, 16, 1426-1433.	1.7	144
114	A Within-Patient Analysis for Time-Varying Risk Factors of CKD Progression. Journal of the American Society of Nephrology: JASN, 2014, 25, 606-613.	6.1	24
115	Predictors of Carotid Thickness and Plaque Progression During a Decade. Stroke, 2014, 45, 3257-3262.	2.0	118
116	Apolipoproteins do not add prognostic information beyond lipoprotein cholesterol measures among individuals with obesity and insulin resistance syndromes: the ARIC study. European Journal of Preventive Cardiology, 2014, 21, 866-875.	1.8	18
117	Tacrolimus Trough Level at Discharge Predicts Acute Rejection in Moderately Sensitized Renal Transplant Recipients. Transplantation, 2014, 97, 986-991.	1.0	38
118	Initial Vascular Access Type in Patients with a Failed Renal Transplant. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 1225-1231.	4.5	43
119	Three-year variability in plasma concentrations of the soluble receptor for advanced glycation end products (sRAGE). Clinical Biochemistry, 2014, 47, 132-134.	1.9	17
120	Chronic kidney disease, lipids and apolipoproteins, and coronary heart disease: The ARIC Study. Atherosclerosis, 2014, 234, 42-46.	0.8	42
121	Vascular Access Type, Inflammatory Markers, and Mortality in Incident Hemodialysis Patients: The Choices for Healthy Outcomes in Caring for End-Stage Renal Disease (CHOICE) Study. American Journal of Kidney Diseases, 2014, 64, 954-961.	1.9	84
122	Do Multiple Ureteroscopies Alter Long-Term Renal Function? A Study Using Estimated Glomerular Filtration Rate. Journal of Endourology, 2014, 28, 1295-1298.	2.1	4
123	Association of Kidney Disease Measures With Ischemic Versus Hemorrhagic Strokes. Stroke, 2014, 45, 1925-1931.	2.0	66
124	Cardiac and Kidney Markers for Cardiovascular Prediction in Individuals With Chronic Kidney Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 1770-1777.	2.4	57
125	KDOQI US Commentary on the 2012 KDIGO Clinical Practice Guideline for the Evaluation and Management of CKD. American Journal of Kidney Diseases, 2014, 63, 713-735.	1.9	1,249
126	Association of a Cystatin C Gene Variant With Cystatin C Levels, CKD, and Risk of Incident Cardiovascular Disease and Mortality. American Journal of Kidney Diseases, 2014, 63, 16-22.	1.9	27

#	ARTICLE	IF	CITATIONS
127	Hydrochlorothiazide compared to chlorthalidone in reduction of urinary calcium in patients with kidney stones. <i>Urolithiasis</i> , 2013, 41, 315-322.	2.0	10
128	Genome-wide association study identified the human leukocyte antigen region as a novel locus for plasma beta-2 microglobulin. <i>Human Genetics</i> , 2013, 132, 619-627.	3.8	13
129	Cystatin C versus Creatinine in Determining Risk Based on Kidney Function. <i>New England Journal of Medicine</i> , 2013, 369, 932-943.	27.0	729
130	Association of chronic kidney disease with adverse outcomes – Authors' reply. <i>Lancet</i> , The, 2013, 381, 532-533.	13.7	5
131	Cohort Profile: The Chronic Kidney Disease Prognosis Consortium. <i>International Journal of Epidemiology</i> , 2013, 42, 1660-1668.	1.9	69
132	Troponin T and N-Terminal Pro-B-Type Natriuretic Peptide: A Biomarker Approach to Predict Heart Failure Risk – The Atherosclerosis Risk in Communities Study. <i>Clinical Chemistry</i> , 2013, 59, 1802-1810.	3.2	82
133	Association of blood lactate with carotid atherosclerosis: The Atherosclerosis Risk in Communities (ARIC) Carotid MRI Study. <i>Atherosclerosis</i> , 2013, 228, 249-255.	0.8	23
134	sRAGE and Risk of Diabetes, Cardiovascular Disease, and Death. <i>Diabetes</i> , 2013, 62, 2116-2121.	0.6	146
135	Genome-wide significant locus of beta-trace protein, a novel kidney function biomarker, identified in European and African Americans. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1497-1504.	0.7	22
136	Chronic Kidney Disease, Plasma Lipoproteins, and Coronary Artery Calcium Incidence. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 652-658.	2.4	34
137	Elevated High-Sensitivity C-Reactive Protein as a Risk Marker of the Attenuated Relationship Between Serum Cholesterol and Cardiovascular Events at Older Age. <i>American Journal of Epidemiology</i> , 2013, 178, 1076-1084.	3.4	31
138	Combined Association of Creatinine, Albuminuria, and Cystatin C with All-Cause Mortality and Cardiovascular and Kidney Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 434-442.	4.5	36
139	Comparison of Serum Concentrations of β_2 -Trace Protein, β_2 -Microglobulin, Cystatin C, and Creatinine in the US Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 584-592.	4.5	57
140	Associations of endogenous markers of kidney function with outcomes. <i>Current Opinion in Nephrology and Hypertension</i> , 2013, 22, 331-335.	2.0	15
141	Mineral Metabolites and CKD Progression in African Americans. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 125-135.	6.1	87
142	APOL1 Variants Associate with Increased Risk of CKD among African Americans. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1484-1491.	6.1	216
143	Serum β_2 -microglobulin at discharge predicts mortality and graft loss following kidney transplantation. <i>Kidney International</i> , 2013, 84, 810-817.	5.2	24
144	The Effect of the Selective Cytopheretic Device on Acute Kidney Injury Outcomes in the Intensive Care Unit: A Multicenter Pilot Study. <i>Seminars in Dialysis</i> , 2013, 26, 616-623.	1.3	48

#	ARTICLE	IF	CITATIONS
145	<i>APOL1</i> Risk Variants, Race, and Progression of Chronic Kidney Disease. <i>New England Journal of Medicine</i> , 2013, 369, 2183-2196.	27.0	654
146	Using multiple measures for quantitative trait association analyses: application to estimated glomerular filtration rate. <i>Journal of Human Genetics</i> , 2013, 58, 461-466.	2.3	11
147	Apolipoprotein L1 gene variants associate with hypertension-attributed nephropathy and the rate of kidney function decline in African Americans. <i>Kidney International</i> , 2013, 83, 114-120.	5.2	210
148	Association of Mild to Moderate Chronic Kidney Disease With Venous Thromboembolism. <i>Circulation</i> , 2012, 126, 1964-1971.	1.6	109
149	CKD, Plasma Lipids, and Common Carotid Intima-Media Thickness: Results from the Multi-Ethnic Study of Atherosclerosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1777-1785.	4.5	28
150	Estimating GFR—the right equation for the right population. <i>Nature Reviews Nephrology</i> , 2012, 8, 379-380.	9.6	2
151	Age and Association of Kidney Measures With Mortality and End-stage Renal Disease. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 2349.	7.4	493
152	Association of apolipoprotein A1 and B with kidney function and chronic kidney disease in two multiethnic population samples. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2839-2847.	0.7	40
153	Neutrophil Gelatinase-Associated Lipocalin (NGAL) and Kidney Injury Molecule 1 (KIM-1) as Predictors of Incident CKD Stage 3: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2012, 60, 233-240.	1.9	98
154	Combined Association of Albuminuria and Cystatin C—Based Estimated GFR With Mortality, Coronary Heart Disease, and Heart Failure Outcomes: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2012, 60, 207-216.	1.9	80
155	Associations of kidney disease measures with mortality and end-stage renal disease in individuals with and without hypertension: a meta-analysis. <i>Lancet, The</i> , 2012, 380, 1649-1661.	13.7	378
156	A Risk Score for Chronic Kidney Disease in the General Population. <i>American Journal of Medicine</i> , 2012, 125, 270-277.	1.5	75
157	Net endogenous acid production is associated with a faster decline in GFR in African Americans. <i>Kidney International</i> , 2012, 82, 106-112.	5.2	114
158	Prediction of Incident Heart Failure in General Practice. <i>Circulation: Heart Failure</i> , 2012, 5, 422-429.	3.9	185
159	Kidney Function Can Improve in Patients with Hypertensive CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 706-713.	6.1	49
160	Usefulness of High-Sensitivity C-Reactive Protein to Predict Mortality in Patients With Atrial Fibrillation (from the Atherosclerosis Risk In Communities [ARIC] Study). <i>American Journal of Cardiology</i> , 2012, 109, 95-99.	1.6	50
161	Novel Markers of Kidney Function as Predictors of ESRD, Cardiovascular Disease, and Mortality in the General Population. <i>American Journal of Kidney Diseases</i> , 2012, 59, 653-662.	1.9	150
162	Longitudinal Progression Trajectory of GFR Among Patients With CKD. <i>American Journal of Kidney Diseases</i> , 2012, 59, 504-512.	1.9	259

#	ARTICLE	IF	CITATIONS
163	Diabetes Medication Use and Blood Lactate Level among Participants with Type 2 Diabetes: The Atherosclerosis Risk in Communities Carotid MRI Study. PLoS ONE, 2012, 7, e51237.	2.5	15
164	Meta-Analysis of Genome-Wide Association Studies in >80 000 Subjects Identifies Multiple Loci for C-Reactive Protein Levels. Circulation, 2011, 123, 731-738.	1.6	461
165	Lower estimated glomerular filtration rate and higher albuminuria are associated with all-cause and cardiovascular mortality. A collaborative meta-analysis of high-risk population cohorts. Kidney International, 2011, 79, 1341-1352.	5.2	759
166	Lower estimated glomerular filtration rate and higher albuminuria are associated with mortality and end-stage renal disease. A collaborative meta-analysis of kidney disease population cohorts. Kidney International, 2011, 79, 1331-1340.	5.2	609
167	Chronic Kidney Disease Is Associated With the Incidence of Atrial Fibrillation. Circulation, 2011, 123, 2946-2953.	1.6	450
168	Trefoil Factor 3 Predicts Incident Chronic Kidney Disease: A Case-Control Study Nested within the Atherosclerosis Risk in Communities (ARIC) Study. American Journal of Nephrology, 2011, 34, 291-297.	3.1	48
169	Glycated Hemoglobin and the Risk of Kidney Disease and Retinopathy in Adults With and Without Diabetes. Diabetes, 2011, 60, 298-305.	0.6	124
170	Risk Implications of the New CKD Epidemiology Collaboration (CKD-EPI) Equation Compared With the MDRD Study Equation for Estimated GFR: The Atherosclerosis Risk in Communities (ARIC) Study. American Journal of Kidney Diseases, 2010, 55, 648-659.	1.9	276
171	Orthostatic Hypotension and Incident Chronic Kidney Disease. Hypertension, 2010, 56, 1054-1059.	2.7	61
172	Albuminuria and Estimated Glomerular Filtration Rate Independently Associate with Acute Kidney Injury. Journal of the American Society of Nephrology: JASN, 2010, 21, 1757-1764.	6.1	149
173	Pulmonary Hypertension is Prevalent in Catheter and Arterio-Venous Access Hemodialysis. Nephrology Research & Reviews, 2010, 2, 10-14.	0.2	0
174	Remodeling of Carotid Arteries Detected with MR Imaging: Atherosclerosis Risk in Communities Carotid MRI Study. Radiology, 2010, 256, 879-886.	7.3	43
175	Risk of Incident ESRD: A Comprehensive Look at Cardiovascular Risk Factors and 17 Years of Follow-up in the Atherosclerosis Risk in Communities (ARIC) Study. American Journal of Kidney Diseases, 2010, 55, 31-41.	1.9	95
176	Association of estimated glomerular filtration rate and albuminuria with all-cause and cardiovascular mortality in general population cohorts: a collaborative meta-analysis. Lancet, The, 2010, 375, 2073-2081.	13.7	3,277
177	C-reactive protein and venous thromboembolism. Thrombosis and Haemostasis, 2009, 102, 615-619.	3.4	150
178	The Association Between A1C and Subclinical Cardiovascular Disease. Diabetes Care, 2009, 32, 1727-1733.	8.6	59
179	Method of Glomerular Filtration Rate Estimation Affects Prediction of Mortality Risk. Journal of the American Society of Nephrology: JASN, 2009, 20, 2214-2222.	6.1	119
180	Glomerular Filtration Rate, Albuminuria, and Risk of Cardiovascular and All-Cause Mortality in the US Population. American Journal of Epidemiology, 2008, 167, 1226-1234.	3.4	275

#	ARTICLE	IF	CITATIONS
181	Lipoprotein Abnormalities Associated with Mild Impairment of Kidney Function in the Multi-Ethnic Study of Atherosclerosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 125-132.	4.5	53
182	Diagnostic accuracy study of urine dipstick in relation to 24-hour measurement as a screening tool for proteinuria in lupus nephritis. <i>Journal of Rheumatology</i> , 2008, 35, 84-90.	2.0	22
183	The Impact of Reclassifying Moderate CKD as a Coronary Heart Disease Risk Equivalent on the Number of US Adults Recommended Lipid-Lowering Treatment. <i>American Journal of Kidney Diseases</i> , 2007, 49, 37-45.	1.9	49
184	Kidney function and anemia as risk factors for coronary heart disease and mortality: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Heart Journal</i> , 2006, 151, 492-500.	2.7	162
185	Type of Vascular Access and Survival among Incident Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1449-1455.	6.1	387
186	Association of kidney function and hemoglobin with left ventricular morphology among African Americans: The Atherosclerosis Risk in Communities (ARIC) study. <i>American Journal of Kidney Diseases</i> , 2004, 43, 836-845.	1.9	68
187	Association of Kidney Function With Anemia. <i>Archives of Internal Medicine</i> , 2002, 162, 1401.	3.8	613
188	Calibration and random variation of the serum creatinine assay as critical elements of using equations to estimate glomerular filtration rate. <i>American Journal of Kidney Diseases</i> , 2002, 39, 920-929.	1.9	667
189	Association of kidney function with serum lipoprotein(a) level: The Third National Health and Nutrition Examination Survey (1991-1994). <i>American Journal of Kidney Diseases</i> , 2002, 40, 899-908.	1.9	23