

# Matthew Edward Smith

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2815380/publications.pdf>

Version: 2024-02-01

161  
papers

13,473  
citations

87843  
38  
h-index

24232  
110  
g-index

164  
all docs

164  
docs citations

164  
times ranked

12184  
citing authors

#	ARTICLE	IF	CITATIONS
1	Towards a unified paradigm for sequence-based identification of fungi. <i>Molecular Ecology</i> , 2013, 22, 5271-5277.	2.0	2,997
2	Global diversity and geography of soil fungi. <i>Science</i> , 2014, 346, 1256688.	6.0	2,513
3	A phylum-level phylogenetic classification of zygomycete fungi based on genome-scale data. <i>Mycologia</i> , 2016, 108, 1028-1046.	0.8	1,092
4	Ectomycorrhizal lifestyle in fungi: global diversity, distribution, and evolution of phylogenetic lineages. <i>Mycorrhiza</i> , 2010, 20, 217-263.	1.3	797
5	Endemism and functional convergence across the North American soil mycobiome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 6341-6346.	3.3	482
6	Lineages of ectomycorrhizal fungi revisited: Foraging strategies and novel lineages revealed by sequences from belowground. <i>Fungal Biology Reviews</i> , 2013, 27, 83-99.	1.9	431
7	FungalTraits: a user-friendly traits database of fungi and fungus-like stramenopiles. <i>Fungal Diversity</i> , 2020, 105, 1-16.	4.7	387
8	Towards global patterns in the diversity and community structure of ectomycorrhizal fungi. <i>Molecular Ecology</i> , 2012, 21, 4160-4170.	2.0	365
9	Ectomycorrhizal community structure in a xeric <i>Quercus</i> woodland based on rDNA sequence analysis of sporocarps and pooled roots. <i>New Phytologist</i> , 2007, 174, 847-863.	3.5	187
10	Historical Biogeography and Diversification of Truffles in the Tuberaceae and Their Newly Identified Southern Hemisphere Sister Lineage. <i>PLoS ONE</i> , 2013, 8, e52765.	1.1	175
11	Fungal Planet description sheets: 785–867. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2018, 41, 238-417.	1.6	163
12	Contrasting ectomycorrhizal fungal communities on the roots of co-occurring oaks ( <i>Quercus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T		
13	Ectomycorrhizal fungal diversity and community structure on three co-occurring leguminous canopy tree species in a Neotropical rainforest. <i>New Phytologist</i> , 2011, 192, 699-712.	3.5	133
14	Fungal Planet description sheets: 951–1041. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2019, 43, 223-425.	1.6	126
15	Intra-specific and intra-sporocarp ITS variation of ectomycorrhizal fungi as assessed by rDNA sequencing of sporocarps and pooled ectomycorrhizal roots from a <i>Quercus</i> woodland. <i>Mycorrhiza</i> , 2007, 18, 15-22.	1.3	121
16	How to know the fungi: combining field inventories and DNA barcoding to document fungal diversity. <i>New Phytologist</i> , 2017, 214, 913-919.	3.5	118
17	Ectomycorrhizal associations in the tropics – biogeography, diversity patterns and ecosystem roles. <i>New Phytologist</i> , 2018, 220, 1076-1091.	3.5	109
18	Molecular phylogeny, morphology, pigment chemistry and ecology in Hygrophoraceae (Agaricales). <i>Fungal Diversity</i> , 2014, 64, 1-99.	4.7	108

#	ARTICLE	IF	CITATIONS
19	Leveraging single-cell genomics to expand the fungal tree of life. <i>Nature Microbiology</i> , 2018, 3, 1417-1428.	5.9	101
20	Ectomycorrhizal fungal sporocarp diversity and discovery of new taxa in Dicymbe monodominant forests of the Guiana Shield. <i>Biodiversity and Conservation</i> , 2012, 21, 2195-2220.	1.2	94
21	Fungal Planet description sheets: 1042–1111. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2020, 44, 301-459.	1.6	91
22	Influence of host species on ectomycorrhizal communities associated with two co-occurring oaks ( <i>Quercus</i> spp.) in a tropical cloud forest. <i>FEMS Microbiology Ecology</i> , 2009, 69, 274-287.	1.3	89
23	Are true multihost fungi the exception or the rule? Dominant ectomycorrhizal fungi on <i>Pinus sabiniana</i> differ from those on co-occurring <i>Quercus</i> species. <i>New Phytologist</i> , 2009, 182, 295-299.	3.5	86
24	Molecular phylogeny of the Entomophthoromycota. <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 682-694.	1.2	83
25	Phylogenetic lineages in &lt; i&gt;Entomophthoromycota&lt;/i&gt;. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2013, 30, 94-105.	1.6	81
26	How many fungi make sclerotia?. <i>Fungal Ecology</i> , 2015, 13, 211-220.	0.7	81
27	Phylogenomics of Endogonaceae and evolution of mycorrhizas within Mucoromycota. <i>New Phytologist</i> , 2019, 222, 511-525.	3.5	81
28	Structure, Function, and Phylogeny of the Mating Locus in the <i>Rhizopus oryzae</i> Complex. <i>PLoS ONE</i> , 2010, 5, e15273.	1.1	72
29	The Ectomycorrhizal Fungal Community in a Neotropical Forest Dominated by the Endemic Dipterocarp <i>Pakaraimaea dipterocarpacea</i> . <i>PLoS ONE</i> , 2013, 8, e55160.	1.1	71
30	Multiple species of ectomycorrhizal fungi are frequently detected on individual oak root tips in a tropical cloud forest. <i>Mycorrhiza</i> , 2008, 18, 375-383.	1.3	66
31	Ectomycorrhizal fungi and soil enzymes exhibit contrasting patterns along elevation gradients in southern Patagonia. <i>New Phytologist</i> , 2019, 222, 1936-1950.	3.5	61
32	High diversity and widespread occurrence of mitotic spore mats in ectomycorrhizal <i>Pezizales</i> . <i>Molecular Ecology</i> , 2013, 22, 1717-1732.	2.0	60
33	Soil pH and mineral nutrients strongly influence truffles and other ectomycorrhizal fungi associated with commercial pecans ( <i>Carya illinoiensis</i> ). <i>Plant and Soil</i> , 2017, 418, 493-505.	1.8	48
34	Scaling up: examining the macroecology of ectomycorrhizal fungi. <i>Molecular Ecology</i> , 2012, 21, 4151-4154.	2.0	47
35	Phylogenetic and Phylogenomic Definition of <i>Rhizopus</i> Species. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 2007-2018.	0.8	47
36	Multigene phylogeny of Endogonales, an early diverging lineage of fungi associated with plants. <i>IMA Fungus</i> , 2017, 8, 245-257.	1.7	45

#	ARTICLE	IF	CITATIONS
37	Multigene analysis suggests ecological speciation in the fungal pathogen <i>&lt;Claviceps purpurea&gt;</i> . Molecular Ecology, 2008, 17, 2276-2286.	2.0	43
38	Ectomycorrhizal Fungal Lineages: Detection of Four New Groups and Notes on Consistent Recognition of Ectomycorrhizal Taxa in High-Throughput Sequencing Studies. Ecological Studies, 2017, , 125-142.	0.4	43
39	Elucidating "lucidum": Distinguishing the diverse laccate Ganoderma species of the United States. PLoS ONE, 2018, 13, e0199738.	1.1	42
40	Revisiting phylogenetic diversity and cryptic species of <i>Cenococcum geophilum</i> sensu lato. Mycorrhiza, 2016, 26, 529-540.	1.3	41
41	New species and distribution records of <i>&lt;Clavulina&gt;</i> ( <i>&lt;Cantharellales&gt;</i> , <i>&lt;Basidiomycota&gt;</i> ) from the Guiana Shield. Mycologia, 2011, 103, 883-894.	0.8	37
42	New Boletaceae taxa from Guyana: <i>&lt;Binderoboletus segoi&gt;</i> gen. and sp. nov., <i>&lt;Guyanaporus albipodus&gt;</i> gen. and sp. nov., <i>&lt;Singeroconus rubriflavus&gt;</i> gen. and sp. nov., and a new combination for <i>&lt;Xerocomus inundabilis&gt;</i> . Mycologia, 2016, 108, 157-173.	0.8	36
43	<i>&lt;Guyanagaster&gt;</i> , a new woodâ€decaying sequestrate fungal genus related to <i>&lt;Armillaria&gt;</i> (Physalacriaceae, Agaricales, Basidiomycota). American Journal of Botany, 2010, 97, 1474-1484.	0.8	35
44	Identifying the â€œMushroom of Immortalityâ€: Assessing the Ganoderma Species Composition in Commercial Reishi Products. Frontiers in Microbiology, 2018, 9, 1557.	1.5	35
45	diversity and systematics of the sequestrate genus <i>&lt;Octaviania&gt;</i> in Japan: two new subgenera and eleven new species. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2012, 28, 85-112.	1.6	33
46	New sequestrate fungi from Guyana: <i>&lt;Jimtrappea guyanensis&gt;</i> gen. sp. nov., <i>&lt;Castellanea pakaramiphila&gt;</i> gen. sp. nov., and <i>&lt;Costatisporus cyanescens&gt;</i> gen. sp. nov. (Boletaceae, Boletales). IMA Fungus, 2015, 6, 297-317.	1.7	32
47	New species of <i>&lt;Clavulina&gt;</i> (Cantharellales, Basidiomycota) with resupinate and effused basidiomata from the Guiana Shield. Mycologia, 2012, 104, 547-556.	0.8	31
48	Assessing ectomycorrhizal fungal spore banks of truffle producing soils with pecan seedling trap-plants. Plant and Soil, 2012, 356, 357-366.	1.8	31
49	Inferring dispersal patterns of the generalist root fungus <i>&lt;Armillaria mellea&gt;</i> . New Phytologist, 2012, 193, 959-969.	3.5	31
50	Evolutionary history of the sequestrate genus <i>&lt;Rossbeevera&gt;</i> ( <i>&lt;Boletaceae&gt;</i> ) reveals a new genus <i>&lt;Turmalinea&gt;</i> and highlights the utility of ITS minisatellite-like insertions for molecular identification. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2016, 37, 173-198.	1.6	31
51	Phylogenetic analysis of the genus <i>Modicella</i> reveals an independent evolutionary origin of sporocarp-forming fungi in the Mortierellales. Fungal Genetics and Biology, 2013, 61, 61-68.	0.9	29
52	<i>Exserohilum rostratum</i> : Characterization of a Cross-Kingdom Pathogen of Plants and Humans. PLoS ONE, 2014, 9, e108691.	1.1	29
53	<i>Genea</i> , <i>Genabea</i> and <i>Gilkeya</i> gen. nov.: ascocarps and ectomycorrhiza formation in a <i>Quercus</i> woodland. Mycologia, 2006, 98, 699-716.	0.8	28
54	A molecular survey of ectomycorrhizal hyphae in a California <i>Quercus</i> -â€ <i>Pinus</i> woodland. Mycorrhiza, 2010, 20, 265-274.	1.3	28

#	ARTICLE	IF	CITATIONS
55	Guyanagarika, a new ectomycorrhizal genus of Agaricales from the Neotropics. <i>Fungal Biology</i> , 2016, 120, 1540-1553.	1.1	28
56	New species and distribution records for <i>Clavulina</i> (Cantharellales, Basidiomycota) from the Guiana Shield, with a key to the lowland neotropical taxa. <i>Fungal Biology</i> , 2012, 116, 1263-1274.	1.1	26
57	Genome-scale phylogenetics reveals a monophyletic Zoopagales (Zoopagomycota, Fungi). <i>Molecular Phylogenetics and Evolution</i> , 2019, 133, 152-163.	1.2	26
58	A systematic overview of <i>Descolea</i> (Agaricales) in the Nothofagaceae forests of Patagonia. <i>Fungal Biology</i> , 2017, 121, 876-889.	1.1	25
59	Discovering the role of Patagonian birds in the dispersal of truffles and other mycorrhizal fungi. <i>Current Biology</i> , 2021, 31, 5558-5570.e3.	1.8	25
60	Culturable fungal assemblages growing within <i>Cenococcum</i> sclerotia in forest soils. <i>FEMS Microbiology Ecology</i> , 2014, 90, 708-717.	1.3	24
61	Assessing pulsed light treatment on the reduction of aflatoxins in peanuts with and without skin. <i>International Journal of Food Science and Technology</i> , 2018, 53, 2567-2575.	1.3	24
62	< i>Genea</i>, < i>Genabea</i> and < i>Gilkeya</i> gen. nov.: ascomata and ectomycorrhiza formation in a < i>Quercus</i> woodland. <i>Mycologia</i> , 2006, 98, 699-716.	0.8	23
63	Challenges and Future Perspectives in the Systematics of Kickxellomycotina, Mortierellomycotina, Mucoromycotina, and Zoopagomycotina. <i>Fungal Biology</i> , 2016, , 65-126.	0.3	23
64	Investigating niche partitioning of ectomycorrhizal fungi in specialized rooting zones of the monodominant leguminous tree < i>Dicymbe corymbosa</i>. <i>New Phytologist</i> , 2017, 215, 443-453.	3.5	23
65	The Gondwanan connection – Southern temperate Amanita lineages and the description of the first sequestrate species from the Americas. <i>Fungal Biology</i> , 2017, 121, 638-651.	1.1	23
66	Tuberculate ectomycorrhizae of angiosperms: The interaction between < i>Boletus rubropunctus</i> (Boletaceae) and < i>Quercus</i> species (Fagaceae) in the United States and Mexico. <i>American Journal of Botany</i> , 2009, 96, 1665-1675.	0.8	21
67	Multigene Molecular Phylogeny and Biogeographic Diversification of the Earth Tongue Fungi in the Genera Cudonia and Spathularia (Rhytismatales, Ascomycota). <i>PLoS ONE</i> , 2014, 9, e103457.	1.1	21
68	Phylogenetic systematics of < i>Syncephalis</i> (Zoopagales, Zoopagomycotina), a genus of ubiquitous mycoparasites. <i>Mycologia</i> , 2017, 109, 333-349.	0.8	20
69	Caryophyllales are the main hosts of a unique set of ectomycorrhizal fungi in a Neotropical dry forest. <i>Mycorrhiza</i> , 2018, 28, 103-115.	1.3	20
70	Phylogenetic analysis of rDNA sequences indicates that the sequestrate <i>Amogaster viridiglebus</i> is derived from within the agaricoid genus <i>Lepiota</i> (Agaricaceae). <i>Mycological Progress</i> , 2013, 12, 151-155.	0.5	19
71	Stable isotope analyses reveal previously unknown trophic mode diversity in the Hymenochaetales. <i>American Journal of Botany</i> , 2018, 105, 1869-1887.	0.8	19
72	PCR Primers with Enhanced Specificity for Nematode-Trapping Fungi (Orbiliales). <i>Microbial Ecology</i> , 2009, 58, 117-128.	1.4	18

#	ARTICLE	IF	CITATIONS
73	Lepidostroma vilgalysii, a new basidiolichen from the New World. <i>Mycological Progress</i> , 2012, 11, 827-833.	0.5	18
74	New species of <i>Xerocomus</i> (Boletales) from the Guiana Shield, with notes on their mycorrhizal status and fruiting occurrence. <i>Mycologia</i> , 2013, 105, 422-435.	0.8	18
75	Unique phylogenetic position of the African truffle-like fungus, <i>Octaviania ivoryana</i> (Boletaceae, Boletales), and the proposal of a new genus, <i>Afrocastellanoa</i> . <i>Mycologia</i> , 2017, 109, 323-332.	0.8	18
76	Progress and Challenges in Understanding the Biology, Diversity, and Biogeography of <i>Cenococcum geophilum</i> . <i>Ecological Studies</i> , 2017, , 299-317.	0.4	18
77	New <i>Elaphomyces</i> species (Elaphomycetaceae, Eurotiales, Ascomycota) from Guyana. <i>Mycologia</i> , 2012, 104, 1244-1249.	0.8	17
78	Mycorrhizal detection of native and non-native truffles in a historic arboretum and the discovery of a new North American species, <i>Tuber arnoldianum</i> sp. nov.. <i>Mycorrhiza</i> , 2016, 26, 781-792.	1.3	17
79	General Systematic Position of the Truffles: Evolutionary Theories. <i>Soil Biology</i> , 2016, , 3-18.	0.6	16
80	Sequestrate fungi from Patagonian Nothofagus forests: <i>Cystangium</i> (Russulaceae, Basidiomycota). <i>Mycologia</i> , 2015, 107, 90-103.	0.8	15
81	Phylloporus and Phyllobotellus are no longer alone: <i>Phylloporopsis</i> gen. nov. (Boletaceae), a new smooth-spored lamellate genus to accommodate the American species <i>Phylloporus boletinoides</i> . <i>Fungal Systematics and Evolution</i> , 2018, 2, 341-359.	0.9	15
82	<i>Otidea subterranea</i> sp. nov.: <i>Otidea</i> goes below ground. <i>Mycological Research</i> , 2009, 113, 858-866.	2.5	14
83	< i>Tuber brennemanii</i> and < i>Tuber floridanum</i>: Two new < i>Tuber</i> species are among the most commonly detected ectomycorrhizal taxa within commercial pecan (< i>Carya illinoiensis</i>) orchards. <i>Mycologia</i> , 2018, 110, 780-790.	0.8	14
84	Understudied, underrepresented, and unknown: Methodological biases that limit detection of early diverging fungi from environmental samples. <i>Molecular Ecology Resources</i> , 2022, 22, 1065-1085.	2.2	14
85	< i>Restingomyces</i>, a new sequestrate genus from the Brazilian Atlantic rainforest that is phylogenetically related to early-diverging taxa in Trappeaceae (Phallales). <i>Mycologia</i> , 2016, 108, 954-966.	0.8	13
86	A global view of < i>Gyroporus</i>: molecular phylogenetics, diversity patterns, and new species. <i>Mycologia</i> , 2018, 110, 985-995.	0.8	13
87	Five new species of the obligate mycoparasite <i>Syncephalis</i> (Zoopagales, Zoopagomycotina) from soil. <i>Mycologia</i> , 2016, 108, 1114-1129.	0.8	13
88	Global diversity and distribution of mushroom-inhabiting bacteria. <i>Environmental Microbiology Reports</i> , 2022, 14, 254-264.	1.0	13
89	< i>Rossbeevera yunnanensis</i> (< i>Boletaceae, Boletales</i>), a new sequestrate species from southern China. <i>Mycotaxon</i> , 2012, 120, 139-147.	0.1	12
90	Phylogenetic overview of the genus < i>Genea</i> (Pezizales, Ascomycota) with an emphasis on European taxa. <i>Mycologia</i> , 2016, 108, 441-456.	0.8	11

#	ARTICLE	IF	CITATIONS
91	Cladophialophora floridana and Cladophialophora tortuosa, new species isolated from sclerotia of Cenococcum geophilum in forest soils of Florida, USA. <i>Mycoscience</i> , 2016, 57, 26-34.	0.3	11
92	Ectomycorrhizal Fungi in South America: Their Diversity in Past, Present and Future Research. <i>Fungal Biology</i> , 2019, , 73-95.	0.3	11
93	Systematic study of truffles in the genus <i>Ruhlandiella</i> , with the description of two new species from Patagonia. <i>Mycologia</i> , 2019, 111, 477-492.	0.8	11
94	Sexual reproduction and saprotrophic dominance by the ambrosial fungus <i>Flavodon subulatus</i> (=) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	11
95	<i>Longistriata flava</i> (Boletaceae, Basidiomycota) – a new monotypic sequestrate genus and species from Brazilian Atlantic Forest. <i>MycoKeys</i> , 2020, 62, 53-73.	0.8	11
96	Endophytism and endolichenism in Pezizomycetes: the exception or the rule?. <i>New Phytologist</i> , 2022, 233, 1974-1983.	3.5	11
97	<i>Gymnomyces xerophilus</i> sp. nov. (sequestrate Russulaceae), an ectomycorrhizal associate of <i>Quercus</i> in California. <i>Mycological Research</i> , 2006, 110, 575-582.	2.5	10
98	Two species of the Asian endemic genus <i>Keteleeria</i> form ectomycorrhizas with diverse fungal symbionts in southwestern China. <i>Mycorrhiza</i> , 2012, 22, 403-408.	1.3	10
99	<i>Inocybe shawarensis</i> sp. nov. in the <i>Inosperma</i> clade from Pakistan. <i>Mycotaxon</i> , 2018, 132, 909-918.	0.1	10
100	Cultural characterization and chlamydospore function of the Ganodermataceae present in the eastern United States. <i>Mycologia</i> , 2019, 111, 1-12.	0.8	10
101	Large-spored <i>Drechslera gigantea</i> is a <i>Bipolaris</i> species causing disease on the invasive grass <i>Microstegium vimineum</i> . <i>Mycologia</i> , 2020, 112, 921-931.	0.8	10
102	Ancestral predisposition toward a domesticated lifestyle in the termite-cultivated fungus <i>Termitomyces</i> . <i>Current Biology</i> , 2021, 31, 4413-4421.e5.	1.8	10
103	Molecular systematics and taxonomic overview of the bird's nest fungi (Nidulariaceae). <i>Fungal Biology</i> , 2021, 125, 693-703.	1.1	10
104	Membranomyces species are common ectomycorrhizal symbionts in Northern Hemisphere forests. <i>Mycorrhiza</i> , 2012, 22, 577-581.	1.3	9
105	<i>Sarcodon</i> in the Neotropics II: four new species from Colombia and a key to the regional species. <i>Mycologia</i> , 2016, 108, 791-805.	0.8	9
106	Resolving relationships at the animal-fungal divergence: A molecular phylogenetic study of the protist trichomycetes (Ichthyosporea, Eccrinida). <i>Molecular Phylogenetics and Evolution</i> , 2017, 109, 447-464.	1.2	9
107	Phylogenetic and morphological analyses of the mycoparasitic genus <i>Piptocephalis</i> . <i>Mycologia</i> , 2019, 111, 54-68.	0.8	9
108	<i>Tuber aztecorum</i> sp. nov., a truffle species from Mexico belonging to the Maculatum clade (Tuberaceae, Pezizales). <i>MycoKeys</i> , 2018, 30, 61-72.	0.8	9

#	ARTICLE	IF	CITATIONS
109	The enigmatic truffle <i>Fevansia aurantiaca</i> is an ectomycorrhizal member of the <i>Albatrellus</i> lineage. <i>Mycorrhiza</i> , 2013, 23, 663-668.	1.3	8
110	Exploring the phylogenetic affiliations and the trophic mode of <i>&lt; i&gt;Sedecula pulvinata&lt;/i&gt;</i> (Sedeculaceae). <i>Mycologia</i> , 2015, 107, 688-696.	0.8	8
111	A molecular and morphological re-examination of the generic limits of truffles in the tarzetta-geopyxis lineage – <i>Densocarpa</i> , <i>Hydnocystis</i> , and <i>Paurocotylis</i> . <i>Fungal Biology</i> , 2017, 121, 264-284.	1.1	8
112	<i>&lt; i&gt;Hymenogaster macmurphyi&lt;/i&gt;</i> and <i>&lt; i&gt;Splachnomyces behrii&lt;/i&gt;</i> are sequestrate species of <i>&lt; i&gt;Xerocomellus&lt;/i&gt;</i> from the western United States. <i>Mycologia</i> , 2018, 110, 605-617.	0.8	8
113	New species of <i>&lt; i&gt;Cortinarius&lt;/i&gt;</i> sect. <i>&lt; i&gt;Austroamericanus&lt;/i&gt;</i> , sect. nov., from South American Nothofagaceae forests. <i>Mycologia</i> , 2018, 110, 1127-1144.	0.8	8
114	Multilocus phylogenies reveal three new truffle-like taxa and the traces of interspecific hybridization in <i>Octaviania</i> (Boletaceae, Boletales). <i>IMA Fungus</i> , 2021, 12, 14.	1.7	8
115	Invasion of an inconspicuous ambrosia beetle and fungus may affect wood decay in Southeastern North America. <i>Biological Invasions</i> , 2021, 23, 1339-1347.	1.2	8
116	A new species of <i>Ruhlandiella</i> (Pezizaceae) from Italy. <i>Mycological Progress</i> , 2012, 11, 509-513.	0.5	7
117	<i>&lt; i&gt;Sarcodon&lt;/i&gt;</i> in the Neotropics I: new species from Guyana, Puerto Rico and Belize. <i>Mycologia</i> , 2015, 107, 591-606.	0.8	7
118	Isolation source matters: sclerotia and ectomycorrhizal roots provide different views of genetic diversity in <i>&lt; i&gt;Cenococcum geophilum&lt;/i&gt;</i> . <i>Mycologia</i> , 2018, 110, 473-481.	0.8	7
119	<i>Hysterangium bonobo</i> : A newly described truffle species that is eaten by bonobos in the Democratic Republic of Congo. <i>Mycologia</i> , 2020, 112, 1203-1211.	0.8	7
120	A single-cell genomics pipeline for environmental microbial eukaryotes. <i>IScience</i> , 2021, 24, 102290.	1.9	7
121	Isolation, Characterization, and Management of <i>Colletotrichum</i> spp. Causing Anthracnose on Lucky Bamboo ( <i>Dracaena sanderiana</i> ). <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2014, 49, 453-459.	0.5	7
122	Tropical truffles: English translation and critical review of F. von Hähnel's truffles from Java. <i>Mycological Progress</i> , 2011, 10, 249-260.	0.5	6
123	Systematics and Ecology of Edible Ectomycorrhizal Mushrooms. <i>Soil Biology</i> , 2012, , 17-39.	0.6	6
124	Report of wood decay fungus <i>&lt; i&gt;Inonotus tropicalis&lt;/i&gt;</i> (phylum <i>&lt; i&gt;Basidiomycota&lt;/i&gt;</i> ) from a dog with a granulomatous mediastinal mass. <i>Journal of Veterinary Diagnostic Investigation</i> , 2013, 25, 566-572.	0.5	6
125	A Brief Overview of the Systematics, Taxonomy, and Ecology of the <i>Tuber rufum</i> Clade. <i>Soil Biology</i> , 2016, , 125-136.	0.6	6
126	Resurrecting the genus <i>&lt; i&gt;Geomorium&lt;/i&gt;</i> : Systematic study of fungi in the genera <i>&lt; i&gt;Underwoodia&lt;/i&gt;</i> and <i>&lt; i&gt;Gymnohydnomyces&lt;/i&gt;</i> ( <i>&lt; i&gt;Pezizales&lt;/i&gt;</i> ) with the description of three new South American species. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2020, 44, 98-112.	1.6	6

#	ARTICLE	IF	CITATIONS
127	Four new species of sequestrate <i>Inocybe</i> from Chilean Nothofagaceae forests. <i>Mycologia</i> , 2021, 113, 629-642.	0.8	6
128	Two new species of <i>Hygrophorus</i> from temperate Himalayan Oak forests of Pakistan. <i>MycoKeys</i> , 2019, 56, 33-47.	0.8	6
129	An ultrastructural study of spore wall development and septal pores in species of the <i>Pachyphlodes</i> (Pezizaceae, Pezizales) lineage, with a description of the new species <i>Pachyphlodes annagardnerae</i> . <i>Mycological Progress</i> , 2018, 17, 45-63.	0.5	5
130	<i>Cortinarius</i> section <i>Thaumasti</i> in South American Nothofagaceae forests. <i>Mycologia</i> , 2020, 112, 329-341.	0.8	5
131	The Ambrosia Beetle <i>Sueus niisimai</i> (Scolytinae: Hyorrhynchini) is Associated with the Canker Disease Fungus <i>Diatrypella japonica</i> (Xylariales). <i>Plant Disease</i> , 2020, 104, 3143-3150.	0.7	5
132	Effects of Field Fumigation and Inoculation With the Pecan Truffle ( <i>Tuber lyonii</i> ) on the Fungal Community of Pecan ( <i>Carya illinoiensis</i> ) Seedlings Over 5 Years. <i>Frontiers in Microbiology</i> , 2021, 12, 661515.	1.5	5
133	Loose Ends in the <i>Cortinarius</i> Phylogeny: Five New Myxotelamoid Species Indicate a High Diversity of These Ectomycorrhizal Fungi with South American Nothofagaceae. <i>Life</i> , 2021, 11, 420.	1.1	5
134	<i>Thaxterogaster</i> revisited: A phylogenetic and taxonomic overview of sequestrate <i>Cortinarius</i> from Patagonia. <i>Mycologia</i> , 2021, 113, 1-34.	0.8	5
135	Reappraisal of the Genus <i>Exsudoporus</i> (Boletaceae) Worldwide Based on Multi-Gene Phylogeny, Morphology and Biogeography, and Insights on <i>Amoenoboletus</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 101.	1.5	5
136	Four New Species of <i>Harringtonia</i> : Unravelling the Laurel Wilt Fungal Genus. <i>Journal of Fungi</i> (Basel,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 E5		
137	Preliminary phylogeny of <i>Coemansia</i> (Kickxellales), with descriptions of four new species from Taiwan. <i>Mycologia</i> , 2017, 109, 1-17.	0.8	4
138	<i>Hortiboletus kohistanensis</i> (Boletaceae), a new bolete species from temperate and subalpine oak forests of Pakistan. <i>Phytotaxa</i> , 2019, 388, 239.	0.1	4
139	The Laccate-Ganoderma of the Southeastern United States: A Cosmopolitan and Important Genus of Wood Decay Fungi. <i>Edis</i> , 2017, 2017, 6.	0.0	4
140	Fungal communities associated with acorn woodpeckers and their excavations. <i>Fungal Ecology</i> , 2022, 59, 101154.	0.7	4
141	Notes on <i>Syncephalis</i> (Zoopagales, Zoopagomycota) from the Farlow Herbarium, with the description of a new species, <i>Syncephalis aethiopica</i> . <i>Mycologia</i> , 2018, 110, 192-200.	0.8	3
142	The <i>Cedrus</i> -associated truffle <i>Trappeindia himalayensis</i> is a morphologically unique and phylogenetically divergent species of <i>Rhizopogon</i> . <i>Mycologia</i> , 2019, 111, 225-234.	0.8	3
143	Fungal communities associated with roots of two closely related Juglandaceae species with a disjunct distribution in the tropics. <i>Fungal Ecology</i> , 2021, 50, 101023.	0.7	3
144	Polyphyly, asexual reproduction and dual trophic mode in <i>Buchwaldoboletus</i> . <i>Fungal Ecology</i> , 2022, 56, 101141.	0.7	3

#	ARTICLE	IF	CITATIONS
145	Hidden in the tropics: <i>Retiperidiolia</i> gen. nov., a new genus of birdâ€™s nest fungi (Nidulariaceae), and a systematic study of the genus <i>Mycocalia</i> . <i>Mycological Progress</i> , 2022, 21, .	0.5	3
146	&lt;I&gt; <i>Artomyces nothofagi</i> &lt;/I&gt; sp. nov., a clavarioid fungus from a Chilean &lt;I&gt; <i>Nothofagus</i> &lt;/I&gt; forest. <i>Mycotaxon</i> , 2015, 130, 653-660.	0.1	2
147	<i>Brahmaculus</i> gen. nov. (Leotiomycetes, Chlorociboriaceae). <i>MycoKeys</i> , 2021, 80, 19-43.	0.8	2
148	Phylogenetic studies in<I>Genabea, Myrmecocystis</I>, and related genera. <i>Mycologia</i> , 2018, 110, 401-418.	0.8	1
149	James William Kimbrough, 1934â€“2017. <i>Mycologia</i> , 2019, 111, 517-524.	0.8	1
150	Birdâ€™s Nest Fungi: Charismatic Mushrooms in Your Garden. <i>Edis</i> , 2021, 2021, 3.	0.0	1
151	Stinkhorn Mushrooms (Agaricomycetes: Phallales: Phallaceae). <i>Edis</i> , 2018, 2018, .	0.0	1
152	Balsamia (Sequestrate Helvellaceae, Ascomycota) in western North America. <i>Fungal Systematics and Evolution</i> , 2018, 2, 11-36.	0.9	1
153	Protocol for single-cell isolation and genome amplification of environmental microbial eukaryotes for genomic analysis. <i>STAR Protocols</i> , 2022, 3, 100968.	0.5	1
154	Diversity and Evolution of Entomocorticium (Russulales, Peniophoraceae), a Genus of Bark Beetle Mutualists Derived from Free-Living, Wood Rotting Peniophora. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 1043.	1.5	1
155	<I> <i>Tuber eburneum</i> </I> and <I> <i>Tuber mujicii</i> </I>: New pine-associated <I>Tuber</I> species from eastern North America. <i>Mycologia</i> , 2022, 114, 575-586.	0.8	1
156	A reexamination and realignment of Peziza sensu lato (Pezizomycetes) species in southern South America. <i>Darwiniana</i> , 2022, 10, 148-177.	0.1	1
157	Molecular and morphological evidence place Pholiota psathyelloides from Patagonia within the ectomycorrhizal genus Psathyroloma (Agaricales). <i>New Zealand Journal of Botany</i> , 2019, 57, 261-270.	0.8	0
158	Taxonomic notes on eight species of obligate mycoparasites in the genus Syncephalis isolated from soil and dung. <i>Mycologia</i> , 2020, 112, 552-569.	0.8	0
159	<i>Asperosporus subterraneus</i> , a new genus and species of sequestrate Agaricaceae found in Florida nursery production. <i>Fungal Systematics and Evolution</i> , 2021, 8, 91-100.	0.9	0
160	<i>Macrocybe titans</i> : The Mushroom Giant of the Western Hemisphere. <i>Edis</i> , 2020, 2020, .	0.0	0
161	Chicken of the Woods ( <i>Laetiporus sulphureus</i> species complex). <i>Edis</i> , 2020, 2020, .	0.0	0