

Phillip Urquijo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2820031/publications.pdf>

Version: 2024-02-01

451
papers

25,602
citations

12597
71
h-index

12638
137
g-index

478
all docs

478
docs citations

478
times ranked

12208
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in Run $\bar{A}2$. European Physical Journal C, 2022, 82, 1.	1.4	6
2	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s}=13\text{TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
3	Search for exotic decays of the Higgs boson into $b\overline{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
5	$\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"} \text{ display} = \text{"block"} \text{ mml:mrow} \text{ mml:mi} \text{ mml:mo} \text{ stretchy} = \text{"false"} \text{ } (\text{mml:mo} \text{ mml:mn} \text{ mml:mi} \text{ mml:mi} \text{ mml:mo}) \text{ Tj ETQq1 1 0.784314 rgBT /Overline{Q} overline{g} overline{B} overline{T} overline{Q} overline{q} overline{1} 10 Tf 50 57$		
6	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
7	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
8	Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{\pm} decay. European Physical Journal C, 2022, 82, 1.	1.4	4
9	The ATLAS inner detector trigger performance in pp collisions at 13TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
10	First measurement of the $\Lambda_c^+ \rightarrow \Lambda^+ \pi^+$ decay. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
11	B-flavor tagging at Belle II. European Physical Journal C, 2022, 82, 1.	1.4	11
12	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
13	Measurement of the energy asymmetry in $t\bar{t}$ production at 13TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
14	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7\text{, 8 and } 13\text{TeV}$. European Physical Journal C, 2022, 82, 1.	1.4	12
15	Search for charged lepton flavor violating decays of $\tau^+(1S)$. Journal of High Energy Physics, 2022, 2022, .	1.6	4
16	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
17	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
18	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12

#	ARTICLE	IF	CITATIONS
19	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
20	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
21	Test of lepton flavor universality and search for lepton flavor violation in $B \rightarrow K^{*-} \ell^+ \ell^-$ decays. Journal of High Energy Physics, 2021, 2021, 1.	1.6	64
22	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. Evidence for http://www.w3.org/1998/Math/MathML	1.4	17
23	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. https://arxiv.org/abs/2105.12201	2.9	19
24	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb $^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
25	Averages of b-hadron, c-hadron, and τ -lepton properties as of 2018. European Physical Journal C, 2021, 81, 1.	1.4	248
26	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
27	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
28	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
29	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
30	Search for the dark photon in $B \rightarrow A^0 \rightarrow e^+ e^-$, $\nu \bar{\nu}$, and $\ell^+ \ell^-$ decays at Belle. Journal of High Energy Physics, 2021, 2021, 1.	1.6	1
31	Revisiting fits to http://www.w3.org/1998/Math/MathML https://arxiv.org/abs/2105.10314	1.6	14
32	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
33	Characterization of SABRE crystal NaI-33 with direct underground counting. European Physical Journal C, 2021, 81, 1.	1.4	14
34	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+ \ell^- \rightarrow \ell^+ \ell^- \rightarrow \ell^+ \ell^-$ and $\ell^+ \ell^- \rightarrow \ell^+ \ell^- \rightarrow \ell^+ \ell^-$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
35	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
36	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell^+ \ell^- \rightarrow \ell^+ \ell^- \rightarrow \ell^+ \ell^-$ and $\ell^+ \ell^- \rightarrow \ell^+ \ell^- \rightarrow \ell^+ \ell^-$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26

#	ARTICLE	IF	CITATIONS
37	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
38	Measurements of branching fractions and asymmetry parameters of $\Xi_c^0 \rightarrow \Lambda \bar{K}^0 \Sigma^0$, $\Xi_c^0 \rightarrow \Lambda \bar{K}^0 \Xi^0$, and $\Xi_c^0 \rightarrow \Lambda \bar{K}^0 \Xi^+$ decays at Belle. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
39	Measurements of $W + W \rightarrow 1 \text{ jet}$ production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
40	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
41	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2021, 81, 1.	1.4	14
42	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_\nu$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
43	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
44	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^\pm and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
45	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
46	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
47	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2021, 81, 1.	1.4	82
48	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
49	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
50	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
51	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
52	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
53	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
54	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5

#	ARTICLE	IF	CITATIONS
55	Search for lepton-flavor-violating tau-lepton decays to τ^3 at Belle. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
56	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
57	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
58	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
59	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
60	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
61	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
62	Measurement of Differential Branching Fractions of Inclusive $B \rightarrow X_s \ell^+ \ell^-$ Decays. Physical Review Letters, 2021, 127, 261801.		
63	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
64	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
65	Measurements of inclusive $\ell^+ \ell^- \rightarrow q\bar{q}$ moments of inclusive $B \rightarrow X_s \ell^+ \ell^-$ decays. Physical Review D, 2021, 104, 114001.	1.6	9
66	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
67	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW^3 production in the $e^{\pm}e^{\mp}$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
68	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
69	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
70	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $t\bar{t}\ell\ell$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
71	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
72	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34

#	ARTICLE	IF	CITATIONS
73	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	8
74	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	3
75	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	11
76	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	17
77	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	12
78	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	28
79	Review of Particle Physics. <i>Progress of Theoretical and Experimental Physics</i> , 2020, 2020, .	1.8	3,177
80	Observation of the Radiative Decays of $\mu^+ \mu^- \rightarrow e^+ e^- + \gamma$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	10
81	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	4
82	Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	22
83	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	12
84	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	41
85	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	36
86	Measurement of $\mu^+ \mu^- \rightarrow e^+ e^- + \gamma$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	10

#	ARTICLE	IF	CITATIONS
91	Measurement of the $Z(\rightarrow e^+e^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	9
92	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	5
93	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}}=8.16$ TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	12
94	Measurement of J/ψ production in association with a $W\pm$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	10
95	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	68
96	First search for the $t\bar{t}c(1D)$ in B decays at Belle. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	2
97	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	14
98	Reconstruction and identification of boosted di-lepton systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	8
99	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	93
100	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	124
101	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	4
102	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	30
103	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	29
104	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	21
105	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	36
106	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	12
107	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	15
108	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	49

#	ARTICLE	IF	CITATIONS
109	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
110	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
111	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
112	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
113	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
114	Search for scalar resonances decaying into $\tilde{l}_1 \tilde{l}_2$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
115	Observation of a new structure near 10.75 GeV in the energy dependence of the $e+e^- \rightarrow l^+l^- (nS)$ ratio $\frac{1}{1.6} \text{ETQq1}_{23}^{14}$		
116	Search for diboson resonances in hadronic final states in 139fb^{-1} of pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
117	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13\text{TeV}$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
118	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13TeV . European Physical Journal C, 2019, 79, .	1.4	21
119	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
120	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
121	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2019, 79, 1.	1.4	77
122	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
123	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
124	Search for top-quark decays $t \rightarrow b\bar{b}$ with 36fb^{-1} of pp collision data at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
125	Measurement of VH, $H\rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
126	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17

#	ARTICLE	IF	CITATIONS
127	Performance of top-quark and \varvec{W} -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
128	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s}=13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
129	The SABRE project and the SABRE Proof-of-Principle. European Physical Journal C, 2019, 79, 1.	1.4	73
130	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
131	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
132	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
133	In situ calibration of large-radius jet energy and mass in 13TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
134	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
135	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
136	Measurement of the top quark mass in the $t\bar{t}$. European Physical Journal C, 2019, 79, 1.	1.4	47
137	and Evidence for $t\bar{t}$. display="block"> $\frac{1}{1620} \left(\frac{1}{m_{t\bar{t}}} \right)^2 \frac{1}{m_{t\bar{t}}^2} \frac{1}{m_{t\bar{t}}^2}$	1.4	101

#	ARTICLE	IF	CITATIONS
145	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
146	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
147	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
148	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
149	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	1.4	130
150	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
151	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}$ channel with pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.6	57
152	The Belle II Physics Book. Progress of Theoretical and Experimental Physics, 2019, 2019, .	1.8	384
153	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
154	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using 36 fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
155	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
156	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
157	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
158	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
159	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 102.	1.4	13
160	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
161	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and 5.02 TeV . European Physical Journal C, 2018, 78, 142.	1.4	59

#	ARTICLE	IF	CITATIONS
163	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
164	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
165	Search for heavy ZZ resonances in the $e^+e^- \rightarrow e^+e^- \rightarrow \ell^+\ell^- \bar{\nu}\nu$ final states using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
166	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
167	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
168	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow \ell^+\ell^- \bar{\nu}\nu$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
169	Direct top-quark decay width measurement in the $t\bar{t} \rightarrow t\bar{t} \ell^+\ell^- \bar{\nu}\nu$ channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
170	Search for WW/WZ resonance production in $\ell^+\ell^- q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
171	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
172	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a\bar{a} \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
173	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
174	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
175	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow 4\ell$ channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
176	Measurement of colour flow using jet-pull observables in $t\bar{t} \rightarrow t\bar{t} \ell^+\ell^- \bar{\nu}\nu$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 847.	1.4	16
177	Angular analysis of $B0 \rightarrow K^+ \pi^- \rightarrow \ell^+\ell^- \bar{\nu}\nu$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
178	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
179	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
180	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9

#	ARTICLE	IF	CITATIONS
181	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	38
182	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	30
183	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 997.	1.4	51
184	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 903.	1.4	181
185	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 995.	1.4	125
186	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	56
187	Observation of $t\bar{t}(2S) \rightarrow t^3 \bar{b}(1S)$ Decay. <i>Physical Review Letters</i> , 2018, 121, 232001.	2.9	5
188	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	1.4	25
189	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	37
190	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	22
191	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	48
192	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	67
193	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	15
194	Search for charged Higgs bosons decaying via $H^\pm \rightarrow t\bar{t}, b\bar{b}$, in the $t\bar{t}$ -plus-jets and $b\bar{b}$ -plus-lepton final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	59
195	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	1.4	61
196	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	31
197	Search for exclusive Higgs and Z boson decays to $t\bar{t}$ and $b\bar{b}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	16
198	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	40

#	ARTICLE	IF	CITATIONS
199	Search for flavour-changing neutral current top-quark decays $t \bar{t}' qZ$ in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	17
200	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the European Physical Journal C, 2018, 78, 487.	1.4	10
201	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565. Search for $\text{B}^{\pm} \rightarrow \text{J}/\psi \ell^{\pm} \nu_{\ell}$ Decays at the Belle Experiment. Physical Review Letters, 2018, 121, 031801.	1.4	79
202	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	2.9	13
203	Inclusive study of bottomonium production in association with an $\eta \bar{l}$ meson in e^+e^- annihilations near $\varUpsilon(5S)$. European Physical Journal C, 2018, 78, 1.	1.4	27
204	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	136
205	Observation of an Excited $\Lambda_c^0 \rightarrow \Lambda_c^+ \pi^-$ Baryon. Physical Review Letters, 2018, 121, 052003.	2.9	32
206	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	17
207	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
208	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	1.4	132
209	Measurement of Z/γ^* polarisation in $Z \rightarrow l^+l^-$. European Physical Journal C, 2018, 78, 163.	1.4	7
210	Searches for heavy ZZ and ZW resonances in the $q\bar{q}, q\bar{q} \rightarrow \text{Higgs}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	29
211	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	33
212	Measurement of differential cross sections and W/W' cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	16
213	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. , 2018, 2018, 1.	1	1
214	Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7, \text{TeV})$ with the ATLAS detector. , 2018, 78, 1.	1	1
215	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13, \text{TeV})$. , 2018, 78, 1.	1	1

#	ARTICLE	IF	CITATIONS
217	Measurement of the $\text{varvec}[\text{tar}[t]Z]$ and $\text{varvec}[\text{tar}[t]W]$ production cross sections in multilepton final states using 3.2 fb $\text{sqrt}[s] = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
218	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
219	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
220	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\text{sqrt}[s] = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
221	Measurement of the W boson polarisation in $\text{star}[t] \text{ t t } \bar{t}$ events from pp collisions at $\text{sqrt}[s] = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
222	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton+proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
223	Measurements of top-quark pair differential cross-sections in the emu $e \bar{e}$ channel in pp collisions at $\text{sqrt}[s] = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
224	Performance of algorithms that reconstruct missing transverse momentum in $\text{sqrt}[s] = 8 \text{ TeV}$ proton+proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
225	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\text{sqrt}[s] = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
226	Search for triboson $W^{\pm} W^{\pm} W^{\pm}$ production in pp collisions at $\text{sqrt}[s] = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
227	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
228	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
229	Measurements of electroweak $W_{\ell j} W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
230	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
231	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
232	Lepton-Flavor-Dependent Angular Analysis of $\text{varvec}[\text{tar}[t]Z]$ and $\text{varvec}[\text{tar}[t]W]$ production cross sections in multilepton final states using 3.2 fb $\text{sqrt}[s] = 13 \text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2017, 118, 111801.	1.4	252
233	Asymmetries in $\text{varvec}[\text{tar}[t]Z]$ and $\text{varvec}[\text{tar}[t]W]$ production cross sections in multilepton final states using 3.2 fb $\text{sqrt}[s] = 13 \text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2017, 118, 111801.	2.9	18
234	Violation and Measurement of the Branching Fraction in the Decay $\text{varvec}[\text{tar}[t]Z]$ and $\text{varvec}[\text{tar}[t]W]$ production cross sections in multilepton final states using 3.2 fb $\text{sqrt}[s] = 13 \text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2017, 118, 111801.	2.9	30

#	ARTICLE	IF	CITATIONS
235	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	31
236	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. <i>European Physical Journal C</i> , 2017, 77, 804.	1.4	28
237	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	9
238	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	9
239	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017, 77, 673.	1.4	75
240	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $p p$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.	1.4	12
241	Measurement of the $Z Z$ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the $Z Z \rightarrow \ell^+ \ell^- + \ell^+ \ell^- + \ell^+ \ell^- + \ell^+ \ell^-$ and $Z Z \rightarrow \ell^+ \ell^- + \ell^+ \ell^- + \ell^+ \ell^- + \ell^+ \ell^-$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.4	ch
242	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17
243	Measurements of $\tilde{\chi}_1^0$ and $\tilde{\chi}_2^0$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	33
244	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	13
245	Lepton Polarization and $\mu \rightarrow e \nu \bar{\nu}$ Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	2.9	457
246	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	1.4	79
247	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	1.4	489
248	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	1.4	71
249	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 361.	1.4	47
250	Precision measurement and interpretation of inclusive $W^+ W^-$ production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 367.	1.4	145
251	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 379.	1.4	51
252	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	1.4	80

#	ARTICLE	IF	CITATIONS
253	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	14
254	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	1.4	50
255	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	8
256	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	1.4	19
257	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	8
258	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17
259	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	23
260	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	38
261	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	1.4	35
262	Measurement of WW/WZ production with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 563.	1.4	28
263	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	12
264	Searches for the $Z\rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	30
265	Studies of $Z\rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	14
266	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	16
267	Averages of b-hadron, c-hadron, and τ -lepton properties as of summer 2016. <i>European Physical Journal C</i> , 2017, 77, 1.	1.4	379
268	Search for top quark decays $t\rightarrow qH$, with $H\rightarrow l^+l^-$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	18
269	Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 646.	1.4	30
270	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	20

#	ARTICLE	IF	CITATIONS
271	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	11
272	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	16
273	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	28
274	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	45
275	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	31
276	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	36
277	Measurement of the k t splitting scales in $Z\rightarrow e^+e^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	3
278	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	8
279	Evidence for the $H\rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	64
280	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	168
281	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	1.4	32
282	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	30
283	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	10
284	Measurement of event-shape observables in $Z\rightarrow e^+e^-$ + - events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	1.4	15
285	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	1.4	30
286	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	1.4	61
287	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	1.4	37
288	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}, b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	1.4	51

#	ARTICLE	IF	CITATIONS
289	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
290	Measurement of the $\bar{b} b \bar{b} b$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
291	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
292	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
293	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
294	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292.	1.4	453
295	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
296	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
297	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
298	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
299	Search for flavour-changing neutral current top-quark decays to qZ in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 12.	1.4	39
300	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87.	1.4	39
301	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
302	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
303	Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta'$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
304	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 517.	1.4	24
305	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
306	Energy Scan of the $\int_{\sqrt{s}=7}^{13} \frac{d\sigma}{dt} dt$ differential cross section for the $t\bar{t}$ production mode. European Physical Journal C, 2016, 76, 518.	1.4	10

#	ARTICLE	IF	CITATIONS
307	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
308	Measurement of the relative width difference of the $B^0 \rightarrow \bar{B}^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
309	Observation of the Decay $B_s \rightarrow K \bar{K}$. Physical Review Letters, 2016, 116, 161801.	2.9	17
310	First Observation of the Doubly Cabibbo-Suppressed Decay of a Charmed Baryon: $\Lambda_c^+ \rightarrow \Lambda^0 \pi^+ \eta'$. Physical Review Letters, 2016, 117, 011801.	2.9	30
311	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
312	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 581.	1.4	298
313	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
314	Measurement of jet activity in top quark events using the e^{\pm}/μ^{\pm} final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
315	Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
316	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm}\mu^{\mp} \nu \bar{\nu}$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
317	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
318	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
319	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
320	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
321	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
322	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
323	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
324	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279

#	ARTICLE	IF	CITATIONS
325	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
326	Addendum to "Measurement of the $t\bar{t}$ production cross-section using events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19
327	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
328	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
329	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
330	Search for the Standard Model Higgs boson decaying into b \bar{b} produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
331	Measurement of the CP-violating phase δ_s and the $B_s \rightarrow D_s^+ \bar{D}_s^-$ decay width difference with $B_s \rightarrow D_s^+ \bar{D}_s^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
332	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
333	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
334	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
335	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
336	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
337	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
338	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
339	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 154.	1.4	62
340	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
341	Probing lepton flavour violation via neutrinoless $\nu_e \rightarrow e$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
342	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9

#	ARTICLE	IF	CITATIONS
343	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
344	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
345	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
346	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
347	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
348	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
349	Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow \tau^+ \tau^-$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
350	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
351	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.	1	
352	Current status of the standard model CKM fit and constraints on λ_{CKM} from $t\bar{t}$ production. Physical Review D, 2015, 91, 073009.	1.6	137
353	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	1.6	32
354	A search for high-mass resonances decaying to $\tilde{l}_1, \tilde{l}_2, \tilde{\chi}^0_1$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
355	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
356	Search for lepton-flavour-violating $H \rightarrow l^+ l^-$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
357	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
358	A search for $t\bar{t} \rightarrow \tau^+\tau^-$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
359	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28

#	ARTICLE	IF	CITATIONS
361	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	67
362	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	33
363	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	108
364	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	1.6	78
365	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	40
366	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	84
367	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	71
368	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	20
369	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	60
370	Determination of the top-quark pole mass using $t\bar{t} \rightarrow t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	25
371	Measurement of the $t\bar{t} \rightarrow t\bar{t} + W$ and $t\bar{t} \rightarrow t\bar{t} + Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
372	Search for flavour-changing neutral current top quark decays $t \rightarrow t' \rightarrow q\bar{q}$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	1.6	19
373	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	36
374	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	42
375	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	116
376	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	17
377	Search for $W \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	1.4	35
378	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 158.	1.4	17

#	ARTICLE	IF	CITATIONS
379	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ $p\ p$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
380	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
381	Search for metastable heavy charged particles with large ionisation energy loss in $p\ p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
382	Measurement of the production and lepton charge asymmetry of WW bosons in $Pb+Pb$ collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
383	Measurement of the DirectCPAsymmetry in $B^- \bar{t}' X s + d \bar{d}$ Decays with a Lepton Tag. Physical Review Letters, 2015, 114, 151601.	2.9	4
384	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
385	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
386	Search for resonant diboson production in the $t\bar{t}q\bar{q}$ final state in $p\ p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
387	Measurements of the WW production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
388	Search for dark matter in events with heavy quarks and missing transverse momentum in $p\ p$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
389	Measurement of the $t\bar{t}\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
390	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
391	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
392	Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated $(W/Z)H$ production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
393	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
394	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8 \text{ TeV}$ $p\ p$ collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
395	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}, \tau^{\pm}\bar{\tau}^{\mp}$ in fully hadronic final states using $p\ p$ collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
396	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in $p\ p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79

#	ARTICLE	IF	CITATIONS
397	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
398	Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
399	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu\mu\mu W\bar{W} \rightarrow e\ell\ell\ell\ell$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
400	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
401	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e\ell\ell\ell\ell / \mu\mu\mu\mu$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
402	Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 8$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
403	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
404	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
405	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
406	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
407	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
408	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
409	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
410	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
411	Measurement of the top quark mass in the $t\bar{t}$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
412	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb $^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.	3	
413	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.	1	
414	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.	2	

#	ARTICLE	IF	CITATIONS
415	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	82
416	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 3130.	1.4	213
417	The Physics of the B Factories. <i>European Physical Journal C</i> , 2014, 74, 1.	1.4	292
418	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3117.	1.4	40
419	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3168.	1.4	23
420	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	45
421	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $s = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	12
422	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	128
423	Measurement of the $t\bar{t}$ production cross-section using $e\bar{e}$ events with b -tagged jets in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3109.	1.4	143
424	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	66
425	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1.	1.4	172
426	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134.	1.4	48
427	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	1.4	68
428	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195.	1.4	46
429	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	41
430	Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow t\bar{t}(\ell^+\ell^- + \nu\bar{\nu})$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	21
431	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	131
432	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	38

#	ARTICLE	IF	CITATIONS
433	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	45
434	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	47
435	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	35
436	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	40
437	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	22
438	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	45
439	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	10
440	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	45
441	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883.	1.4	55
442	Measurement of the ($t\bar{t}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	2	
443	Measurement of k T splitting scales in $W\bar{t}\bar{t}$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	1.4	19
444	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	52
445	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2011, 71, 1.	1.4	146
446	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , 2010, 70, 823-874.	1.4	1,187
447	Measurement of charm production in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with ATLAS. <i>European Physical Journal C</i> , 2010, 70, 823-874. <i>Measurement of charm production in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with ATLAS. <i>European Physical Journal C</i>, 2010, 70, 823-874.</i>	1.4	1,187
448	Study of charmonia in four-meson final states produced in two-photon collisions. <i>European Physical Journal C</i> , 2008, 53, 1-14.	1.4	25
449	High Statistics Measurement of the Cross Sections of $\Lambda_c^0 \rightarrow \Lambda^+ + \pi^-$ Production. <i>Journal of the Physical Society of Japan</i> , 2007, 76, 074102.	0.7	58
450	INCLUSIVE $B \rightarrow X_c \pi^-$ DECAY SPECTRA AT BELLE AND THE DETERMINATION OF $ V_{cb} $. <i>Physical Review Letters</i> , 2007, 104, 021801.	0	0

ARTICLE

IF

CITATIONS

- 451 THE DETERMINATION OF THE CKM ELEMENTS $|V_{ub}|$ AND $|V_{cb}|$ AT THE BELLE EXPERIMENT., 2007, , .

0