

Qing Lan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2820532/publications.pdf>

Version: 2024-02-01

180
papers

7,080
citations

50276

46
h-index

76900

74
g-index

180
all docs

180
docs citations

180
times ranked

11067
citing authors

#	ARTICLE	IF	CITATIONS
1	Hematotoxicity in Workers Exposed to Low Levels of Benzene. <i>Science</i> , 2004, 306, 1774-1776.	12.6	533
2	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. <i>Nature Genetics</i> , 2012, 44, 1330-1335.	21.4	286
3	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	2.1	265
4	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	21.4	179
5	Cytokine polymorphisms in the Th1/Th2 pathway and susceptibility to non-Hodgkin lymphoma. <i>Blood</i> , 2006, 107, 4101-4108.	1.4	166
6	Personal and Indoor PM _{2.5} Exposure from Burning Solid Fuels in Vented and Unvented Stoves in a Rural Region of China with a High Incidence of Lung Cancer. <i>Environmental Science & Technology</i> , 2014, 48, 8456-8464.	10.0	152
7	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279.	6.3	152
8	Oxidative damage-related genes AKR1C3 and OGG1 modulate risks for lung cancer due to exposure to PAH-rich coal combustion emissions. <i>Carcinogenesis</i> , 2004, 25, 2177-2181.	2.8	147
9	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	21.4	147
10	Risk of lung cancer associated with domestic use of coal in Xuanwei, China: retrospective cohort study. <i>BMJ</i> , The, 2012, 345, e5414-e5414.	6.0	113
11	A prospective study of mitochondrial DNA copy number and risk of non-Hodgkin lymphoma. <i>Blood</i> , 2008, 112, 4247-4249.	1.4	112
12	Telomere Length in White Blood Cell DNA and Lung Cancer: A Pooled Analysis of Three Prospective Cohorts. <i>Cancer Research</i> , 2014, 74, 4090-4098.	0.9	112
13	Polymorphisms in the DNA nucleotide excision repair genes and lung cancer risk in Xuan Wei, China. <i>International Journal of Cancer</i> , 2005, 116, 768-773.	5.1	110
14	Longer Telomere Length in Peripheral White Blood Cells Is Associated with Risk of Lung Cancer and the rs2736100 (CLPTM1L-TERT) Polymorphism in a Prospective Cohort Study among Women in China. <i>PLoS ONE</i> , 2013, 8, e59230.	2.5	106
15	A Prospective Study of Telomere Length Measured by Monochrome Multiplex Quantitative PCR and Risk of Non-Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2009, 15, 7429-7433.	7.0	103
16	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. <i>American Journal of Human Genetics</i> , 2015, 96, 487-497.	6.2	101
17	Winner's Curse Correction and Variable Thresholding Improve Performance of Polygenic Risk Modeling Based on Genome-Wide Association Study Summary-Level Data. <i>PLoS Genetics</i> , 2016, 12, e1006493.	3.5	98
18	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	6.2	96

#	ARTICLE	IF	CITATIONS
19	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	12.8	94
20	High-resolution metabolomics of occupational exposure to trichloroethylene. <i>International Journal of Epidemiology</i> , 2016, 45, 1517-1527.	1.9	87
21	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016, 7, 11843.	12.8	86
22	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 41-51.	2.1	82
23	Variation in lung cancer risk by smoky coal subtype in Xuanwei, China. <i>International Journal of Cancer</i> , 2008, 123, 2164-2169.	5.1	81
24	Genomic and evolutionary classification of lung cancer in never smokers. <i>Nature Genetics</i> , 2021, 53, 1348-1359.	21.4	81
25	Overall and Central Obesity and Risk of Lung Cancer: A Pooled Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 831-842.	6.3	78
26	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	12.8	75
27	Genetic variants associated with longer telomere length are associated with increased lung cancer risk among never-smoking women in Asia: a report from the female lung cancer consortium in Asia. <i>International Journal of Cancer</i> , 2015, 137, 311-319.	5.1	72
28	The IARC Monographs: Updated Procedures for Modern and Transparent Evidence Synthesis in Cancer Hazard Identification. <i>Journal of the National Cancer Institute</i> , 2020, 112, 30-37.	6.3	69
29	Does household use of biomass fuel cause lung cancer? A systematic review and evaluation of the evidence for the GBD 2010 study. <i>Thorax</i> , 2015, 70, 433-441.	5.6	67
30	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk. <i>JAMA Oncology</i> , 2020, 6, e194107.	7.1	67
31	Genetic polymorphisms in the oxidative stress pathway and susceptibility to non-Hodgkin lymphoma. <i>Human Genetics</i> , 2007, 121, 161-168.	3.8	65
32	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	12.8	58
33	Household air pollution and cancers other than lung: a meta-analysis. <i>Environmental Health</i> , 2015, 14, 24.	4.0	58
34	A cross-sectional study of changes in markers of immunological effects and lung health due to exposure to multi-walled carbon nanotubes. <i>Nanotoxicology</i> , 2017, 11, 395-404.	3.0	58
35	Is high vitamin B12 status a cause of lung cancer?. <i>International Journal of Cancer</i> , 2019, 145, 1499-1503.	5.1	58
36	The Metabolome: a Key Measure for Exposome Research in Epidemiology. <i>Current Epidemiology Reports</i> , 2019, 6, 93-103.	2.4	57

#	ARTICLE	IF	CITATIONS
37	Polymorphisms in Cytokine and Cellular Adhesion Molecule Genes and Susceptibility to Hematotoxicity among Workers Exposed to Benzene. <i>Cancer Research</i> , 2005, 65, 9574-9581.	0.9	56
38	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	3.4	54
39	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Peripheral T-Cell Lymphomas: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 66-75.	2.1	52
40	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	2.9	52
41	Constituents of Household Air Pollution and Risk of Lung Cancer among Never-Smoking Women in Xuanwei and Fuyuan, China. <i>Environmental Health Perspectives</i> , 2019, 127, 97001.	6.0	52
42	Smoky coal, tobacco smoking, and lung cancer risk in Xuanwei, China. <i>Lung Cancer</i> , 2014, 84, 31-35.	2.0	50
43	A retrospective cohort study of cause-specific mortality and incidence of hematopoietic malignancies in Chinese benzene-exposed workers. <i>International Journal of Cancer</i> , 2015, 137, 2184-2197.	5.1	50
44	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2016, 26, ddw414.	2.9	50
45	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , 2016, 25, 620-629.	2.9	50
46	Large-scale evaluation of candidate genes identifies associations between DNA repair and genomic maintenance and development of benzene hematotoxicity. <i>Carcinogenesis</i> , 2009, 30, 50-58.	2.8	49
47	Genetic risk of extranodal natural killer T-cell lymphoma: a genome-wide association study in multiple populations. <i>Lancet Oncology</i> , 2020, 21, 306-316.	10.7	49
48	Occupational exposure to trichloroethylene is associated with a decline in lymphocyte subsets and soluble CD27 and CD30 markers. <i>Carcinogenesis</i> , 2010, 31, 1592-1596.	2.8	48
49	Prospective cohort study of general and central obesity, weight change trajectory and risk of major cancers among Chinese women. <i>International Journal of Cancer</i> , 2016, 139, 1461-1470.	5.1	48
50	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014, 124, 530-535.	1.4	46
51	Personal exposure to fine particulate matter and benzo[a]pyrene from indoor air pollution and leukocyte mitochondrial DNA copy number in rural China. <i>Carcinogenesis</i> , 2017, 38, 893-899.	2.8	46
52	Genetic variation in caspase genes and risk of non-Hodgkin lymphoma: a pooled analysis of 3 population-based case-control studies. <i>Blood</i> , 2009, 114, 264-267.	1.4	42
53	Cooking Coal Use and All-Cause and Cause-Specific Mortality in a Prospective Cohort Study of Women in Shanghai, China. <i>Environmental Health Perspectives</i> , 2016, 124, 1384-1389.	6.0	42
54	Adductomic signatures of benzene exposure provide insights into cancer induction. <i>Carcinogenesis</i> , 2018, 39, 661-668.	2.8	42

#	ARTICLE	IF	CITATIONS
55	Smoky coal exposure, NBS1 polymorphisms, p53 protein accumulation, and lung cancer risk in Xuan Wei, China. <i>Lung Cancer</i> , 2005, 49, 317-323.	2.0	41
56	Changes in DNA methylation induced by multi-walled carbon nanotube exposure in the workplace. <i>Nanotoxicology</i> , 2017, 11, 1195-1210.	3.0	41
57	Prospective study of blood metabolites associated with colorectal cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 527-534.	5.1	41
58	Occupational Exposure to Multi-Walled Carbon Nanotubes During Commercial Production Synthesis and Handling. <i>Annals of Occupational Hygiene</i> , 2016, 60, 305-317.	1.9	40
59	Subtype-specific incidence rates of lymphoid malignancies in Hong Kong compared to the United States, 2001-2010. <i>Cancer Epidemiology</i> , 2016, 42, 15-23.	1.9	39
60	Household air pollution and lung cancer in China: a review of studies in Xuanwei. <i>Chinese Journal of Cancer</i> , 2014, 33, 471-5.	4.9	37
61	Characterization of Changes in Gene Expression and Biochemical Pathways at Low Levels of Benzene Exposure. <i>PLoS ONE</i> , 2014, 9, e91828.	2.5	36
62	Cardiovascular effects among workers exposed to multiwalled carbon nanotubes. <i>Occupational and Environmental Medicine</i> , 2018, 75, 351-358.	2.8	36
63	Prospective metabolomics study identifies potential novel blood metabolites associated with pancreatic cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 2161-2167.	5.1	36
64	Genetic susceptibility for chronic lymphocytic leukemia among Chinese in Hong Kong. <i>European Journal of Haematology</i> , 2010, 85, 492-495.	2.2	35
65	Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. <i>International Journal of Cancer</i> , 2017, 140, 1976-1984.	5.1	35
66	Genetic variation in Th1/Th2 pathway genes and risk of non-Hodgkin lymphoma: a pooled analysis of three population-based case-control studies. <i>British Journal of Haematology</i> , 2011, 153, 341-350.	2.5	34
67	Profiling the Serum Albumin Cys34 Adductome of Solid Fuel Users in Xuanwei and Fuyuan, China. <i>Environmental Science & Technology</i> , 2017, 51, 46-57.	10.0	33
68	Outdoor air pollution and mosaic loss of chromosome Y in older men from the Cardiovascular Health Study. <i>Environment International</i> , 2018, 116, 239-247.	10.0	32
69	Lung cancer risk by geologic coal deposits: A case-control study of female never-smokers from Xuanwei and Fuyuan, China. <i>International Journal of Cancer</i> , 2019, 144, 2918-2927.	5.1	32
70	A prospective study of immune and inflammation markers and risk of lung cancer among female never smokers in Shanghai. <i>Carcinogenesis</i> , 2017, 38, 1004-1010.	2.8	31
71	Genetic susceptibility to diffuse large B-cell lymphoma in a pooled study of three Eastern Asian populations. <i>European Journal of Haematology</i> , 2015, 95, 442-448.	2.2	30
72	Low Levels of Circulating Adiponectin Are Associated with Multiple Myeloma Risk in Overweight and Obese Individuals. <i>Cancer Research</i> , 2016, 76, 1935-1941.	0.9	30

#	ARTICLE	IF	CITATIONS
73	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	1.3	28
74	Genotype frequency and F _{ST} analysis of polymorphisms in immunoregulatory genes in Chinese and Caucasian populations. <i>Immunogenetics</i> , 2007, 59, 839-852.	2.4	27
75	Mitochondrial DNA Copy Number and Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma Risk in Two Prospective Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 148-153.	2.5	27
76	Detection of p53 and K-ras mutations in sputum of individuals exposed to smoky coal emissions in Xuan Wei County, China. <i>Carcinogenesis</i> , 2004, 26, 303-308.	2.8	26
77	Benzene Exposure Response and Risk of Myeloid Neoplasms in Chinese Workers: A Multicenter Case-Control Cohort Study. <i>Journal of the National Cancer Institute</i> , 2019, 111, 465-474.	6.3	26
78	Genome-wide Association Study Identifies HLA-DPB1 as a Significant Risk Factor for Severe Aplastic Anemia. <i>American Journal of Human Genetics</i> , 2020, 106, 264-271.	6.2	25
79	Polymorphisms in pre-miRNA genes and cooking oil fume exposure as well as their interaction on the risk of lung cancer in a Chinese nonsmoking female population. <i>OncoTargets and Therapy</i> , 2016, 9, 395.	2.0	24
80	Genetic Modifiers of Progression-Free Survival in Never-Smoking Lung Adenocarcinoma Patients Treated with First-Line Tyrosine Kinase Inhibitors. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 663-673.	5.6	24
81	Use and Reliability of Exposure Assessment Methods in Occupational Case-Control Studies in the General Population: Past, Present, and Future. <i>Annals of Work Exposures and Health</i> , 2018, 62, 1047-1063.	1.4	24
82	Association of Untargeted Urinary Metabolomics and Lung Cancer Risk Among Never-Smoking Women in China. <i>JAMA Network Open</i> , 2019, 2, e1911970.	5.9	24
83	Human exposure to trichloroethylene is associated with increased variability of blood DNA methylation that is enriched in genes and pathways related to autoimmune disease and cancer. <i>Epigenetics</i> , 2019, 14, 1112-1124.	2.7	24
84	History of lung disease and risk of lung cancer in a population with high household fuel combustion exposures in rural China. <i>Lung Cancer</i> , 2013, 81, 343-346.	2.0	23
85	Telomere Length Varies by DNA Extraction Method: Implications for Epidemiologic Research Letter. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1129-1130.	2.5	23
86	Quartz in ash, and air in a high lung cancer incidence area in China. <i>Environmental Pollution</i> , 2017, 221, 318-325.	7.5	23
87	Serologic markers of viral infection and risk of non-Hodgkin lymphoma: A pooled study of three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2018, 143, 570-579.	5.1	23
88	Occupational exposure to diesel engine exhaust and alterations in lymphocyte subsets. <i>Occupational and Environmental Medicine</i> , 2015, 72, 354-359.	2.8	22
89	The respiratory tract microbiome and its relationship to lung cancer and environmental exposures found in rural china. <i>Environmental and Molecular Mutagenesis</i> , 2019, 60, 617-623.	2.2	22
90	White Blood Cell Count and Risk of Incident Lung Cancer in the UK Biobank. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkz102.	2.9	22

#	ARTICLE	IF	CITATIONS
91	Carbon content in airway macrophages and genomic instability in Chinese carbon black packers. Archives of Toxicology, 2020, 94, 761-771.	4.2	22
92	Occupational exposure to diesel engine exhaust and alterations in immune/inflammatory markers: a cross-sectional molecular epidemiology study in China. Carcinogenesis, 2017, 38, 1104-1111.	2.8	21
93	Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). International Journal of Cancer, 2020, 146, 2394-2405.	5.1	21
94	Serum ghrelin and esophageal and gastric cancer in two cohorts in China. International Journal of Cancer, 2020, 146, 2728-2735.	5.1	21
95	Lung cancer risk in welders and foundry workers with a history of heavy smoking in the USA: The National Lung Screening Trial. Occupational and Environmental Medicine, 2017, 74, 440-448.	2.8	20
96	Ischaemic heart disease and stroke mortality by specific coal type among non-smoking women with substantial indoor air pollution exposure in China. International Journal of Epidemiology, 2020, 49, 56-68.	1.9	20
97	Occupational exposure to carbon black nanoparticles increases inflammatory vascular disease risk: an implication of an ex vivo biosensor assay. Particle and Fibre Toxicology, 2020, 17, 47.	6.2	20
98	A Prospective Study of Urinary Prostaglandin E2 Metabolite, Helicobacter pylori Antibodies, and Gastric Cancer Risk. Clinical Infectious Diseases, 2017, 64, 1380-1386.	5.8	19
99	A prospective study of mitochondrial DNA copy number and the risk of prostate cancer. Cancer Causes and Control, 2017, 28, 529-538.	1.8	18
100	Epigenetic aging biomarkers and occupational exposure to benzene, trichloroethylene and formaldehyde. Environment International, 2022, 158, 106871.	10.0	18
101	The metabolome: A key measure for exposome research in epidemiology. Current Epidemiology Reports, 2019, 6, 93-103.	2.4	18
102	Gene-expression profiling of buccal epithelium among non-smoking women exposed to household air pollution from smoky coal. Carcinogenesis, 2015, 36, bgv150.	2.8	17
103	Effects of occupational exposure to carbon black on peripheral white blood cell counts and lymphocyte subsets. Environmental and Molecular Mutagenesis, 2016, 57, 615-622.	2.2	17
104	Leukocyte telomere length and renal cell carcinoma survival in two studies. British Journal of Cancer, 2017, 117, 752-755.	6.4	17
105	Variation in ribosomal DNA copy number is associated with lung cancer risk in a prospective cohort study. Carcinogenesis, 2019, 40, 975-978.	2.8	16
106	Integrative analysis of prognosis data on multiple cancer subtypes. Biometrics, 2014, 70, 480-488.	1.4	15
107	Soluble levels of <sc>CD</sc>27 and <sc>CD</sc>30 are associated with risk of nonâ€<sc>H</sc>odgkin lymphoma in three <sc>C</sc>hinese prospective cohorts. International Journal of Cancer, 2015, 137, 2688-2695.	5.1	15
108	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. Lupus Science and Medicine, 2017, 4, e000187.	2.7	15

#	ARTICLE	IF	CITATIONS
109	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for Waldenström macroglobulinemia. <i>Nature Communications</i> , 2018, 9, 4182.	12.8	15
110	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Epidemiology</i> , 2018, 47, 1760-1771.	1.9	15
111	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020, 112, 1223-1232.	2.9	15
112	Patterns of Human Leukocyte Antigen Class I and Class II Associations and Cancer. <i>Cancer Research</i> , 2021, 81, 1148-1152.	0.9	15
113	Pooled Analysis of Mitochondrial DNA Copy Number and Lung Cancer Risk in Three Prospective Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2977-2980.	2.5	14
114	Circulating immune/inflammation markers in Chinese workers occupationally exposed to formaldehyde. <i>Carcinogenesis</i> , 2015, 36, 852-857.	2.8	14
115	Polymorphisms in miR-135a-2, miR-219-2 and miR-211 as well as their interaction with cooking oil fume exposure on the risk of lung cancer in Chinese nonsmoking females: a case-control study. <i>BMC Cancer</i> , 2016, 16, 751.	2.6	14
116	Reproductive factors and lung cancer risk: a comprehensive systematic review and meta-analysis. <i>BMC Public Health</i> , 2020, 20, 1458.	2.9	14
117	Metabolome-wide association study of occupational exposure to benzene. <i>Carcinogenesis</i> , 2021, 42, 1326-1336.	2.8	14
118	Identification of gene expression predictors of occupational benzene exposure. <i>PLoS ONE</i> , 2018, 13, e0205427.	2.5	13
119	Pre-diagnostic serum concentrations of organochlorines and risk of acute myeloid leukemia: A nested case-control study in the Norwegian Janus Serum Bank Cohort. <i>Environment International</i> , 2019, 125, 229-235.	10.0	13
120	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1074-1078.	2.5	13
121	Lymphocyte toxicity and T cell receptor excision circles in workers exposed to benzene. <i>Chemico-Biological Interactions</i> , 2005, 153-154, 111-115.	4.0	12
122	Clinical analysis of 1629 newly diagnosed malignant lymphomas in current residents of Sichuan province, China. <i>Hematological Oncology</i> , 2016, 34, 193-199.	1.7	12
123	Circulating resistin levels and risk of multiple myeloma in three prospective cohorts. <i>British Journal of Cancer</i> , 2017, 117, 1241-1245.	6.4	12
124	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. <i>Environment International</i> , 2021, 147, 105975.	10.0	12
125	Commute patterns, residential traffic-related air pollution, and lung cancer risk in the prospective UK Biobank cohort study. <i>Environment International</i> , 2021, 155, 106698.	10.0	12
126	Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. <i>Journal of Hepatology</i> , 2020, 73, 863-872.	3.7	12

#	ARTICLE	IF	CITATIONS
127	Sleep Duration across the Adult Lifecourse and Risk of Lung Cancer Mortality: A Cohort Study in Xuanwei, China. <i>Cancer Prevention Research</i> , 2017, 10, 327-336.	1.5	11
128	Evaluation of Automatically Assigned Job-Specific Interview Modules. <i>Annals of Occupational Hygiene</i> , 2016, 60, 885-899.	1.9	10
129	Characterization of outdoor air pollution from solid fuel combustion in Xuanwei and Fuyuan, a rural region of China. <i>Scientific Reports</i> , 2020, 10, 11335.	3.3	10
130	A Prospective Study of Circulating Chemokines and Angiogenesis Markers and Risk of Multiple Myeloma and Its Precursor. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkz104.	2.9	10
131	Environmental health literacy and household air pollution-associated symptoms in Kenya: a cross-sectional study. <i>Environmental Health</i> , 2020, 19, 89.	4.0	10
132	Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2021, 148, 2457-2470.	5.1	10
133	Retrospective benzene exposure assessment for a multi-center case-cohort study of benzene-exposed workers in China. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2016, 26, 334-340.	3.9	9
134	A New Approach Combining Analytical Methods for Workplace Exposure Assessment of Inhalable Multi-Walled Carbon Nanotubes. <i>Annals of Work Exposures and Health</i> , 2017, 61, 759-772.	1.4	9
135	Alterations in immune and renal biomarkers among workers occupationally exposed to low levels of trichloroethylene below current regulatory standards. <i>Occupational and Environmental Medicine</i> , 2019, 76, 376-381.	2.8	9
136	A Prospective Investigation of Circulating Metabolome Identifies Potential Biomarkers for Gastric Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1634-1642.	2.5	9
137	Elevated urinary mutagenicity among those exposed to bituminous coal combustion emissions or diesel engine exhaust. <i>Environmental and Molecular Mutagenesis</i> , 2021, 62, 458-470.	2.2	9
138	Evaluating Exposure-Response Associations for Non-Hodgkin Lymphoma with Varying Methods of Assigning Cumulative Benzene Exposure in the Shanghai Women's Health Study. <i>Annals of Work Exposures and Health</i> , 2017, 61, 56-66.	1.4	8
139	Pre-diagnostic urinary 15- Δ^2 -isoprostane level and liver cancer risk: Results from the Shanghai Women's and Men's Health Studies. <i>International Journal of Cancer</i> , 2018, 143, 1896-1903.	5.1	8
140	Prediagnostic blood levels of organochlorines and risk of non-Hodgkin lymphoma in three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2020, 146, 839-849.	5.1	8
141	A Quantitative Meta-Analysis of the Relation between Occupational Benzene Exposure and Biomarkers of Cytogenetic Damage. <i>Environmental Health Perspectives</i> , 2020, 128, 87004.	6.0	8
142	Historical Occupational Trichloroethylene Air Concentrations Based on Inspection Measurements From Shanghai, China. <i>Annals of Occupational Hygiene</i> , 2014, 59, 62-78.	1.9	7
143	Dietary Glycemic Load, Glycemic Index, and Carbohydrate Intake on the Risk of Lung Cancer among Men and Women in Shanghai. <i>Nutrition and Cancer</i> , 2018, 70, 671-677.	2.0	7
144	Circulating sCD27 and sCD30 in pre-diagnostic samples collected fifteen years apart and future non-Hodgkin lymphoma risk. <i>International Journal of Cancer</i> , 2019, 144, 1780-1785.	5.1	7

#	ARTICLE	IF	CITATIONS
145	Cohort Profile: Norwegian Offshore Petroleum Workers (NOPW) Cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 398-399.	1.9	7
146	Prediagnosis Leisure-Time Physical Activity and Lung Cancer Survival: A Pooled Analysis of 11 Cohorts. <i>JNCI Cancer Spectrum</i> , 2022, 6, .	2.9	7
147	Association between occupational exposure to trichloroethylene and serum levels of microRNAs: a cross-sectional molecular epidemiology study in China. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 1077-1085.	2.3	6
148	Benzene exposure response and risk of lymphoid neoplasms in Chinese workers: A multicenter case cohort study. <i>American Journal of Industrial Medicine</i> , 2020, 63, 741-754.	2.1	6
149	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539.	2.8	6
150	Elevated Alu retroelement copy number among workers exposed to diesel engine exhaust. <i>Occupational and Environmental Medicine</i> , 2021, 78, 823-828.	2.8	6
151	Phytoestrogens and lung cancer risk: a nested case-control study in never-smoking Chinese women. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 643-651.	4.7	6
152	Constitutive Mitochondrial DNA Copy Number in Peripheral Blood of Melanoma Families with and without CDKN2A Mutations. <i>Journal of Carcinogenesis & Mutagenesis</i> , 2012, S4, .	0.3	5
153	Association between coffee drinking and telomere length in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>PLoS ONE</i> , 2020, 15, e0226972.	2.5	5
154	No apparent association between NAT1 and NAT2 genotypes and risk of stomach cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 384-6.	2.5	5
155	Circulatory metabolites trigger ex vivo arterial endothelial cell dysfunction in population chronically exposed to diesel exhaust. <i>Particle and Fibre Toxicology</i> , 2022, 19, 20.	6.2	5
156	Endogenous sex hormones, aromatase activity and lung cancer risk in postmenopausal never smoking women. <i>International Journal of Cancer</i> , 2022, 151, 699-707.	5.1	5
157	Polymorphism of Rs9387478 Correlates with Overall Survival in Female Nonsmoking Patients with Lung Cancer. <i>International Journal of Biological Markers</i> , 2016, 31, 144-152.	1.8	4
158	p53 and K-ras mutations in lung tissues and sputum samples of individuals exposed to smoky coal emissions in Xuan Wei County, China. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2018, 829-830, 70-74.	1.7	4
159	Estimation of Source-Specific Occupational Benzene Exposure in a Population-Based Case Control Study of Non-Hodgkin Lymphoma. <i>Annals of Work Exposures and Health</i> , 2019, 63, 842-855.	1.4	4
160	Household coal combustion, indoor air pollutants, and circulating immunologic/inflammatory markers in rural China. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2019, 82, 411-421.	2.3	4
161	Prediagnostic serum sCD27 and sCD30 in serial samples and risks of non-Hodgkin lymphoma subtypes. <i>International Journal of Cancer</i> , 2020, 146, 3312-3319.	5.1	4
162	Characterization of the humoral immune response to the EBV proteome in extranodal NK/T-cell lymphoma. <i>Scientific Reports</i> , 2021, 11, 23664.	3.3	4

#	ARTICLE	IF	CITATIONS
163	Proteomic analysis of serum in workers exposed to diesel engine exhaust. <i>Environmental and Molecular Mutagenesis</i> , 2022, 63, 18-28.	2.2	4
164	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1103-1110.	2.5	4
165	Prediagnostic serum concentrations of organochlorine pesticides and non-Hodgkin lymphoma: A nested case-control study in the Norwegian Janus Serum Bank Cohort. <i>Environmental Research</i> , 2020, 187, 109515.	7.5	3
166	Quality of dietary carbohydrate is more important than its quantity in lipid peroxidation. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 189-196.	4.7	3
167	Lipid peroxidation biomarkers associated with height and obesity measures in the opposite direction in women. <i>Obesity</i> , 2022, 30, 1257-1267.	3.0	3
168	Occupational trichloroethylene exposure and antinuclear antibodies: a cross-sectional study in China. <i>Occupational and Environmental Medicine</i> , 2022, 79, 717-720.	2.8	3
169	Tooth Loss and Risk of Lung Cancer among Urban Chinese Adults: A Cohort Study with Meta-Analysis. <i>Cancers</i> , 2022, 14, 2428.	3.7	3
170	Genetically Inferred Telomere Length and Testicular Germ Cell Tumor Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1275-1278.	2.5	2
171	Low-Dose, Occupational Exposure to the Leukemogen Benzene Induces Robust Changes in the Blood Transcriptome Associated with Altered Immune System Biology.. <i>Blood</i> , 2008, 112, 1207-1207.	1.4	2
172	Night shift work, chemical coexposures and risk of female breast cancer in the Norwegian Offshore Petroleum Workers (NOPW) cohort: a prospectively recruited case-cohort study. <i>BMJ Open</i> , 2022, 12, e056396.	1.9	2
173	Incidence of myeloid malignancies by subtype in Hong Kong and comparisons with Asian and white men and women in the United States. <i>Leukemia and Lymphoma</i> , 2022, 63, 1917-1924.	1.3	2
174	Household air pollution from, and fuel efficiency of, different coal types following local cooking practices in Xuanwei, China. <i>Environmental Pollution</i> , 2021, 290, 117949.	7.5	1
175	Household Air Pollution (HAP) and Cancer: What (HAP) Pens Next?. <i>Journal of Pulmonary & Respiratory Medicine</i> , 2014, 04, 189.	0.1	0
176	0442â€¦Elucidating mechanisms using comparative molecular epidemiology: Immunologic alterations in workers exposed to trichloroethylene and formaldehyde. <i>Occupational and Environmental Medicine</i> , 2014, 71, A125-A125.	2.8	0
177	018-5â€¦Occupational exposure to diesel exhaust and alterations in immune/inflammatory markers. , 2016, , .		0
178	0271â€¦Adverse effects on specific markers of cardiovascular risk among workers exposed to multi-walled carbon nanotubes. , 2017, , .		0
179	The Establishment of the Household Air Pollution Consortium (HAPCO). <i>Atmosphere</i> , 2019, 10, 422.	2.3	0
180	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0