

# Rakibul Islam

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2821014/publications.pdf>

Version: 2024-02-01

88  
papers

6,918  
citations

279798

23  
h-index

98798

67  
g-index

99  
all docs

99  
docs citations

99  
times ranked

6309  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Global Burden of Cardiovascular Diseases and Risk Factors, 1990â€“2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.  | 2.8  | 4,468     |
| 2  | Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360. | 13.7 | 609       |
| 3  | Trends in incidence of total or type 2 diabetes: systematic review. BMJ: British Medical Journal, 2019, 366, l5003.  | 2.3  | 184       |
| 4  | Global Consensus Position Statement on the Use of Testosterone Therapy for Women. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 4660-4666.  | 3.6  | 147       |
| 5  | Safety and efficacy of testosterone for women: a systematic review and meta-analysis of randomised controlled trial data. Lancet Diabetes and Endocrinology,the, 2019, 7, 754-766.   | 11.4 | 140       |
| 6  | Understanding variation in prevalence estimates of polycystic ovary syndrome: a systematic review and meta-analysis. Human Reproduction Update, 2018, 24, 694-709.   | 10.8 | 134       |
| 7  | Trends in the incidence of diagnosed diabetes: a multicountry analysis of aggregate data from 22 million diagnoses in high-income and middle-income settings. Lancet Diabetes and Endocrinology,the, 2021, 9, 203-211.   | 11.4 | 85        |
| 8  | Androgens During the Reproductive Years: What Is Normal for Women?. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 5382-5392.  | 3.6  | 76        |
| 9  | Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. Lancet Diabetes and Endocrinology,the, 2022, 10, 177-192.  | 11.4 | 66        |
| 10 | Prevalence of menopausal symptoms in Asian midlife women: a systematic review. Climacteric, 2015, 18, 157-176.   | 2.4  | 58        |
| 11 | Barriers to Cervical Cancer and Breast Cancer Screening Uptake in Low-Income and Middle-Income Countries: A Systematic Review. Asian Pacific Journal of Cancer Prevention, 2017, 18, 1751-1763.  | 1.2  | 55        |
| 12 | Global Consensus Position Statement on the Use of Testosterone Therapy for Women. Climacteric, 2019, 22, 429-434.  | 2.4  | 50        |
| 13 | Weekly updates of national living evidence-based guidelines: methods for the Australian living guidelines for care of people with COVID-19. Journal of Clinical Epidemiology, 2021, 131, 11-21.  | 5.0  | 50        |
| 14 | Prevalence of symptomatic pelvic floor disorders in community-dwelling women in low and middle-income countries: a systematic review and meta-analysis. International Urogynecology Journal, 2019, 30, 2001-2011.  | 1.4  | 44        |
| 15 | Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.                     | 10.0 | 38        |
| 16 | A systematic review of trends in all-cause mortality among people with diabetes. Diabetologia, 2020, 63, 1718-1735.  | 6.3  | 37        |
| 17 | Awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population based survey. Maturitas, 2016, 84, 68-74.   | 2.4  | 34        |
| 18 | A systematic review of intravaginal testosterone for the treatment of vulvovaginal atrophy. Menopause, 2018, 25, 704-709.  | 2.0  | 33        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Associations between androgens and sexual function in premenopausal women: a cross-sectional study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 693-702.  | 11.4 | 30        |
| 20 | The prevalence of symptomatic pelvic floor disorders in women in Bangladesh. <i>Climacteric</i> , 2016, 19, 558-564.  | 2.4  | 28        |
| 21 | Prevalence of, and risk factors for, symptomatic pelvic organ prolapse in Rural Bangladesh: a cross-sectional survey study. <i>International Urogynecology Journal</i> , 2016, 27, 1753-1759.   | 1.4  | 26        |
| 22 | Prevalence of menopausal symptoms in Australian women at midlife: a systematic review. <i>Climacteric</i> , 2014, 17, 529-539.  | 2.4  | 24        |
| 23 | Vasomotor symptoms in women in Asia appear comparable with women in Western countries: a systematic review. <i>Menopause</i> , 2017, 24, 1313-1322.   | 2.0  | 24        |
| 24 | Lack of Understanding of Cervical Cancer and Screening Is the Leading Barrier to Screening Uptake in Women at Midlife in Bangladesh: Population-Based Cross-Sectional Survey. <i>Oncologist</i> , 2015, 20, 1386-1392.                                  | 3.7  | 22        |
| 25 | Prevalence and severity of vasomotor symptoms and joint pain in women at midlife in Bangladesh: a population-based survey. <i>Menopause</i> , 2016, 23, 731-739.  | 2.0  | 22        |
| 26 | Global Consensus Position Statement on the Use of Testosterone Therapy for Women. <i>Journal of Sexual Medicine</i> , 2019, 16, 1331-1337.  | 0.6  | 22        |
| 27 | The prevalence of sexual dysfunctions and sexually related distress in young women: a cross-sectional survey. <i>Fertility and Sterility</i> , 2020, 113, 426-434.  | 1.0  | 22        |
| 28 | DETERMINANTS OF EXPOSURE TO MASS MEDIA FAMILY PLANNING MESSAGES AMONG INDIGENOUS PEOPLE IN BANGLADESH: A STUDY ON THE GARO. <i>Journal of Biosocial Science</i> , 2009, 41, 221-229.  | 1.2  | 20        |
| 29 | Prevalence of hypertension and controlled hypertension among United States adults: Evidence from NHANES 2017-18 survey. <i>International Journal of Cardiology: Hypertension</i> , 2020, 7, 100061.   | 2.2  | 19        |
| 30 | Prevalence, awareness, treatment, and control of hypertension in Bangladesh: Findings from National Demographic and Health Survey, 2017-2018. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1830-1842.  | 2.0  | 18        |
| 31 | Utilization of maternal health care services among indigenous women in Bangladesh: A study on the Mru tribe. <i>Women and Health</i> , 2017, 57, 108-118.   | 1.0  | 17        |
| 32 | Challenges in recruitment to an epidemiological study of young Australian women: the Grollo-Ruzzene Foundation Young Women's Health Study. <i>Australian and New Zealand Journal of Public Health</i> , 2019, 43, 131-136.                              | 1.8  | 16        |
| 33 | Effects of testosterone therapy for women: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2019, 8, 19.   | 5.3  | 15        |
| 34 | Associations between blood sex steroid concentrations and risk of major adverse cardiovascular events in healthy older women in Australia: a prospective cohort substudy of the ASPREE trial. <i>The Lancet Healthy Longevity</i> , 2022, 3, e109-e118. | 4.6  | 15        |
| 35 | Health system readiness for non-communicable diseases at the primary care level: a systematic review. <i>BMJ Open</i> , 2022, 12, e060387.  | 1.9  | 15        |
| 36 | Prevalence of, and risk factors for, diabetes and prediabetes in Bangladesh: Evidence from the national survey using a multilevel Poisson regression model with a robust variance. <i>PLOS Global Public Health</i> , 2022, 2, e0000461.                | 1.6  | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Systematic review and meta-analysis of prevalence of, and risk factors for, pelvic floor disorders in community-dwelling women in low and middle-income countries: a protocol study. <i>BMJ Open</i> , 2017, 7, e015626.                  | 1.9 | 13        |
| 38 | Types of urinary incontinence in Bangladeshi women at midlife: Prevalence and risk factors. <i>Maturitas</i> , 2018, 116, 18-23.  | 2.4 | 13        |
| 39 | Hormonal contraceptive use in Australian women: Who is using what?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019, 59, 717-724.  | 1.0 | 13        |
| 40 | Association between household air pollution and child mortality in Myanmar using a multilevel mixed-effects Poisson regression with robust variance. <i>Scientific Reports</i> , 2021, 11, 12983.   | 3.3 | 13        |
| 41 | Prevalence of sexual symptoms in relation to menopause in women in Asia: a systematic review. <i>Menopause</i> , 2018, 25, 231-238.   | 2.0 | 12        |
| 42 | Global Consensus Position Statement on the use of Testosterone Therapy for Women. <i>Maturitas</i> , 2019, 128, 89-93.  | 2.4 | 12        |
| 43 | Substituting serum anti-Müllerian hormone for polycystic ovary morphology increases the number of women diagnosed with polycystic ovary syndrome: a community-based cross-sectional study. <i>Human Reproduction</i> , 2021, 37, 109-118. | 0.9 | 11        |
| 44 | Bangladesh Midlife Women's Health Study (BMWHS): Methods, challenges and experiences. <i>Maturitas</i> , 2015, 80, 89-94.   | 2.4 | 10        |
| 45 | Prevalence of Low Sexual Desire with Associated Distress Across the Adult Life Span: An Australian Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2020, 17, 1885-1895.  | 0.6 | 10        |
| 46 | Distribution of Body Hair in Young Australian Women and Associations With Serum Androgen Concentrations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1186-1195.  | 3.6 | 10        |
| 47 | Longitudinal changes over three years in sex steroid hormone levels in women aged 70 years and over. <i>Clinical Endocrinology</i> , 2021, 94, 443-448.   | 2.4 | 10        |
| 48 | Use of community-based reference ranges to estimate the prevalence of polycystic ovary syndrome by the recognised diagnostic criteria, a cross-sectional study. <i>Human Reproduction</i> , 2021, 36, 1611-1620.                          | 0.9 | 10        |
| 49 | Socioeconomic differentials in hypertension based on JNC7 and ACC/AHA 2017 guidelines mediated by body mass index: Evidence from Nepal demographic and health survey. <i>PLoS ONE</i> , 2020, 15, e0218767.                               | 2.5 | 9         |
| 50 | Effect of maternal dietary niacin intake on congenital anomalies: a systematic review and meta-analysis. <i>European Journal of Nutrition</i> , 2022, 61, 1133-1142.  | 3.9 | 9         |
| 51 | Sex preference as a determinant of contraceptive use in matrilineal societies: A study on the Garo of Bangladesh. <i>European Journal of Contraception and Reproductive Health Care</i> , 2009, 14, 301-306.                              | 1.5 | 7         |
| 52 | Differing performance of two assays for the measurement of anti-Müllerian hormone in premenopausal women: A cross-sectional study. <i>Clinical Endocrinology</i> , 2021, 95, 169-175.   | 2.4 | 7         |
| 53 | Family planning knowledge and current use of contraception among the Mru indigenous women in Bangladesh: a multivariate analysis. <i>Open Access Journal of Contraception</i> , 0, , 9.   | 1.4 | 6         |
| 54 | Prevalence and determinants of menstrual regulation among ever-married women in Bangladesh: evidence from a national survey. <i>Reproductive Health</i> , 2019, 16, 123.  | 3.1 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | A prospective controlled study of sexual function and sexually related personal distress up to 12 months after premenopausal risk-reducing bilateral salpingo-oophorectomy. <i>Menopause</i> , 2021, 28, 748-755.                                    | 2.0 | 6         |
| 56 | The experiences of children and adolescents undergoing forced separation from their parents during migration: A systematic review. <i>Health and Social Care in the Community</i> , 2022, 30, 888-898.   | 1.6 | 6         |
| 57 | Prevalence of undiagnosed diabetes and the relative importance of its risk factors among adults in Bangladesh: Findings from a nationwide survey. <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109228.                                | 2.8 | 5         |
| 58 | Medical waste management-related factors affecting health and experiences of health risks among medical waste handlers in low and middle-income countries: a systematic review protocol of qualitative studies. <i>BMJ Open</i> , 2022, 12, e056037. | 1.9 | 5         |
| 59 | Effect of exercise on symptoms of premenstrual syndrome in low and middle-income countries: a protocol for systematic review and meta-analysis. <i>BMJ Open</i> , 2020, 10, e039274.   | 1.9 | 4         |
| 60 | Understanding systematic reviews and meta-analyses. <i>Climacteric</i> , 2020, 23, 323-324.  | 2.4 | 3         |
| 61 | A Priority-Based Process Scheduling Algorithm in Cloud Computing. <i>Advances in Intelligent Systems and Computing</i> , 2019, , 239-248.  | 0.6 | 3         |
| 62 | The prevalence of hypoactive sexual desire disorder in Australian and Iranian women at midlife. <i>Menopause</i> , 2020, 27, 1274-1280.  | 2.0 | 3         |
| 63 | Psychometric validation of diabetes distress scale in Bangladeshi population. <i>Scientific Reports</i> , 2022, 12, 562.   | 3.3 | 3         |
| 64 | Pattern of contraceptive use among reproductive-aged women with diabetes and/or hypertension: findings from Bangladesh Demographic and Health Survey. <i>BMC Women's Health</i> , 2022, 22, .  | 2.0 | 3         |
| 65 | 1593-P: Time Trends in Diabetes Incidence and Obesity Prevalence in Six Countries. <i>Diabetes</i> , 2019, 68, 1593-P.   | 0.6 | 2         |
| 66 | Awareness, Treatment, and Control of Diabetes in Bangladesh: Evidence from the Bangladesh Demographic and Health Survey 2017/18. <i>International Journal of Clinical Practice</i> , 2022, 2022, 1-9.  | 1.7 | 2         |
| 67 | Authors'™ response to Letter to the Editor on awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population-based survey. <i>Maturitas</i> , 2016, 88, 58.  | 2.4 | 1         |
| 68 | Performance Analysis of AC-DC Converter Based Self Excited DC Shunt Motor Using Single Tuned Passive Filter. , 2018, , .   |     | 1         |
| 69 | Prevalence of and Risk Factors for Depressive Symptoms and Antidepressant Use in Young Australian Women: A Cross-Sectional Study. <i>Journal of Women's Health</i> , 2020, 30, 997-1005.   | 3.3 | 1         |
| 70 | Testosterone and androstenedione are positively associated with anti-™ allergic hormone in premenopausal women. <i>Clinical Endocrinology</i> , 2021, 95, 752-759.   | 2.4 | 1         |
| 71 | Testosterone: the known knowns, the known unknowns and the unknown unknowns. <i>Maturitas</i> , 2019, 124, 116.  | 2.4 | 0         |
| 72 | Iron insufficiency among young Australian women: a population-based survey. <i>Internal Medicine Journal</i> , 2020, 50, 420-426.  | 0.8 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Response to Letter to the Editor: "Distribution of Body Hair in Young Australian Women and Associations with Serum Androgen Concentrations" Journal of Clinical Endocrinology and Metabolism, 2020, 105, e3049-e3050.                      | 3.6 | 0         |
| 74 | Sex Differences in the Association between Internet Usage and Overweight/Obesity: Evidence from a Nationally Representative Survey in Nepal. Sexes, 2021, 2, 132-143.  | 1.0 | 0         |
| 75 | 1155Effect of household air pollution on infant and child-mortality in Myanmar. International Journal of Epidemiology, 2021, 50, .   | 1.9 | 0         |
| 76 | Abstract P179: Explaining The Increase Of Hypertension Prevalence In Bangladesh From 2011 To 2018: Evidence From National Surveys. Hypertension, 2021, 78, .   | 2.7 | 0         |
| 77 | SAT-LB001 Traditional Sex Steroids and Ketoandrogen Levels by Menstrual Cycle Stage, Age and Body Mass Index in Women Aged 18-39 Years. Journal of the Endocrine Society, 2019, 3, .   | 0.2 | 0         |
| 78 | 1615-P: A Multicountry Trend Analysis of Diabetes Incidence. Diabetes, 2019, 68, 1615-P.   | 0.6 | 0         |
| 79 | 1659-P: A Systematic Review of Trends in All-Cause Mortality among People with Diabetes. Diabetes, 2019, 68, 1659-P.   | 0.6 | 0         |
| 80 | Mediation Effect of Metal Mixtures in the Association Between Socioeconomic Status and Self-rated Health Among US Adults: A Weighted Quantile Sum Mediation Approach. Exposure and Health, 0, , 1.   | 4.9 | 0         |
| 81 | Reply: A single cut-off value of anti-Mullerian hormone should not be used for the diagnosis of PCOS in all reproductive-aged women. Human Reproduction, 2022, , .   | 0.9 | 0         |
| 82 | Major flaws in "double and triple burden of non-communicable diseases and its determinants among adults in Bangladesh: Evidence from a recent demographic and health survey" International Journal of Clinical Practice, 2021, 75, e14977. | 1.7 | 0         |
| 83 | Title is missing!. , 2020, 15, e0218767.   |     | 0         |
| 84 | Title is missing!. , 2020, 15, e0218767.   |     | 0         |
| 85 | Title is missing!. , 2020, 15, e0218767.   |     | 0         |
| 86 | Title is missing!. , 2020, 15, e0218767.   |     | 0         |
| 87 | Title is missing!. , 2020, 15, e0218767.   |     | 0         |
| 88 | Title is missing!. , 2020, 15, e0218767.   |     | 0         |