

Rakibul Islam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2821014/publications.pdf>

Version: 2024-02-01

88
papers

6,918
citations

279798

23
h-index

98798

67
g-index

99
all docs

99
docs citations

99
times ranked

6309
citing authors

#	ARTICLE	IF	CITATIONS
1	The experiences of children and adolescents undergoing forced separation from their parents during migration: A systematic review. <i>Health and Social Care in the Community</i> , 2022, 30, 888-898.	1.6	6
2	Effect of maternal dietary niacin intake on congenital anomalies: a systematic review and meta-analysis. <i>European Journal of Nutrition</i> , 2022, 61, 1133-1142.	3.9	9
3	Psychometric validation of diabetes distress scale in Bangladeshi population. <i>Scientific Reports</i> , 2022, 12, 562.	3.3	3
4	Reply: A single cut-off value of anti-Mullerian hormone should not be used for the diagnosis of PCOS in all reproductive-aged women. <i>Human Reproduction</i> , 2022, , .	0.9	0
5	Prevalence of undiagnosed diabetes and the relative importance of its risk factors among adults in Bangladesh: Findings from a nationwide survey. <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109228.	2.8	5
6	Associations between blood sex steroid concentrations and risk of major adverse cardiovascular events in healthy older women in Australia: a prospective cohort substudy of the ASPREE trial. <i>The Lancet Healthy Longevity</i> , 2022, 3, e109-e118.	4.6	15
7	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 177-192.	11.4	66
8	Health system readiness for non-communicable diseases at the primary care level: a systematic review. <i>BMJ Open</i> , 2022, 12, e060387.	1.9	15
9	Medical waste management-related factors affecting health and experiences of health risks among medical waste handlers in low and middle-income countries: a systematic review protocol of qualitative studies. <i>BMJ Open</i> , 2022, 12, e056037.	1.9	5
10	Awareness, Treatment, and Control of Diabetes in Bangladesh: Evidence from the Bangladesh Demographic and Health Survey 2017/18. <i>International Journal of Clinical Practice</i> , 2022, 2022, 1-9.	1.7	2
11	Prevalence of, and risk factors for, diabetes and prediabetes in Bangladesh: Evidence from the national survey using a multilevel Poisson regression model with a robust variance. <i>PLOS Global Public Health</i> , 2022, 2, e0000461.	1.6	14
12	Pattern of contraceptive use among reproductive-aged women with diabetes and/or hypertension: findings from Bangladesh Demographic and Health Survey. <i>BMC Women's Health</i> , 2022, 22, .	2.0	3
13	Weekly updates of national living evidence-based guidelines: methods for the Australian living guidelines for care of people with COVID-19. <i>Journal of Clinical Epidemiology</i> , 2021, 131, 11-21.	5.0	50
14	Longitudinal changes over three years in sex steroid hormone levels in women aged 70 years and over. <i>Clinical Endocrinology</i> , 2021, 94, 443-448.	2.4	10
15	A prospective controlled study of sexual function and sexually related personal distress up to 12 months after premenopausal risk-reducing bilateral salpingo-oophorectomy. <i>Menopause</i> , 2021, 28, 748-755.	2.0	6
16	Sex Differences in the Association between Internet Usage and Overweight/Obesity: Evidence from a Nationally Representative Survey in Nepal. <i>Sexes</i> , 2021, 2, 132-143.	1.0	0
17	Differing performance of two assays for the measurement of anti-Mullerian hormone in premenopausal women: A cross-sectional study. <i>Clinical Endocrinology</i> , 2021, 95, 169-175.	2.4	7
18	Use of community-based reference ranges to estimate the prevalence of polycystic ovary syndrome by the recognised diagnostic criteria, a cross-sectional study. <i>Human Reproduction</i> , 2021, 36, 1611-1620.	0.9	10

#	ARTICLE	IF	CITATIONS
19	Trends in the incidence of diagnosed diabetes: a multicountry analysis of aggregate data from 22 million diagnoses in high-income and middle-income settings. <i>Lancet Diabetes and Endocrinology</i> , the, 2021, 9, 203-211.	11.4	85
20	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2021, 6, e482-e499.	10.0	38
21	Association between household air pollution and child mortality in Myanmar using a multilevel mixed-effects Poisson regression with robust variance. <i>Scientific Reports</i> , 2021, 11, 12983.	3.3	13
22	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 397, 2337-2360.	13.7	609
23	Prevalence, awareness, treatment, and control of hypertension in Bangladesh: Findings from National Demographic and Health Survey, 2017â€“2018. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1830-1842.	2.0	18
24	1155Effect of household air pollution on infant and child-mortality in Myanmar. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
25	Abstract P179: Explaining The Increase Of Hypertension Prevalence In Bangladesh From 2011 To 2018: Evidence From National Surveys. <i>Hypertension</i> , 2021, 78, .	2.7	0
26	Testosterone and androstenedione are positively associated with anti-MÃ¼llerian hormone in premenopausal women. <i>Clinical Endocrinology</i> , 2021, 95, 752-759.	2.4	1
27	Substituting serum anti-MÃ¼llerian hormone for polycystic ovary morphology increases the number of women diagnosed with polycystic ovary syndrome: a community-based cross-sectional study. <i>Human Reproduction</i> , 2021, 37, 109-118.	0.9	11
28	Major flaws in â€œdouble and triple burden of nonâ€“communicable diseases and its determinants among adults in Bangladesh: Evidence from a recent demographic and health surveyâ€• <i>International Journal of Clinical Practice</i> , 2021, 75, e14977.	1.7	0
29	Iron insufficiency among young Australian women: a populationâ€“based survey. <i>Internal Medicine Journal</i> , 2020, 50, 420-426.	0.8	0
30	Effect of exercise on symptoms of premenstrual syndrome in low and middle-income countries: a protocol for systematic review and meta-analysis. <i>BMJ Open</i> , 2020, 10, e039274.	1.9	4
31	Prevalence of and Risk Factors for Depressive Symptoms and Antidepressant Use in Young Australian Women: A Cross-Sectional Study. <i>Journal of Women's Health</i> , 2020, 30, 997-1005.	3.3	1
32	Associations between androgens and sexual function in premenopausal women: a cross-sectional study. <i>Lancet Diabetes and Endocrinology</i> , the, 2020, 8, 693-702.	11.4	30
33	Prevalence of Low Sexual Desire with Associated Distress Across the Adult Life Span: An Australian Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2020, 17, 1885-1895.	0.6	10
34	Prevalence of hypertension and controlled hypertension among United States adults: Evidence from NHANES 2017-18 survey. <i>International Journal of Cardiology: Hypertension</i> , 2020, 7, 100061.	2.2	19
35	Response to Letter to the Editor: â€œDistribution of Body Hair in Young Australian Women and Associations with Serum Androgen Concentrationsâ€• <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3049-e3050.	3.6	0
36	Global Burden of Cardiovascular Diseases and Risk Factors, 1990â€“2019. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2982-3021.	2.8	4,468

#	ARTICLE	IF	CITATIONS
37	Understanding systematic reviews and meta-analyses. <i>Climacteric</i> , 2020, 23, 323-324.	2.4	3
38	A systematic review of trends in all-cause mortality among people with diabetes. <i>Diabetologia</i> , 2020, 63, 1718-1735.	6.3	37
39	Distribution of Body Hair in Young Australian Women and Associations With Serum Androgen Concentrations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1186-1195.	3.6	10
40	The prevalence of sexual dysfunctions and sexually related distress in young women: a cross-sectional survey. <i>Fertility and Sterility</i> , 2020, 113, 426-434.	1.0	22
41	Socioeconomic differentials in hypertension based on JNC7 and ACC/AHA 2017 guidelines mediated by body mass index: Evidence from Nepal demographic and health survey. <i>PLoS ONE</i> , 2020, 15, e0218767.	2.5	9
42	The prevalence of hypoactive sexual desire disorder in Australian and Iranian women at midlife. <i>Menopause</i> , 2020, 27, 1274-1280.	2.0	3
43	Title is missing!. , 2020, 15, e0218767.		0
44	Title is missing!. , 2020, 15, e0218767.		0
45	Title is missing!. , 2020, 15, e0218767.		0
46	Title is missing!. , 2020, 15, e0218767.		0
47	Title is missing!. , 2020, 15, e0218767.		0
48	Title is missing!. , 2020, 15, e0218767.		0
49	Safety and efficacy of testosterone for women: a systematic review and meta-analysis of randomised controlled trial data. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 754-766.	11.4	140
50	Hormonal contraceptive use in Australian women: Who is using what?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019, 59, 717-724.	1.0	13
51	Androgens During the Reproductive Years: What Is Normal for Women?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5382-5392.	3.6	76
52	Effects of testosterone therapy for women: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2019, 8, 19.	5.3	15
53	Prevalence and determinants of menstrual regulation among ever-married women in Bangladesh: evidence from a national survey. <i>Reproductive Health</i> , 2019, 16, 123.	3.1	6
54	Global Consensus Position Statement on the Use of Testosterone Therapy for Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4660-4666.	3.6	147

#	ARTICLE	IF	CITATIONS
55	Global Consensus Position Statement on the use of Testosterone Therapy for Women. Maturitas, 2019, 128, 89-93.	2.4	12
56	Global Consensus Position Statement on the Use of Testosterone Therapy for Women. Journal of Sexual Medicine, 2019, 16, 1331-1337.	0.6	22
57	Global Consensus Position Statement on the Use of Testosterone Therapy for Women. Climacteric, 2019, 22, 429-434.	2.4	50
58	Trends in incidence of total or type 2 diabetes: systematic review. BMJ: British Medical Journal, 2019, 366, l5003.	2.3	184
59	Testosterone: the known knowns, the known unknowns and the unknown unknowns. Maturitas, 2019, 124, 116.	2.4	0
60	Prevalence of symptomatic pelvic floor disorders in community-dwelling women in low and middle-income countries: a systematic review and meta-analysis. International Urogynecology Journal, 2019, 30, 2001-2011.	1.4	44
61	Challenges in recruitment to an epidemiological study of young Australian women: the Grolloâ€Ruzzene Foundation Young Womenâ€™s Health Study. Australian and New Zealand Journal of Public Health, 2019, 43, 131-136.	1.8	16
62	A Priority-Based Process Scheduling Algorithm in Cloud Computing. Advances in Intelligent Systems and Computing, 2019, , 239-248.	0.6	3
63	1593-P: Time Trends in Diabetes Incidence and Obesity Prevalence in Six Countries. Diabetes, 2019, 68, 1593-P.	0.6	2
64	SAT-LB001 Traditional Sex Steroids and Ketoandrogen Levels by Menstrual Cycle Stage, Age and Body Mass Index in Women Aged 18-39 Years. Journal of the Endocrine Society, 2019, 3, .	0.2	0
65	1615-P: A Multicountry Trend Analysis of Diabetes Incidence. Diabetes, 2019, 68, 1615-P.	0.6	0
66	1659-P: A Systematic Review of Trends in All-Cause Mortality among People with Diabetes. Diabetes, 2019, 68, 1659-P.	0.6	0
67	A systematic review of intravaginal testosterone for the treatment of vulvovaginal atrophy. Menopause, 2018, 25, 704-709.	2.0	33
68	Prevalence of sexual symptoms in relation to menopause in women in Asia: a systematic review. Menopause, 2018, 25, 231-238.	2.0	12
69	Performance Analysis of AC-DC Converter Based Self Excited DC Shunt Motor Using Single Tuned Passive Filter. , 2018, , .		1
70	Understanding variation in prevalence estimates of polycystic ovary syndrome: a systematic review and meta-analysis. Human Reproduction Update, 2018, 24, 694-709.	10.8	134
71	Types of urinary incontinence in Bangladeshi women at midlife: Prevalence and risk factors. Maturitas, 2018, 116, 18-23.	2.4	13
72	Utilization of maternal health care services among indigenous women in Bangladesh: A study on the Mru tribe. Women and Health, 2017, 57, 108-118.	1.0	17

#	ARTICLE	IF	CITATIONS
73	Systematic review and meta-analysis of prevalence of, and risk factors for, pelvic floor disorders in community-dwelling women in low and middle-income countries: a protocol study. <i>BMJ Open</i> , 2017, 7, e015626.	1.9	13
74	Vasomotor symptoms in women in Asia appear comparable with women in Western countries: a systematic review. <i>Menopause</i> , 2017, 24, 1313-1322.	2.0	24
75	Barriers to Cervical Cancer and Breast Cancer Screening Uptake in Low-Income and Middle-Income Countries: A Systematic Review. <i>Asian Pacific Journal of Cancer Prevention</i> , 2017, 18, 1751-1763.	1.2	55
76	Authors'™ response to Letter to the Editor on awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population-based survey. <i>Maturitas</i> , 2016, 88, 58.	2.4	1
77	Prevalence of, and risk factors for, symptomatic pelvic organ prolapse in Rural Bangladesh: a cross-sectional survey study. <i>International Urogynecology Journal</i> , 2016, 27, 1753-1759.	1.4	26
78	The prevalence of symptomatic pelvic floor disorders in women in Bangladesh. <i>Climacteric</i> , 2016, 19, 558-564.	2.4	28
79	Prevalence and severity of vasomotor symptoms and joint pain in women at midlife in Bangladesh: a population-based survey. <i>Menopause</i> , 2016, 23, 731-739.	2.0	22
80	Awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population based survey. <i>Maturitas</i> , 2016, 84, 68-74.	2.4	34
81	Lack of Understanding of Cervical Cancer and Screening Is the Leading Barrier to Screening Uptake in Women at Midlife in Bangladesh: Population-Based Cross-Sectional Survey. <i>Oncologist</i> , 2015, 20, 1386-1392.	3.7	22
82	Prevalence of menopausal symptoms in Asian midlife women: a systematic review. <i>Climacteric</i> , 2015, 18, 157-176.	2.4	58
83	Bangladesh Midlife Women's Health Study (BMWHS): Methods, challenges and experiences. <i>Maturitas</i> , 2015, 80, 89-94.	2.4	10
84	Prevalence of menopausal symptoms in Australian women at midlife: a systematic review. <i>Climacteric</i> , 2014, 17, 529-539.	2.4	24
85	DETERMINANTS OF EXPOSURE TO MASS MEDIA FAMILY PLANNING MESSAGES AMONG INDIGENOUS PEOPLE IN BANGLADESH: A STUDY ON THE GARO. <i>Journal of Biosocial Science</i> , 2009, 41, 221-229.	1.2	20
86	Sex preference as a determinant of contraceptive use in matrilineal societies: A study on the Garo of Bangladesh. <i>European Journal of Contraception and Reproductive Health Care</i> , 2009, 14, 301-306.	1.5	7
87	Family planning knowledge and current use of contraception among the Mru indigenous women in Bangladesh: a multivariate analysis. <i>Open Access Journal of Contraception</i> , 0, , 9.	1.4	6
88	Mediation Effect of Metal Mixtures in the Association Between Socioeconomic Status and Self-rated Health Among US Adults: A Weighted Quantile Sum Mediation Approach. <i>Exposure and Health</i> , 0, , 1.	4.9	0